









SAFETY MARKING & IDENTIFICATION PRODUCTS



SAFETY TAPES	TRANSPORTATION OF DANGEROUS GOOD	
GATOR GRIP® PREMIUM GRADE ANTI-SLIP TAPE8	DOT WORDED TRUCK PLACARDS (USA VERSION)118	8-119
MILITARY & MARINE GRADE ANTI-SLIP TAPE8	DOT UN TRUCK PLACARDS (USA VERSION)120	0-121
GRIT TAPE APPLICATOR ROLLER8	PLACARD NUMBERS & NUMBER KITS	120
GATOR GRIP® PREMIUM GRADE COLORED ANTI-SLIP TAPE9	DOT PRE-NUMBERED TRUCK PLACARDS (USA VERSION)122	2-123
GATOR GRIP® PREMIUM GRADE ANTI-SLIP CLEATS9	DOT WORDED SHIPPING LABELS (USA VERSION)	
GATOR GRIP® PREMIUM GRADE 'WATCH YOUR STEP' ANTI-SLIP TAPE10	DOT WORDED TABBED SHIPPING LABELS (USA VERSION)	125
GATOR GRIP® STADIUM TRACK "HIGH VISIBILITY" ANTI-SLIP TAPE10	TDG TRUCK PLACARDS (CANADA & INTERNATIONAL)	8-129
GATOR GRIP® PREMIUM GRADE ANTI-SLIP FOOTPRINTS10	TDG UN TRUCK PLACARDS (CANADA & INTERNATIONAL)	0-131
GATOR GRIP® HEAVY DUTY (36-GRIT) ANTI-SLIP TAPE11	TDG PRE-NUMBERED TRUCK PLACARDS (CANADA & INTERNATIONAL) 132	2-133
GATOR GRIP® SUPER COARSE XP (24-GRIT) ANTI-SLIP TAPE11	TDG SHIPPING LABELS (CANADA & INTERNATIONAL)	
GATOR GRIP® FOIL BACKED ANTI-SLIP TAPE12	TDG Tabbed Shipping Labels (Canada & International)	
GATOR GRIP® PHOTOLUMINESCENT ANTI-SLIP TAPE12	FUEL TAG DIAL STAINLESS STEEL	135
GATOR GRIP® MOP FRIENDLY SLIP-RESISTANT TAPE13	PLACARD HOLDER	
GATOR GRIP® EMBOSSED COARSE RESILIENT SLIP-RESISTANT TAPE13	EASY ACCESS ALUMINUM PLACARD HOLDER WITH SHIELD	
AISLE MARKING CONFORMABLE TAPE	HEAVY DUTY PLACARD HOLDER	
HAZARD WARNING TAPE	SPLIT PLACARD HOLDER	
CHECKERBOARD LAMINATED TAPE	CLIPPED CORNER PLACARD HOLDER	
AISLE TAPE DISPENSER	PLACARD HOLDER FACE PLATES	
CLEAR SELF LAMINATION TAPE	PROTECTIVE SHIELD.	
TUFFMARK® ULTRA DURABLE FLOOR MARKING TAPE	DOT WORDED TRUCK FLIP PLACARDS (USA VERSION)	
ARMADILLO® DURABLE FLOOR TAPE	TDG TRUCK FLIP PLACARDS (CANADA & INTERNATIONAL)	
COLORED ARROWS & DOTS	FLIP PLACARD CLIP	
SAFETY MESSAGE FLOOR TAPE	PLACARD HOLDER CLIP	
5S/LEAN WORKPLACE ORGANIZATION MARKERS	FUEL FLIP PLACARDS (USA, CANADA & INTERNATIONAL)	
5S SHADOW BOARD STORAGE ORGANIZERS 24-25	FLIP PLACARD WITH ROTATING NUMBERS	
GATOR GRIP® GLOW-IN-THE-DARK ANTI-SLIP TAPE	RIGID-FLIP RECTANGLE PAGE FLIP PLACARD	
ARROWS & DOTS GLOW-IN-THE-DARK MARKING	VEHICLE SAFETY DECALS	
DIRECTIONAL FIRE EXIT GLOW-IN-THE-DARK TAPE	SPECIALITY HANDLING LABELS	
HAZARD & SAFETY GLOW-IN-THE-DARK TAPE	TRANSPORT TRAILER SAFETY SIGNS	
PRIME GUARD BARRICADE TAPE		
	INVENTORY CODING LABELS	
ENGINEER GRADE REFLECTIVE TAPE	SECURITY SEALS	
SUPERBRITE HIGH INTENSITY REFLECTIVE TAPE	NFPA HAZARDOUS MATERIAL SIGNS	
NEONBRITE FLUORESCENT REFLECTIVE TAPE	NFPA 704 DIAMOND	
CONSPICUITY DOT-C2 REFLECTIVE TAPE	NFPA WALLET GUIDE	
SCHOOL BUS YELLOW CONSPICUITY REFLECTIVE TAPE40	NFPA LABEL ROLLS	154
REFLEX REFLECTIVE STICK-ON REFLECTORS	NFPA HAZARDOUS MATERIAL TAGS	
REFLECTIVE KIT HARD HAT DECALS41	NFPA FLIP PLACARD	155
SAFETY SIGNS, TAGS & LABELS	HazCom 2012/WHMIS 2015	
PIPE MARKING44-49	INFORMATION WALL CHART	158
ABATEMENT SIGNS, TAGS, TAPES & LABELS	PICTOGRAM WALL CHART.	
DANGER SAFETY SIGNS	SIMPLIFIED PICTOGRAM WALL CHART	
WARNING SAFETY SIGNS 62-63	SAFETY DATA SHEET INFORMATION STATION	
CAUTION SAFETY SIGNS 64-66	SAFETY DATA SHEET STATION	
NOTICE SAFETY SIGNS	SAFETY DATA SHEET BINDERS	
SAFETY FIRST & HOUSE KEEPING SIGNS	SAFETY DATA SHEET BINDENS	
BILINGUAL SAFETY SIGNS ENGLISH/SPANISH	METAL SAFETY DATA SHEET STORAGE CASE	
SAFETY SIGNS SPANISH	GHS TRAINED STICKERS	
BILINGUAL SAFETY SIGNS ENGLISH/FRENCH		
	INFORMATION DECALSSECONDARY WORKPLACE TAGS & LABELS	
SAFETY SIGNS FRENCH	MAKE YOUR OWN WORKPLACE TAGS & LABELS	
ANSI SAFETY SIGNS		
CSA SAFETY SIGNS	PICTOGRAM LABELSGHS HAZARD CLASS & PPE PICTOGRAM LABELS	
FACILITY & PARKING SIGNS	HAZARD PICTOGRAM VARIETY PACK	
FIRE SAFETY & EMERGENCY SIGNS	SIGNAL WORD SIGNS	
SAFETY FLOOR SIGNS	SAFETY DATA SHEET POCKET BOOKLET	
A-FRAME STANDING FLOOR SIGNS	WALLET CARDS	
GENERAL INFORMATION SIGNS	MAKE YOUR OWN LASER LABELS	
DANGER WORKPLACE TAGS	MAKE YOUR OWN THERMAL TRANSFER LABELS	
WARNING WORKPLACE TAGS	SUPPLIER LASER LABELS	165
CAUTION WORKPLACE TAGS		
NOTICE WORKPLACE TAGS104	STORE DISPLAYS	
SELF LAMINATING TAGS105	ANTI-SLIP & REFLECTIVE DISPLAY MERCHANDISERS166	
LOCKOUT (LOTO) TAGS	SAFETY IDENTIFICATION DISPLAY MERCHANDISERS168	8-169
BILINGUAL SAFETY TAGS ENGLISH/SPANISH108-109		
BILINGUAL SAFETY TAGS ENGLISH/FRENCH	SIGN AUDIT TOOL	
TAGS-0N-A-ROLL	SIGN REQUIREMENT CHECK LIST	171
INSPECTION TAGS		

Feature Products

5S Shadow Board Storage Organizers Page 24-25













Anti-Slip Tapes

Offer added protection from Slip, Trip and Fall incidents. A wide variety of grades and materials exist to perfectly suit your application needs.

Product applications:

• Stair treads, steps and platforms • Wet or oily areas • Transition areas from one floor surface to another • Floor markings to denote hazards • Indoor or outdoor slip hazards • Tow motors, cherry pickers, construction or other equipment • Loading docks • Shower areas • Catwalks • Ladders Scaffolds

Floor Marking Tapes

Are an effective and easy solution for workflow and organization in your Facility.

Product applications:

- Forklift traffic marking Fire Aisle marking
- Storage area marking Fire equipment area marking • Machine boundaries • Hazard areas • Marking locations of first aid and safety equipment • General workflow

Reflective Tapes

Offer increased visibility in daytime and nighttime applications. Available in a variety of grades to suit any application.

Product applications:

- Property and gate markers Equipment
- Tow motors and forklifts Bollard and railing markings • Trailers • Beams and posts • Fleet vehicle markings • Entrances and exits • Loading docks • Low hanging hazards

Glow-in-the-dark Tapes

Are an essential part of escape route planning. These tapes remain visible in the dark for extended periods of time without use of a power supply and will clearly mark escape routes during power outages and emergencies.

Product applications:

- Emergency exit paths Exit door frames Fire exits
- Stairways Railings Fire protection equipment
- Fire alarms Door Signs Platforms Obstruction marking

Safety Signage

Effectively communicate important safety messages to employees and visitors.

Product applications:

- Hazard awareness Emergency exit points
- Chemical or gas hazards Physical hazards
- Safety equipment awareness Facility notice signs • PPE • Traffic control • Low light requirements • Indoor and long term outdoor options available

Floor Graphics

Are an excellent medium to communicate safety, warning and general information to people in your facilities.

Product applications:

- Forklift traffic marking Fire aisle marking
- Storage area marking Fire equipment area marking • Machine boundaries • Hazard areas
- Marking locations of first aid and safety equipment • General workflow

Barricade Tape

Used to warn people of an area or situation containing a possible hazard.

Product applications:


 Construction sites
 Hazard control
 Traffic control • Police or law enforcement • Fire Departments • Physical hazards • Chemical or Biological Hazards

DOT/TDG

Dangerous good transportation marks promote public safety when dangerous goods are being handled, offered for transport or transported by road, rail, air, or water.

Product applications:

- Pails and smalls means of containment
- Gaylords and drums Tanker trailers
- Shipping boxes Transport trailers
- Bottles and bags



What is anti-slip tape?

Provides extra traction to help prevent slip and fall accidents




In the U.S.A., slips, trips and falls make up the majority of general industry accidents. They account for approximately 15% of all accidental deaths, and are the second leading cause behind motor vehicle accidents. Slips, trips and falls are one of most frequently-reported injuries, with approximately 25% of reported accident claims each year.*

Slips and trips can result from some kind of unintended or unexpected change in the contact between the feet and the ground or walking surface. Modifying walking surfaces is a way of preventing slip and trips. Installing pressure-sensitive abrasive strips can further improve safety and reduce risk of slipping and falling by increasing traction on the floor surface.

*Source: based on statistics from United States Department of Labor.

Excellent uses for anti-slip tape

- Stair treads, steps and platforms
- Wet or oily areas
- Transition areas from one floor surface to another
- Floor markings to denote hazards
- Indoor or outdoor slip hazards
- Tow motors, cherry pickers, construction equipment
- Loading docks, Shower areas, Catwalks, Ladders, Scaffolds





HOW TO CHOOSE Anti-Slip Tape

60 Grit Anti-Slip

This is our most commonly used grit level. Offers great indoor and outdoor anti-slip for most general purpose applications.

46 Grit Anti-Slip

Coarser than our 60-grit, this grade offers added traction and is great indoor and outdoor anti-slip for most general purpose applications.

36 Grit Anti-Slip

Offers a deeply textured surface and is recommended for areas with dirt and debris.

24 Grit Anti-Slip

Maximum deep texture and high traction. For areas with large amounts of dirt and debris.

Moppers Friend

36 grit anti-slip with modified surface to allow easy mopping and cleaning without "catching" strings.

Coarse Resilient

Deep embossed textured surface, designed for barefoot applications.

Correct installation procedure



Surface Preparation

It is very important that the surface the tape is being adhered to is free from all contamination such as dirt, dust, grease and oil. A combination of 50/50 alcohol and water solution is usually adequate for removing most contamination. The wiper/cloth should be changed frequently (white cloth recommended). Heavy accumulation may require more aggressive cleaning techniques.



Temperature

Temperature is a critical factor in adhesive bonding and is often over-looked. All our tape products are intended to be applied in temperatures of not less than $50^{\circ}F$ ($10^{\circ}C$) and not more than listed on their data sheets. In general the closer to room temperature the better the bonding.



Pressure

Tape products should be smoothed down with 15 psi of pressure or more. This will aid in adhesive "wet out" and result in better bonding.



Time

Once the tape has been applied, the adhesive bond will continue to strengthen as it has time to cure. The ambient temperature will affect this bonding time (the colder the slower), but as a general rule good bonding will not be fully achieved for 24-48 hours after the application. Full bond strength will be reached at 72 hours (70°F).



Adhesion Promoters

Some very difficult surfaces may require the use of adhesion promoters to aid in proper bonding. This would be true for low surface energy materials and very porous surfaces. Promoters should be applied per manufacturer's instructions and must be allowed to fully dry prior to tape application. For porous concrete surfaces you may want to try a Dap® Weldwood® type product for aiding in bonding. Refer to manufacturer's instructions and SDS sheet for proper handling.



Test

As with most products we highly recommend that you test a small sample of product in its intended use prior to complete installation. Some applications prove to be more difficult and require additional steps to achieve the desired results.



Support

If you would like any assistance or product recommendations, please feel free to contact us at support@incomdirect.com

Premium Grade Anti-Slip Tape

Gator Grip® Traction Tape is our premium brand anti-slip system that helps ensure an OSHA compliant workplace. Constructed from a thick base layer and impregnated with an aggressive 60-grit mineral abrasive compound. The backing has an aggressive acrylic adhesive system for longevity that will form a strong, water-proof bond to most any clean, dry surface while will still being temporarily repositionable during the application process.

Gator Grip® is a great choice for both indoor and outdoor environments offering our highest wear resistance and weatherability. Recommended product for long term and OEM applications. Gator Grip® Traction Tape is certified by the National Flooring Safety Institute 101-A "High- Traction", and meets or exceeds OSHA 1910.24, 1910.26 and ANSI B101.1. Gator Grip® offers excellent chemical and oil resistance for a wide variety of applications





Stock No.	Description	Size
SG31Ø1B	Black Gator Grip® Tape	1" x 60'/roll
SG31Ø2B	Black Gator Grip® Tape	2" x 60'/roll
SG31Ø3B	Black Gator Grip® Tape	3" x 60'/roll
SG31Ø4B	Black Gator Grip® Tape	4" x 60'/roll
SG31Ø6B	Black Gator Grip® Tape	6" x 60'/roll
SG3112B	Black Gator Grip® Tape	12" x 60'/roll
SG3118B	Black Gator Grip® Tape	18" x 60'/roll
SG3124B	Black Gator Grip® Tape	24" x 60'/roll
SG3136B	Black Gator Grip® Tape	36" x 60'/roll
SG3148B	Black Gator Grip® Tape	48" x 60'/roll



Military & Marine Grade Anti-Slip Tape

Our highest performance grit product, Military & Marine Grade anti-slip grit tape offers a large durable abrasive particle providing a slip-resistant surface for improved safety in marine and severe outdoor environments. Product has been tested and used in Military (MIL-PRF-24667C Type XI) & Marine (NAVSEA Approval #05S/2014-162). This aggressive, premium anti-slip grit tape is commonly used in marine, workboat, heavy construction and mining equipment applications.

Follow application instructions to ensure best results. Apply only to a clean, dry, smooth surface above 50°F (10°C).

Custom rolls and sheet sizes available. Call for more details.

Complies with: MIL-PRF-24667C Type XI and NAVSEA Approval #05S/2014-162.

Stock No.	Description	Size
SG381ØMIL2	Military/Marine Anti-Slip Tape	2" x 30'/roll
SG381ØMIL4	Military/Marine Anti-Slip Tape	4" x 30'/roll
SG381ØMIL6	Military/Marine Anti-Slip Tape	6" x 30'/roll





0

r

Premium Grade

Colored Anti-Slip Tape

Our line of Gator Grip® Colored anti-slip products are an effective way to offer visual warning of a slip and fall hazard, while offering the same aggressive premium grit features found on our Gator Grip® products.

The surface is an aggressive mineral abrasive compound on a thick liner. Tape will adhere to most any clean, dry surface with an acrylic adhesive system. Tape and adhesive are water, chemical and oil resistant for use in both indoor & outdoor applications.


Try our popular yellow/black hazard striped tape for maximum visual warning and anti-slip protection on stair nosings.

Hazard Stripe

Size	Yellow/Black	Red/White
2" x 60'	SG39Ø2YB	SG38Ø2RW
4" x 60'	SG39Ø4YB	SG38Ø4RW
6" x 60'	SG39Ø6YB	SG38Ø6RW







Solid Color

Size	Green	Yellow	Gray	Red	Clear	Blue	Brown	White
2" x 60'	SG32Ø2G	SG33Ø2Y	SG34Ø2GY	SG35Ø2R	SG36Ø2CL	SG37Ø2BL	SG43Ø2BR	SG45Ø2WH
4" x 60'	SG32Ø4G	SG33Ø4Y	SG34Ø4GY	SG35Ø4R	SG36Ø4CL	SG37Ø4BL	SG43Ø4BR	SG45Ø4WH
6" x 60'	SG32Ø6G	SG32Ø6Y	SG34Ø6GY	SG35Ø6R	SG36Ø6CL	SG37Ø6BL	SG43Ø6BR	SG45Ø6WH

Premium Grade

Anti-Slip Cleats

Our Gator Grip® die cut shapes are made from the same material as our Gator Grip® products, but pre-cut to give a finished look on your floor or equipment. All cleats come with rounded corners to reduce tape lifting and flagging. The acrylic adhesive system forms a strong bond to most any clean, dry surface. Gator Grip® cleats work well in both indoor and outdoor applications. Water, chemical and oil resistant for indoor and outdoor usage.

Gator Grip® cleats are NFSI certified as a "High Traction" surface and meet or exceed OSHA 1910.24 and 1910.26. Custom die cut shapes and printing are available to suit your application.





SG3126BHV

6" x 24"/cleat High Visibility Yellow Stripe

SG3126BGL

6" x 24"/cleat Glow-in-the-Dark Stripe

SG3126REF

6" x 24"/cleat Reflective Yellow Stripe

SG3126ATN

6" x 24"/cleat ATTENTION

SG3126DGR


6" x 24"/cleat DANGER

SG3126WYS

6" x 24"/cleat WATCH YOUR STEP

SG3126CAU

6" x 24"/cleat CAUTION



WHITE

Glow-in-the-Dark Stripe


Reflective Yellow Stripe

Note: Specialty cleats are sold 10 pieces per package.

Plain Black Cleats

SG3125BS Black Gator Grip® Cleats		Size	
		Black Gator Grip® Cleats	3/4" x 24"
	SG3132BS	Black Gator Grip® Cleats	3" x 24"
SG3126BS		Black Gator Grip® Cleats	6" x 24"
	SG3134BS	Black Gator Grip® Cleats	6" x 30"
SG3127BS		Black Gator Grip® Squares	5-1/2" x 5-1/2"
	SG313ØBS	Black Gator Grip® Circles	5-1/2" dia

Note: Plain black cleats are sold 50 pieces per package.





Stadium Track

High Visibility Anti-Slip Tape

Public buildings, stadiums, arenas and parking garages are major areas of concern for slip and fall accidents. Our Stadium Track Tape was developed for these high traffic, high visibility applications. The tape has a muted yellow appearance that adds a visible safety feature, and it maintains its appearance because of the black particles mixed in with the yellow surface. Even after heavy foot traffic the tape will still not look dirty.

The 46-grit anti-slip surface offers a high level of traction and durability. If public safety is part of your program, this is a great product choice. Great for both indoor and outdoor applications and offers excellent water and weather resistance. Meets or exceeds ANSI B101.1.



Stock No.	Description	Size
SG62Ø2Y	Stadium Track Anti-Slip Tape	2" x 60'
SG62Ø4Y	Stadium Track Anti-Slip Tape	4" x 60'
SG62Ø6Y	Stadium Track Anti-Slip Tape	6" x 60'

Premium Grade

Watch Your Step Anti-Slip Tape

Anti-Slip Footprints

Add a distinctive look to slip and fall prevention program with our die cut footprint traction cleats. Made of the same material as our Gator Grip® tapes and standard cleats, these footprints offer a clear directional pathway indicator for plants, offices or other applications while offering a high degree of anti-slip protection. Try our standard black, safety yellow, or high visibility glow options to fit your particular application.

The surface is an aggressive mineral abrasive compound on a thick base layer. Acrylic adhesive system will adhere to most any clean, dry surface. Cleats are water, chemical and oil resistant for use in both indoor & outdoor applications.







Stock No.	Description	Size
SG311ØFTP	Black Anti-Slip Footprints	4" x 10"
SG331ØFTP	Yellow Anti-Slip Footprints	4" x 10"
SG421ØFTP	Glow-in-the-dark Anti-Slip Footprints	4" x 10"

Note: Cleats are sold 24 pieces per package.

m


Heavy Duty

36-Grit Anti-Slip Tape

Heavy foot traffic and dirty work environments can clog up standard grit products with mud, oil, saw dust, liquids and grease. Our Extra Coarse Gator Grip® offers a very deeply textured (36-grit) surface to continue to offer non-slip protection, even in the dirtiest conditions. Tape can even be spray painted and still maintain a anti-slip surface.

Tape is water-proof for both indoor and outdoor applications, and offers excellent hydrocarbon resistance. This tape has a very aggressive grit surface and is recommended for areas with heavy debris only.

Custom slitting and die cut shapes for OEM applications also available. Great for mud, saw dust, snow and other outdoor applications. Meets or exceeds OSHA 1910.24, 1910.26 and ANSI B101.1.





GATOR GRIPtraction

Stock No.	Description	Size
SG65Ø2B	Heavy Duty Anti-Slip Tape	2" x 50'
SG65Ø4B	Heavy Duty Anti-Slip Tape	4" x 50'
SG65Ø6B	Heavy Duty Anti-Slip Tape	6" x 50'
SG6512B	Heavy Duty Anti-Slip Tape	12" x 50'
SG6524B	Heavy Duty Anti-Slip Tape	24" x 50'
SG6536B	Heavy Duty Anti-Slip Tape	36" x 50'
SG6126BS	Heavy Duty Anti-Slip Cleats (50/pkg)	6" x 24"
SG6134BS	Heavy Duty Anti-Slip Cleats (50/pkg)	6" x 30"

Super Coarse XP

24-Grit Anti-Slip Tape

Looking for the ultimate in high traction? Choose our Gator Grip® Super Coarse XP non-skid tape. This product has a large (24-grit) mineral abrasive surface offering our highest level of slip resistance.

Super Coarse XP is a great choice for areas where large amounts of debris are present resulting in reduced surface traction. Tape is suitable for both indoor and outdoor applications and has an aggressive permanent pressure sensitive adhesive system.

Meets or exceeds OSHA 1910.24, 1910.26 and ANSI B101.1





GATOR GRIPtraction

Stock No.	Description	Size
SG24Ø2B	Super Coarse Anti-SlipTape	2" x 40'
SG24Ø4B	Super Coarse Anti-SlipTape	4" x 40'
SG24Ø6B	Super Coarse Anti-SlipTape	6" x 40'
SG2412B	Super Coarse Anti-SlipTape	12" x 40'

Foil Backed

Anti-Slip Tape

Our conformable foil backed anti-slip tape is designed specifically for heavy duty textured surface and stair nosing applications. The foil carrier allows for excellent conformability and will hold its shape to most any embossed or textured surface with its aggressive adhesive.

This product works great on steel tread plate, stair nosing, uneven concrete and most uneven surfaces. Tape has an coarse 46-grit surface.


Great for indoor and outdoor applications with excellent weatherability and water resistance.

Custom slit widths and die cut applications also available. Meets or exceeds OSHA 1910.24, 1910.26 and ANSI B101.1.





Stock No.	Description	Size
SG41Ø2AL	Black Foil Backed Tape	2" x 60'
SG41Ø4AL	Black Foil Backed Tape	4" x 60'
SG41Ø6AL	Black Foil Backed Tape	6" x 60'
SG39Ø2ALS	Yellow/Black Foil Backed Tape	2" x 60'
SG39Ø4ALS	Yellow/Black Foil Backed Tape	4" x 60'
SG39Ø6ALS	Yellow/Black Foil Backed Tape	6" x 60



Anti-Slip

Glow-in-the-dark Tape

Our Photoluminescent Anti-Slip traction tape is perfect for use in emergency exit routing areas such as stairwells, laneways, fire aisle and exits. The high traction surface is combined with a glow in the dark carrier that will aid in finding important emergency routes, equipment and exits during power outage or emergency conditions.

This product has a similar surface and adhesion to our colored and black anti-slip products, but an added safety glow feature. Our tape offers a "GLOW" that is readily visible to the light adjusted eye for up to 6 hours, with the strongest results in the first 60-minutes. Product has an aggressive acrylic adhesive system that will bond to most any clean dry surface.

MEETS OR EXCEEDS STANDARDS:

- <u>DIN</u> 67510
- ASTM E2072-14
- ISO 15370
- EU Marine Equipment Directive
- IMO Resolution A. 752 (18)
- PSPA class B





Stock No.		Description	Size
	SG42Ø2PH	Glow-in-the-Dark Anti-Slip Tape	2" x 60'
SG42Ø4PH		Glow-in-the-Dark Anti-Slip Tape	4" x 60'
	SG42Ø6PH	Glow-in-the-Dark Anti-Slip Tape	6" x 60'
	SG4226PHS5Ø	Glow-in-the-Dark Anti-Slip Cleat (50 per pack)	6" x 24"

Check with local, state/provincial and federal authorities to determine suitability of this photoluminescent product in any egress or emergency exit applications



'Mop Friendly'

Slip-Resistant Tape

Looking to provide an enhanced level of anti-slip protection, but still need to mop the surface for cleaning? Choose our "Mop Friendly" slip-resistant product. We have taken our premium grade anti-slip tape and modified the grit particles to allow a mop to pass over without "catching" strings.

Tape has an aggressive acrylic adhesive system that will bond to most any clean, dry surface and offers a virtually water-proof long term bond.

An excellent product choice for areas where frequent cleaning by mopping is common. Excellent product choice for the marine and boating industries.



Stock No.	Description	Size
SG51Ø2MB	Black Mop Friendly Slip-Resistant Tape	2" x 60'
SG51Ø4MB	Black Mop Friendly Slip-Resistant Tape	4" x 60'
SG51Ø6MB	Black Mop Friendly Slip-Resistant Tape	6" x 60'



Embossed Coarse Resilient

Slip-Resistant Tape

Embossed Coarse Resilient Slip-Resistant Tape works great in the office, plant, locker room or areas with bare foot traffic.

This product is not like bath products you would see at the hardware store. This surface has a deep embossed surface that will perform in heavier duty applications, while still being comfortable for bare foot traffic.

We recommend this product in office environments and light plant uses, it can be very easily cleaned and will not trap dirt the way normal grit products can. Surface can also be easily mopped.



Stock No.	Description	Size				
PFX23Ø2K	Black Resilient Slip-Resistant Tape	2" x 60'				
PFX23Ø4K	PFX23Ø4K Black Resilient Slip-Resistant Tape					
PFX23Ø6K	Black Resilient Slip-Resistant Tape	6" x 60'				
PFX21Ø2G	Gray Resilient Slip-Resistant Tape	2" x 60'				
PFX21Ø4G	Gray Resilient Slip-Resistant Tape	4" x 60'				
PFX21Ø6G	Gray Resilient Slip-Resistant Tape	6" x 60'				
PFX22Ø2W	White Resilient Slip-Resistant Tape	2" x 60'				
PFX22Ø4W	White Resilient Slip-Resistant Tape	4" x 60'				
PFX22Ø6W	White Resilient Slip-Resistant Tape	6" x 60'				
PFX24Ø2C	Clear Resilient Slip-Resistant Tape	2" x 60'				
PFX24Ø4C	Clear Resilient Slip-Resistant Tape	4" x 60'				
PFX24Ø6C	Clear Resilient Slip-Resistant Tape	6" x 60'				
PFX2326KBS	Black Resilient Slip-Resistant Cleats (50/pkg)	6" x 24"				
PFX2126GBS	Gray Resilient Slip-Resistant Cleats (50/pkg)	6" x 24"				
PFX2226WBS	White Resilient Slip-Resistant Cleats (50/pkg)	6" x 24"				
PFX2426CBS	Clear Resilient Slip-Resistant Cleats (50/pkg)	6" x 24"				



What is floor marking tape?


Improve safety, efficiency and productivity


Floor marking tapes are adhesive tapes used to mark hazards, divide spaces, create aisles, or provide directions. They are commonly used in industrial and manufacturing facilities for floor marking. They are made of multiple different materials, and vary in thickness for a wide range of durability options. Most tapes come in a variety of color options and even hazard stripe warning patterns to meet ANSI requirements and other safety standards.

Tapes are an effective replacement for paints. Tapes are much faster and easier to install and replace. This will dramatically reduces down times when compared to painting aisles and rails. Many floor tapes are scuff and break resistant, unlike paints that will chip and scratch off.

Excellent uses for floor marking tape

- Forklift traffic marking
- Fire aisle marking
- Workflow Marking
- Hazard Marking
- Machine boundaries
- First Aid and Safety Equipment Areas
- Eyewash Stations Areas
- Fire Equipment Areas
- Pipe identification





Correct installation procedure



Surface Preparation

It is very important that the surface the tape is being adhered to is free from all contamination such as dirt, dust, grease and oil. A combination of 50/50 alcohol and water solution is usually adequate for removing most contamination. The wiper/cloth should be changed frequently (white cloth recommended). Heavy accumulation may require more aggressive cleaning techniques.



Temperature

Temperature is a critical factor in adhesive bonding and is often over-looked. All our tape products are intended to be applied in temperatures of not less than 50°F (10°C) and not more than listed on their data sheets. In general the closer to room temperature the better the bonding.



Pressure

Tape products should be smoothed down with 15 psi of pressure or more. This will aid in adhesive "wet out" and result in better bonding.



Time

Once the tape has been applied, the adhesive bond will continue to strengthen as it has time to cure. The ambient temperature will affect this bonding time (the colder the slower), but as a general rule good bonding will not be fully achieved for 24-48 hours after the application. Full bond strength will be reached at 72 hours (70°F).



Adhesion Promoters

Some very difficult surfaces may require the use of adhesion promoters to aid in proper bonding. This would be true for low surface energy materials and very porous surfaces. Promoters should be applied per manufacturer's instructions and must be allowed to fully dry prior to tape application. For porous concrete surfaces you may want to try a Dap® Weldwood® type product for aiding in bonding. Refer to manufacturer's instructions and SDS sheet for proper handling.



Test

As with most products we highly recommend that you test a small sample of product in its intended use prior to complete installation. Some applications prove to be more difficult and require additional steps to achieve the desired results.



Support

If you would like any assistance or product recommendations, please feel free to contact us at support@incomdirect.com

Aisle Marking

Conformable Tape

We offer a wide selection of quality aisle marking and pipe banding tapes. Our aisle marking tapes are made from a durable film with a rubber adhesive system that will adhere to

This matte smooth conformable tape that is great for marking hazards on floors, walls and equipment. Commonly used in aisle demarcation, color coding and pipe banding applications.

Z535.1 and offer excellent durability and chemical resistance.





Safety Red

Fire protection equipment and apparatus, danger signs, containers of flammable liquids, lights at barricades, stop buttons/switches.

Safety Orange

Signs and equipment designating dangerous or energized machines/ equipment.

Safety YellowSpecific physical hazards including falling, tripping and striking and designating caution.

Safety Green

Safety information and first aid equipment.

Safety Blue

Information not immediately safety related (i.e. property policies).

Purple, Gray, Black and White

The significance of these colors may be defined by the end user.

Size	Safety	Safety	Emerald	Safety	Light Blue							
	Yellow	Green	Green	Red	White	Black	Gray	Brown	Orange	Purple	Blue	
1" x 108'	PST11Ø	PST111	PST123	PST112	PST113	PST115	PST116	PST117	PST118	PST122	PST121	PST124
2" x 108'	PST21Ø	PST211	PST223	PST212	PST213	PST215	PST216	PST217	PST218	PST222	PST221	PST224
3" x 108'	PST31Ø	PST311	PST323	PST312	PST313	PST315	PST316	PST317	PST318	PST322	PST321	PST324
4" x 108'	PST41Ø	PST411	PST423	PST412	PST413	PST415	PST416	PST417	PST418	PST422	PST421	PST424
6" x 108'	PST61Ø	PST611	PST623	PST612	PST613	PST615	PST616	PST617	PST618	PST622	PST621	PST624
1" x 180'	PST11ØXL	PST111XL	PST123XL	PST112XL	PST113XL	PST115XL	PST116XL	PST117XL	PST118XL	PST122XL	PST121XL	PST124XL
2" x 180'	PST21ØXL	PST211XL	PST223XL	PST212XL	PST213XL	PST215XL	PST216XL	PST217XL	PST218XL	PST222XL	PST221XL	PST224XL
3" x 180'	PST31ØXL	PST311XL	PST323XL	PST312XL	PST313XL	PST315XL	PST316XL	PST317XL	PST318XL	PST322XL	PST321XL	PST324XL
4" x 180'	PST41ØXL	PST411XL	PST423XL	PST412XL	PST413XL	PST415XL	PST416XL	PST417XL	PST418XL	PST422XL	PST421XL	PST424XL
6" x 180'	PST61ØXL	PST611XL	PST623XL	PST612XL	PST613XL	PST615XL	PST616XL	PST617XL	PST618XL	PST622XL	PST621XL	PST624XL

California Regulatory Warning

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Hazard Warning

Conformable Tape

Our most popular conformable Hazard Warning Tape. These tapes will quickly bring attention to any workplace hazard. Tape has a smooth, semimatte surface. Great product for use on floors, walls, pipes and equipment.



CONFORMABLE

Color	2"x 54'	3" x 54'	4" x 54'	2" x 108'	3" x 108'	4" x 108'
Yellow/Black	VHT21Ø	VHT31Ø	VHT41Ø	WT211Ø	WT213Ø	WT214Ø
Red/White	VHT211	VHT311	VHT411	WT22ØØ	WT221Ø	WT222Ø
Black/White	VHT212	VHT312	VHT412	WT23ØØ	WT231Ø	WT232Ø
Green/White	VHT213	VHT313	VHT413	WT24ØØ	WT241Ø	WT242Ø

Hazard Warning

Laminated Tape

We take our Hazard Marking Tape and apply a durable, clear laminating film on top. The smooth gloss finish will resist wear and is easily cleaned.



LAMINATED

Color	2"x 54'	3" x 54'	4" x 54'	2" x 108'	3" x 108'	4" x 108'
Yellow/Black	LWT21Ø	LWT31Ø	LWT41Ø	LWT22Ø	LWT32Ø	LWT42Ø
Red/White	LWT211	LWT311	LWT411	LWT221	LWT321	LWT421
Black/White	LWT212	LWT312	LWT412	LWT222	LWT322	LWT422
Green/White	LWT213	LWT313	LWT413	LWT223	LWT323	LWT423

Red/White Hazard Areas to be kept clear for safety reasons.

Yellow/Black Hazard Areas which present physical or health risks to employees.

Green/White Hazard Areas that are related to fist aid or may be defined by the end user.

White/Black Hazard Areas to be kept clear for operational purposes.



Checkerboard

Laminated Tape

A unique way to draw attention to your workplace hazards. Our Checkerboard Tape has 1" square pattern and is protected with a clear lamination that looks great and resists wear. All Checkerboard Tapes have an aggressive adhesive system that will adhere to most any clean, dry surface.

Color	2"x 54'	3" x 54'	4" x 54'	2" x 108'	3" x 108'	4" x 108'
Yellow/Black	LCB21Ø	LCB31Ø	LCB41Ø	LCB22Ø	LCB32Ø	LCB42Ø
Red/White	LCB211	LCB311	LCB411	LCB221	LCB321	LCB421
Black/White	LCB212	LCB312	LCB412	LCB222	LCB322	LCB422
Green/White	LCB213	LCB313	LCB413	LCB223	LCB323	LCB423





Self Lamination

Clear Rolls

Our Floor Tape Lamination will extend the life of your floor markings, while enhancing slip resistance.

FTL3ØØ - 3" x 54' FTL4ØØ - 4" x 54' FTL5ØØ - 5" x 54'



Aisle Marking

Tape Dispenser

Use our aisle tape dispenser to quickly install large aisle marking projects. Maximum 4" wide rolls.

WTD2ØØ

California Regulatory Warning

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

TuffMark®

Ultra Durable Floor Marking Tape

TuffMark® provides a long lasting solution for marking floors, aisles, walkways and work flow in your facilities. This extratough, low profile, easy to apply Floor Marking product is made with heavy duty materials making this tape highly durable, as well as abrasion and chemical resistant.


The rigid construction makes this tape easy to install as well as easy to clean and maintain. The aggressive adhesive will bond to most floors making this tape resistant to tearing, wrinkling or lifting even under heavy forklift traffic. Once applied, the low profile design makes this tape a great choice for use in areas with forklift, hand truck or pedestrian traffic. Removes from most floor surfaces cleanly without chipping, tearing or leaving unsightly adhesive residue.

TuffMark® is available in a wide selection of sizes and can be customized with a printed message or specific color.

TuffMark® Standards:

- ANSI Standard Z535.1 for color
- Average dry BPN: 125 (Dynamic slip resistance using ASTM E303-93 (2013) pendulum test method)
- Average dry dynamic coefficient of friction: Overall average: Dry 0.60 (ANSI A137.1 flooring slip resistance test - dry)





Armadillo Tape

Ultra Durable Floor Tape

In response to customer demand for a longer wearing floor tape product we have developed our line of ultra durable Armadillo tapes. These tapes offer our best level of durability for indoor and outdoor applications.

The tape is constructed on a thick reinforced carrier with an aggressive weather-proof adhesive system. The surface is a mild abrasive surface that is durable, slip-resistant and also has low level reflective properties. Tape will adhere to a wide variety of industrial surfaces including smooth concrete, asphalt, wood and steel.

Low profile design will ensure that the tape does not present a hazard to fork truck traffic or pedestrians. Tape can be easily cleaned with standard industrial cleaning machines and procedures.



Size	Yellow	Green	Red	White	Blue
3" x 108'	ARM31Ø	ARM311	ARM312	ARM313	ARM321



California Regulatory Warning
WARNING: Cancer and Reproductive Harm
www.P65Warnings.ca.gov.

Polyester Over Lamination

Safety Color

Aggressive Adhesive

Removable Liner

Floor Arrows & Dots

Our colored arrows and dots make a great choice for marking direction of travel or demarcation of hazards. Commonly used for production work flow, inventory management and pedestrian directional aids.

Arrows and dots are all made from a durable solid color material so there is no print to wear off. Made with a permanent adhesive backing. Choose from a wide selection of stock colors.

We also offer custom sizes and colors as special request.

Size	White	Black	Green	Red	Blue	Yellow	Qty/Roll
4"Arrow	VA4ØØW	VA4ØØK	VA4ØØG	VA4ØØR	VA4ØØB	VA4ØØY	100
3" Dots	VC3ØØW	VC3ØØK	VC3ØØG	VC3ØØR	VC3ØØB	VC3ØØY	500





Safety Message

Floor Tape

Worded floor tapes are a great way to effectively and permanently communicate safety messages and hazards to your employees and visitors.

These tapes are constructed for long term durability. All tapes have a slip resistant clear over-lamination to offer long-term protection to the printed messages. All tapes provide a slip resistant surface in compliance with UL 410-COF for floor graphics.

Custom text and graphics also available. Contact customer service for more details.



CAUTION

WTP112 (3" x 54'/roll)

SLIPPERY WHEN WET

WTP1ØØ (3" x 54'/roll)

▶ FORK LIFT TRAFFIC

WTP1Ø3 (3" x 54'/roll)

♣ FIRE AISLE - KEEP CLEAR

WTP1Ø5 (3" x 54'/roll)

W AUTHORIZED PERSONNEL ONLY

WTP1Ø9 (3" x 54'/roll)

DANGER

WTP113 (3" x 54'/roll)

⊖ SAFETY GLASSES

WTP1Ø1 (3" x 54'/roll)

HEARING PROTECTION

WTP1Ø4 (3" x 54'/roll)

▼ EMERGENCY EXIT

WTP1Ø6 (3" x 54'/roll)

*** FIRE EQUIPMENT**

WTP11Ø (3" x 54'/roll)

DANGER

WTP114 (3" x 54'/roll)

SAFETY FOOTWEAR

WTP1Ø2 (3" x 54'/roll)

HARD HAT AREA

WTP1Ø8 (3" x 54'/roll)

5 ARC FLASH BOUNDARY

WTP1Ø7 (3" x 54'/roll)



WTP111 (3" x 54'/roll)


What are 5S Lean Workplace Markings?

Improve safety, efficiency and productivity

5S is a workplace organization method used in industrial manufacturing around the world. These markers aid in organizing a work space for efficiency, effectiveness, and safety by identifying and storing the items used, maintaining the area and items, and sustaining the new order.

Excellent Uses for 5S Lean Markers

- Assisting in 5S compliance
- Directing work flow
- Sorting and organizing
- Warehousing
- Marking product locations





Correct installation procedure



Surface Preparation

It is very important that the surface the tape is being adhered to is free from all contamination such as dirt, dust, grease and oil. A combination of 50/50 alcohol and water solution is usually adequate for removing most contamination. The wiper/cloth should be changed frequently (white cloth recommended). Heavy accumulation may require more aggressive cleaning techniques.



Temperature

Temperature is a critical factor in adhesive bonding and is often over-looked. All our tape products are intended to be applied in temperatures of not less than 50°F (10°C) and not more than listed on their data sheets. In general the closer to room temperature the better the bonding.



Pressure

Tape products should be smoothed down with 15 psi of pressure or more. This will aid in adhesive "wet out" and result in better bonding.



lime

Once the tape has been applied, the adhesive bond will continue to strengthen as it has time to cure. The ambient temperature will affect this bonding time (the colder the slower), but as a general rule good bonding will not be fully achieved for 24-48 hours after the application. Full bond strength will be reached at 72 hours (70°F).



Adhesion Promoters

Some very difficult surfaces may require the use of adhesion promoters to aid in proper bonding. This would be true for low surface energy materials and very porous surfaces. Promoters should be applied per manufacturer's instructions and must be allowed to fully dry prior to tape application. For porous concrete surfaces you may want to try a Dap® Weldwood® type product for aiding in bonding. Refer to manufacturer's instructions and SDS sheet for proper handling.



Test

As with most products we highly recommend that you test a small sample of product in its intended use prior to complete installation. Some applications prove to be more difficult and require additional steps to achieve the desired results.



Support

If you would like any assistance or product recommendations, please feel free to contact us at support@incomdirect.com


Textured Anti-Slip

5S Lean Markers

These markers are specifically designed for use in "Lean Manufacturing" 5S applications for aiding in floor layout, sorting and workflow.

These markers are made with a thick textured anti-slip lamination. This provides extended durability and will stand up to heavy pedestrian traffic. The aggressive adhesive backing will work on most clean, dry and smooth floors.


Textured anti-slip surface provides extended durability.



HOW TO ORDER:

SELECT SI	GN - LM100	SELECT	COLOR CO	DE - W	ADD TOGETI	HER - LM1Ø	3W
Color	White	Black	Yellow	Red	Blue	Green	Orange
Code	W	K	Υ	R	В	G	N

Note: Markers are sold 25 pieces per package.






Laminated 5S Lean Markers

TuffMark® provides a long lasting solution to aid in floor layout, sorting and workflow to help comply with 5S Lean manufacturing standards. This extra-tough, low profile, easy to apply Floor Marking product is made with heavy duty materials making these markers highly durable, as well as abrasion and chemical resistant.

These markers are made with the same material as our TuffMark® tapes and will match both construction and color when used together.





SELECT SIGN - TM1ØØ		SELECT	COLOR CO	DE - W	ADD TOGETHER - TM1ØØW			
Color	White	Black	Yellow	Red	Blue	Green	Orange	
Code	W	K	Υ	R	В	G	N	

TM12Ø

Note: Markers are sold 20 pieces per package.






ArmorStripe

Ultra Durable Tapered Edge 5S Lean Markers

ArmorStripe offers an extremely durable system to aid in floor layout, sorting and workflow for 5S Lean manufacturing standards.

These markers are made from a through-color solid 0.055" thick rigid polyethylene surface with an ultra tacky heavy coat weight adhesive backing. They will adhere to most any clean smooth surface with a very high tack bond while offering a low residue removal from most applications.

Edges of all shapes have been tapered to reduce wheel impact. Solid through-color plastic offers extended durability.



ASM21Ø 2"	
	
	35"

HOW TO ORDER:

SELECT SIGN - ASM1ØØ		Ø SELEC	T COLOR C	ODE - W	ADD TOGETHER - ASM1ØØW			
Color	White	Black	Yellow	Red	Blue	Green	Orange	
Code	W	K	Υ	R	В	G	N	

Note: Markers are sold 10 pieces per package.



ArmorStripe "Lock-It"


Ultra Durable 5S Lean Markers

ArmorStripe Lock-It offers an extremely durable system to aid in floor layout, sorting and workflow for 5S Lean manufacturing standards. These pieces will lock together in a jigsaw puzzle format to allow for continuous runs of this highly durable floor marking solution.

These markers are made from a through-color solid 0.055" thick rigid polyethylene surface with an ultra tacky heavy coat weight adhesive backing with a locking end section. They will adhere to most any clean smooth surface with a very high tack bond while offering a low residue removal from most applications.

Edges of all shapes have been tapered to reduce wheel impact. Solid through-color plastic offers extended durability.





ASL1ØØ

SELECT SI	GN - asl1øø	SELEC ⁻	r color co	DE - W	ADD TOGETHER - ASL1ØØW			
Color	White	Black	Yellow	Red	Blue	Green	Orange	
Code	W	K	Υ	R	В	G	N	

Note: Markers are sold 10 pieces per package.



5S Shadow Board Storage Organizers

Organize your workspace by clearly marking where equipment should be stored and easily notice when something is missing. These shadow boards adopt the 5S method of organization by creating a designated space for equipment and tools. Employees can be sure they are following the correct organizational procedure when carrying out housekeeping tasks.

The 5S shadow board is made from 5mm thick Aluminum Composite Material (ACM) with a durable print finish. All hanger hardware for the equipment are included and come with assembly instructions.

Shadow boards are shipped with equipment hanging hardware included, that is easily installed by the user.



Looking for custom options?

If you need a custom option, we can work directly with you to create a shadow board for your tools or specialized equipment. They can be designed to any size, shape or color to suit your workplace needs.





DRY ZONE



Shadow Board: 30" x 68"

SB1001 Includes:

- Shadow Board
- Hanger Hardware

SB1001KIT Includes:

- Shadow Board
- Hanger Hardware
- Angle Broom
 Large Push Broom

- Dust Pan
- Counter Brush
- Shovel

DRY ZONE FLOOR



Shadow Board: 30" x 68" Bucket Floor Sign: 17" Dia

SB1004 Includes:

- Shadow Board
- Check List Holder • Hanger Hardware
- Mop Bucket Floor Sign

SB1004KIT Includes:


- Shadow Board
- Check List Holder
- Mop Bucket Floor Sign
 ■
 Mop Bucket Floor Sign
 Note Floor Sign
 Mop Bucket Floor Si
- Hanger Hardware
- Mop
- Mop Bucket
- Dust Pan
- Wet Floor Sign
- Squeegee
- Counter Brush



California Regulatory Warning WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

W

SB1002 Includes: Shadow Board: 30" x 68" SB1002 Includes: Shadow Board TANK TANK TANK SB1002 Includes: Shadow Board TANK T







SB1005 Includes:

- Shadow Board
- Hanger Hardware



Shadow Board: 26" x 20"

California Regulatory Warning
WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

What is
Glow-in-the-dark
Tape?


Designed for added safety during blackout emergencies


Photoluminescent tape is designed for added safety during blackouts, evacuations and other emergencies. This glow-in-the-dark tape is commonly used to help improve the safety in warehouses, manufacturing facilities, and even on emergency equipment.

Excellent uses for Glow-in-the-dark tape

- Emergency exit paths
- Exit door frames
- Stairways
- Railings
- Fire protection equipment
- Fire alarms
- Platforms
- Obstructions

Check with local, state/provincial and federal authorities to determine suitability of this photoluminescent product in any egress or emergency exit applications.





Correct installation procedure



Surface Preparation

It is very important that the surface the tape is being adhered to is free from all contamination such as dirt, dust, grease and oil. A combination of 50/50 alcohol and water solution is usually adequate for removing most contamination. The wiper/cloth should be changed frequently (white cloth recommended). Heavy accumulation may require more aggressive cleaning techniques.



Temperature

Temperature is a critical factor in adhesive bonding and is often over-looked. All our tape products are intended to be applied in temperatures of not less than 50°F (10°C) and not more than listed on their data sheets. In general the closer to room temperature the better the bonding.



Pressure

Tape products should be smoothed down with 15 psi of pressure or more. This will aid in adhesive "wet out" and result in better bonding.



Time

Once the tape has been applied, the adhesive bond will continue to strengthen as it has time to cure. The ambient temperature will affect this bonding time (the colder the slower), but as a general rule good bonding will not be fully achieved for 24-48 hours after the application. Full bond strength will be reached at 72 hours (70°F).



Adhesion Promoters

Some very difficult surfaces may require the use of adhesion promoters to aid in proper bonding. This would be true for low surface energy materials and very porous surfaces. Promoters should be applied per manufacturer's instructions and must be allowed to fully dry prior to tape application. For porous concrete surfaces you may want to try a Dap® Weldwood® type product for aiding in bonding. Refer to manufacturer's instructions and SDS sheet for proper handling.



Test

As with most products we highly recommend that you test a small sample of product in its intended use prior to complete installation. Some applications prove to be more difficult and require additional steps to achieve the desired results.



Support

If you would like any assistance or product recommendations, please feel free to contact us at support@incomdirect.com

Anti-Slip

Glow-in-the-dark Tape

Our photoluminescent anti-slip traction tape is perfect for use in emergency exit routing areas such as stairwells, laneways, fire aisle and exits. The high traction surface is combined with a glow in the dark carrier that will aid in finding important emergency routes, equipment and exits during power outage or emergency conditions.

This product has a similar surface and adhesion to our colored and black anti-slip products but an added safety glow feature. Our tape offers a "GLOW" that is readily visible to the light adjusted eye for up to 6 hours, with the strongest results in the first 60-minutes. Product has an aggressive acrylic adhesive system that will bond to most any clean dry surface.

MEETS OR EXCEEDS STANDARDS:

- DIN 67510
- ASTM E2072-14
- ISO 15370
- EU Marine Equipment DirectiveIMO Resolution A. 752 (18)
- PSPA class B





Stock No.	Description	Size
SG42Ø2PH	Glow-in-the-Dark Anti-Slip Tape	2" x 60'
SG42Ø4PH	Glow-in-the-Dark Anti-Slip Tape	4" x 60'
SG42Ø6PH	Glow-in-the-Dark Anti-Slip Tape	6" x 60'
SG4226PHS5Ø	Glow-in-the-Dark Anti-Slip Cleat (50 per pack)	6" x 24"

Check with local, state/provincial and federal authorities to determine suitability of this photoluminescent product in any egress or emergency exit applications.


Arrows & Dots

Glow-in-the-dark Marking

Our die cut arrows and dots can be used to further augment your escape routing program. All products are made from a premium safety grade photoluminescent material and will "GLOW" 6+ hours.

MEETS OR EXCEEDS STANDARDS:

- DIN 67510ASTM E2072-14
- ISO 15370
- EU Marine Equipment Directive
- IMO Resolution A. 752 (18)
- PSPA class B



Stock No.	Description	Size	Qty/Roll
GTAR4Ø	Arrows	4"	100
GTCL3Ø	Circle	3"	100

Check with local, state/provincial and federal authorities to determine suitability of this photoluminescent product in any egress or emergency exit applications.

ct.c


Directional Fire Exit

Glow-in-the-dark Tape

Our photoluminescent directional emergency exit tape is intended to be installed close to ground level, to be visible where a person would be crawling under smoke. Tapes will "GLOW" 6+ hours..

MEETS OR EXCEEDS STANDARDS:

- DIN 67510
- ASTM E2072-14
- ISO 15370
- EU Marine Equipment Directive
- IMO Resolution A. 752 (18)
- PSPA class B



Stock No.	Description	Size
GT13ØEXL	Exit Left	1" x 30'
GT13ØEXR	Exit Right	1" x 30'

Check with local, state/provincial and federal authorities to determine suitability of this photoluminescent product in any egress or emergency exit applications.



What is barricade tape?


Used to warn people of an area or situation containing a possible hazard

Barricade tape acts as a minor impediment to prevent accidental entrance to that area or situation that could result in harm or liability. The tape is often wrapped and affixed as a visual warning sign and demarcation, for instance against entering a dangerous area, such as an industrial or commercial building site, or a roadworks construction site. Barricade tape is also known as construction tape, barrier tape, or caution tape.

Common uses for barricade tape

- Construction sites
- Hazard Control
- Traffic control
- Police or Law enforcement
- Fire Departments
- Physical hazards
- Chemical or Biological Hazards





Custom Printed

Add a distinctive touch to your job site while promoting your company at the same time. We offer a complete customization program. Add your company's name and logo to your barricade tape with your choice of message.

Please contact your customer service representative to start your custom barricade tape project today.

Choose your color



ORANGE GREEN

BLUE


and more

Choose your message



Add your logo





Barricade Tape

For hazards and restricted areas

Available in dispenser boxes - Please add DB to the end of the part number when ordering. All rolls are 3" x 1,000' and sold full case only (12 rolls per case)

Most Popular Barricade Tape

Legend and Color	Value	Contractor	Plus	Heavy Duty	Legend and Color	Value	Contractor	Plus	Heavy Duty
CAUTION	BT5Ø58	BT1Ø58	BT4Ø58	BT3Ø58	CAUTION DO NOT ENTER	BT5Ø44	BT1Ø44	BT4Ø44	BT3Ø44
DANGER	BT5Ø57	BT1Ø57	BT4Ø57	BT3Ø57	DANGER DO NOT ENTER	BT5Ø61	BT1Ø61	BT4Ø61	BT3Ø61

Full Line Barricade Tape

Legend and Color	Value	Contractor	Plus	Heavy Duty	Legend and Color	Value	Contractor	Plus	Heavy Duty
(BLANK)	BT5Ø8Ø	BT1Ø8Ø	BT4Ø8Ø	BT3Ø8Ø	CAUTION WORK OVERHEAD	BT5Ø55	BT1Ø55	BT4Ø55	BT3Ø55
(BLANK)	BT5Ø67	BT1Ø67	BT4Ø67	BT3Ø67	CAUTION WORKING	BT5Ø46	BT1Ø46	BT4Ø46	BT3Ø46
77777777777	BT5Ø31	BT1Ø31	BT4Ø31	BT3Ø31	CAUTION WORKMEN ABOVE	BT5Ø39	BT1Ø39	BT4Ø39	BT3Ø39
	-	BT1Ø2Ø6	-	BT3Ø2Ø6	CONFINED SPACE DO NOT ENTER	BT5Ø2Ø1	BT1Ø2Ø1	BT4Ø2Ø1	BT3Ø2Ø1
AUTHORIZED PERSONNEL ONLY	BT5Ø51	BT1Ø51	BT4Ø51	BT3Ø51	CONSTRUCTION ZONE	BT5Ø43	BT1Ø43	BT4Ø43	BT3Ø43
AUTHORIZED PERSONNEL ONLY	-	BT1Ø2Ø3	-	BT3Ø2Ø3	DANGER ASBESTOS	BT5Ø6Ø	BT1Ø6Ø	BT4Ø6Ø	BT3Ø6Ø
CAUTION	BT5Ø40	BT1Ø40	BT4Ø40	BT3Ø40	DANGER ASBESTOS HAZARD	BT5Ø85	BT1Ø85	BT4Ø85	BT3Ø85
CAUTION ACID HAZARD	BT5Ø2Ø	BT1Ø2Ø	BT4Ø2Ø	BT3Ø2Ø	DANGER ASBESTOS MAY CAUSE CANCER CAUSES DAMAGE TO LUNCS AUTHORIZED PERSONNEL ONLY	-	BT1Ø2Ø7	-	BT3Ø2Ø7
CAUTION ASBESTOS HAZARD	BT5Ø72	BT1Ø72	BT4Ø72	BT3Ø72	DANGER ASBESTOS Control Control Control Control Control Control Control Control Control Control Control	-	BT1Ø2Ø8	-	BT3Ø2Ø8
CAUTION AUTHORIZED PERSONNEL ONLY	BT5Ø32	BT1Ø32	BT4Ø32	BT3Ø32	DANGER ASBESTOS REMOVAL	BT5Ø86	BT1Ø86	BT4Ø86	BT3Ø86
CAUTION BIOHAZARDOUS AREA DO NOT ENTER	BT5ØØ8	BT1ØØ8	BT4ØØ8	BT3ØØ8	DANGER CONFINED SPACE	BT5Ø71	BT1Ø71	BT4Ø71	BT3Ø71
CAUTION BURIED CABLE	BT5Ø45	BT1Ø45	BT4Ø45	BT3Ø45	DANGER CONFINED SPACE DO NOT ENTER	BT5Ø66	BT1Ø66	BT4Ø66	BT3Ø66
CAUTION BURIED ELECTRIC LINE	BT5ØØ9	BT1ØØ9	BT4ØØ9	BT3ØØ9	DANGER RESPIRABLE CRYSTALLINE SILICA MAY CAUSE DAMAGE TO LIMPS WEAR RESPIRATOR PROJECTION IN THE AREA AUTHORIZED PERSONNER ONLY	-	BT1Ø2Ø9	-	BT3Ø2Ø9
CAUTION BURIED GAS LINE	BT5Ø52	BT1Ø52	BT4Ø52	BT3Ø52	// DANGER DO NOT ENTER //	-	BT1ØØ1	-	BT3ØØ1
CAUTION CHEMICAL CLEANING IN PROCESS	BT5ØØ7	BT1ØØ7	BT4ØØ7	BT3ØØ7	DANGER DO NOT ENTER	BT5Ø11	BT1Ø11	BT4Ø11	BT3Ø11
CAUTION CHEMICAL HAZARD	BT5Ø21	BT1Ø21	BT4Ø21	BT3Ø21	DANGER H ₂ S POISONOUS GAS	BT5ØØ5	BT1ØØ5	BT4ØØ5	BT3ØØ5
CAUTION CHEMICAL SPILL	BT5Ø19	BT1Ø19	BT4Ø19	BT3Ø19	DANGER H ₂ S-POISONOUS GAS	BT5ØØ2	BT1ØØ2	BT4ØØ2	BT3ØØ2
CAUTION CONSTRUCTION AREA	BT5Ø37	BT1Ø37	BT4Ø37	BT3Ø37	DANGER HAZARDOUS AREA KEEP OUT	BT5Ø62	BT1Ø62	BT4Ø62	BT3Ø62
CAUTION ENERGIZED AREA	BT5Ø22	BT1Ø22	BT4Ø22	BT3Ø22	DANGER HAZARDOUS MATERIAL DO NOT ENTER	BT5Ø63	BT1Ø63	BT4Ø63	BT3Ø63
CAUTION ENTRY REQUIRES PERMISSION	BT5Ø33	BT1Ø33	BT4Ø33	BT3Ø33	DANGER HIGH VOLTAGE	BT5Ø87	BT1Ø87	BT4Ø87	BT3Ø87
CAUTION ENTRY REQUIRES PROTECTIVE GEAR	BT5Ø23	BT1Ø23	BT4Ø23	BT3Ø23	DANGER HIGH VOLTAGE AREA	BT5Ø64	BT1Ø64	BT4Ø64	BT3Ø64
CAUTION HARD HAT AREA	BT5Ø24	BT1Ø24	BT4Ø24	BT3Ø24	DANGER HYDROBLASTING	BT5Ø7Ø	BT1Ø7Ø	BT4Ø7Ø	BT3Ø7Ø
CAUTION HAZARD	BT5Ø76	BT1Ø76	BT4Ø76	BT3Ø76	DANGER KEEP OUT	BT5Ø42	BT1Ø42	BT4Ø42	BT3Ø42
CAUTION HAZARDOUS AREA	BT5Ø88	BT1Ø88	BT4Ø88	BT3Ø88	DANGER LEAD MICROBIAL HAZARD	BT5Ø84	BT1Ø84	BT4Ø84	BT3Ø84
CAUTION HAZARDOUS MATERIAL	BT5Ø18	BT1Ø18	BT4Ø18	BT3Ø18	DANGER ANYHORIZETE THE COMMON ANY PROPERTY OF A COMMON AND PROPERTY OF	-	BT1Ø21Ø	-	BT3Ø21Ø
CAUTION HIGH VOLTAGE	BT5Ø25	BT1Ø25	BT4Ø25	BT3Ø25	ADANGER RESPIRABLE CRYSTALLIES BLICA CARGO SAMAN TO JUNION PROCESSOR OF CONTROL THE WAY. ADMINISTRATION THE WAY. ADMINISTRATION THE WAY.	-	BT1Ø211	-	BT3Ø211
CAUTION HYDROBLASTING	BT5Ø35	BT1Ø35	BT4Ø35	BT3Ø35	DANGER SILICA DUST HAZARD Authorized Personnel Only	-	BT1Ø212	-	BT3Ø212
CAUTION KEEP OUT	BT5Ø26	BT1Ø26	BT4Ø26	BT3Ø26	DO NOT ENTER	BT5Ø89	BT1Ø89	BT4Ø89	BT3Ø89
CAUTION LEAD HAZARD	BT5Ø38	BT1Ø38	BT4Ø38	BT3Ø38	EXPLOSIVE VAPOUR	BT5ØØ6	BT1ØØ6	BT4ØØ6	BT3ØØ6
CAUTION MEN WORKING	BT5Ø77	BT1Ø77	BT4Ø77	BT3Ø77	FIRE LINE DO NOT CROSS	BT5Ø47	BT1Ø47	BT4Ø47	BT3Ø47
CAUTION NO PARKING	BT5Ø27	BT1Ø27	BT4Ø27	BT3Ø27	FIRE LINE - DO NOT CROSS	BT5Ø78	BT1Ø78	BT4Ø78	BT3Ø78
CAUTION OPEN TRENCH	BT5Ø28	BT1Ø28	BT4Ø28	BT3Ø28	POLICE LINE DO NOT CROSS	BT5Ø48	BT1Ø48	BT4Ø48	BT3Ø48
CAUTION RADIATION AREA	BT5Ø83	BT1Ø83	BT4Ø83	BT3Ø83	QUARANTINE	BT5Ø1Ø	BT1Ø1Ø	BT4Ø1Ø	BT3Ø1Ø
CAUTION RESTRICTED AREA DO NOT ENTER	BT5Ø34	BT1Ø34	BT4Ø34	BT3Ø34	RESTRICTED AREA	BT5Ø41	BT1Ø41	BT4Ø41	BT3Ø41
CAUTION WET CONCRETE	BT5Ø36	BT1Ø36	BT4Ø36	BT3Ø36	RESTRICTED AREA AUTHORIZED PERSONNEL ONLY	BT5Ø9Ø	BT1Ø9Ø	BT4Ø9Ø	BT3Ø9Ø
CAUTION WET FLOOR	BT5Ø29	BT1Ø29	BT4Ø29	BT3Ø29	RESTRICTED AREA - AUTHORIZED PERSONNEL ONLY	BT5Ø17	BT1Ø17	BT4Ø17	BT3Ø17
CAUTION WET PAINT	BT5Ø3Ø	BT1Ø3Ø	BT4Ø3Ø	BT3Ø3Ø	SHERIFF LINE DO NOT CROSS	BT5Ø49	BT1Ø49	BT4Ø49	BT3Ø49


California Regulatory Warning

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.









Spanish Barricade Tape

Legend and Color	Value	Contractor	Plus	Heavy Duty	Legend and Color	Value	Contractor	Plus	Heavy Duty
CAUTION CUIDADO	BT5Ø59	BT1Ø59	BT4Ø59	BT3Ø59	DANGER PELIGRO	BT5Ø68	BT1Ø68	BT4Ø68	BT3Ø68
CUIDADO	BT5Ø54	BT1Ø54	BT4Ø54	BT3Ø54	PELIGRO	BT5Ø69	BT1Ø69	BT4Ø69	BT3Ø69
DANGER	BT5Ø56	BT1Ø56	BT4Ø56	BT3Ø56	PRECAUCION	BT5Ø53	BT1Ø53	BT4Ø53	BT3Ø53

French Barricade Tape

Legend and Color	Value	Contractor	Plus	Heavy Duty	Legend and Color	Value	Contractor	Plus	Heavy Duty
ATTENTION DÉFENSE D'ENTRER	BT5Ø92	BT1Ø92	BT4Ø92	BT3Ø92	ESPACE RESTREINT-ENTRÉE INTERDITE	BT5Ø15	BT1Ø15	BT4Ø15	BT3Ø15
ATTENTION ENTRÉE INTERDITE	BT5Ø2Ø4	BT1Ø2Ø4	BT4Ø2Ø4	BT3Ø2Ø4	LIGNE D'INCENDIE	BT5Ø98	BT1Ø98	BT4Ø98	BT3Ø98
ATTENTION ENTRÉE INTERDITE CAUTION DO NOT ENTER	BT5Ø14	BT1Ø14	BT4Ø14	BT3Ø14	NE PAS ENTRER POLICE	BT5ØØ3	BT1ØØ3	BT4ØØ3	ВТ3ØØ3
ATTENTION LIGNE ÉLECTRIQUE ENFOUIE	BT5Ø2Ø2	BT1Ø2Ø2	BT4Ø2Ø2	BT3Ø2Ø2	POLICE DÉFENSE TRAVERSER	BT5Ø50	BT1Ø5Ø	BT4Ø5Ø	BT3Ø5Ø
ATTENTION TRAVAUX AU-DESSUS	BT5Ø96	BT1Ø96	BT4Ø96	BT3Ø96	POLICE DÉFENSE D'ENTRER	BT5Ø99	BT1Ø99	BT4Ø99	BT3Ø99
ATTENTION ZONE DE CONSTRUCTION CAUTION CONSTRUCTION ZONE	BT5Ø13	BT1Ø13	BT4Ø13	BT3Ø13	ZONE DE CONTRUCTION	BT5Ø74	BT1Ø74	BT4Ø74	BT3Ø74
BARRAGE POLICIER NE PAS TRAVERSER	BT5Ø94	BT1Ø94	BT4Ø94	BT3Ø94	ZONE INTERDITE	BT5Ø73	BT1Ø73	BT4Ø73	BT3Ø73
CAUTION / ATTENTION	BT5Ø91	BT1Ø91	BT4Ø91	BT3Ø91	ZONE INTERDITE	BT5Ø79	BT1Ø79	BT4Ø79	BT3Ø79
DANGER ARRÊT	BT5Ø97	BT1Ø97	BT4Ø97	BT3Ø97	ZONE INTERDITE INCENDIE	BT5Ø81	BT1Ø81	BT4Ø81	BT3Ø81
DANGER DÉFENSE D'ENTRER	BT5Ø95	BT1Ø95	BT4Ø95	BT3Ø95	ZONE INTERDITE INCENDIE	BT5Ø82	BT1Ø82	BT4Ø82	BT3Ø82
DANGER DÉFENSE D'ENTRER	BT5Ø12	BT1Ø12	BT4Ø12	BT3Ø12	ZONE INTERDITE PERSONNEL AUTORISÉ SEULEMENT	BT5Ø93	BT1Ø93	BT4Ø93	BT3Ø93
DANGER ENTRÉE INTERDITE	BT5Ø16	BT1Ø16	BT4Ø16	BT3Ø16	DANGER ZONE STRICTEMENT INTERDITE	BT5ØØ4	BT1ØØ4	BT4ØØ4	BT3ØØ4

California Regulatory Warning
WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov.



Utility Grade

Barricade Tape

Our PrimeGuard Utility Grade barricade tapes are designed to provide visual warning of buried utility lines and pipes underground. The PrimeGuard legends are printed on our thickest grade of poly film to resist fading and degrading even under the toughest conditions.

All of our industry common legends are available in both 3" x 1000' and 6" 1000' foot rolls depending on the job requirements.

All 3"x1000' rolls packaged 12 per case on a 3" core. All 6"x1000' rolls packaged 6 per case on a

PRIMEGUARD_{TM}

 $3" \times 1.000"$

CAUTION BURIED WATER LINE BELOW

UT33Ø1

CAUTION BURIED TELEPHONE LINE BELOW

UT33Ø4

CAUTION BURIED GAS LINE BELOW

UT33Ø7

6" x 1.000'

CAUTION BURIED SEWER LINE BELOW

UT33Ø2

CAUTION BURIED FIBER OPTIC LINE BELOW

UT33Ø5

CAUTION BURIED ELECTRIC LINE BELOW

UT33Ø8

CAUTION BURIED ELECTRIC LINE BELOW

UT33Ø3

CAUTION BURIED HIGH VOLTAGE BELOW

UT33Ø6

CAUTION BURIED OIL LINE BELOW

UT33Ø9

UT36Ø1

BURIED TELEPHONE LINE BELOW

UT36Ø4

BURIED GAS LINE BELOW

UT36Ø7

California Regulatory Warning **WARNING:** Cancer and Reproductive Harm www.P65Warnings.ca.gov.

BURIED SEWER LINE BELOW

UT36Ø2

BURIED FIBER OPTIC LINE BELOW

UT36Ø5

BURIED ELECTRIC LINE BELOV

UT36Ø8

CAUTION CAUTION **BURIED ELECTRIC LINE BELOW**

UT36Ø3

CAUTION BURIED HIGH VOLTAGE BELOW

UT36Ø6

BURIED OIL LINE BELO

UT36Ø9

Reinforced Grade

Barricade Tape

Our reinforced PrimeGuard barricade tape offers the ultimate in durability on the jobsite.

Printed on a material similar to that used in manufacturing sandbags, these tapes do not stretch or break under normal stress conditions. PrimeGuard reinforced tapes will keep their shape in the rain and can withstand very strong winds. Our Toughest Barricade Tape.

Currently available in both CAUTION and DANGER legends. Rolls sold in full case only, 3" x 500' 12 rolls/case.



CAUTION

REBT2Ø58

DANGER

REBT2Ø57



California Regulatory Warning WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Woven Polypropylene

Barricade Tape

Woven polypropylene barrier tape offers a strong, reusable product to help mark safety hazards in the workplace. This tape is made from a thick woven polypropylene scrim that will withstand high winds and offer long-term durability in outdoor applications. Material complies with UL 723, data sheet available on request.

Due to the strong nature of this product it can be reused to save cost and reduce environmental impact.

Product is available in an assortment of sizes and colors.



Stock No.	Description	Size
BTW150YB	Yellow/Black Woven Barricade Tape	3/4" x 150'
BTW250YB	Yellow/Black Woven Barricade Tape	2" x 150'
BTW267YB	Yellow/Black Woven Barricade Tape	2" x 200'
BTW150RB	Red/Black Woven Barricade Tape	3/4" x 150'
BTW250RB	Red/Black Woven Barricade Tape	2" x 150'
BTW267RB	Red/Black Woven Barricade Tape	2" x 200'


What is Reflective tape?


Flexible retroreflective material primarily used to increase nighttime visibility for safety

The material consists of retroreflective glass beads, microprisms, or encapsulated lenses sealed onto a plastic substrate. All of these different material option are used to shine light back to the light source to make people aware of potential hazards. Many different colors and degrees of reflection intensity are available for various applications.

Excellent uses for reflective tapes

- Tractor Trailers and Highway vehicles
- Fleet vehicle markings and graphics
- Property and gate markers
- Emergency equipment
- Trailers
- Bollards and railings
- Loading docks
- Ramps
- Entrances and exits
- Construction equipment
- Signs
- Low hanging hazards





Reflective Tape

Engineer Grade

Entry level general purpose reflectivity (ASTM D-4956 Type I). Offers vibrant daytime visibility and reflectivity for increased awareness at night.

Flexible Vehicle Grade

This product is has the same reflective properties as our standard Engineer Grade, but with added flexibility. This allows the tape to conform and adhere to curves and contours.

High Intensity Grade

High Intensity grade is an excellent choice for marking anything that requires a high level of night time visibility, with a long term life cycle. High Intensity product has a reflective value of over 8 times that of our standard engineer grade products. Intended for application on relatively flat surfaces only. Product meets or exceeds ASTM D-4956 Type III/IV.

Neonbrite Grade

Neonbrite fluorescent reflective offers the highest levels of night time reflectivity, coupled with an extremely fluorescent lime color that stands out in day time applications as well. The tape has an aggressive adhesive backing with 10 year durability. Product meets or exceeds ASTM D-4956 Type VIII. Approximately 11 times more reflective than Engineer Grade.

Conspicuity Tape

Conspicuity tape is designed to provide high visibility for road and highway vehicles. Available in Red/White versions for DOT-C2 applications, and Yellow for school bus vehicles.

Reflex Reflectors

Our reflectors are designed to meet SAE A DOT requirements and help increase visibility on trailers and other vehicles.

Correct installation procedure



Surface Preparation

It is very important that the surface the tape is being adhered to is free from all contamination such as dirt, dust, grease and oil. A combination of 50/50 alcohol and water solution is usually adequate for removing most contamination. The wiper/cloth should be changed frequently (white cloth recommended). Heavy accumulation may require more aggressive cleaning techniques.



Temperature

Temperature is a critical factor in adhesive bonding and is often over-looked. All our tape products are intended to be applied in temperatures of not less than 50°F (10°C) and not more than listed on their data sheets. In general the closer to room temperature the better the bonding.



Pressure

Tape products should be smoothed down with 15 psi of pressure or more. This will aid in adhesive "wet out" and result in better bonding.



Time

Once the tape has been applied, the adhesive bond will continue to strengthen as it has time to cure. The ambient temperature will affect this bonding time (the colder the slower), but as a general rule good bonding will not be fully achieved for 24-48 hours after the application. Full bond strength will be reached at 72 hours (70°F).



Adhesion Promoters

Some very difficult surfaces may require the use of adhesion promoters to aid in proper bonding. This would be true for low surface energy materials and very porous surfaces. Promoters should be applied per manufacturer's instructions and must be allowed to fully dry prior to tape application. For porous concrete surfaces you may want to try a Dap® Weldwood® type product for aiding in bonding. Refer to manufacturer's instructions and SDS sheet for proper handling.



Test

As with most products we highly recommend that you test a small sample of product in its intended use prior to complete installation. Some applications prove to be more difficult and require additional steps to achieve the desired results.



Support

If you would like any assistance or product recommendations, please feel free to contact us at support@incomdirect.com



Solid Color

Size	Green	White	Red	Blue	Yellow	Orange
1" x 30'	RST11Ø	RST111	RST112	RST113	RST114	RST115
2" x 30'	RST1ØØ	RST1Ø1	RST1Ø2	RST1Ø3	RST1Ø4	RST1Ø5
3" x 30'	RST13Ø	RST131	RST132	RST133	RST134	RST135
4" x 30'	RST14Ø	RST141	RST142	RST143	RST144	RST145
1" x 150'	RST511	RST521	RST531	RST541	RST551	RST561
2" x 150'	RST512	RST522	RST532	RST542	RST552	RST562
3" x 150'	RST513	RST523	RST533	RST543	RST553	RST563
4" x 150'	RST514	RST524	RST534	RST544	RST554	RST564

Hazard Stripe

1 10201 01 011 100					
Size	Red/White	Yellow/Black	Orange/White	White/Black	
1" x 30'	RST117	RST116	RST119	RST111Ø	
2" x 30'	RST1Ø7	RST1Ø6	RST1Ø9	RST1Ø1Ø	
3" x 30'	RST137	RST136	RST139	RST131Ø	
4" x 30'	RST147	RST146	RST149	RST141Ø	
1" x 150'	RST571	RST581	RST591	RST51Ø1	
2" x 150'	RST572	RST582	RST592	RST51Ø2	
3" x 150'	RST573	RST583	RST593	RST51Ø3	
4" x 150'	RST574	RST584	RST594	RST51Ø4	

High Intensity Reflective Tape

Superbrite high intensity reflective is an excellent choice for marking anything that requires a high level of night time visibility for a long term life cycle. The tape has an excellent entrance angularity and high intensity micro-prismatic surface. An aggressive adhesive system will adhere to most any clean, dry surface. Intended for application on relatively flat surfaces only. Product meets or exceeds ASTM D-4956 Type III/IV. Striped product is not intended for long-term outdoor applications.

Approximately 8 times more reflective than Engineer Grade.



Size	Green	White	Red	Blue	Yellow	Orange
2" x 30'	HRT23ØGR	HRT23ØWH	HRT23ØRD	HRT23ØBL	HRT23ØYL	HRT23Ø0R
2" x 150'	HRT215ØGR	HRT215ØWH	HRT215ØRD	HRT215ØBL	HRT215ØYL	HRT215Ø0R

Superbrite Meets ASTM D-4956 Reflectivity Type III/IV


Fluorescent Reflective Tape

Neonbrite fluorescent reflective is the newest high visibility product from INCOM. This product not only offers the highest levels of night time reflectivity, it is coupled with an extremely fluorescent lime color that stands out in day time applications as well. The tape has an aggressive adhesive backing with 10 year durability. Product meets or exceeds ASTM D-4956 Type VIII.

Approximately 11 times more reflective than Engineer Grade.

Neonbrite

Meets ASTM D-4956-99 Reflectivity Type VIII







Conspicuity DOT-C2

Reflective Tape

Exceeds the requirements of NHTSA (49 CFR 571), and every strip carries the DOT-C2 certification for compliance. This conspicuity tape meets the industry's highest visibility guidance in wet or dry weather conditions with full reflective strength from distances of 1,000 feet or more. Easy to apply, our tape sticks to a variety of surfaces including fiberglass, aluminum and painted steel (please make sure surface is clean, dry and oil free before application).

Please contact customer service for information on our custom imprint program.

Stock No.	Stock No. Description	
V572Ø3	(Red & White) 11"/ 7" Pattern	2" x 150'
V572Ø3SR	(Red & White) 11"/ 7" Pattern	2" x 30'
V572Ø36	(Red & White) 6"/6" Pattern	2" x 150'
V572ØWH	(Solid White)	2" x 150'

School Bus

Yellow Conspicuity Tape

Our yellow school bus conspicuity reflective tape is designed for improving vehicle detection and recognition. It is a high quality, durable, microprismatic retroreflective material with a permanent pressure sensitive adhesive that offers shortterm repositionability during application. The single layered construction does not require an edge sealing compound. 7 year outdoor durability on vertical exposure only. Suited for applications to most metals and painted surfaces.

Meets current application requirements for the following specifications:

US: NHTSA FMVSS 131 (49 CFR 571) US: NHTSA FMVSS 217 (49 CFR 571)

CANADA: CSA D250

Stock No.	Description	Size
V97Ø11	Yellow School Bus Conspicuity	1" x 150'
V97Ø12	Yellow School Bus Conspicuity	2" x 150'





Stick-On Reflectors

Our reflectors are designed with highly prismatic lenses secured to a durable transparent resin base. Produced on a clear poly liner, the rolls are easy to work with and the reflectors peel cleanly for application.

Each reflector is marked with the SAE A DOT certification. These reflectors are easy to install and are a cost effective alternative to plastic models. Meets or exceeds SAE J592 A.

Available in longer length rolls for OEM applications.

Stock No.	Description	Size
RR25ØAM	Amber Lens Reflectors (50 per roll)	2" x 3-1/2"
RR25ØRD	Red Lens Reflectors (50 per roll)	2" x 3-1/2"
RR35ØAM	Amber Lens Reflectors (50 per roll)	3" circle
RR35ØRD	Red Lens Reflectors (50 per roll)	3" circle



Highly Reflective

Hard Hat Decals

Improve the safety of your employees with our selection of high intensity reflective hard hat decals. The reflective and colorful properties of these adhesive markers will help get your employees noticed both day and night.

High Intensity product has a reflective value of over 8 times that of our standard engineer grade products. Product meets or exceeds ASTM D-4956 Type III.

Simply peel from liner and apply. Each decal kit contains the following: 16 pcs (4" x 1") per sheet Custom printing and shapes available to suit your specific applications.



Meets ASTM D-4956 Reflectivity Type III/IV

Stock No. Description		Size
HHD92ØWH	White Reflective Decals	16 decals/sheet
HHD92ØRD	Red Reflective Decals	16 decals/sheet
HHD92ØYL	Yellow Reflective Decals	16 decals/sheet
HHD92ØGR	Green Reflective Decals	16 decals/sheet
HHD92ØBL	Blue Reflective Decals	16 decals/sheet



Reflective Kit

Hard Hat Decals

Improve the safety of your employees with our selection of shaped reflective hard hat decals. The reflective and colorful properties of these adhesive markers will help get your employees noticed both day and night.

The material is an ASTM D-4956-99 Type I reflective sheeting with a permanent adhesive. Simply peel from liner and apply.

Each decal kit contains the following:

2 pcs (6" x 1")

2 pcs (2.5" x 1") 1 pcs (0.75" x 1" diamond)

3 pcs (2" diam circles)

Custom printing and designs available to suit your specific applications.



Stock No.	Description	Qty/Pkg
HHD9ØØWH	White Reflective Assorted Decals	5 sheets/pkg
HHD9ØØRD	Red Reflective Assorted Decals	5 sheets/pkg
HHD9ØØYL	Yellow Reflective Assorted Decals	5 sheets/pkg
HHD9ØØGR	Green Reflective Assorted Decals	5 sheets/pkg
HHD9ØØBL	Blue Reflective Assorted Decals	5 sheets/pkg
HHD9ØØOR	Orange Reflective Assorted Decals	5 sheets/pkg



What are pipe markers?

Identify pipe contents and potential hazards

Pipe markers are an important part of safety markings in your facility. These markers help emergency responders and your staff quickly identify pipe contents and potential hazards.

DESELFUEL OUD WATER

Common uses for pipe & valve identification

- Mechanical Contractors
- HVAC
- Refineries
- Hospitals
- Municipal buildings
- Manufacturing facilities



ASME A13.1-2015 Designation of Marker Colors

FIRE QUENCHING FLUIDS	SAFETY RED WITH WHITE TEXT
TOXIC AND CORROSIVE FLUIDS	SAFETY ORANGE WITH BLACK TEXT
FLAMMABLE AND OXIDIZING FLUIDS	SAFETY YELLOW WITH BLACK TEXT
COMBUSTIBLE FLUIDS	SAFETY BROWN WITH WHITE TEXT
POTABLE, COOLING, BOILER FEED AND OTHER WATER	SAFETY GREEN WITH WHITE TEXT
COMPRESSED AIR	SAFETY BLUE WITH WHITE TEXT
TO BE DEFINED BY USER	SAFETY PURPLE WITH WHITE TEXT
TO BE DEFINED BY USER	SAFETY WHITE WITH BLACK TEXT
TO BE DEFINED BY USER	SAFETY GRAY WITH WHITE TEXT
TO BE DEFINED BY USER	SAFETY BLACK WITH WHITE TEXT


ASME A13.1-2015 Letter Height & Length of Marker



A	В	C
Pipe Outer Diameter	Letter Height	Length of Marker
3/4" thru 1-1/4"	1/2"	8"
1/2" thru 2"	3/4"	8"
2-1/2" thru 6"	1-1/4"	12"
8" thru 10"	2-1/2"	24"
Over 10"	3-1/2"	32"

ASME A13.1-2015 Location of Identification Markers

ASME A13.1-2015 (Section 3.1) Arrows shall be used to indicate direction of flow.



Adhesive

Pipe Markers

Our adhesive VynMark pipe markers have a permanent adhesive backing and thick clear UV, abrasion and fade resistant coating. Markers will adhere to a wide variety of smooth clean surfaces. Must be used in conjunction with a flow direction indicator for compliance. We recommend the use of our directional flow arrow tape on page 46.

All colors meet the ANSI 535.1 and Z535.1 Safety Color Chart. Markers comply with ANSI/ASME A13.1-2015.



HOW TO ORDER MARKERS:	SELECT MARKER - PM1000	SELECT TYPE/SIZE - V/	A ADD TOGETHER - PM100	JØVA
Size code	Marker Size	Character Height	Diameter of Pipe	Material
VA	1" x 8"	1/2"	3/4" thru 1-1/4"	Adhesive VynMark
VB	1-1/4" x 8"	3/4"	1-1/2" thru 2"	Adhesive VynMark
VC	2" x 12"	1-1/4"	2-1/2" thru 6"	Adhesive VynMark
VD	3" x 24"	2-1/2"	8" thru 10"	Adhesive VynMark
VE	4" x 32"	3-1/2"	Over 10"	Adhesive VvnMark

Snap On Style

Pipe Markers

Manufactured using a rigid base stock with a UV, fade and abrasion resistant coated print.

Our coil wrap pipe markers offer an excellent way to quickly and easily mark your pipes. Simply uncoil the marker, apply to pipe and it will coil back around without having to clean or prep the pipe surface. These markers offer 360 degree viewing and have directional flow arrows included in the printing to speed installation times.

For pipe sizes up to 6" use our coiled snap on style. For pipe sizes over 6" use the strap on style that includes nylon cable ties. Snap on pipe markers in sizes 2-1/2" to 6" include an adhesive stripe for added durability applications over 120F.



HOW TO ORDER MARKERS:	SELECT MARKER - PM1000 SELEC	CT TYPE/SIZE - RA ADD TOGETHEF	R - PM1000RA
Size code	Character Height	Diameter of Pipe	Material
RA	1/2"	3/4" thru 1-1/4"	Coiled Printed Plastic Sheet
RB	3/4"	1-1/2" thru 2"	Coiled Printed Plastic Sheet
RC	1-1/4"	2-1/2" thru 3-7/8"	Coiled Printed Plastic Sheet
RD	1-1/4"	4" thru 6"	Coiled Printed Plastic Sheet
RF	1-1/4"	6" thru 7-7/8"	Printed Sheet + Straps
RG	2-1/2"	8" thru 10"	Printed Sheet + Straps
RH	3-1/2"	Over 10"	Printed Sheet + Straps

ACETONE	PM1ØØ1	CONDENSATE DRAIN	PM1Ø69	GLYCOL	PM1137	LOW PRESSURE NITROGEN	PM12Ø5	SERVICE AIR	PM1273
ACETYLENE GAS	PM1002	CONDENSATE DRAIN	PM1070	GLYCOL RETURN	PM1138	LO-PRESSURE STEAM	PM12Ø6	SERVICE AIR	PM1274
ACETYLENE GAS	PM1ØØ3	CONDENSATE PUMP DISCHARGE	PM1Ø71	GLYCOL RETURN	PM1139	LOW PRESSURE WATER	PM1207	SEWAGE	PM1275
ACID	PM1004	CONDENSATE PUMP DISCHARGE	PM1Ø72	GLYCOL RETURN	PM114Ø	LUBE OIL	PM12Ø8	SEWER	PM1276
ACID	PM1ØØ5	CONDENSATE RETURN	PM1Ø73	GLYCOL SUPPLY	PM1141	MAKE-UP WATER	PM12Ø9	SLUDGE	PM1277
ACID VENT	PM1ØØ6	CONDENSATE SUPPLY	PM1Ø74	GLYCOL SUPPLY	PM1142	MEDICAL AIR	PM121Ø	SOAP	PM1278
ACID VENT	PM1ØØ7	CONDENSATE WATER	PM1Ø75	GLYCOL SUPPLY	PM1143	MEDICAL VACUUM	PM1211	SODIUM HYDROXIDE	PM1279
ACID WASTE	PM1ØØ8	CONDENSATE WATER RETURN	PM1Ø76	HALLON	PM1144	MILL AIR	PM1212	SODIUM HYDROXIDE	PM128Ø
ACID WASTE	PM1ØØ9	CONDENSATE WATER SUPPLY	PM1Ø77	HEATING	PM1145	MILL WATER	PM1213	SODIUM HYPOCHLORITE	PM1281
AIR	PM1Ø1Ø	COOLING WATER	PM1Ø78	HEATING HOT WATER RETURN	PM1146	MIXED GAS	PM1214	SOFT WATER	PM1282
AIR	PM1Ø11	COOLING WATER RETURN	PM1Ø79	HEATING HOT WATER RETURN	PM1147	NATURAL GAS	PM1215	SOLVENT	PM1283
AIR	PM1Ø12	COOLING WATER SUPPLY	PM1Ø8Ø	HEATING HOT WATER SUPPLY	PM1148	NATURAL GAS	PM1216	SPENT ACID	PM1284
AIR RETURN	PM1Ø13	DEIONIZED WATER	PM1Ø81	HEATING HOT WATER SUPPLY	PM1149	NITRIC ACID	PM1217	SPENT ACID	PM1285
AIR SUPPLY	PM1Ø14	DEIONIZED WATER SUPPLY	PM1082	HEATING RETURN	PM115Ø	NITRIC ACID	PM1218	SPRINKLER	PM1286
ALCOHOL	PM1015	DIESEL FUEL	PM1083	HEATING SUPPLY	PM1151	NITROGEN	PM1219	SPRINKLER FIRE	PM1287
ALUM	PM1Ø16	DIESEL OIL DIESEL WASTE OIL	PM1Ø84	HEATING WATER RETURN HEATING WATER SUPPLY	PM1152	NITROGEN	PM122Ø	SPRINKLER WATER	PM1288
ALUM AMMONIA	PM1Ø17		PM1Ø85	HEATING WATER SUPPLY	PM1153	NITROUS OXIDE	PM1221 PM1222	STEAM DETUDN	PM1289
	PM1018	DIESEL WASTE OIL DISCHARGE	PM1Ø86	\vdash	PM1154	NITROUS OXIDE		STEAM RETURN	PM1290
AMMONIA ARGON	PM1019	DISTILLED WATER	PM1Ø87	HIGH PRESSURE AIR	PM1155 PM1156	NITROUS OXIDE	PM1223 PM1224	STEAM SUPPLY STORM DRAIN	PM1291 PM1292
ARGON	PM1020 PM1021	DOMESTIC	PM1Ø88 PM1Ø89	HIGH PRESSURE AIR HIGH PRESSURE CONDENSATE	PM1156	NON-POTABLE WATER OIL	PM1224	STORM SEWER	PM1292
ARGON	PM1021	DOWESTIC COLD WATER	PM1090	HIGH PRESSURE GAS	PM1157	OIL SUPPLY	PM1226	STORM WATER	PM1294
ARGON	PM1022	DOMESTIC COLD WATER RETURN	PM1090	HIGH PRESSURE GAS	PM1158	OUTSIDE AIR	PM1227	SULFUR DIOXIDE	PM1294
ASBESTOS FREE	,	DOMESTIC COLD WATER SUPPLY	PM1Ø92	HIGH PRESSURE HOT WATER	PM1160	OUTSIDE AIR	PM1228	SULFUR DIOXIDE	PM1295
ASBESTOS FREE INSULATION		DOMESTIC HOT WATER	PM1092	HIGH PRESSURE HOT WATER	PM1161	OXYGEN	PM1228	SULFURIC ACID	PM1297
	K	DOMESTIC HOT WATER	PM1Ø94	HIGH PRESSURE NITROGEN	PM1162	OXYGEN	PM123Ø	SULFURIC ACID	PM1298
BACKWASH	PM1027	DOMESTIC HOT WATER RECIRCULATION	PM1Ø95	HIGH PRESSURE STEAM	PM1163	OXYGEN	PM1231	SUMP PUMP DISCHARGE	PM1299
BLOWER AIR	PM1028	DOMESTIC HOT WATER REGIRCULATION	PM1Ø96	HIGH PRESSURE WATER	PM1164	OXYGEN	PM1232	SUPPLY	PM1300
BOILER BLOW DOWN	PM1029	DOMESTIC HOT WATER RETURN	PM1Ø97	HIGH PRESSURE WATER	PM1165	PEROXIDE	PM1233	SUPPLY	PM13Ø1
BOILER BLOW DOWN	PM1030	DOMESTIC HOT WATER RETURN	PM1Ø98	HIGH PRESSURE NATURAL GAS	PM1166	PEROXIDE	PM1234	SUPPLY	PM13Ø2
BOILER DRAIN	PM1Ø31	DOMESTIC HOT WATER SUPPLY	PM1Ø99	HOT	PM1167	PLANT AIR	PM1235	TANK DRAIN	PM13Ø3
BOILER DRAIN	PM1Ø32	DOMESTIC HOT WATER SUPPLY	PM1100	HOT WATER	PM1168	PLANT WATER	PM1236	TEMPERED WATER	PM13Ø4
BOILER FEED	PM1Ø33	DRAIN	PM11Ø1	HOT WATER	PM1169	PLUMBING VENT	PM1237	TEMPERED WATER	PM13Ø5
BOILER FEED	PM1Ø34	DRAIN	PM11Ø2	HOT WATER RETURN	PM117Ø	POLYMER	PM1238	TOLUENE	PM13Ø6
BOILER FEED WATER	PM1Ø35	DRAIN WATER	PM11Ø3	HOT WATER RETURN	PM1171	POLYMER SOLUTION	PM1239	TOLUENE	PM13Ø7
BOILER FEED WATER	PM1Ø36	DRINKING WATER	PM11Ø4	HOT WATER SUPPLY	PM1172	POTABLE	PM124Ø	TOWER WATER	PM13Ø8
BREATHING AIR	PM1Ø37	EFFLUENT	PM11Ø5	HOT WATER SUPPLY	PM1173	POTABLE WATER	PM1241	TOWER WATER RETURN	PM13Ø9
BRINE	PM1Ø38	ELECTRIC TRACED	PM11Ø6	HYDRAULIC FLUID	PM1174	POTABLE WATER	PM1242	TOWER WATER SUPPLY	PM1310
BRINE	PM1Ø39	ELECTRIC TRACED	PM11Ø7	HYDRAULIC FLUID	PM1175	PROCESS WATER	PM1243	TREATED WATER	PM1311
CARBON DIOXIDE	PM1040	EXHAUST	PM11Ø8	HYDRAULIC LINE	PM1176	PROCESS WATER	PM1244	UTILITY WATER	PM1312
CARBON DIOXIDE	PM1Ø41	EXHAUST AIR	PM11Ø9	HYDRAULIC LINE	PM1177	PROCESS WATER RETURN	PM1245	UTILITY WATER	PM1313
CAUSTIC	PM1Ø42	EXHAUST PIPE	PM111Ø	HYDRAULIC OIL	PM1178	PROCESS WATER SUPPLY		VACUUM	PM1314
CAUSTIC	PM1Ø43	EXHAUST PIPE	PM1111	HYDRAULIC OIL	PM1179	PROCESS WATER SUPPLY	PM1247	VACUUM	PM1315
CAUSTIC SODA	PM1Ø44	FEED	PM1112	HYDRAULIC SUPPLY	PM118Ø	PROPANE GAS	PM1248	VENT	PM1316
CAUSTIC SODA	PM1Ø45	FEED	PM1113	HYDROCHLORIC ACID	PM1181	PULP	PM1249	VENT	PM1317
CHEMICAL	PM1046	FILTERED WATER	PM1114	HYDROCHLORIC ACID	PM1182	PUMP	PM125Ø	VENT	PM1318
CHEMICAL	PM1Ø47	FILTRATE	PM1115	HYDROGEN	PM1183	PUMPED CONDENSATE	PM1251	WARM WATER	PM1319
CHEMICAL FEED	PM1Ø48	FIRE AUTO SPRINKLER	PM1116	HYDROGEN	PM1184	RAIN WATER	PM1252	WASTE	PM1320
CHEMICAL FEED	PM1049	FIRE MAIN	PM1117	HYDROGEN PEROXIDE	PM1185	RAIN WATER DRAIN	PM1253	WASTE WATER	PM1321
CHILLED WATER	PM1050	FIRE PROTECTION WATER	PM1118	HYDROGEN PEROXIDE	PM1186	RAW WATER	PM1254	WASTE WATER	PM1322
CHILLED WATER RETURN	PM1Ø51	FIRE SPRINKLER	PM1119	INDUSTRIAL WATER	PM1187	RECIRCULATED WATER	PM1255	WATER	PM1323
CHILLED WATER SUPPLY	PM1052	FIRE SPRINKLER WATER	PM1120	INERT GAS	PM1188	RECIRCULATED WATER	PM1256	WATER WELL WATER	PM1324
CHLORINE	PM1Ø53	FIRE WATER SYSTEM	PM1121	INERT GAS	PM1189	REFRIGERANT LIQUID	PM1257	WELL WATER	PM1325
CHLORINE WATER	PM1054	FREON	PM1122	INSTRUMENT AIR	PM119Ø	REFRIGERANT SUCTION	PM1258	WHITE LIQUOR	PM1326
CIRCULATING WATER	PM1Ø55	FREON	PM1123	INSTRUMENT AIR	PM1191	REFRIGERATED LIQUID	PM1259 PM126Ø	WHITE LIQUOR WHITE LIQUOR	PM1327 PM1328
CITY GAS	PM1Ø56	FRESH WATER FUEL GAS	PM1124	KEROSENE LAB VACIUM	PM1192	REFRIGERATED SUCTION REFRIGERATION		WHITE LIQUUK	PM1328
CITY GAS CITY WATER	PM1Ø57 PM1Ø58	FUEL GAS	PM1125 PM1126	LAB VACUUM LAB VENT	PM1193 PM1194	RETURN	PM1261 PM1262		PM1329
COLD SUPPLY	PM1058	FUEL OIL RETURN	PM1126	LAB WASTE	PM1194 PM1195	RETURN	PM1262		PM1331
COLD SUPPLY	PM1059	FUEL OIL SUPPLY	PM1127	LIQUID NITROGEN	PM1195	RETURN	PM1264		PM1332
COLD WATER DRAIN	PM1Ø61	FUEL OIL VENT	PM1129	LOW PRESSURE	PM1197	RETURN	PM1265		PM1333
COLD WATER RETURN	PM1Ø62	GAS	PM113Ø	LOW PRESSURE AIR	PM1197	ROOF DRAIN	PM1266		PM1334
COLD WATER SUPPLY	PM1Ø63	GAS	PM1131	LOW PRESSURE CONDENSATE	PM1199	SALT WATER	PM1267	-	PM1335
COMPRESSED AIR	PM1Ø64	GAS	PM1132	LOW PRESSURE GAS	PM1200	SANITARY DRAIN	PM1268	-	PM1336
COMPRESSED AIR	PM1Ø65	GASOLINE	PM1133	LOW PRESSURE GAS	PM1200	SANITARY SEWER		-	PM1337
COMPRESSED AIR	PM1Ø66	GASOLINE	PM1134	LOW PRESSURE NATURAL GAS	PM12Ø2	SANITARY VENT	PM127Ø		PM1338
CONDENSATE	PM1Ø67	GLYCOL	PM1135	LOW PRESSURE NATURAL GAS		SANITARY WASTE		-	PM1339
CONDENSATE	PM1Ø68	GLYCOL	PM1136	LOW PRESSURE NITROGEN		SEAL WATER	PM1272	-	PM1340
				The state of the s			=		



Size	Blue/White	Green/White	Orange/Black	Red/White	Yellow/Black	Brown/White	Purple/White	Gray/White	Black/White	White/Black
1" x 54'	PMA1Ø1	PMA1Ø2	PMA1Ø3	PMA1Ø4	PMA1Ø5	PMA1Ø6	PMA1Ø1Ø	PMA1Ø11	PMA1Ø12	PMA1Ø9
2" x 54'	PMA2Ø1	PMA2Ø2	PMA2Ø3	PMA2Ø4	PMA2Ø5	PMA2Ø6	PMA2Ø1Ø	PMA2Ø11	PMA2Ø12	PMA2Ø9
4" x 54'	PMA4Ø1	PMA4Ø2	PMA4Ø3	PMA4Ø4	PMA4Ø5	PMA4Ø6	PMA4Ø1Ø	PMA4Ø11	PMA4Ø12	PMA4Ø9
1" x 108'	PMA151	PMA152	PMA153	PMA154	PMA155	PMA156	PMA151Ø	PMA1511	PMA1512	PMA159
2" x 108'	PMA251	PMA252	PMA253	PMA254	PMA255	PMA256	PMA251Ø	PMA2511	PMA2512	PMA259
4" x 108'	PMA451	PMA452	PMA453	PMA454	PMA455	PMA456	PMA451Ø	PMA4511	PMA4512	PMA459

Pipe Banding Conformable Tape

We offer a wide selection of quality pipe banding tapes. Our pipe banding tapes are made from a durable film with a rubber adhesive system that will adhere to most any clean, dry surface. The construction offers a smooth, conformable matte finish that is great for pipe banding applications. All tapes are made in a wide array of OSHA colors that meet ANSI Z535.1 and offer excellent durability and chemical resistance.



46

Pipe Markers On-A-Roll

Pipe markers are an important part of safety markings in your facility. These markers easily help emergency responders and your staff quickly identify hazards and pipe contents.

Our pipe markers are made from durable adhesive backed stock with a protective overlamination. These markers are perforated every 9 inches between each legend for easy use as singles, or allowing larger strips for longer applications. Once applied to a clean, dry surface, these markers will offer a long term marking solution for your facility. Customization available.

All colors meet the ANSI 535.1 and Z535.1 Safety Color Chart. They also comply with ANSI / ASME A13.1 standard for pipe markings including the new colors introduced under ANSI/ASME A13.1-2015.

Available in 1" x 54' and 2" x 54' rolls.



	ı
ACID	PMR1005
AIR	PMR1Ø12
AIR	PMR1010
AMMONIA	PMR1Ø18
ASBESTOS FREE INSULATION	PMR1Ø25
BOILER FEED WATER	PMR1Ø35
CARBON DIOXIDE	PMR1040
CAUSTIC	PMR1043
CHILLED WATER	PMR1050
CHILLED WATER RETURN	PMR1Ø51
CHILLED WATER SUPPLY	PMR1Ø52
CIRCULATING WATER	PMR1Ø55
CITY WATER	PMR1Ø58
COLD WATER	PMR1060
COLD WATER RETURN	PMR1Ø62
COLD WATER SUPPLY	PMR1Ø63
COMPRESSED AIR	PMR1Ø65
COMPRESSED AIR	PMR1Ø64
CONDENSATE	PMR1352
CONDENSATE	PMR1Ø67
CONDENSATE RETURN	PMR1353
CONDENSATE SUPPLY	PMR1Ø74
CONDENSATE WATER	PMR1Ø75
CONDENSATE WATER RETURN	PMR1Ø76
CONDENSATE WATER SUPPLY	PMR1Ø77
DEIONIZED WATER	PMR1Ø81
DOMESTIC COLD WATER	PMR1090
DOMESTIC HOT WATER	PMR1Ø94
DOMESTIC HOT WATER	PMR1Ø93

DRAIN	PMR1102
EXHAUST	PMR11Ø8
FILTERED WATER	PMR1114
FIRE PROTECTION WATER	PMR1118
FIRE SPRINKLER WATER	PMR112Ø
FUEL OIL	PMR1126
GAS	PMR113Ø
GLYCOL	PMR1136
HEATING	PMR1145
HEATING RETURN	PMR1354
HEATING RETURN	PMR115Ø
HEATING SUPPLY	PMR1355
HEATING SUPPLY	PMR1151
HIGH PRESSURE AIR	PMR1155
HIGH PRESSURE CONDENSATE	PMR1157
HIGH PRESSURE STEAM	PMR1356
HIGH PRESSURE STEAM	PMR1163
HOT WATER	PMR1169
HOT WATER	PMR1168
HOT WATER RETURN	PMR1171
HOT WATER RETURN	PMR1170
HOT WATER SUPPLY	PMR1173
HOT WATER SUPPLY	PMR1172
INDUSTRIAL WATER	PMR1187
LOW PRESSURE AIR	PMR1357
LOW PRESSURE CONDENSATE	PMR1199
LOW PRESSURE STEAM	PMR1358
LOW PRESSURE STEAM	PMR1359

MAKE UP WATER	PMR1209
MEDIUM PRESSURE STEAM	PMR1360
MEDIUM PRESSURE STEAM	PMR1361
NATURAL GAS	PMR1215
NITROGEN	PMR1219
NON-POTABLE WATER	PMR1362
NON-POTABLE WATER	PMR1224
OIL	PMR1225
OXYGEN	PMR1232
OXYGEN	PMR1230
PLUMBING VENT	PMR1237
POTABLE WATER	PMR1241
PROCESS WATER	PMR1244
PROCESS WATER	PMR1243
PROPANE GAS	PMR1363
RAIN WATER	PMR1252
RAW WATER	PMR1254
REFRIGERATED LIQUID	PMR1259
REFRIGERATED SUCTION	PMR1260
RETURN	PMR1265
RETURN	PMR1264
RETURN	PMR1262
RETURN	PMR1263
ROOF DRAIN	PMR1266
SANITARY DRAIN	PMR1268
SANITARY SEWER	PMR1269
SPRINKLER FIRE	PMR1287
SPRINKLER WATER	PMR1288

STEAM	PMR1364
STEAM	PMR1289
STEAM RETURN	PMR1290
STEAM SUPPLY	PMR1365
STEAM SUPPLY	PMR1291
STORM DRAIN	PMR1292
STORM WATER	PMR1294
SUPPLY	PMR1302
SUPPLY	PMR13Ø1
SUPPLY	PMR1300
TEMPERED WATER	PMR13Ø5
TEMPERED WATER	PMR13Ø4
TOWER WATER	PMR13Ø8
TREATED WATER	PMR1311
VACUUM	PMR1315
VACUUM	PMR1314
VENT	PMR1317
VENT	PMR1316
WASTE	PMR1366
WASTE	PMR1320
WASTE WATER	PMR1322
WATER	PMR1324
WATER	PMR1323
WELL WATER	PMR1325
+ + +	PMR1334
++++	PMR1333
→ → →	PMR1329
+ + + +	PMR1331

HOW TO ORDER MARKERS:	SELECT LEGEND - PMR1000	SELECT SIZE - F	ADD TOGETHER - PMR1000F	
Size code	Marker Size	Roll Length	Diameter of Pipe	Legend per Roll
D	1" x 9"	1" x 54'	Up to 2-1/2"	72
F	2" x 9"	2" x 54'	2-1/2" thru 4"	72
Size Code	Marker Size	Roll Length	Diameter of Pipe	Arrows per Roll
D	1" x 3"	1" x 54'	Up to 2-1/2"	216
F	2" x 3"	2" x 54'	2-1/2" thru 4"	216

Stencil Pipe Marker

Looking for a more durable Pipe Marking solution? Our Pipe Marker Stencils provide a permanent painted solution to identify your pipes. These durable and reusable stencils are easy to use and provide professional looking markings. Stencils are made with 0.020" HDPE and available in 2 stock sizes.

Custom stencils available. Call for details.



9" x 27"

For 4-1/2" to 6-1/2" diameter pipes. 1-1/4" Height letters.

← SPRINKLER WATER →

11" x 45"

For 8" to 10" diameter pipes. 2-1/2" Height letters.



← ACID →

SPM1004

← CHILLED WATER RETURN →

SPM1051

←COMPRESSED AIR →

SPM1064

← DOMESTIC COLD WATER →

SPM1090 ← FUEL OIL →

SPM1126

← HEATING SUPPLY → SPM1151

←HOT WATER RETURN →

SPM117Ø

← NITROGEN **→**

SPM1219

← SPRINKLER WATER →

SPM1288

← VENT → SPM1316

←AIR →

SPM1010

← CHILLED WATER SUPPLY →

SPM1052

← CONDENSATE →

SPM1067

← DRAIN →

SPM11Ø1

← GAS →

SPM1130

← HIGH PRESSURE CONDENSATE →

SPM1157

← HOT WATER SUPPLY →

SPM1172

← RETURN →

SPM1262

← STEAM →

SPM1289

← WATER **→** SPM1323

← CAUSTIC →

SPM1Ø42

← CITY WATER →

SPM1058

← CONDENSATE RETURN →

SPM1073

←EXHAUST →

SPM1108

← HEATING →

SPM1145

← HIGH PRESSURE STEAM →

SPM1163

← LOW-PRESSURE NITROGEN → SPM12Ø4

← SANITARY SEWER →

SPM1269

← SUPPLY →

SPM1300

SPM1329

← CHILLED WATER →

SPM1050

← COLD WATER →

SPM1060

← CONDENSATE WATER →

SPM1075

← FIRE PROTECTION WATER →

← HEATING RETURN →

SPM1150

← HOT WATER →

SPM1168

← NATURAL GAS →

SPM1215

← SPRINKLER FIRE →

SPM1287

◆ VACUUM → SPM1314

-

SPM1335

HOW TO ORDER MARKERS: S	ELECT MARKER - SPM100 SELEC	CT TYPE/SIZE - A ADD TOGETHER	- SPM100A
Size code	Marker Size	Character Height	Diameter of Pipe
A	9" x 27"	1-1/4"	2-1/2" thru 6"
В	11" x 45"	2-1/2"	8" thru 10"

48

Custom Engraved

Plastic Valve Tags

Engraved 0.125" plastic tags offer a very durable way to mark valves and pipes. Our tags are made from a durable multi-layered plastic custom engraved with your wording or design for maximum longevity. Variable text and numbering is available on all tags. Standard colors shown below, with custom color and size options available on request.

Colors

BLACK ON YELLOW

WHITE ON RED

WHITE ON GREEN









1/2/A 126 VI

MAIN CONTROL

KEEP OPEN

Available in circle and square shapes 1-1/2", 2", 3" and 4"

Brass

Number Tags

Consecutive numbered brass tags are a staple of the pipe and valve identification process. These 0.032" thick, tumbled, brass tags have consecutive numbers (3/8" height), stamped into the brass, then black filled for maximum durability and visibility. Available in a complete range of numbers



Stock No.	Description	Qty/Pack
NTG1	Brass Tags Numbered 1-25	25
NTG26	Brass Tags Numbered 26-50	25
NTG51	Brass Tags Numbered 51-75	25
NTG76	Brass Tags Numbered 76-100	25

California Regulatory Warning

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Aluminum

Property Tags

Use our serially numbered property control tags for a positive identification of company assets, valves and process equipment. Made from a durable 0.040" thick aluminum with lettering and numbering stamped into the aluminum and black filled for maximum visibility. Consecutive numbering available. Tags available in two sizes with 1/8" mounting holes.



1.9375" x 1.1875"

Valve Tag Accessories


We offer a selection of tag hanging accessories to aid in your identification project. All products are 100/pkg.





KRG1 - Split 1" Key Ring





SHK1 - 'S' Hook

BCN4 - Beaded 4" Chain

Abatement

Temporary Hazard Signs

Help maintain a safe and compliant job site during abatement projects. These thick paper signs offer a visual warning of hazards to workers and other on-site personal. All abatement signs come in 11" x 17" size and are intended for indoor or short-term outdoor applications.

We have a wide range of chemical hazard warnings including asbestos, lead, silica and microbial. Custom wording, logos and graphics available, contact us for details.

Check with local, provincial/state and federal authorities to ensure use of proper warning identification to maintain compliance.

Packaged 100 signs per pack.



AUTHORIZED PERSONNEL 0

RESPIRATORS AND PROTECTIVE CLOTHING ARE REQUIRED IN THE AR



MICROBIAL HAZARD

KEEP OUT

AUTHORIZED PERSONNEL ONLY

RESPIRATORS AND PROTECTIVE CLOTHING ARE REQUIRED IN THE AREA

AB1ØØ3



ASBESTOS

MAY CAUSE CANCER **CAUSES DAMAGE TO LUNGS**

AUTHORIZED PERSONNEL ONLY

WEAR RESPIRATORY PROTECTION AND PROTECTIVE CLOTHING IN THIS AREA



ASBESTOS

MAY CAUSE CANCER CAUSES DAMAGE **TO LUNGS**

AUTHORIZED PERSONNEL ONLY

WEAR RESPIRATORY PROTECTION AND PROTECTIVE CLOTHING IN THIS AREA



LEAD HAZARD KEEP OUT

DO NOT ENTER WORK AREA AUTHORIZED PERSONNEL ONLY

NO EATING, DRINKING OR SMOKING IN THIS AREA

-	DAT	Έ	
ı	.00		

AB1ØØ2



RESPIRABLE CRYSTALLINE **SILICA**

MAY CAUSE CANCER CAUSES DAMAGE TO LUNGS

WEAR RESPIRATORY PROTECTION IN THIS AREA

AUTHORIZED PERSONNEL ONLY

AB1ØØ4

AB1ØØØ

AB1ØØ1



MOULD ABATEMENT

AUTHORIZED PERSONNEL ONLY

RESPIRATORS AND PROTECTIVE CLOTHING ARE REQUIRED IN THIS AREA

ENLÉVEMENT DE MOISISSURE

PERSONNEL AUTORISÉ SEULEMENT

RESPIRATEURS ET VÉTEMENTS PROTECTEURS REQUIS DANS CETTE ZONE

> AB1ØØ5 English/French



ASBESTOS

CANCER AND LUNG DISEASE HAZARD

AUTHORIZED PERSONNEL ONLY

RESPIRATORS AND PROTECTIVE CLOTHING ARE REQUIRED IN THIS AREA

AMIANTE

RISQUE DE CANCER ET DE MALADIE PULMONAIRE

PERSONNEL AUTORISÉ **SEULEMENT**

RESPIRATEURS ET VÉTEMENTS PROTECTEURS REQUIS DANS CETTE ZONE

AB1ØØ6 English/French

LEAD HAZARD AREA

NO UNAUTHORIZED ENTRY

WEAR ASSIGNED PROTECTIVE EQUIPMENT BREATHING LEAD DUST MAY CAUSE SERIOUS BODILY HARM

LOCATION DANGEREUSE PLOMB ENTREE INTERDITE A TOUT

PERSONNEL NON AUTORISE ET NON MUNI D'ÉQUIPEMENT **PROTECTEUR**

ASPIRER LA POUSSIERRE DU PLOMB PEUT PRODUIRE DES RESULTATS SERIEUX A VOTRE SANTE

AB1ØØ7 English/French



ASBESTO

PUEDE CAUSAR CÁNCER CAUSA DAÑO A LOS PULMONES PERSONAL AUTORIZADO SOLAMENTE USE

PROTECCIÓN RESPIRATORIA Y ROPA DE PROTECCIÓN **EN ESTA ÁREA**

> AB1ØØ8 Spanish

NCOM

W W

i W

ct.

Abatement Tags

Aids in keeping workers safe and informed, our abatement tags offer a visual explanation of the safety hazard in bold clear text. A clear way to help promote the safe handling, storage and disposal of contaminates.

Tags are packaged 25/pkg with a standard back print on all designs. Custom wording, graphics and logos available.

Tags are available in 3.375" x 5.75" with 3/8" holes.







TG1121PT



TG1Ø16PT



TG1122PT

Abatement Barricade Tape

We offer a wide selection of barricade tape legends and colors to aid in your abatement projects. These durable barricade tapes are all made from a thick polyethylene material and packaged 3" x 1000' per roll. We have a wide range of chemical hazard warnings including asbestos, lead, silica and microbial.

For our full line of barricade tape products, see pages 32-33. Custom wording, logos and graphics available, contact us for details.



SILICA DUST HAZARD **Authorized Personnel Only**

BT1Ø212



ASBESTOS MAY CAUSE CANCER CAUSES DAMAGE TO LUNGS AUTHORIZED PERSONNEL ONL

BT1Ø2Ø7



RESPIRABLE CRYSTALLINE SILICA MAY CAUSE CANCER - CAUSES DAMAGE TO LUNGS



BT1Ø211



CRYSTALLINE SILICA Work Zone Authorized personnel only

BT1Ø2Ø9



ASBESTOS

BT1Ø2Ø8



BT1Ø72



BT1Ø85

CAUTION LEAD HAZARD

BT1Ø38



MICROBIAL HAZARD

BT1Ø21Ø

DANGER ASBESTOS

BT1Ø60

DANGER LEAD

BT1Ø84

California Regulatory Warning

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Abatement

Labels

Adhesive backed peel-n-stick labels for use in abatement and visual warning applications. These labels will adhere to a wide variety of surfaces.

Labels are sold 500/roll



CLOTHING AND EQUIPMENT CONTAMINATED WITH LEAD MAY DAMAGE FERTILITY OR THE UNBORN CHILD. CAUSES DAMAGE TO THE CENTRAL NERVOUS SYSTEM. DO NOT EAT, DRINK OR SMOKE WHEN HANDLING. DO NOT REMOVE DUST BY BLOWING OR SHAKING. DISPOSE OF LEAD CONTAMINATED WASH WATER IN ACCORDANCE WITH APPLICABLE LOCAL, STATE OR FEDERAL REGULATIONS

AB5ØØØ Adhesive Paper - 5" x 3"



LEAD CONTAINING HAZARDOUS WASTE AVOID CREATING DUST **RQ HAZARDOUS SUBSTANCE** SOLID, N.O.S. (PAINT RESIDUE-LEAD) NA 3077, CLASS 9, P.G. III

AB5ØØ1 Adhesive Paper - 5" x 3"

ASBESTOS FREE

AB5ØØ5 Adhesive Paper - 5" x 3"



TT91P - Adhesive Paper - 4" x 4" TT91V - Adhesive VynMark - 4" x 4"



AB5ØØ2 Adhesive Paper - 5" x 3"

NON **ASBESTOS**

AB5ØØ6 Adhesive Paper - 5" x 3"

DANGER

CONTAINING HAZARDOUS WASTE AVOID CREATING DUST

D. HAZARDOUS SUBSTANCE N.O.S. (PAINT RESIDUE-LEAD)
N.A. 3077, CLASS 9, P.G. III

CONTAINS ASBESTOS FIBERS MAY CAUSE CANCER CAUSES DAMAGE TO LUNGS DO NOT BREATHE DUST AVOID CREATING DUST RQ, ASBESTOS, CLASS 9, NA 2212, P.G. III

AB5ØØ3 Adhesive Paper - 5" x 3"



AB5ØØ7 Adhesive Paper - 5" x 3"

PCB



CONTIENT DES FIBRES D'AMIANTE ÉVITER DE SOULEVER LA POUSSIÈRE RISQUE DE CANCER ET DE MALADIES RESPIRATOIRES ÉVITER DE RESPIRER LA POUSSIÈRE

AB5ØØ4

Adhesive Paper - 5" x 3"

ASBESTOS GENERATOR

AB5ØØ8 Adhesive Paper - 5" x 3"

Hazardous Waste & PCB

Labels

All hazardous wastes must be properly identified according to EPA and DOT legislation. Our Hazardous Waste and PCB labels can be placed on boxes, drums, pipes and containers to clearly identify the hazard. Made from adhesive VynMark stock for added durability.

Labels are sold 500/roll



1625 6" x 6"



TT486 6" x 6"



162Ø Federal Law 6" x 6"



1621 State & Federal Law 6" x 6"



1622 6" x 6"

52

Abatement

Polyethylene Tape

Our PTAK 33-series Poly Tape is designed specifically for the Abatement industry. The thick polyethylene offers a durable working surface while the rubber adhesive will bond well to most surfaces, even in lower temperatures. Ideal for use with poly sheeting in abatement applications.

Tape will also remove cleanly from most surfaces in temporary application. Tape comes with a serrated "pinked" edge for easy tearing, even with gloves on.



Stock No.	Description	Size
PTK33R48SE	Red Tape	2" x 180'
PTK33R72SE	Red Tape	3" x 180'



Heavy Duty

Polyethylene Tape

Our PTAK 36-series Poly Tape is out most durable and versatile polyethylene tape product. The heavy coat weight of adhesive allows for a high adhesion to surfaces. This tape is effective for general patching as well heat shrink applications, and is used in truck manufacturing for isolating dissimilar metals.

Adhesive is very strong and designed for permanent applications and will leave heavy residue if removed.



Stock No.	Description	Size
PTK36C48	Clear Tape	2" x 180'
PTK36C72	Clear Tape	3" x 180'
PTK36C96	Clear Tape	4" x 180'



What are safety signs?


Effectively communicate important safety messages to employees and visitors

Hazard and safety communications are prevalent in the workplace. Safety signs help Identify hazards by their use of the signal words DANGER, WARNING, CAUTION, or NOTICE. ANSI-style signs most often include specific details about the nature of the hazard, the consequence of interaction with the hazard, and avoidance procedures. Product manufacturers and facility owners in a wide array of industries use the ANSI Z535 standards in their efforts to assure a safer workplace.

The ANSI Z535 standards are often cited in as the stateof-the-art benchmark against which safety markings and their adequacy are judged.

Common uses for safety sign

- Hazard awareness
- Emergency exit points
- Chemical or gas hazards
- Physical hazards
- Safety equipment awareness
- Facility notice signs
- Personal Protective Equipment PPE
- Traffic control
- Low light requirements
- Indoor and long term outdoor options available



Material Options

Effectively communicate important safety messages to employees and visitors with our full line of safety signs. Choose from our variety of materials for the best fit for your particular application.

Material	Thickness	Flexibility	Mounting Type	Product Use	UV Resistance
V - Adhesive VynMark with SignArmor	0.004"	Flexible	Adhesive Backed	Indoor or short term use outdoor	1 to 3 years outdoors
VL - Adhesive VynMark with UV Lamination	0.007"	Flexible	Adhesive Backed	Long term outdoor	5 to 7 years outdoors
P - Semi-Rigid Plastic with SignArmor	0.055"	Semi-Rigid	Corner Holes	Indoor or short term use outdoor	1 to 3 years outdoors
PL - Semi Rigid Plastic with UV Lamination	0.058"	Semi-Rigid	Corner Holes	Long term outdoor	5 to 7 years outdoors
A - Aluminum with SignArmor	0.040"	Rigid	Corner Holes	Indoor or short term use outdoor	1 to 3 years
AL - Aluminum with UV Lamination	0.043"	Rigid	Corner Holes	Long term outdoor	7 to 10 years
MV - Magnetic Sheeting with SignArmor	0.035"	Semi-Rigid	Magnetic	Indoor or outdoor	1 to 3 years
*VG - Glow-in-the-dark Adhesive VynMark with SignArmor	0.009"	Flexible	Adhesive Backed	Indoor	N/A
*PG - Glow-in-the-dark Semi-Rigid Plastic with SignArmor	0.045"	Semi-Rigid	Corner Holes	Indoor	N/A

^{*}Glow-in-the-dark meets or exceeds standards: DIN 67510, ASTM E2072-14, ISO 15370, EU Marine Equipment Directive, IMO Resolution A. 752 (18) and PSPA class B

Our full line of stock safety signs are available in:







Custom
Shapes & Sizes
Available
Call for details

Chemical, UV, graffiti and scratch resistant

All our safety sign products come with SignArmor at no additional charge.

This coating offers many benefits to a printed sign surface including chemical, weather and graffiti resistance. The special formulation of this product improves the UV resistance of the printed sign surface which adds significantly to the overall performance of the sign. The SignArmor coating creates a difficult surface for paints, markers and chemicals to attack and allows for easy removal of graffiti using standard paint removal products while not damaging the printed sign surface.

Ensure that your sign products have the SignArmor coating for added performance.



DANGER Safety Signs

Indicate immediate danger and that special precautions are necessary. OSHA specifies that red, black and white colors are to be used for danger signs.

It is the sole responsibility of the user to determine the suitability of this product for their application, including, but not limited to, identifying the risk and its classification. When in doubt consult a qualified professional.

Choose from our variety of materials for the best fit for your particular application. Don't see the legend you need? Give us a call to see what we can do for your next sign requirement.

HOW TO ORDER:

SELECT SIGN - \$\$1000 SELECT SIGN TYPE - V ADD TOGETHER. - \$\$1000V

SIGN 📭 ARMOR	Weather, Chemical, Abrasion & Graffiti Resistant Coating				
V	P	A	MV		
Adhesive VynMark	Semi-Rigid Plastic	Aluminum	Magnetic Sheeting		





PERSONNEL ONLY SA1000 (7" x 10")

SS1000 (10" x 14") SC1000 (14" x 20")



SA1005 (7" x 10") SS1005 (10" x 14") SC1005 (14" x 20")



SA1010 (7" x 10") SS1010 (10" x 14") SC1010 (14" x 20")



HEARING PROTECTION MUST BE WORN IN THIS AREA



SA1Ø15 (7" x 10") SS1015 (10" x 14") SC1Ø15 (14" x 20")



SA1020 (7" x 10") SS1020 (10" x 14") SC1020 (14" x 20")

REQUIRED

IN THIS AREA

56



SA1001 (7" x 10") SS1001 (10" x 14") SC1001 (14" x 20")



SA1006 (7" x 10") **SS1006** (10" x 14") SC1006 (14" x 20")

TRESPASSING



SA1011 (7" x 10") SS1011 (10" x 14") SC1011 (14" x 20")

EQUIPMENT



SA1016 (7" x 10") **SS1016** (10" x 14") SC1016 (14" x 20")



REQUIRED **IN THIS AREA** SA1021 (7" x 10")



SS1021 (10" x 14") SC1021 (14" x 20")



SA1002 (7" x 10") SS1002 (10" x 14") SC1002 (14" x 20")



AUTHORIZED PERSONNEL ONLY **BEYOND THIS POINT**

> SA1007 (7" x 10") SS1007 (10" x 14") SC1007 (14" x 20")



EYE PROTECTION AREA





HARD HATS ARE REQUIRED IN THIS AREA

> SA1017 (7" x 10") SS1017 (10" x 14") SC1017 (14" x 20")



SA1022 (7" x 10") SS1022 (10" x 14") SC1022 (14" x 20")



SA1003 (7" x 10") SS1003 (10" x 14") SC1003 (14" x 20")

AREA



UNAUTHORIZED **PERSONNEL KEEP OUT**

SA1008 (7" x 10") SS1008 (10" x 14") SC1008 (14" x 20")



GOGGLES REQUIRED FOR OPERATION

> SA1Ø13 (7" x 10") SS1013 (10" x 14") SC1013 (14" x 20")



GLOVES REQUIRED IN THIS AREA

> SA1018 (7" x 10") SS1018 (10" x 14") SC1018 (14" x 20")



SA1023 (7" x 10") SS1023 (10" x 14") SC1023 (14" x 20")



SA1004 (7" x 10") **SS1004** (10" x 14") SC1004 (14" x 20")



SA1009 (7" x 10") SS1009 (10" x 14") SC1009 (14" x 20")



SA1014 (7" x 10") **SS1Ø14** (10" x 14") SC1014 (14" x 20")



SA1019 (7" x 10") SS1019 (10" x 14") SC1019 (14" x 20")



WEAR FACE SHIELD AND **RUBBER GLOVES WHEN HANDLING CHEMICALS**

> SA1024 (7" x 10") SS1024 (10" x 14") SC1024 (14" x 20")



SA1025 (7" x 10") SS1025 (10" x 14") SC1025 (14" x 20")



SA1030 (7" x 10") SS1Ø3Ø (10" x 14") SC1030 (14" x 20")



POISONOUS GAS



SA1Ø35 (7" x 10") SS1Ø35 (10" x 14") SC1Ø35 (14" x 20")



CORROSIVE

SA1040 (7" x 10") SS1040 (10" x 14") SC1040 (14" x 20")



ACID LEAK

SA1Ø45 (7" x 10") SS1045 (10" x 14") SC1Ø45 (14" x 20")



PROPANE GAS

SA1050 (7" x 10") SS1050 (10" x 14") SC1050 (14" x 20")



HYDROGEN **SULFIDE GAS**

SA1052 (7" x 10") SS1052 (10" x 14") SC1052 (14" x 20")



FLAMMABLE (

SA1026 (7" x 10") SS1026 (10" x 14") SC1026 (14" x 20")



PERMITTED SA1Ø31 (7" x 10") SS1031 (10" x 14") SC1031 (14" x 20")



TOXIC **MATERIALS**





DIESEL **FUEL**

SA1041 (7" x 10") SS1041 (10" x 14") SC1041 (14" x 20")



SULFURIC ACID

SA1046 (7" x 10") SS1046 (10" x 14") SC1046 (14" x 20")



PESTICIDE STORAGE AREA AUTHORIZED PERSONNEL ONLY

> SA1Ø51 (7" x 10") SS1051 (10" x 14") SC1Ø51 (14" x 20")



AMMONIA

SA1Ø53 (7" x 10") SS1053 (10" x 14") SC1Ø53 (14" x 20")



FLAMMABLE LIQUIDS



SA1027 (7" x 10") SS1027 (10" x 14") SC1027 (14" x 20")



SA1032 (7" x 10") SS1Ø32 (10" x 14") SC1032 (14" x 20")

LIQUIDS





SA1037 (7" x 10") SS1037 (10" x 14") SC1Ø37 (14" x 20")



GAS

SA1042 (7" x 10") SS1042 (10" x 14") SC1042 (14" x 20")



LIQUID **OXYGEN**

SA1Ø47 (7" x 10") SS1047 (10" x 14") SC1047 (14" x 20") DANGER

FLAMMABLE GAS

SA1028 (7" x 10") SS1028 (10" x 14") SC1028 (14" x 20")



TOXIC GAS



SA1033 (7" x 10") SS1Ø33 (10" x 14") SC1033 (14" x 20")



CHLORINE

SA1038 (7" x 10") SS1Ø38 (10" x 14") SC1Ø38 (14" x 20")



ACIDS

SA1043 (7" x 10") SS1043 (10" x 14") SC1043 (14" x 20")



LIQUID **PETROLEUM GAS**

SA1Ø48 (7" x 10") SS1048 (10" x 14") SC1048 (14" x 20")



SA1029 (7" x 10") SS1029 (10" x 14") SC1029 (14" x 20")

MATERIALS



TOXIC CHEMICALS



SA1Ø34 (7" x 10") **SS1Ø34** (10" x 14") SC1034 (14" x 20")



SODIUM **HYDROXIDE**

SA1Ø39 (7" x 10") SS1039 (10" x 14") SC1Ø39 (14" x 20")



HYDROCHLORIC ACID

SA1Ø44 (7" x 10") SS1044 (10" x 14") SC1044 (14" x 20")



SA1Ø49 (7" x 10") SS1049 (10" x 14") SC1049 (14" x 20")







ACID **WEAR PROPER PROTECTION**

SA1Ø54 (7" x 10") SS1054 (10" x 14") SC1054 (14" x 20")



PESTICIDE STORAGE AREA ALL UNAUTHORIZED PERSONS KEEP OUT FIRE MAY CAUSE TOXIC FUMES

SA1059 (7" x 10") SS1059 (10" x 14") SC1059 (14" x 20")



SA1Ø64 (7" x 10") SS1064 (10" x 14") SC1Ø64 (14" x 20")



NO SMOKING OXYGEN IN USE



SC1Ø69 (14" x 20") DANGEF



SA1074 (7" x 10") SS1074 (10" x 14") SC1074 (14" x 20")



LP GAS STORAGE **NO SMOKING OR OPEN FLAMES WITHIN 50 FT.**

> SA1079 (7" x 10") SS1079 (10" x 14") SC1079 (14" x 20")



CONFINED SPACE ENTER BY PERMIT ONLY

> SA1Ø84 (7" x 10") SS1084 (10" x 14") SC1084 (14" x 20")

58



ARGON

SA1Ø55 (7" x 10") SS1055 (10" x 14") SC1Ø55 (14" x 20")



CHEMICAL WASTE STORAGE AREA UNAUTHORIZED PERSONS KEEP OUT

SA1060 (7" x 10") SS1060 (10" x 14") SC1060 (14" x 20")



CAUSTIC WEAR PROTECTIVE EQUIPMENT

SA1Ø65 (7" x 10") SS1065 (10" x 14") SC1Ø65 (14" x 20")



FUEL STORAGE NO SMOKING



SA1070 (7" x 10") SS1070 (10" x 14") SC1070 (14" x 20")



PROPANE NO SMOKING OR OPEN FLAME



SA1Ø75 (7" x 10") SS1075 (10" x 14") SC1Ø75 (14" x 20")

DANGER

CONTAINS ASBESTOS FIBERS AVOID CREATING DUST CANCER AND LUNG **DISEASE HAZARD**

> SA1080 (7" x 10") SS1080 (10" x 14") SC1Ø8Ø (14" x 20")



CONFINED SPACE DO NOT ENTER WITHOUT PERMIT

SA1Ø85 (7" x 10") SS1085 (10" x 14") SC1Ø85 (14" x 20")



HYDROGEN

SA1056 (7" x 10") SS1056 (10" x 14") SC1Ø56 (14" x 20")



CHEMICAL **STORAGE**

SA1061 (7" x 10") SS1061 (10" x 14") SC1061 (14" x 20")



NO **SMOKING**

> SA1066 (7" x 10") SS1066 (10" x 14") SC1066 (14" x 20")



FLAMMABLE MATERIAL NO SMOKING





CANCER HAZARD AUTHORIZED PERSONNEL ONLY NO SMOKING OR EATING

> SA1076 (7" x 10") SS1076 (10" x 14") SC1Ø76 (14" x 20")



DO NOT BURN OR WELD ON THIS VESSEL

SA1081 (7" x 10") SS1081 (10" x 14") SC1081 (14" x 20")



CONFINED SPACE HAZARDOUS ATMOSPHERE DO NOT ENTER WITHOUT PERMIT

> SA1086 (7" x 10") SS1Ø86 (10" x 14") SC1086 (14" x 20")



ACETYLENE

SA1Ø57 (7" x 10") SS1Ø57 (10" x 14") SC1Ø57 (14" x 20")



HAZARDOUS **CHEMICALS**

SA1Ø62 (7" x 10") SS1Ø62 (10" x 14") SC1Ø62 (14" x 20")



NO SMOKING BEYOND THIS POINT



SS1Ø67 (10" x 14") SC1Ø67 (14" x 20")



FLAMMABLE MATERIAL NO SMOKING

SA1072 (7" x 10") SS1072 (10" x 14")



SC1072 (14" x 20")

DO NOT SMOKE. **EAT OR DRINK** IN THIS AREA



SS1077 (10" x 14") SC1Ø77 (14" x 20")



HIGH PRESSURE GAS LINE

SA1Ø82 (7" x 10") SS1Ø82 (10" x 14") SC1082 (14" x 20")



CONFINED SPACE AIR SUPPLIED RESPIRATOR **REQUIRED**

> SA1Ø87 (7" x 10") SS1Ø87 (10" x 14") SC1087 (14" x 20")



PESTICIDE STORAGE AREA

SA1Ø58 (7" x 10") SS1058 (10" x 14") SC1058 (14" x 20")



SA1Ø63 (7" x 10") SS1Ø63 (10" x 14") SC1063 (14" x 20")



NO **SMOKING** IN THIS AREA



SA1Ø68 (7" x 10") SS1068 (10" x 14") SC1Ø68 (14" x 20")



NO SMOKING OR OPEN LIGHTS WITHIN FEET

> SA1073 (7" x 10") SS1073 (10" x 14") SC1073 (14" x 20")



CANCER SUSPECT AGENT AUTHORIZED NO SMOKING OR EATING

> SA1078 (7" x 10") SS1078 (10" x 14") SC1Ø78 (14" x 20")



HIGH PRESSURE LINE

> SA1Ø83 (7" x 10") SS1083 (10" x 14") SC1083 (14" x 20")



CONFINED SPACE AIR-SUPPLIED RESPIRATOR MUST BE WORN IN THIS AREA

> SA1Ø88 (7" x 10") SS1088 (10" x 14") SC1088 (14" x 20")



CONFINED SPACE AUTHORIZED PERSONNEL ONLY

SA1089 (7" x 10") **SS1089** (10" x 14") **SC1089** (14" x 20")



OPEN PIT

SA1094 (7" x 10") **SS1094** (10" x 14") **SC1094** (14" x 20")



UNSAFE ROOF KEEP OFF

SA1099 (7" x 10") **SS1099** (10" x 14") **SC1099** (14" x 20")



CRANE WORKING OVERHEAD

SA1104 (7" x 10") **SS1104** (10" x 14") **SC1104** (14" x 20")



ELECTRICAL EQUIPMENT AUTHORIZED PERSONNEL ONLY



SC11Ø9 (10" X 14") SC11Ø9 (14" X 20")

DANGER





SA1112 (7" x 10") **SS1112** (10" x 14") **SC1112** (14" x 20")



CONSTRUCTION AREA KEEP OUT

SA1090 (7" x 10") **SS1090** (10" x 14") **SC1090** (14" x 20")



ELEVATOR SHAFT

SA1Ø95 (7" x 10") **SS1Ø95** (10" x 14") **SC1Ø95** (14" x 20")

DANGER

KEEP THIS GATE CLOSED

SA1100 (7" x 10") **SS1100** (10" x 14") **SC1100** (14" x 20")



DISCONNECT POWER BEFORE PLUGGING OR UNPLUGGING

> **SA1105** (7" x 10") **SS1105** (10" x 14") **SC1105** (14" x 20")

DANGER

HIGH VOLTAGE KEEP OUT



SA111Ø (7" x 10") SS111Ø (10" x 14") SC111Ø (14" x 20")

DANGER

HOT SURFACE

> **SA1113** (7" x 10") **SS1113** (10" x 14") **SC1113** (14" x 20")

DANGER

MEN Working

SA1091 (7" x 10") **SS1091** (10" x 14") **SC1091** (14" x 20")

DANGER

OPEN 5

SA1096 (7" x 10") **SS1096** (10" x 14") **SC1096** (14" x 20")

DANGER

OVERHEAD HOIST

SA1101 (7" x 10") **SS1101** (10" x 14") **SC1101** (14" x 20")



BURIED CABLE

SA11Ø6 (7" x 10") **SS11Ø6** (10" x 14") **SC11Ø6** (14" x 20")

DANGER HIGH

VOLTAGE





SA1102 (7" x 10") **SS1102** (10" x 14") **SC1102** (14" x 20")

DANGER

MEN WORKING

DO NOT START

SA1092 (7" x 10")

SS1092 (10" x 14")

SC1092 (14" x 20")

DANGEF

OPEN

TRENCH

SA1097 (7" x 10")

SS1Ø97 (10" x 14")

SC1097 (14" x 20")

DANGER



UNDERGROUND CABLE

SA1107 (7" x 10") **SS1107** (10" x 14") **SC1107** (14" x 20")



DO NOT START THIS MACHINE

SA1093 (7" x 10") **SS1093** (10" x 14") **SC1093** (14" x 20")

DANGER

DO NOT WATCH THE ARC

SA1Ø98 (7" x 10") SS1Ø98 (10" x 14") SC1Ø98 (14" x 20")



CRANE SWING

SA1103 (7" x 10") **SS1103** (10" x 14") **SC1103** (14" x 20")







SA11Ø8 (7" x 10") **SS11Ø8** (10" x 14") **SC11Ø8** (14" x 20")





SA1114 (7" x 10") SS1114 (10" x 14") SC1114 (14" x 20")



SA1119 (7" x 10") SS1119 (10" x 14") SC1119 (14" x 20")



SA1124 (7" x 10") SS1124 (10" x 14") SC1124 (14" x 20")



DO NOT ENTER SA1129 (7" x 10") SS1129 (10" x 14")

SC1129 (14" x 20") DANGEF

PROPANE

SA1134 (7" x 10") SS1134 (10" x 14") SC1134 (14" x 20")



FIRE AND EXPLOSION HAZARD NO SMOKING OR OPEN FLAME

> SA1139 (7" x 10") SS1139 (10" x 14") SC1139 (14" x 20")



ENERGIZED

SA1115 (7" x 10") SS1115 (10" x 14") SC1115 (14" x 20")



OVERHEAD **WIRES**

SA1120 (7" x 10") **SS1120** (10" x 14") SC1120 (14" x 20")



HIGH PRESSURE TEST

SA1125 (7" x 10") **SS1125** (10" x 14") SC1125 (14" x 20")



WELDING ARC WEAR PROPER EYE PROTECTION

SA1130 (7" x 10") SS113Ø (10" x 14") SC1130 (14" x 20")



SA1135 (7" x 10") **SS1135** (10" x 14") SC1135 (14" x 20")

PERSONNEL ONLY



HIGH VOLTAGE **UNAUTHORIZED PERSONNEL KEEP OUT**

> SA114Ø (7" x 10") SS1140 (10" x 14") SC1140 (14" x 20")

DANGE

FACE SHIELD MUST BE WORN WHEN OPERATING THIS MACHINE

> SA1116 (7" x 10") SS1116 (10" x 14") SC1116 (14" x 20")



HEARING **PROTECTION** REQUIRED

SA1121 (7" x 10") **SS1121** (10" x 14") SC1121 (14" x 20")



DO NOT

SA1126 (7" x 10") SS1126 (10" x 14") SC1126 (14" x 20")



SA1131 (7" x 10") SS1131 (10" x 14") SC1131 (14" x 20")

DANGER ARC FLASH

HAZARD

SA1136 (7" x 10") SS1136 (10" x 14") SC1136 (14" x 20")



GROUND CABLE MUST CONNECTED PRIOR TO LOADING OR UNLOADING

> SA1141 (7" x 10") SS1141 (10" x 14") SC1141 (14" x 20")

> > 0



H₂S **POISONOUS** ς GAS

> SA1117 (7" x 10") SS1117 (10" x 14") SC1117 (14" x 20")



EOUIPMENT STARTS AUTOMATICALLY

SA1122 (7" x 10") **SS1122** (10" x 14") SC1122 (14" x 20")



MAKE CATADYNE CONNECTION 25' AWAY FROM BUILDING

> SA1127 (7" x 10") SS1127 (10" x 14") SC1127 (14" x 20")



ELECTRICAL HAZARD AUTHORIZED PERSONNEL ONLY

> SA1132 (7" x 10") SS1132 (10" x 14") SC1132 (14" x 20")



CONFINED SPACE

SA1137 (7" x 10") SS1137 (10" x 14") SC1137 (14" x 20")



NITRIC ACID

SA1142 (7" x 10") SS1142 (10" x 14") SC1142 (14" x 20")



MEN WORKING OVERHEAD

SA1118 (7" x 10") SS1118 (10" x 14") SC1118 (14" x 20")



EYE PROTECTION REQUIRED **IN THIS AREA**

SA1123 (7" x 10") **SS1123** (10" x 14") SC1123 (14" x 20")



SA1128 (7" x 10") SS1128 (10" x 14") SC1128 (14" x 20")



SA1133 (7" x 10") SS1133 (10" x 14") SC1133 (14" x 20")



SA1138 (7" x 10") SS1138 (10" x 14") SC1138 (14" x 20")



SA1143 (7" x 10") SS1143 (10" x 14") SC1143 (14" x 20")

60

i



SA1144 (7" x 10") **SS1144** (10" x 14") **SC1144** (14" x 20")



WATCH FOR FALLING MATERIAL

SA1149 (7" x 10") **SS1149** (10" x 14") **SC1149** (14" x 20")



SA1154 (7" x 10") **SS1154** (10" x 14") **SC1154** (14" x 20")



SA1159 (7" x 10") **SS1159** (10" x 14") **SC1159** (14" x 20")



ABOVESA1164 (7" x 10")

SS1164 (10" x 14")

SC1164 (14" x 20")



SA1166 (7" x 10") **SS1166** (10" x 14") **SC1166** (14" x 20")



CANCER AND LUNG DISEASE HAZARD AUTHORIZED PERSONNEL ONLY RESPIRATORS AND PROTECTIVE CLOTHING ARE REQUIRED IN THIS AREA

> **SA1145** (7" x 10") **SS1145** (10" x 14") **SC1145** (14" x 20")



AREA

SA115Ø (7" x 10") SS115Ø (10" x 14") SC115Ø (14" x 20")



AIR UNDER PRESSURE CAN EXHAUST WITHOUT WARNING

> **SA1155** (7" x 10") **SS1155** (10" x 14") **SC1155** (14" x 20")



SA1160 (7" x 10") **SS1160** (10" x 14") **SC1160** (14" x 20")



SA1165 (7" x 10") SS1165 (10" x 14") SC1165 (14" x 20")



WATCH FOR FALLING ICE AND SNOW

SA1167 (7" x 10") **SS1167** (10" x 14") **SC1167** (14" x 20")



ATTACH GROUND CABLES

SA1146 (7" x 10") **SS1146** (10" x 14") **SC1146** (14" x 20")



SA1151 (7" x 10") **SS1151** (10" x 14") **SC1151** (14" x 20")



LOCK OUT EQUIPMENT BEFORE ENTERING

SA1156 (7" x 10") **SS1156** (10" x 14") **SC1156** (14" x 20")



CONSTRUCTION SITE NO TRESPASSING

SA1161 (7" x 10") **SS1161** (10" x 14") **SC1161** (14" x 20")



FALLING ICE

SA1147 (7" x 10") **SS1147** (10" x 14") **SC1147** (14" x 20")



BEYOND THIS POINT

SA1152 (7" x 10") SS1152 (10" x 14") SC1152 (14" x 20")



LOCK OUT EQUIPMENT BEFORE SERVICING

SA1157 (7" x 10") SS1157 (10" x 14") SC1157 (14" x 20")



SA1162 (7" x 10") SS1162 (10" x 14") SC1162 (14" x 20")



SA1148 (7" x 10") **SS1148** (10" x 14") **SC1148** (14" x 20")



SA1153 (7" x 10") **SS1153** (10" x 14") **SC1153** (14" x 20")



SA1158 (7" x 10") SS1158 (10" x 14") SC1158 (14" x 20")

ON EQUIPMENT



SA1163 (7" x 10") SS1163 (10" x 14") SC1163 (14" x 20")



WARNING Safety Signs

It is the sole responsibility of the user to determine the suitability of this product for their application, including, but not limited to, identifying the risk and its classification. When in doubt consult a qualified professional.

Choose from our variety of materials for the best fit for your particular application. Don't see the legend you need? Give us a call to see what we can do for your next sign requirement.

HOW TO ORDER:

SELECT SIGN - \$\$3000 SELECT SIGN TYPE - V ADD TOGETHER. - \$\$3000V

SIGN 🖈 ARMOR	Weather, Chemical, Abrasion & Graffiti Resistant Coating			
V	P	A	MV	
Adhesive VynMark	Semi-Rigid Plastic	Aluminum	Magnetic Sheeting	





SA3000 (7" x 10") **SS3000** (10" x 14") **SC3000** (14" x 20")



SA3005 (7" x 10") **SS3005** (10" x 14") **SC3005** (14" x 20")



SA3Ø1Ø (7" x 10") SS3Ø1Ø (10" x 14") SC3Ø1Ø (14" x 20")

NO SMOKING



SA3Ø15 (7" x 10") **SS3Ø15** (10" x 14") **SC3Ø15** (14" x 20")



SA3020 (7" x 10") **SS3020** (10" x 14") **SC3020** (14" x 20")



SA3001 (7" x 10") **SS3001** (10" x 14") **SC3001** (14" x 20")



SA3006 (7" x 10") **SS3006** (10" x 14") **SC3006** (14" x 20")



SA3Ø11 (7" x 10") **SS3Ø11** (10" x 14") **SC3Ø11** (14" x 20")

OR OPEN FLAME



SA3Ø16 (7" x 10") **SS3Ø16** (10" x 14") **SC3Ø16** (14" x 20")



SA3Ø21 (7" x 10") **SS3Ø21** (10" x 14") **SC3Ø21** (14" x 20")

GUARDS IN PLACE



\$A3002 (7" x 10") \$\$3002 (10" x 14") \$C3002 (14" x 20")



\$A3007 (7" x 10") \$\$3007 (10" x 14") \$C3007 (14" x 20")



SA3Ø12 (7" x 10") **SS3Ø12** (10" x 14") **SC3Ø12** (14" x 20")



SA3Ø17 (7" x 10") **SS3Ø17** (10" x 14") **SC3Ø17** (14" x 20")



SA3Ø22 (7" x 10") **SS3Ø22** (10" x 14") **SC3Ø22** (14" x 20")



SA3003 (7" x 10") **SS3003** (10" x 14") **SC3003** (14" x 20")



\$A3ØØ8 (7" x 10") \$\$3ØØ8 (10" x 14") \$C3ØØ8 (14" x 20")



SA3013 (7" x 10") SS3013 (10" x 14") SC3013 (14" x 20")



SA3Ø18 (7" x 10") **SS3Ø18** (10" x 14") **SC3Ø18** (14" x 20")

IN THIS AREA



SA3023 (7" x 10") **SS3023** (10" x 14") **SC3023** (14" x 20")



\$A3004 (7" x 10") \$\$3004 (10" x 14") \$C3004 (14" x 20")



SA3009 (7" x 10") **SS3009** (10" x 14") **SC3009** (14" x 20")



SA3Ø14 (7" x 10") **SS3Ø14** (10" x 14") **SC3Ø14** (14" x 20")



SA3Ø19 (7" x 10") **SS3Ø19** (10" x 14") **SC3Ø19** (14" x 20")



SA3024 (7" x 10") SS3Ø24 (10" x 14") SC3Ø24 (14" x 20")

FLAMMABLE KEEP FLAMES AND HEAT AWAY

> **SA3Ø29** (7" x 10") SS3029 (10" x 14") SC3Ø29 (14" x 20")

POISONOUS GAS

> SA3Ø34 (7" x 10") SS3Ø34 (10" x 14") SC3Ø34 (14" x 20")

ELECTRICAL EQUIPMENT AUTHORIZED PERSONNEL ONLY

SA3Ø39 (7" x 10") SS3Ø39 (10" x 14") SC3Ø39 (14" x 20")

MEN WORKING

SA3044 (7" x 10") SS3Ø44 (10" x 14") SC3Ø44 (14" x 20")

UNDERGROUND **CABLE**

SA3Ø49 (7" x 10") SS3049 (10" x 14") SC3Ø49 (14" x 20")

USE CHEMICALS IN A WELL VENTILATED AREA

> SA3054 (7" x 10") SS3Ø54 (10" x 14") SC3Ø54 (14" x 20")

> > W

WARNING

FLAMMABLE

SA3Ø25 (7" x 10") SS3025 (10" x 14") SC3Ø25 (14" x 20")

COMBUSTIBLE AREA
NO WELDING, BURNING
OR OPEN FLAMES
PERMITTED

SA3Ø3Ø (7" x 10") SS3030 (10" x 14") SC3Ø3Ø (14" x 20")

TOXIC **MATERIALS**



SS3Ø35 (10" x 14") SC3Ø35 (14" x 20")

HIGH **VOLTAGE KEEP AWAY**



SA3Ø4Ø (7" x 10") SS3040 (10" x 14") SC3040 (14" x 20")

OPEN PIT

SA3Ø45 (7" x 10") **SS3045** (10" x 14") SC3045 (14" x 20")

WARNING

OVERHEAD HOIST

SA3Ø5Ø (7" x 10") SS3050 (10" x 14") SC3Ø5Ø (14" x 20")

HIGH VOLTAGE **CRANE DISCONNECT 600 VOLTS**

> SA3055 (7" x 10") SS3Ø55 (10" x 14") SC3Ø55 (14" x 20")

WARNING

FLAMMABLE LIQUIDS



SA3026 (7" x 10") SS3Ø26 (10" x 14") SC3026 (14" x 20")

COMBUSTIBLE LIQUIDS





SA3Ø36 (7" x 10") SS3Ø36 (10" x 14") SC3Ø36 (14" x 20")

HIGH **VOLTAGE**

> SA3041 (7" x 10") SS3041 (10" x 14") SC3041 (14" x 20")

OPEN TRENCH

SA3046 (7" x 10") SS3Ø46 (10" x 14") SC3046 (14" x 20")

CRANE WORKING OVERHEAD

> SA3Ø51 (7" x 10") **SS3Ø51** (10" x 14") SC3Ø51 (14" x 20")

WARNING

SA3056 (7" x 10") SS3Ø56 (10" x 14") SC3Ø56 (14" x 20")

WARNING

FLAMMABLE GAS



TOXIC GAS



SA3Ø32 (7" x 10") SS3Ø32 (10" x 14") SC3Ø32 (14" x 20")

ACIDS

SA3Ø37 (7" x 10") SS3Ø37 (10" x 14") SC3Ø37 (14" x 20")

HIGH **VOLTAGE OVERHEAD**



SA3Ø42 (7" x 10") SS3042 (10" x 14") SC3Ø42 (14" x 20")

ELEVATOR SHAFT

SA3Ø47 (7" x 10") SS3Ø47 (10" x 14") SC3Ø47 (14" x 20")

WARNING

CRANE OVERHEAD

SA3Ø52 (7" x 10") SS3Ø52 (10" x 14") SC3Ø52 (14" x 20")

BEWARE OF WELDING FLASH

> SA3057 (7" x 10") SS3Ø57 (10" x 14") SC3Ø57 (14" x 20")

WARNING FLAMMABLE

SA3028 (7" x 10") **SS3028** (10" x 14") SC3028 (14" x 20")

MATERIALS

TOXIC CHEMICALS



SA3Ø33 (7" x 10") SS3033 (10" x 14") SC3Ø33 (14" x 20")

CORROSIVE

SA3Ø38 (7" x 10") **SS3Ø38** (10" x 14") SC3Ø38 (14" x 20")

VOLTS



SA3Ø43 (7" x 10") SS3043 (10" x 14") SC3043 (14" x 20")

BURIED **CABLE**

SA3048 (7" x 10") **SS3048** (10" x 14") SC3048 (14" x 20")

WARNING

CRANE SWING

SA3Ø53 (7" x 10") SS3053 (10" x 14") SC3053 (14" x 20")

CAUTION Safety Signs

Warn against potential hazards or caution against unsafe practices. OSHA specifies that caution signs must have a yellow background and black panel with yellow letters. All letters used against the yellow background must be black.

It is the sole responsibility of the user to determine the suitability of this product for their application, including, but not limited to, identifying the risk and its classification. When in doubt consult a qualified professional.

Choose from our variety of materials for the best fit for your particular application. Don't see the legend you need? Give us a call to see what we can do for your next sign requirement.

HOW TO ORDER:

SELECT SIGN - \$\$2000 SELECT SIGN TYPE - V ADD TOGETHER. - \$\$2000V

SIGN ARMOR	Weather, Chemical, Abrasion & Graffiti Resistant Coating			
V	P	A	MV	
Adhesive VynMark	Semi-Rigid Plastic	Aluminum	Magnetic Sheeting	

OVER-LAMINATION	High Performance Outdoor UV Film		
VL	PL	AL	
Adhesive VynMark	Semi Rigid Plastic	Aluminum	



SA2000 (7" x 10") SS2000 (10" x 14") SC2000 (14" x 20")



SA2ØØ5 (7" x 10" SS2005 (10" x 14") SC2ØØ5 (14" x 20")



SA2010 (7" x 10") SS2Ø1Ø (10" x 14") SC2010 (14" x 20")



SA2Ø15 (7" x 10") SS2015 (10" x 14") SC2Ø15 (14" x 20")



SA2020 (7" x 10") SS2020 (10" x 14") SC2020 (14" x 20")

64

AUTHORIZED PERSONNEL ONLY

SA2001 (7" x 10") SS2001 (10" x 14") SC2001 (14" x 20")



SA2ØØ6 (7" x 10") SS2006 (10" x 14") SC2006 (14" x 20")

SAFETY BELT

REQUIRED SA2011 (7" x 10")

AND LIFELINE

SS2011 (10" x 14") SC2011 (14" x 20")



SA2016 (7" x 10") SS2016 (10" x 14") SC2016 (14" x 20")



SA2021 (7" x 10") SS2021 (10" x 14") SC2021 (14" x 20")

DO NOT

SA2002 (7" x 10") SS2ØØ2 (10" x 14") SC2002 (14" x 20")



SA2007 (7" x 10") SS2007 (10" x 14") SC2007 (14" x 20")



SA2012 (7" x 10") SS2Ø12 (10" x 14") SC2012 (14" x 20")



SA2017 (7" x 10") SS2017 (10" x 14") SC2Ø17 (14" x 20")



SA2022 (7" x 10") SS2022 (10" x 14") SC2022 (14" x 20")

TRIPPING HAZARD

SA2003 (7" x 10") **SS2003** (10" x 14") SC2003 (14" x 20")



SA2ØØ8 (7" x 10") SS2008 (10" x 14") SC2008 (14" x 20")



SA2013 (7" x 10") SS2Ø13 (10" x 14") SC2Ø13 (14" x 20")



IN THIS AREA

SA2Ø18 (7" x 10") SS2018 (10" x 14") SC2Ø18 (14" x 20")



SA2023 (7" x 10") SS2023 (10" x 14") SC2Ø23 (14" x 20")

WATCH **YOUR STEP**

SA2004 (7" x 10") SS2004 (10" x 14") SC2004 (14" x 20")



SA2009 (7" x 10") SS2009 (10" x 14") SC2009 (14" x 20")



SA2014 (7" x 10") SS2014 (10" x 14") SC2014 (14" x 20")



SA2Ø19 (7" x 10") SS2019 (10" x 14") SC2Ø19 (14" x 20")



SA2024 (7" x 10") SS2024 (10" x 14") SC2024 (14" x 20")



CAUTION STAY BACK

SA2Ø25 (7" x 10") **SS2Ø25** (10" x 14") **SC2Ø25** (14" x 20")

FΤ

CAUTION

FIRE DOOR DO NOT BLOCK

> **SA2030** (7" x 10") **SS2030** (10" x 14") **SC2030** (14" x 20")

CAUTION

HIGH PRESSURE PIPELINE

SA2Ø35 (7" x 10") **SS2Ø35** (10" x 14") **SC2Ø35** (14" x 20")

CAUTION

ATTACH GROUNDING CABLES

SA2040 (7" x 10") **SS2040** (10" x 14") **SC2040** (14" x 20")

CAUTION

CONTAINS HAZARDOUS MATERIAL

SA2045 (7" x 10") **SS2045** (10" x 14") **SC2045** (14" x 20")

CAUTION

ELECTRICAL EQUIPMENT AUTHORIZED PERSONNEL ONLY

SA2Ø5Ø (7" x 10") SS2Ø5Ø (10" x 14") SC2Ø5Ø (14" x 20")

CAUTION

OPEN DOOR SLOWLY

SA2026 (7" x 10") **SS2026** (10" x 14") **SC2026** (14" x 20")

CAUTION

LOW HEADROOM

SA2Ø31 (7" x 10") SS2Ø31 (10" x 14") SC2Ø31 (14" x 20")

CAUTION

LOW OVERHEAD CLEARANCE

SA2Ø36 (7" x 10") **SS2Ø36** (10" x 14") **SC2Ø36** (14" x 20")

CAUTION

USE STATIC GROUNDING DEVICES

SA2Ø41 (7" x 10") **SS2Ø41** (10" x 14") **SC2Ø41** (14" x 20")

CAUTION

SECURE ALL TANKS CHAIN CYLINDERS



SA2Ø46 (7" x 10") **SS2Ø46** (10" x 14") **SC2Ø46** (14" x 20")

CAUTION

HIGH VOLTAGE KEEP OUT



SA2Ø51 (7" x 10") **SS2Ø51** (10" x 14") **SC2Ø51** (14" x 20")

CAUTION

DOOR SWINGS INWARD

> **SA2027** (7" x 10") **SS2027** (10" x 14") **SC2027** (14" x 20")

CAUTION

THIS MACHINE STARTS BY REMOTE CONTROL

SA2Ø32 (7" x 10") SS2Ø32 (10" x 14") SC2Ø32 (14" x 20")

CAUTION

OVERHEAD WORK

SA2Ø37 (7" x 10") **SS2Ø37** (10" x 14") **SC2Ø37** (14" x 20")

CAUTION

GROUND ALL BARRELS

> **SA2042** (7" x 10") **SS2042** (10" x 14") **SC2042** (14" x 20")

CAUTION

BURIED CABLE

SA2047 (7" x 10") **SS2047** (10" x 14") **SC2047** (14" x 20")

CAUTION

HIGH Voltage **/**

> SA2Ø52 (7" x 10") SS2Ø52 (10" x 14") SC2Ø52 (14" x 20")

CAUTION

SA2Ø28 (7" x 10") **SS2Ø28** (10" x 14") **SC2Ø28** (14" x 20")

HANDRAIL

CAUTION

IMPAIRED HEADROOM

SA2Ø33 (7" x 10") **SS2Ø33** (10" x 14") **SC2Ø33** (14" x 20")

CAUTION

STATIC CONTROL AREA

SA2Ø38 (7" x 10") **SS2Ø38** (10" x 14") **SC2Ø38** (14" x 20")

CAUTION

CLEARANCE FT__IN

> **SA2043** (7" x 10") **SS2043** (10" x 14") **SC2043** (14" x 20")

CAUTION

UNDERGROUND CABLE

SA2048 (7" x 10") **SS2048** (10" x 14") **SC2048** (14" x 20")

CAUTION

HIGH VOLTAGE OVERHEAD



SA2Ø53 (7" x 10") **SS2Ø53** (10" x 14") **SC2Ø53** (14" x 20")

CAUTIONKEEP THIS

DOOR CLOSED

SA2Ø29 (7" x 10") **SS2Ø29** (10" x 14") **SC2Ø29** (14" x 20")

CAUTION

EQUIPMENT OPERATED BY REMOTE CONTROL

SA2Ø34 (7" x 10") **SS2Ø34** (10" x 14") **SC2Ø34** (14" x 20")

CAUTION

PREVENT STATIC SPARK DISCHARGE USE GROUNDING DEVICES

> **SA2Ø39** (7" x 10") **SS2Ø39** (10" x 14") **SC2Ø39** (14" x 20")

CAUTION

ATMOSPHERE
MAY BE HAZARDOUS
FOLLOW CONFINED SPACE
ENTRY PROCEDURES

SA2044 (7" x 10") **SS2044** (10" x 14") **SC2044** (14" x 20")

CAUTION

VOLTS A

SA2049 (7" x 10") **SS2049** (10" x 14") **SC2049** (14" x 20")

CAUTION EQUIPMENT

MAY START AUTOMATICALLY

SA2054 (7" x 10") **SS2054** (10" x 14") **SC2054** (14" x 20")

PERSONAL PROTECTIVE **EQUIPMENT REQUIRED IN THIS AREA**

> SA2Ø55 (7" x 10") **SS2055** (10" x 14") SC2055 (14" x 20")

EAR PROTECTION

REQUIRED **IN THIS AREA** SA2Ø6Ø (7" x 10")

SS2060 (10" x 14") SC2Ø6Ø (14" x 20")

EAR AND EYE PROTECTION MUST BE **WORN IN THIS AREA**

> SA2Ø65 (7" x 10") **SS2065** (10" x 14") SC2Ø65 (14" x 20")

EYE PROTECTION (REQUIRED

> **SA2070** (7" x 10") SS2070 (10" x 14") SC2070 (14" x 20")

SAFETY GLASSES **MUST BE WORN AT ALL TIMES**

> SA2Ø75 (7" x 10") SS2075 (10" x 14") SC2Ø75 (14" x 20")

HEARING **PROTECTION** REQUIRED BEYOND THIS POINT

> SA2Ø8Ø (7" x 10") SS2Ø8Ø (10" x 14") SC2Ø8Ø (14" x 20")

DUE TO

SA2Ø56 (7" x 10") SS2Ø56 (10" x 14") SC2056 (14" x 20")

DOUBLE HEARING PROTECTION REQUIRED **IN THIS AREA**

> SA2Ø61 (7" x 10") SS2061 (10" x 14") SC2Ø61 (14" x 20")

PERSONAL PROTECTIVE EQUIPMENT REQUIRED PAST THIS POINT

> SA2Ø66 (7" x 10") **SS2066** (10" x 14") SC2Ø66 (14" x 20")

FALLING HAZARD

SA2071 (7" x 10") SS2071 (10" x 14") SC2071 (14" x 20")

SOUND HORN PROCEED SLOWLY

SA2Ø76 (7" x 10") SS2076 (10" x 14")

SC2076 (14" x 20")

CHEMICAL GOGGLES REQUIRED BEYOND THIS POINT

> SA2081 (7" x 10") SS2081 (10" x 14") SC2081 (14" x 20")

EQUIPMENT STARTS AUTOMATICALLY

> SA2Ø57 (7" x 10") **SS2Ø57** (10" x 14") SC2Ø57 (14" x 20")

VENTING

SA2Ø62 (7" x 10") SS2062 (10" x 14") SC2Ø62 (14" x 20")

PPE REQUIRED IN THIS AREA 1

SA2Ø67 (7" x 10") SS2067 (10" x 14") SC2067 (14" x 20")

SA2072 (7" x 10") SS2072 (10" x 14") SC2Ø72 (14" x 20")

WASTE

SA2Ø77 (7" x 10") SS2077 (10" x 14") SC2077 (14" x 20")

1

CHILDREN PLAYING 🚄

SA2Ø58 (7" x 10") **SS2058** (10" x 14") SC2Ø58 (14" x 20")

WORKING **ABOVE**

SA2Ø63 (7" x 10") SS2063 (10" x 14") SC2Ø63 (14" x 20")

KEEP CLEAR

SA2Ø68 (7" x 10") SS2068 (10" x 14") SC2068 (14" x 20")

WATCH FOR FALLING ICE AND SNOW

SA2Ø73 (7" x 10") SS2073 (10" x 14") SC2Ø73 (14" x 20")

EAR. EYE AND FOOT PROTECTION **REQUIRED IN THIS AREA**

> SA2Ø78 (7" x 10") SS2078 (10" x 14") SC20738 (14" x 20")

THIS EQUIPMENT **STARTS AND STOP AUTOMATICALLY**

> SA2Ø59 (7" x 10") SS2Ø59 (10" x 14") SC2Ø59 (14" x 20")

PPE REOUIRED

SA2Ø64 (7" x 10") SS2064 (10" x 14") SC2064 (14" x 20")

SA2069 (7" x 10") SS2069 (10" x 14") **SC2069** (14" x 20")

HEARING PROTECTION

SA2Ø74 (7" x 10") SS2074 (10" x 14") **SC2074** (14" x 20")

REQUIRED

HARD HAT AND SAFETY GLASSES

REQUIRED

BEYOND THIS POINT SA2Ø79 (7" x 10") SS2079 (10" x 14") SC2079 (14" x 20")



66











t

С

NOTICE Safety Signs

It is the sole responsibility of the user to determine the suitability of this product for their application, including, but not limited to, identifying the risk and its classification. When in doubt consult a qualified professional.

Choose from our variety of materials for the best fit for your particular application. Don't see the legend you need? Give us a call to see what we can do for your next sign requirement.

HOW TO ORDER:

SELECT SIGN - \$\$4000 SELECT SIGN TYPE - V ADD TOGETHER. - \$\$4000V

SIGN • ARMOR	Weather, Chemical, Abrasion & Graffiti Resistant Coating			
V	P	A	MV	
Adhesive VynMark	Semi-Rigid Plastic	Aluminum	Magnetic Sheeting	



ধ্য



SA4000 (7" x 10") **SS4000** (10" x 14") **SC4000** (14" x 20")

NOTICE USED OIL

SA4ØØ5 (7" x 10") SS4ØØ5 (10" x 14") SC4ØØ5 (14" x 20")



BEFORE

ENTERING

SA4010 (7" x 10") **SS4010** (10" x 14") **SC4010** (14" x 20")

NOTICE

SECURITY ALARM WILL SOUND IF DOOR IS OPENED

SA4015 (7" x 10") **SS4015** (10" x 14") **SC4015** (14" x 20")

NOTICE

NO TRUCK DRIVERS BEYOND THIS POINT

> **SA4020** (7" x 10") **SS4020** (10" x 14") **SC4020** (14" x 20")

NOTICE

NON POTABLE WATER
NOT TO BE USED FOR
DRINKING, WASHING
OR COOKING PURPOSES

SA4001 (7" x 10") **SS4001** (10" x 14") **SC4001** (14" x 20")

NOTICE

KEEP THIS AREA CLEAR

SA4006 (7" x 10") SS4006 (10" x 14") SC4006 (14" x 20")

NOTICE

PLEASE RING BELL

SA4Ø11 (7" x 10") **SS4Ø11** (10" x 14") **SC4Ø11** (14" x 20")

NOTICE

DOOR ALARMED OPEN ONLY FOR EMERGENCY EXIT

SA4Ø16 (7" x 10") **SS4Ø16** (10" x 14") **SC4Ø16** (14" x 20")

NOTICE

TRUCK DRIVERS MUST REMAIN WITH THEIR VEHICLE

> **SA4Ø21** (7" x 10") **SS4Ø21** (10" x 14") **SC4Ø21** (14" x 20")

NOTICE



SA4002 (7" x 10") **SS4002** (10" x 14") **SC4002** (14" x 20")

NOTICE

ANY ACCIDENTS MUST BE REPORTED TO SUPERVISOR BEFORE LEAVING SHIFT

> **SA4007** (7" x 10") **SS4007** (10" x 14") **SC4007** (14" x 20")

NOTICE

EMPTY CYLINDERS

SA4Ø12 (7" x 10") SS4Ø12 (10" x 14") SC4Ø12 (14" x 20")

NOTICE

CARS PARKED IN THIS LOT AT OWNER'S RISK

SA4Ø17 (7" x 10") **SS4Ø17** (10" x 14") **SC4Ø17** (14" x 20")

NOTICE

TRUCK DRIVERS
SHUT OFF MOTOR,
SET BRAKES, SET WHEEL CHOCKS

SA4022 (7" x 10") **SS4022** (10" x 14") **SC4022** (14" x 20")

NOTICE

DESIGNATED SMOKING AREA

SA4ØØ3 (7" x 10") SS4ØØ3 (10" x 14") SC4ØØ3 (14" x 20")

NOTICE

ALL VEHICLES AND PERSONNEL ENTERING OR LEAVING THE PREMISES SUBJECT TO SEARCH

> SA4ØØ8 (7" x 10") SS4ØØ8 (10" x 14") SC4ØØ8 (14" x 20")

NOTICE

FULL CYLINDERS

> **SA4013** (7" x 10") **SS4013** (10" x 14") **SC4013** (14" x 20")

NOTICE

NO PARKING

> SA4Ø18 (7" x 10") SS4Ø18 (10" x 14") SC4Ø18 (14" x 20")

NOTICE

PLEASE DEPOSIT ALL RUBBISH IN RECEPTACLES PROVIDED

> **SA4Ø23** (7" x 10") **SS4Ø23** (10" x 14") **SC4Ø23** (14" x 20")

NOTICE CLEARANCE FT

SA4004 (7" x 10") **SS4004** (10" x 14") **SC4004** (14" x 20")



NO FOOD OR DRINK BEYOND THIS POINT

SA4009 (7" x 10") **SS4009** (10" x 14") **SC4009** (14" x 20")

NOTICE

CHAIN ALL CYLINDERS SECURELY



SA4014 (7" x 10") **SS4014** (10" x 14") **SC4014** (14" x 20")



SA4019 (7" x 10") **SS4019** (10" x 14") **SC4019** (14" x 20")



KEEP THIS AREA CLEAN

SA4024 (7" x 10") **SS4024** (10" x 14") **SC4024** (14" x 20")

PERSONAL PROTECTION **REQUIRED IN** THIS AREA

> **SA4Ø25** (7" x 10") SS4025 (10" x 14") SC4Ø25 (14" x 20")

NO CELLULAR PHONES ALLOWED

> SA4030 (7" x 10") SS4030 (10" x 14") SC4030 (14" x 20")

CHOCK WHEELS WHILE LOADING OR UNLOADING

SA4Ø35 (7" x 10") SS4035 (10" x 14") SC4Ø35 (14" x 20")

EMPLOYEE ENTRANCE ONLY

> SA4040 (7" x 10") SS4Ø4Ø (10" x 14") SC4040 (14" x 20")

KEEP DOOR **CLOSED**

SA4Ø45 (7" x 10") SS4045 (10" x 14") SC4Ø45 (14" x 20")

SAFETY GLASSES REQUIRED BEYOND THIS POINT

> SA4050 (7" x 10") SS4Ø50 (10" x 14") SC4Ø50 (14" x 20")

SA4Ø55 (7" x 10") SS4055 (10" x 14") SC4055 (14" x 20")

68

SAFETY FOOTWEAR REQUIRED IN THIS AREA

> SA4026 (7" x 10") SS4026 (10" x 14") SC4026 (14" x 20")

DUE TO

SA4031 (7" x 10") SS4Ø31 (10" x 14") SC4031 (14" x 20")

SCBA EQUIPMENT INSIDE

> SA4Ø36 (7" x 10") SS4036 (10" x 14") SC4036 (14" x 20")

NO **TRESPASSING**

> SA4Ø41 (7" x 10") **SS4041** (10" x 14") SC4041 (14" x 20")

SA4Ø46 (7" x 10") SS4046 (10" x 14") SC4Ø46 (14" x 20")

PERSONAL PROTECTIVE **EQUIPMENT REQUIRED** IN THIS AREA

> SA4Ø51 (7" x 10") SS4051 (10" x 14") SC4Ø51 (14" x 20")

HARD HAT. SAFETY VEST **AND BOOTS REQUIRED BEYOND THIS POINT**

> SA4Ø56 (7" x 10") SS4Ø56 (10" x 14") SC4056 (14" x 20")

TURN OFF THE LIGHTS

SA4027 (7" x 10") SS4027 (10" x 14") SC4Ø27 (14" x 20")

DOOR FOR **EMERGENCY USE ONLY**

SA4032 (7" x 10") SS4032 (10" x 14") SC4Ø32 (14" x 20")

RESTRICTED AREA **AUTHORIZED** PERSONNEL ONLY

SA4037 (7" x 10") SS4037 (10" x 14") SC4Ø37 (14" x 20")

PRIVATE PROPERTY KEEP OUT

> SA4042 (7" x 10") SS4Ø42 (10" x 14") SC4042 (14" x 20")

NO ADMITTANCE EMPLOYEES ONLY

> SA4Ø47 (7" x 10") SS4047 (10" x 14") SC4Ø47 (14" x 20")

SA4052 (7" x 10") SS4Ø52 (10" x 14") SC4Ø52 (14" x 20")

HARD HAT, SAFETY GLASSES AND BOOTS REQUIRED **BEYOND THIS POINT**

> SA4057 (7" x 10") SS4Ø57 (10" x 14") SC4057 (14" x 20")

SA4028 (7" x 10") SS4028 (10" x 14") SC4028 (14" x 20")

NO **FOOD OR DRINK** IN THIS AREA

SA4Ø33 (7" x 10") **SS4Ø33** (10" x 14") SC4033 (14" x 20")

NO ADMITTANCE APPLY AT OFFICE

> SA4Ø38 (7" x 10") SS4038 (10" x 14") SC4Ø38 (14" x 20")

NO ALCOHOL OR DRUGS PERMITTED ON COMPANY PREMISES

> SA4Ø43 (7" x 10") SS4Ø43 (10" x 14") SC4043 (14" x 20")

ELECTRICAL ROOM NO STORAGE PERMITTED

> SA4048 (7" x 10") SS4Ø48 (10" x 14") SC4Ø48 (14" x 20")

PROTECTIVE EQUIPMENT STORAGE

SA4Ø53 (7" x 10") SS4053 (10" x 14") SC4Ø53 (14" x 20")

AUTHORIZED PERSONNEL ONLY

SA4Ø58 (7" x 10") SS4058 (10" x 14") SC4058 (14" x 20")

THIS PROPERTY IS UNDER **VIDEO SURVEILLANCE**



SA4029 (7" x 10") SS4029 (10" x 14") SC4029 (14" x 20")

ALL PPE MUST BE WORN

SA4Ø34 (7" x 10") SS4034 (10" x 14") SC4034 (14" x 20")

NO ENTRY **UNLESS AUTHORIZED**

> SA4Ø39 (7" x 10") SS4039 (10" x 14") SC4039 (14" x 20")

DO NOT BLOCK DOOR

> SA4044 (7" x 10") **SS4Ø44** (10" x 14") SC4044 (14" x 20")

ALL VISITORS MUST REPORT TO OFFICE

> SA4049 (7" x 10") SS4Ø49 (10" x 14") SC4049 (14" x 20")

THIS IS A SMOKE FREE **FACILITY**

SA4Ø54 (7" x 10") SS4Ø54 (10" x 14") SC4Ø54 (14" x 20")

SA4Ø59 (7" x 10") SS4059 (10" x 14") SC4Ø59 (14" x 20")

NOTICE STORAGE

SA4060 (7" x 10") **SS4060** (10" x 14") **SC4060** (14" x 20")

NOTICE NO SOLICITING

SA4065 (7" x 10") **SS4065** (10" x 14") **SC4065** (14" x 20")

NOTICE

SAFETY GLASSES AND HEARING PROTECTION REQUIRED

> **SA4070** (7" x 10") **SS4070** (10" x 14") **SC4070** (14" x 20")

NOTICE

THIS AREA IS UNDER 24 HOUR VIDEO SURVEILLANCE



SA4Ø61 (7" x 10") **SS4Ø61** (10" x 14") **SC4Ø61** (14" x 20")

NOTICE NO DUMPING

SA4Ø66 (7" x 10") **SS4Ø66** (10" x 14") **SC4Ø366** (14" x 20")

NOTICE

SAFETY GLASSES HEARING PROTECTION AND SAFETY FOOTWEAR REQUIRED

> **SA4071** (7" x 10") **SS4071** (10" x 14") **SC4071** (14" x 20")

NOTICE WATCH

WATCH YOUR STEP

SA4062 (7" x 10") **SS4062** (10" x 14") **SC4062** (14" x 20")

NOTICE

WASH HANDS BEFORE RETURNING TO WORK

> **SA4Ø67** (7" x 10") **SS4Ø67** (10" x 14") **SC4Ø67** (14" x 20")

NOTICE

SAFETY GLASSES AND SAFETY FOOTWEAR REQUIRED BEYOND THIS POINT

> **SA4072** (7" x 10") **SS4072** (10" x 14") **SC4072** (14" x 20")

NOTICE

> **SA4Ø63** (7" x 10") **SS4Ø63** (10" x 14") **SC4Ø63** (14" x 20")

NOTICE

SHIPPING AND RECEIVING

SA4Ø68 (7" x 10") SS4Ø68 (10" x 14") SC4Ø68 (14" x 20")

NOTICE

NO SMOKING, EATING OR DRINKING IN THIS AREA

SA4073 (7" x 10") **SS4073** (10" x 14") **SC4073** (14" x 20")

NOTICE NO ADMITTANCE

SA4Ø64 (7" x 10") **SS4Ø64** (10" x 14") **SC4Ø64** (14" x 20")

NOTICE

SAFETY GLASSES
HEARING PROTECTION
SAFETY SHOES
REQUIRED BEYOND THIS POINT

SA4Ø69 (7" x 10") **SS4Ø69** (10" x 14") **SC4Ø69** (14" x 20")

NOTICE



SA4074 (7" x 10") **SS4074** (10" x 14") **SC4074** (14" x 20")



Custom Sign Options

Call for details

Unable to find the sign you need to communicate your message in our wide variety of off-the-shelf signs? Give us a call to see what we can do for your next sign requirement.

SAFETY & HOUSE KEEPING Signs

Must be used where there is a need for general instructions and suggestions relative to safety measures. OSHA specifies that safety instruction signs must have a white background, green panel and white letters. Any letters used on the white background must be black.


It is the sole responsibility of the user to determine the suitability of this product for their application, including, but not limited to, identifying the risk and its classification. When in doubt consult a qualified professional.

Choose from our variety of materials for the best fit for your particular application. Don't see the legend you need? Give us a call to see what we can do for your next sign requirement.

HOW TO ORDER:

SELECT SIGN - \$\$5000

SELECT SIGN TYPE - V ADD TOGETHER. - \$\$5000V







SA5000 (7" x 10") SS5000 (10" x 14") SC5ØØØ (14" x 20")



SA5ØØ5 (7" x 10") SS5005 (10" x 14")



SA5010 (7" x 10") SS5010 (10" x 14") SC5010 (14" x 20")

AREA



SA5Ø15 (7" x 10") SS5015 (10" x 14") SC5Ø15 (14" x 20")

IN THIS AREA



NO JOB **TOMORROW**

SA5020 (7" x 10") SS5020 (10" x 14") SC5020 (14" x 20")

70



KIT SA5001 (7" x 10")

SS5ØØ1 (10" x 14") SC5001 (14" x 20")



SA5ØØ6 (7" x 10") SS5006 (10" x 14") SC5006 (14" x 20")

AREA



HARD HATS **ARE REQUIRED** IN THIS AREA

> SA5011 (7" x 10") SS5011 (10" x 14") SC5Ø11 (14" x 20")



SA5016 (7" x 10") SS5016 (10" x 14") SC5Ø16 (14" x 20")

IN THIS AREA



A CAREFUL WORKER **IS THE BEST SAFETY DEVICE**

SA5021 (7" x 10") SS5021 (10" x 14") SC5021 (14" x 20")



SA5002 (7" x 10") SS5002 (10" x 14") SC5002 (14" x 20")



ON THIS OPERATION SA5ØØ7 (7" x 10")

SS5007 (10" x 14") SC5ØØ7 (14" x 20")

SAFET FIRST

GLOVES REQUIRED IN THIS AREA



SA5012 (7" x 10") SS5012 (10" x 14") SC5Ø12 (14" x 20")

AFET FIRST

WEAR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING CHEMICALS

> SA5Ø17 (7" x 10") SS5017 (10" x 14") SC5Ø17 (14" x 20")



OTHERS ARE DEPENDING ON YOU **DON'T TAKE CHANCES**

> SA5022 (7" x 10") SS5022 (10" x 14") SC5022 (14" x 20")



SA5ØØ3 (7" x 10") SS5003 (10" x 14") SC5003 (14" x 20")

SHOWER



EAR **PROTECTION AREA**

> SA5ØØ8 (7" x 10") SS5008 (10" x 14") SC5ØØ8 (14" x 20")



SAFETY FOOTWEAR REQUIRED IN THIS AREA



SS5013 (10" x 14") SC5013 (14" x 20")



REPORT ALL **INJURIES** AT ONCE

> SA5Ø18 (7" x 10") SS5018 (10" x 14") SC5Ø18 (14" x 20")



THE SAFE WAY IS THE BEST WAY

> SA5Ø23 (7" x 10") SS5Ø23 (10" x 14") SC5023 (14" x 20")



EYE WASH STATION

SA5004 (7" x 10") SS5004 (10" x 14") SC5004 (14" x 20")



HEARING PROTECTION MUST BE WORN IN THIS AREA



SA5ØØ9 (7" x 10") SS5009 (10" x 14") SC5009 (14" x 20")



FACE SHIELDS REQUIRED IN THIS AREA

> SA5014 (7" x 10") SS5Ø14 (10" x 14") SC5Ø14 (14" x 20")



MAY COST A LIFE SA5019 (7" x 10")

SS5019 (10" x 14") SC5Ø19 (14" x 20")



SA5024 (7" x 10") SS5024 (10" x 14") SC5024 (14" x 20")

SAFETY

LOCK OUT ALL POWER SOURCES

SA5Ø25 (7" x 10") **SS5Ø25** (10" x 14") **SC5Ø25** (14" x 20")

SAFETY

PUT TOOLS BACK IN THEIR PROPER PLACE

SA5030 (7" x 10") **SS5030** (10" x 14") **SC5030** (14" x 20")

THINK CONSERVE WATER

SA5Ø35 (7" x 10") **SS5Ø35** (10" x 14") **SC5Ø35** (14" x 20")



SA5Ø4Ø (7" x 10") **SS5Ø4Ø** (10" x 14") **SC5Ø4Ø** (14" x 20")



SA5045 (7" x 10") **SS5045** (10" x 14") **SC5045** (14" x 20")



SA5Ø50 (7" x 10") **SS5Ø50** (10" x 14") **SC5Ø50** (14" x 20")

SAFETY

DO NOT OIL OR CLEAN MACHINERY WHILE IN MOTION

SA5Ø26 (7" x 10") **SS5Ø26** (10" x 14") **SC5Ø26** (14" x 20")

SAFETY

CLIMB LADDERS SLOWLY AND USE BOTH HANDS

SA5Ø31 (7" x 10") SS5Ø31 (10" x 14") SC5Ø31 (14" x 20")

THINK CONSERVE ENERGY

SA5Ø36 (7" x 10") **SS5Ø36** (10" x 14") **SC5Ø36** (14" x 20")



SA5Ø41 (7" x 10") SS5Ø41 (10" x 14") SC5Ø41 (14" x 20")

EMERGENCY

SPILL RESPONSE EQUIPMENT

SA5Ø46 (7" x 10") **SS5Ø46** (10" x 14") **SC5Ø46** (14" x 20")

SAFETY

DO NOT PUT ON OR TAKE OFF BELTS WHILE MACHINERY IS IN MOTION

SA5Ø27 (7" x 10") **SS5Ø27** (10" x 14") **SC5Ø27** (14" x 20")

SAFETY

STAY ALERT DON'T GET HURT

SA5Ø32 (7" x 10") SS5Ø32 (10" x 14") SC5Ø32 (14" x 20")

THINK SAFETY

SA5037 (7" x 10") **SS5037** (10" x 14") **SC5037** (14" x 20")



SA5Ø42 (7" x 10") **SS5Ø42** (10" x 14") **SC5Ø42** (14" x 20")

SAFETY FIRST

FIRST AID STATION

SA5Ø47 (7" x 10") **SS5047** (10" x 14") **SC5Ø47** (14" x 20")

SAFETY

HELP KEEP THIS PLANT SAFE AND CLEAN

SA5Ø28 (7" x 10") SS5Ø28 (10" x 14") SC5Ø28 (14" x 20")

SAFETY

NO ACCIDENTS

\$A5Ø33 (7" x 10") \$\$5Ø33 (10" x 14") \$C5Ø33 (14" x 20")

THINK BEFORE YOU ACT

\$A5Ø38 (7" x 10") \$S5Ø38 (10" x 14") \$C5Ø38 (14" x 20")



SA5Ø43 (7" x 10") **SS5Ø43** (10" x 14") **SC5Ø43** (14" x 20")

SAFETY

KEEP THIS AREA CLEAN AND ORDERLY

SA5Ø48 (7" x 10") **SS5048** (10" x 14") **SC5Ø48** (14" x 20")

SAFETY

KEEP THIS AREA CLEAR

SA5Ø29 (7" x 10") SS5Ø29 (10" x 14") SC5Ø29 (14" x 20")

SAFETY FIRST

BE CAREFUL

SA5Ø34 (7" x 10") SS5Ø34 (10" x 14") SC5Ø34 (14" x 20")

THINK

SAFETY IS EVERYONE'S BUSINESS

SA5039 (7" x 10") **SS5039** (10" x 14") **SC5039** (14" x 20")



SA5044 (7" x 10") **SS5044** (10" x 14") **SC5044** (14" x 20")

SAFETY

IN CASE OF EMERGENCY DIAL 911

SA5Ø49 (7" x 10") **SS5049** (10" x 14") **SC5Ø49** (14" x 20")





Bilingual Safety Signs English/Spanish

Use these safety signs as a great way to communicate health and safety issues in a bilingual working environment. We offer a variety of different material types to meet all budgets and durability issues. We can also make any custom signs you require.





SELECT SIGN TYPE - V ADD TOGETHER. - \$\$6500V





SOLAMENTE

SS6500 (10" x 14")







































SS6507 (10" x 14")



SS651Ø (10" x 14")

SS6511 (10" x 14")

SS6512 (10" x 14")

SS6513 (10" x 14")





SAFETY

FIRST AID

SEGURIDAD





SS6524 (10" x 14")

SAFETY

EMERGENCY







ALIMENTOS Y POR FAVOR DEPOSITAR BEBIDAS PROHIBIDOS EN ESTA ZONA TODO DESECHO DENTRO DE LOS RECEPTÁCULOS

SS6526 (10" x 14") SS6527 (10" x 14")

0



SEGURIDAD SALA DE **PRIMEROS**

BOTIQUÍN DE **PRIMEROS AUXILIOS AUXILIOS** SS6528 (10" x 14") SS6529 (10" x 14")







SS6525 (10" x 14")





SS6532 (10" x 14")

SS6534 (10" x 14")

m

Workplace Safety Signs Spanish

Use these safety signs as a great way to communicate health and safety issues in a Spanish language working environment. We offer a variety of different material types to meet all budgets and durability issues. We can also make any custom signs you require.



SAS1005 (7" x 10") SSS1005 (10" x 14") SCS1005 (14" x 20")



ENTRADA PROHIBIDA PERSONAL AUTORIZADO SOLAMENTE

> SAS1010 (7" x 10") SSS1010 (10" x 14") SCS1010 (14" x 20")



PELIGRO ELÉCTRICO PERSONAL AUTORIZADO SOLAMENTE

> SAS1032 (7" x 10") SSS1032 (10" x 14") SCS1032 (14" x 20")



SAS2004 (7" x 10") **SSS2004** (10" x 14") **SCS2004** (14" x 20")



AUTORIZADO SOLAMENTE

SAS4058 (7" x 10") **SSS4058** (10" x 14") **SCS4058** (14" x 20")



DUCHA OCULAR



SAS5004 (7" x 10") **SSS5004** (10" x 14") **SCS5004** (14" x 20")



SAS1111 (7" x 10") **SSS1111** (10" x 14") **SCS1111** (14" x 20")



PROPANO
PROHIBIDO FUMAR PROHIBIDAS
LLAMAS ABIERTAS

SAS1075 (7" x 10") SSS1075 (10" x 14") SCS1075 (14" x 20")



SAS1Ø68 (7" x 10") SSS1Ø68 (10" x 14") SCS1Ø68 (14" x 20")

VOLTAJE



SAS2Ø18 (7" x 10") SSS2Ø18 (10" x 14") SCS2Ø18 (14" x 20")

AVISO PROPIEDAD SUPERVISADA

POR VIDEOVIGILANCIA

SAS4029 (7" x 10") SSS4029 (10" x 14") SCS4029 (14" x 20")



DUCHA DE EMERGENCIA

SAS5003 (7" x 10") **SSS5003** (10" x 14") **SCS5003** (14" x 20")



SAS1Ø26 (7" x 10") SSS1Ø26 (10" x 14") SCS1Ø26 (14" x 20")



SAS1133 (7" x 10") **SSS1133** (10" x 14") **SCS1133** (14" x 20")



SAS1Ø25 (7" x 10") **SSS1Ø25** (10" x 14") **SCS1Ø25** (14" x 20")



SAS2074 (7" x 10") **SSS2074** (10" x 14") **SCS2074** (14" x 20")

AVISO

SECTOR SUPERVISADO POR VIDEOVIGILANCIA LAS 24 HORAS



SAS4Ø61 (7" x 10") **SSS4Ø61** (10" x 14") **SCS4Ø61** (14" x 20")

SEGURIDAD ANTE TODO

SALA DE PRIMEROS AUXILIOS

> **SAS5000** (7" x 10") **SSS5000** (10" x 14") **SCS5000** (14" x 20")



ACCESO PROHIBIDO

SAS1002 (7" x 10") SSS1002 (10" x 14") SCS1002 (14" x 20")



ESPACIO ESTRECHO ENTRADA CON PERMISO SOLAMENTE

> SAS1Ø84 (7" x 10") SSS1Ø84 (10" x 14") SCS1Ø84 (14" x 20")



MATERIALES INFLAMABLES

SAS1Ø29 (7" x 10") SSS1Ø29 (10" x 14") SCS1Ø29 (14" x 20")



OBLIGATORIA

SAS2070 (7" x 10") SSS2070 (10" x 14") SCS2070 (14" x 20")

AVISO

ALIMENTOS Y BEBIDAS PROHIBIDOS EN ESTA ZONA

> SAS4Ø33 (7" x 10") SSS4Ø33 (10" x 14") SCS4Ø33 (14" x 20")

SEGURIDAD ANTE TODO

BOTIQUÍN DE PRIMEROS AUXILIOS

SAS5ØØ1 (7" x 10") SSS5ØØ1 (10" x 14") SCS5ØØ1 (14" x 20")



SAS1114 (7" x 10") **SSS1114** (10" x 14") **SCS1114** (14" x 20")



PERMISO OBLIGATORIO ESPACIO CERRADO ENTRADA PROHIBIDA

> SAS1Ø85 (7" x 10") SSS1Ø85 (10" x 14") SCS1Ø85 (14" x 20")



ALMACENAMIENTO DE COMBUSTIBLE NO FUMAR

> SAS1070 (7" x 10") SSS1070 (10" x 14") SCS1070 (14" x 20")

ATENCIÓN

PROTECCIÓN OCULAR Y GUANTES
OBLIGATORIOS PARA MANIPULAR
PRODUCTOS QUÍMICOS

SAS2Ø84 (7" x 10") SSS2Ø84 (10" x 14") SCS2Ø84 (14" x 20")

AVISO

MANTENGA ESTA ÁREA DESPEJADA

> **SAS4006** (7" x 10") **SSS4006** (10" x 14") **SCS4006** (14" x 20")

SEGURIDAD ANTE TODO

REPORTAR TODAS
LAS LESIONES

SAS5Ø18 (7" x 10") **SSS5Ø18** (10" x 14") **SCS5Ø18** (14" x 20")

Bilingual Safety Signs English/French

Use these safety signs as a great way to communicate health and safety issues in a bilingual working environment. We offer a variety of different material types to meet all budgets and durability issues. We can also make any custom signs you require.

ADD TOGETHER. - SS6ØØØV



















































SS6029 (10" x 14")








LES BOUTEILLES

SS6025 (10" x 14")



















SS6Ø31 (10" x 14") SS6032 (10" x 14") SS6Ø33 (10" x 14")

SS6Ø34 (10" x 14")

SS6028 (10" x 14")

Workplace Safety Signs French

Use these safety signs as a great way to communicate health and safety issues in a French language working environment. We offer a variety of different material types to meet all budgets and durability issues. We can also make any custom signs you require.



SAF1005 (7" x 10") **SSF1005** (10" x 14") **SCF1005** (14" x 20")



ENTRÉE INTERDITE PERSONNEL AUTORISÉ SEULEMENT

> **SAF1Ø1Ø** (7" x 10") **SSF1Ø1Ø** (10" x 14") **SCF1Ø1Ø** (14" x 20")



DANGER ÉLECTRIQUE PERSONNEL AUTORISÉ SEULEMENT

SAF1Ø32 (7" x 10") **SSF1Ø32** (10" x 14") **SCF1Ø32** (14" x 20")



SAF2004 (7" x 10") **SSF2004** (10" x 14") **SCF2004** (14" x 20")



SAF4Ø58 (7" x 10") **SSF4Ø58** (10" x 14") **SCF4Ø58** (14" x 20")



SAF5ØØ4 (7" x 10") SSF5ØØ4 (10" x 14") SCF5ØØ4 (14" x 20")

OCULAIRE



SAF1111 (7" x 10") **SSF1111** (10" x 14") **SCF1111** (14" x 20")



PROPANE
INTERDIT DE FUMER
PAS DE FLAMMES NUES

SAF1Ø75 (7" x 10") SSF1Ø75 (10" x 14") SCF1Ø75 (14" x 20")



SAF1Ø68 (7" x 10") SSF1Ø68 (10" x 14")



SAF2Ø18 (7" x 10") SSF2Ø18 (10" x 14") SCF2Ø18 (14" x 20")



SAF4Ø29 (7" x 10") SSF4Ø29 (10" x 14") SCF4Ø29 (14" x 20")



SAF5ØØ3 (7" x 10") SSF5ØØ3 (10" x 14") SCF5ØØ3 (14" x 20")



SAF1026 (7" x 10") SSF1026 (10" x 14") SCF1026 (14" x 20")



COMPRIMÉ

SAF1133 (7" x 10") **SSF1133** (10" x 14") **SCF1133** (14" x 20")



SAF1025 (7" x 10") **SSF1025** (10" x 14") **SCF1025** (14" x 20")



SAF2Ø74 (7" x 10") SSF2Ø74 (10" x 14") SCF2Ø74 (14" x 20")



SAF4Ø61 (7" x 10") SSF4Ø61 (10" x 14")

SCF4Ø61 (14" x 20")



SALLE DE PREMIERS SOINS

SAF5ØØØ (7" x 10") SSF5ØØØ (10" x 14") SCF5ØØØ (14" x 20")



SAF1002 (7" x 10") **SSF1002** (10" x 14") **SCF1002** (14" x 20")



ESPACE RESTREINT ENTRÉE AVEC PERMIS SEULEMENT

> SAF1Ø84 (7" x 10") SSF1Ø84 (10" x 14") SCF1Ø84 (14" x 20")



MATIÈRES INFLAMMABLES

> **SAF1029** (7" x 10") **SSF1029** (10" x 14") **SCF1029** (14" x 20")



SAF2070 (7" x 10") **SSF2070** (10" x 14") **SCF2070** (14" x 20")

AVIS

PAS DE NOURRITURE NI DE BREUVAGE DANS CETTE ZONE

> SAF4Ø33 (7" x 10") SSF4Ø33 (10" x 14") SCF4Ø33 (14" x 20")

SÉCURITÉ D'ABORD

TROUSSE DE PRÉMIERS SOINS

SAF5ØØ1 (7" x 10") SSF5ØØ1 (10" x 14") SCF5ØØ1 (14" x 20")



SAF1114 (7" x 10") **SSF1114** (10" x 14") **SCF1114** (14" x 20")



PERMIS OBLIGATOIRE ESPACE CLOS ENTRÉE INTERDITE

SAF1Ø85 (7" x 10") **SSF1Ø85** (10" x 14") **SCF1Ø85** (14" x 20")



STOCKAGE DE CARBURANT NE PAS FUMER

SAF1070 (7" x 10") **SSF1070** (10" x 14") **SCF1070** (14" x 20")

ATTENTION UNE PROTECTION OCULAIRE ET.

UNE PROTECTION OCULAIRE ET DES GANTS DOIVENT ÊTRE PORTÉS LORS DE LA MANUTENTION DE PRODUITS CHIMIQUES

SAF2Ø84 (7" x 10") **SSF2Ø84** (10" x 14") **SCF2Ø84** (14" x 20")

AVIS

MAINTENIR CETTE ZONE DÉGAGÉE

> **SAF4006** (7" x 10") **SSF4006** (10" x 14") **SCF4006** (14" x 20")



DÉCLARER TOUTES LES LÉSIONS

> SAF5Ø18 (7" x 10") SSF5Ø18 (10" x 14") SCF5Ø18 (14" x 20")

ANSI Safety Signs

ANSI format signs offer a great way to communicate critical health and safety information in your workplace. These signs display hazards and safety information in a consistent manner for effective communication. ANSI signs include information in both text and a visual pictogram to reinforce the message.

Choose from our variety of materials for the best fit for your particular application. Don't see the legend you need? Give us a call to see what we can do for your next sign requirement.

ADD TOGETHER. - ANS1000V

Magnetic Sheeting

HOW TO ORDER: Select Sign - **Ans**1000

Adhesive VynMark

Aluminum

SELECT SIGN TYPE - V

OVER-LAMINATION	High Performance Outdoor UV Film	
VL	PL	AL
Adhesive VynMark	Semi Rigid Plastic	Aluminum



ANS1000 (10" x 14")



Semi-Rigid Plastic

ANS1001 (10" x 14")



ANS1002 (10" x 14")

ANSI DANGER SIGNS

"Are designed for use where major hazard situations present an immediate threat of death or serious injuries." Source: ANSI spec Z535.4.4.14.1.

Consult local regulations for specific guidelines.



ANS1003 (10" x 14")



ANS1ØØ4 (10" x 14")



ANS1005 (10" x 14")



ANS1006 (10" x 14")



ANS1007 (10" x 14")



ANS1ØØ8 (10" x 14")



ANS1009 (10" x 14")



ANS1Ø1Ø (10" x 14")



ANS1Ø11 (10" x 14")



ANS1Ø12 (10" x 14")



ANS1Ø13 (10" x 14")



ANS1Ø14 (10" x 14")



ANS1Ø15 (10" x 14")



ANS1Ø16 (10" x 14")

W



ANS1Ø17 (10" x 14")



ANS1Ø18 (10" x 14")



ANS1Ø19 (10" x 14")



ANS1020 (10" x 14")

ANSI WARNING SIGNS

"Are designed for use where hazard situation that, if not avoided, could result in death or serious injuries."

Source: ANSI spec Z535.4.4.14.2.

Consult local regulations for specific guidelines.



ANS2ØØØ (10" x 14")



ANS2ØØ1 (10" x 14")



ANS2ØØ2 (10" x 14")



ANS2ØØ3 (10" x 14")




ANS2ØØ4 (10" x 14")



ANS2ØØ5 (10" x 14")



ANS2ØØ6 (10" x 14")



ANS2ØØ7 (10" x 14")



ANS2ØØ8 (10" x 14")



wash your hands

ANS2009 (10" x 14")



ANS2Ø1Ø (10" x 14")



ANS2Ø11 (10" x 14")



ANS2012 (10" x 14")



ANS2Ø13 (10" x 14")

ANSI CAUTION SIGNS

"Indicate hazardous situations that, if not avoided, could result in minor or moderate injuries."

Source: ANSI spec Z535.4.4.14.3.

Consult local regulations for specific guidelines.







ANS3ØØ1 (10" x 14")



ANS3ØØ2 (10" x 14")



ANS3ØØ3 (10" x 14")



ANS3ØØ4 (10" x 14")



ANS3ØØ5 (10" x 14")



ANS3ØØ6 (10" x 14")



ANS3ØØ7 (10" x 14")



ANS3ØØ8 (10" x 14")



ANS3ØØ9 (10" x 14")



ANS3Ø1Ø (10" x 14")



ANS3Ø11 (10" x 14")



ANS3Ø12 (10" x 14")



ANS3Ø13 (10" x 14")

ANSI NOTICE SIGNS

"Indicates information considered important, but not hazard related." Source: ANSI spec Z535.4.4.14.4.

Consult local regulations for specific guidelines.



ANS4ØØØ (10" x 14")



ANS4ØØ1 (10" x 14")



ANS4ØØ2 (10" x 14")



ANS4ØØ3 (10" x 14")



ANS4ØØ4 (10" x 14")



ANS4ØØ5 (10" x 14")



ANS4ØØ6 (10" x 14")



ANS4ØØ7 (10" x 14")



ANS4ØØ8 (10" x 14")



ANS4ØØ9 (10" x 14")



ANS4Ø1Ø (10" x 14")



ANS4Ø11 (10" x 14")



ANS4Ø12 (10" x 14")



ANS4Ø13 (10" x 14")

ANSI SAFETY SIGNS

"Indicates a type safety sign, or separate panel on safety sign, where specific safety-related instructions or procedures are described."

Source: ANSI spec Z535.4.4.14.4.

Consult local regulations for specific guidelines.







ANS5ØØ1 (10" x 14")



ANS5ØØ2 (10" x 14")



ANS5ØØ3 (10" x 14")



ANS5ØØ4 (10" x 14")



ANS5ØØ5 (10" x 14")



ANS5ØØ6 (10" x 14")



ANS5ØØ7 (10" x 14")



ANS5008 (10" x 14")



ANS5009 (10" x 14")



ANS5Ø1Ø (10" x 14")



ANS5Ø11 (10" x 14")



ANS5Ø12 (10" x 14")



ANS5Ø13 (10" x 14")

CSA Compliant Safety Signs

CSA format signs to help communicate health and safety concerns and messages to your employees at your Canadian facilities. These signs incorporate a worded message that is reinforced with standardized graphics program, making this selection a great choice.

Choose from our variety of materials for the best fit for your particular application. Don't see the legend you need? Give us a call to see what we can do for your next sign requirement.

HOW TO ORDER:

SELECT SIGN - CSA1000

SELECT SIGN TYPE - V

ADD TOGETHER. - CSA1000V

SIGN 🖈 ARMOR Weather, Chemical, Abrasion & Graffiti Resistant Coating Adhesive VynMark Semi-Rigid Plastic Magnetic Sheeting



personnel only

CSA1002 (8" x 12")

Regulatory Signs



Prohibition







CSA1000 (8" x 12")







admittance

CSA1ØØ1 (8" x 12")





Do not touch



to pedestrians

CSA1ØØ3 (8" x 12")

industrial vehicles



CSA1ØØ8 (8" x 12")



CSA1ØØ9 (8" x 12")

jewelry allowed

CSA1010 (8" x 12")



CSA1Ø11 (8" x 12")



Do not obstruct



CSA1Ø13 (8" x 12") CSA1Ø14 (8" x 12")









CSA1Ø18 (8" x 12")



CSA1Ø19 (8" x 12")



CSA1020 (8" x 12")

mandatory CSA1021 (8" x 12")

CSA1Ø15 (8" x 12") CSA1Ø16 (8" x 12")



CSA1022 (8" x 12")

CSA1023 (8" x 12")

mandatory

CSA1024 (8" x 12")

CSA1Ø25 (8" x 12")

Respirator mandatory

CSA1026 (8" x 12")

CSA1027 (8" x 12")

CSA1028 (8" x 12")



CSA1029 (8" x 12")



CSA1Ø3Ø (8" x 12")



CSA1031 (8" x 12")



CSA1Ø32 (8" x 12")



CSA1Ø33 (8" x 12")



CSA1Ø34 (8" x 12")



CSA1Ø35 (8" x 12")



CSA1Ø36 (8" x 12")



CSA1Ø37 (8" x 12")



CSA1Ø38 (8" x 12")



CSA1Ø39 (8" x 12")



CSA1040 (8" x 12")



CSA1Ø41 (8" x 12")



CSA1Ø42 (8" x 12")

Warning **Signs**



Caution



Danger



CSA3ØØØ (8" x 12")



CSA3ØØ1 (8" x 12")



CSA3ØØ2 (8" x 12")



CSA3ØØ3 (8" x 12")





CSA3ØØ4 (8" x 12")



CSA3ØØ5 (8" x 12")



CSA3ØØ6 (8" x 12")



CSA3ØØ7 (8" x 12")



CSA3ØØ8 (8" x 12")



CSA3ØØ9 (8" x 12")



CSA3Ø1Ø (8" x 12")



CSA3Ø11 (8" x 12")



CSA3Ø12 (8" x 12")



CSA3Ø13 (8" x 12")



CSA3Ø14 (8" x 12")



CSA5ØØØ (8" x 12")



CSA5ØØ1 (8" x 12")



CSA5ØØ2 (8" x 12")



CSA5ØØ3 (8" x 12")



CSA5ØØ4 (8" x 12")



CSA5ØØ5 (8" x 12")



CSA5ØØ6 (8" x 12")



CSA5ØØ7 (8" x 12")



CSA5ØØ8 (8" x 12")



CSA5ØØ9 (8" x 12")



CSA5Ø1Ø (8" x 12")



CSA5Ø11 (8" x 12")



CSA5Ø12 (8" x 12")



CSA5Ø13 (8" x 12")

0

m

Information Signs









CSA7ØØØ (8" x 12")

Fire cabinet

CSA7ØØ4 (8" x 12")



CSA7ØØ1 (8" x 12")



CSA7ØØ2 (8" x 12")



CSA7ØØ3 (8" x 12")



Emergency shower and eye wash

CSA7ØØ6 (8" x 12")



CSA7ØØ7 (8" x 12")





CSA7ØØ9 (8" x 12")



CSA7Ø1Ø (8" x 12")





CSA7ØØ5 (8" x 12")



CSA7Ø13 (8" x 12")











CSA7Ø12 (8" x 12")









CSA9ØØ8 (8" x 12")







CSA9ØØ5 (8" x 12")

CSA9006 (8" x 12")



CSA9Ø1Ø (8" x 12")







ISO International Safety Signs

The internationally recognized symbols used on these signs communicate information and safety tips to anyone around your workplace. These signs meet ISO (International Organization for Standardization) standards for symbols and colors.

Available in 6" or 12" diameter sizes and Adhesive VynMark or Rigid Plastic.

HOW TO ORDER:

SELECT SIGN - IS1000	SELECT SIGN TYPE	PE - V ADD Together Is1 000 V
SIGN 📭 ARMOR	Weather, Chemical, Abrasion & Graffiti Resistant Coating	
V		P
Adhesive VynMark		Semi-Rigid Plastic

Mandatory Take action to avoid the hazard



IS1000 (6") **IS5000** (12")



IS1001 (6") IS5001 (12")



IS1002 (6") IS5002 (12")



IS1003 (6") IS5003 (12")



IS1004 (6") IS5004 (12")



IS1005 (6") IS5ØØ5 (12")



IS1006 (6") IS5006 (12")



IS1007 (6") IS5007 (12")



IS1008 (6") **IS5008** (12")



IS1009 (6") IS5009 (12")



IS1010 (6") IS5010 (12")



IS1Ø11 (6") IS5Ø11 (12")



IS1012 (6") IS5Ø12 (12")



IS1013 (6") IS5Ø13 (12")



IS1014 (6") IS5014 (12")

Prohibited Forbid an action to avoid the hazard



IS2000 (6") IS6000 (12")



IS2001 (6") IS6001 (12")



IS2ØØ2 (6") IS6002 (12")



IS2003 (6") IS6003 (12")



IS2ØØ4 (6") IS6004 (12")



IS2ØØ5 (6") IS6005 (12")



IS2006 (6") IS6ØØ6 (12")



IS2ØØ7 (6") IS6ØØ7 (12")



IS2008 (6") IS6ØØ8 (12")



IS2ØØ9 (6") IS6ØØ9 (12")



IS2Ø1Ø (6") IS6010 (12")



IS2Ø11 (6") IS6Ø11 (12")



IS2Ø12 (6") IS6Ø12 (12")



IS2Ø13 (6") IS6Ø13 (12")



IS2Ø14 (6") IS6014 (12")

Warning Identify the hazard to avoid



IS3ØØØ (6") IS7000 (12")



IS3ØØ1 (6") IS7001 (12")



IS3ØØ2 (6") IS7002 (12")



IS3ØØ3 (6") IS7003 (12")

0



IS3004 (6") IS7004 (12")



IS3ØØ5 (6") IS7ØØ5 (12")



IS3ØØ6 (6") IS7006 (12")



IS3ØØ7 (6") IS7007 (12")



IS3ØØ8 (6") IS7ØØ8 (12")



IS3009 (6") IS7ØØ9 (12")



IS3Ø1Ø (6") IS7010 (12")



IS3Ø11 (6") IS7Ø11 (12")



IS3Ø12 (6") IS7012 (12")



IS3Ø13 (6") IS7013 (12")



IS3Ø14 (6") IS7Ø14 (12")

С t С

Facility & Parking Signs

Make customers and visitors aware of driving and parking restrictions with our full line of parking signs. Mark parking lots, lane ways and other areas clearly and professionally with our wide variety of legends.

All signs are 12" x 18" and made from 0.050" Aluminum with 4 mil UV protective lamination. They come with 2 pre-drilled holes centered top and bottom for an easy install on posts or walls. Consult local regulations regarding specific guidelines.

Choose from standard Aluminum or Reflective Aluminum for the best fit for your particular application. Don't see the legend you need? Give us a call to see what we can do for your next sign requirement.



HOW TO ORDER:

SELECT SIGN - PSS1ØØØ

SELECT SIGN TYPE - A

ADD TOGETHER. - PSS1ØØØA



OVER-LAMINATION

High Performance Outdoor IIV Film

Reflective Aluminum



PSS1000 (12" x 18")



Aluminum

PSS1001 (12" x 18")



PSS1002 (12" x 18")



PSS1003 (12" x 18")



PSS1004 (12" x 18")



PSS1005 (12" x 18")



VEHICLES WILL BE TAGGED AND/OR TOWED AWAY AT DWNER'S EXPENSE

PSS1006 (12" x 18")



UNAUTHORIZED VEHICLES WILL BE TAGGED AND/OR TOWED AWAY AT OWNER'S EXPENSE

PSS1007 (12" x 18")



PSS1008 (12" x 18")

RESERVED PARKING

PSS1009 (12" x 18")



PSS1010 (12" x 18")



NN **TRESPASSING**

PSS1011 (12" x 18")



PSS1012 (12" x 18")



PSS1013 (12" x 18")



PSS1014 (12" x 18")



PSS1015 12" x 18")



PSS1016 (12" x 18")



PSS1017 (12" x 18")



PSS1018 (12" x 18")



PSS1019 (12" x 18")



PSS1020 (12" x 18")

TOWED AT OWNER'S EXPENSE



PSS1021 (12" x 18")



PSS1022 (12" x 18")



PSS1023 (12" x 18")



PSS1024 (12" x 18")



PSS1025 (12" x 18")



PSS1026 (12" x 18")



PSS1027 (12" x 18")



PSS1028 (12" x 18")



PSS1029 (12" x 18")



PSS1030 (12" x 18")



PSS1031 (12" x 18")

Fire Safety & Emergency Equipment

Projected Signs

Our projected safety signs offer 2 way viewing that makes it easier for your employees to spot safety and fire suppression equipment locations. Check with local codes and by-laws prior to use.

Don't see the legend you need? Give us a call to see what we can do for your next sign requirement.







DFS11ØP DFS135P (4" x 18")



DFS136P (4" x 18")



DFS137P

(10" x 14")

DFS1Ø4P (10" x 14")



DFS1Ø5P (10" x 14")



I**Ø5P** < 14")



DFS138P (10" x 14")



DFS139P (10" x 14")



DFS14ØP (10" x 14")







DFS112P (5" x 6")



DFS113P (5" x 6")



DFS141P (5" x 6")



DFS142P (5" x 6")



DFS143P (5" × 6")

Fire Safety Bulk Signs

Looking for a cost effective way to mark fire safety features and equipment? Our bulk fire safety signs are made from a 10 point semi-rigid plastic or adhesive VynMark with a protective over-lamination to offer years of indoor service. These signs can be easily mounted to most any surface. Check with Federal, state and local guidelines on the use of EXIT signage in your region.

All signs are 10" \times 14". Packaged in 50 signs per package for best value. Custom colors and legends available on orders of 250+ signs.





DFS1ØØP5Ø DFS1ØØV5Ø (10" x 14")



DFS1Ø1P5Ø DFS1Ø1V5Ø (10" x 14")



DFS1Ø2P5Ø DFS1Ø2V5Ø (10" x 14")



DFS1Ø3P5Ø DFS1Ø3V5Ø (10" x 14")



DF\$1Ø6P5Ø DF\$1Ø6V5Ø (4" x 18")



DF\$1Ø7P5Ø DF\$1Ø7V5Ø (4" x 18")



DFS1Ø8P5Ø DFS1Ø8V5Ø (4" x 18")

Fire Safety & **Emergency Equipment**

Signs

Make the location of safety and fire suppression equipment clear to employees with our full line of fire equipment signs.

Choose from our variety of materials for the best fit for your particular application. Don't see the legend you need? Give us a call to see what we can do for your next sign requirement. Check with local codes by-laws prior to use.

HOW TO ORDER:

SELECT SIGN -DF\$100 SELECT SIGN TYPE - V ADD TOGETHER. - DF\$100V

SIGN 🖚 ARMOR	Weather, Chemical, Abrasion & Graffiti Resistant Coating		
V	P	VG	PG
Adhesive VynMark	Semi-Rigid Plastic	Glow-in-the-dark	Glow-in-the-dark Semi-
		Adhesive VynMark	Rigid Plastic







DFS1Ø7 (4" x 18")



DFS1Ø8 (4" x 18")



DFS144 (4" x 18")



DFS145 (4" x 18")



DFS146 (4" x 18")





DFS1Ø1 (10" x 14")



DFS1Ø2 (10" x 14")



DFS1Ø3 (10" x 14")



DFS114 (10" x 14")



DFS147 (10" × 14") **DFS148** (10" × 14")





DFS149 (10" x 14")



DFS127 (10" x 14")



DFS128 (10" x 14")



DFS129 (10" x 14")



DFS13Ø (10" x 14")



DFS1ØØ (10" x 14")



DFS125 (10" x 14")



DFS126 (10" x 14")



DFS131 (10" x 14")



DFS132 (10" x 14")



DFS123 (10" x 14")



DFS124 (10" x 14")



DFS121 (10" x 14")



DFS122 (10" x 14")



DFS133 (10" x 14")

Stencil Floor Sign

Use our Floor Marking stencils to paint permanent messages in your facilities. These durable and reusable stencils are easy to use and provide professional looking images for your floors or walls. Stencils are made with 0.055" HDPE with 20" images.



Custom stencils available. Call for details.











SFM100

SFM101

SFM102

SFM103










SFM104

SFM105

SFM106

SFM107









SFM108

SFM109

SFM110

SFM111

Safety Floor Signs

Bring attention and a slip-resistant surface to most any floor surface to help improve the safety of your workplace. These brightly colored floor graphics have an embossed resilient coating and a permanent adhesive backing. Simple remove the backing liner to expose the adhesive for application.

Standard size is 6" x 24" with custom legends and sizes available.

















FS3ØØ2V



FS3ØØ7V



FS3ØØ8V

FS3ØØ5V



FS3ØØ6V







FS3ØØ9V









CAUTION **EAR PROTECTION REQUIRED**

FS3Ø17V





























FS3Ø31V











FS3Ø34V

Floor Signs Anti-Slip

These high visibility graphic floor signs provide a constant reminder to your employees about important Workplace Hazard, Safety Requirement and General Notice information details. Constructed from a high quality adhesive VynMark stock, we laminate a thick textured material to these signs for added durability as well as slip resistance. The sub-surface printed images provide extended durability and will stand up to heavy pedestrian traffic. The aggressive adhesive will adhere to most smooth, clean and dry floors. These signs have a maximum diameter or length of 17".







FS1Ø24V

FS1Ø44V

FS1Ø27V





FS1Ø34V







FS1ØØ3V





PANIT SI ID SUPEROCK



FS1Ø13V

Glow-in-the-dark Floor Signs

Anti-Slip

Enhance your emergency exit routing with our photoluminescent floor signs. These signs have a textured surface for slip resistance and our Glow-in-the-dark material for visibility in low light conditions.

The clear graphics are easily understood and are highly visible. Our luminous signs will maintain visibility to the light adjusted eye for up to 6 hours. These signs have a maximum diameter or length of 17".

MEETS OR EXCEEDS STANDARDS:

- DIN 67510
- ASTM E2072-14
- ISO 15370
- EU Marine Equipment Directive
- IMO Resolution A. 752 (18)
- PSPA class B





Door Swing Floor Sign

Anti-Slip

Helps eliminate an often over-"Door Swing" graphic will clearly remind people of the swing area and prevent the potential of injury from opening doors. This floor graphic is based on a 34" swing radius area.

available. Contact customer service for details.









FS1ØØ6V



FS1Ø23V



FS1ØØ4V



FS1Ø38V



FS1ØØØV



FS1Ø25V



FS1ØØ1V



FS1Ø39V



FS1Ø17V



FS1ØØ5V



FS1Ø18V



FS1Ø21V



FS1Ø16V



FS1Ø41V



FS1Ø11V



FS1ØØ9V



FS1Ø12V



FS1Ø1ØV



ArmorStripe

Ultra Durable Floor Signs


ArmorStripe offers an extremely durable system to aid in floor safety signage. These products are made from an ultra durable plastic without the use of print. This special process ensure that the image will remain legible through the entire life of the floor signing system.

These floor signs are made from a through-color solid 0.055" thick rigid polyethylene surface with an ultra tacky heavy coat weight adhesive backing. They will adhere to most any clean smooth surface with a very high tack bond while offering a low residue removal from most applications. Complies with ANSI B101.1 SCOF (Dry) and ANSI A137.1 (Dry) for use in dry floor applications.

Available in an assortment of stock sizes and colors with custom options available.









ASM3000 Size: 17" x 17"



ASM3ØØ1 Size: 17" x 17"



ASM3002 Size: 17" x 17"



ASM3003 Size: 17" x 17"



ASM3004 Size: 17" x 17"



ASM3ØØ5 Size: 17" x 17"



ASM3006 Size: 17" x 17"



ASM3007 Size: 17" x 17"



ASM3008 Size: 17" x 17"



ASM3009 Size: 17" x 17"



ASM3010 Size: 17" x 17"



ASM3Ø11 Size: 17" x 17"



ASM3Ø12 Size: 17" x 17"



Size: 17" x 17"

W



ASM3Ø14 Size: 17" x 17"



ASM3Ø15 Size: 17" x 17"



ASM3Ø16 Size: 17" x 17"



ASM3Ø17 Size: 17" x 17"



ASM3Ø18 Size: 23" x 35"



ASM3Ø19 Size: 23" x 35"

С



ASM3020 Size: 23" x 35"

A-Frame

Standing Floor Signs

The A-Frame standing floor sign is the best way to give a clear warning of a temporary hazard or communicate a message to pedestrian traffic. Printed both sides so the message is clearly visible form both directions and made from durable lightweight plastic. These signs are easily portable and can be positioned on any flat surface when needed. The A-Frame design provides a sturdy platform that is difficult to knock over. This design also allows the user to collapse the sign and lay flat for easy storage when not in use.

Don't see the message you need? Contact us with the details and we will print the wording you require.

Sign measures 12" wide x 19" tall

















ASF1001



ASF1002




ASF1003



ASF1004



ASF1005





ELECTRICAL HAZARD

ASF1008



ASF1009



ASF1010



ASF1011

General Information Signs

We offer a wide selection of general information signs that provide directions, safety guidelines and general use information to people within your facility.

Choose from our variety of materials for the best fit for your particular application. Don't see the legend you need? Give us a call to see what we can do for your next sign requirement.

HOW TO ORDER:

SELECT SIGN TYPE - V ADD TOGETHER. - \$\$5000V SELECT SIGN - \$\$5000

SIGN ARMOR	Weather, Chemical, Abrasion & Graffiti Resistant Coating		
V	P	A	MV
Adhesive VynMark	Semi-Rigid Plastic	Aluminum	Magnetic Sheeting

OVER-LAMINATION _	High Performance	Outdoor UV Film
VL	PL	AL
Adhesive VynMark	Semi Rigid Plastic	Aluminum



SA5Ø52 (7" x 10") SS5Ø52 (10" x 14") SC5052 (14" x 20")



SA5Ø57 (7" x 10") SS5Ø57 (10" x 14") SC5Ø57 (14" x 20")



THIS IS A NON-SMOKING/ **NON-VAPING WORKPLACE**

> SA5Ø62 (7" x 10") SS5062 (10" x 14") SC5Ø62 (14" x 20")



NO ENTRY UNLESS AUTHORIZED

SA5Ø67 (7" x 10")

SS5Ø67 (10" x 14") SC5Ø67 (14" x 20")

ALL DRIVERS

- SHUT OFF ENGINE
- SET BRAKES
- CHOCK WHEELS

SA5Ø72 (7" x 10") SS5072 (10" x 14") SC5072 (14" x 20")

92

SHIPPING & RECEIVING MONDAY - FRIDAY

AM to SA5Ø53 (7" x 10")

SS5Ø53 (10" x 14") SC5053 (14" x 20")



RESTROOM

SA5058 (7" x 10") SS5Ø58 (10" x 14") SC5058 (14" x 20")



THIS IS A NON-SMOKING WORKPLACE

> SA5Ø63 (7" x 10") SS5Ø63 (10" x 14") SC5Ø63 (14" x 20")

RESTRICTED AREA

NO UNAUTHORIZED PERSONNEL BEYOND THIS POINT

> SA5Ø68 (7" x 10") SS5Ø68 (10" x 14") SC5Ø68 (14" x 20")

ALL DRIVERS SHUT OFF ENGINE • SET BRAKES

CHOCK WHEELS

SA5073 (7" x 10") SS5073 (10" x 14") SC5073 (14" x 20")

SHIPPING AND RECEIVING

SA5Ø54 (7" x 10") **SS5Ø54** (10" x 14") SC5054 (14" x 20")



RESTROOM

SA5Ø59 (7" x 10") SS5059 (10" x 14") SC5Ø59 (14" x 20")

NO **SMOKING**

SA5Ø64 (7" x 10") SS5064 (10" x 14") SC5Ø64 (14" x 20")

RESTRICTED AREA

AUTHORIZED EMPLOYEES ONLY

SA5Ø69 (7" x 10") **SS5Ø69** (10" x 14") SC5Ø69 (14" x 20")

SA5074 (7" x 10") SS5074 (10" x 14") SC5074 (14" x 20")

WASHROOMS

SA5Ø55 (7" x 10") SS5Ø55 (10" x 14") SC5055 (14" x 20")



SA5Ø6Ø (7" x 10") SS5060 (10" x 14") SC5060 (14" x 20")



DESIGNATED SMOKING AREA

SA5Ø65 (7" x 10") SS5Ø65 (10" x 14") SC5Ø65 (14" x 20")

AUTHORIZED PERSONNEL ONLY

SA5070 (7" x 10") SS5070 (10" x 14") SC5Ø7Ø (14" x 20")



SA5075 (7" x 10") SS5075 (10" x 14") SC5Ø75 (14" x 20")



SA5Ø56 (7" x 10") SS5056 (10" x 14") SC5056 (14" x 20")



SA5Ø61 (7" x 10") SS5061 (10" x 14") SC5Ø61 (14" x 20")



USE OF MOBILE PHONES IS PROHIBITED

> SA5Ø66 (7" x 10") SS5Ø66 (10" x 14") SC5Ø66 (14" x 20")

NO TRESPASSING

SA5071 (7" x 10") **SS5071** (10" x 14") SC5071 (14" x 20")



SA5Ø76 (7" x 10") SS5076 (10" x 14") SC5Ø76 (14" x 20")



SA5077 (7" x 10") **SS5077** (10" x 14") **SC5077** (14" x 20")

NO TRESPASSING

SA5Ø82 (7" x 10") **SS5Ø82** (10" x 14") **SC5Ø82** (14" x 20")



SA5Ø87 (7" x 10") **SS5Ø87** (10" x 14") **SC5Ø87** (14" x 20")

NO DUMPING

SA5078 (7" x 10") **SS5078** (10" x 14") **SC5078** (14" x 20")

EMERGENCY EXIT ONLY

DOOR ALARM WILL SOUND

SA5Ø83 (7" x 10") **SS5Ø83** (10" x 14") **SC5Ø83** (14" x 20")



SA5Ø88 (7" x 10") **SS5Ø88** (10" x 14") **SC5Ø88** (14" x 20")

DO NOT ENTER

SA5079 (7" x 10") **SS5079** (10" x 14") **SC5079** (14" x 20")



SA5Ø84 (7" x 10") **SS5Ø84** (10" x 14") **SC5Ø84** (14" x 20")



SA5Ø89 (7" x 10") **SS5Ø89** (10" x 14") **SC5Ø89** (14" x 20")



SA5Ø8Ø (7" x 10") **SS5Ø8Ø** (10" x 14") **SC5Ø8Ø** (14" x 20")



SA5Ø85 (7" x 10") **SS5Ø85** (10" x 14") **SC5Ø85** (14" x 20")



SA5090 (7" x 10") **SS5090** (10" x 14") **SC5090** (14" x 20")



SA5Ø81 (7" x 10") **SS5Ø81** (10" x 14") **SC5Ø81** (14" x 20")

EXIT

SA5Ø86 (7" x 10") **SS5Ø86** (10" x 14") **SC5Ø86** (14" x 20")



SA5Ø91 (7" x 10") **SS5Ø91** (10" x 14") **SC5Ø91** (14" x 20")



Custom Sign Options

Call for details

Unable to find the sign you need to communicate your message in our wide variety of off-the-shelf signs? Give us a call to see what we can do for your next sign requirement.

What are safety tags?

Used to effectively communicate important safety messages to employees and visitors

Hazard and safety communications are essential in the workplace. Safety Tags help Identify hazards by the signal words DANGER, WARNING, CAUTION, or NOTICE. ANSI-style tags most often include specific details about the nature of the hazard, the consequence of interaction with the hazard, and avoidance procedures. Product manufacturers and facility owners in a wide array of industries use the ANSI Z535 standards in their efforts to assure a safer workplace.

The ANSI Z535 standards are often cited as the state-of-the-art benchmark against which safety markings and their adequacy are judged.



- Lock Out/Tag Out
- Hazard Control
- Electric shock hazards
- Machine repair
- Physical hazards
- Chemical or biological hazards
- Construction sites
- Manufacturing
- Fire Suppression Equipment



WARNING

O NOT ANNABLE



HOW TO CHOOSE Safety Tags

PT Grade

This is our most economical option in safety tags. Made from a 10-mil (0.010") stock that is a good choice for indoor or limited use outdoor applications. Stock is waterproof and can be written on with pencil, ball point pen or marker. Available in packages of 25, or by the roll for best value.

RP Grade

Our RP series safety tags are an upgrade on the PT material. Made with a thicker waterproof 15-mil (0.015") material which can be written on with pencil, ball point pen or marker. This grade also has a metal grommet for added hole strength.

RL Grade

The RL grade is our toughest and most durable option at 20-mil (0.020"). Our DuraPly stock is covered with a thick over laminated and affixed with a heavy duty 3/8" diameter metal grommet for extra strength. Tags are suited for both indoor and outdoor applications, and may be written on with marker or pen. This option will also meet a 50-lb pull test for lockout/tagout applications.

Custom Options

Unable to find the tag you need to communicate your message in our wide variety of off-the-shelf tags? Let us help you design the exact tag you will need for your application. Our tag production capabilities offer a wide range of design, print and finishing options. With our state-of-the-art digital printing we are able to produce cost effective, rapid delivery tags to meet the needs of any application.

Give us a call to see what we can do for your next tag requirement.



DANGER OSHA Workplace Tags

It is the sole responsibility of the user to determine the suitability of this product for their application, including, but not limited to, identifying the risk and its classification. When in doubt consult a qualified professional.

We offer 3 different material types to meet all budgets and durability issues. All tags are printed on both sides with state of the art digital printing and come 25 per pack. Don't see the legend you need? Give us a call to see what we can do for your next tag requirement.



Back print

HOW TO ORDER:

SELECT TAG - TG1ØØØ SELECT TAG TYPE - PT ADD TOGETHER TG1ØØPT			
	PT	RP	RL
10-mil Poly Tag		15-mil Rigid DuraPly	20-mil Rigid Laminated DuraPly
3/8" diam	eter drilled hole.	3/8" diameter metal grommet to add strength.	3/8" diameter large grommet for extra strength.





































TG1010

TG1Ø11


TG1Ø13


TG1Ø15


















TG1Ø16

TG1Ø17

TG1Ø18


TG1Ø19

TG1020

TG1Ø21

TG1022

TG1023





NCOM

TG1051

TG1052

TG1053

TG1048

TG1Ø49

TG1050







TG1Ø57



TG1058



TG1059



TG1060



TG1061



TG1062



TG1Ø63



TG1064



TG1065



TG1066



TG1067



TG1Ø68



TG1069



TG1Ø70



TG1071



TG1Ø72



TG1073



TG1Ø74



TG1075



TG1076



TG1Ø77



TG1078



TG1079

Self Laminating Tags

Page 105

Designed with a thick 2 mil clear protective laminating flap, these tags allow you to protect written messages from smudging or wearing off.



98







TG1089

0

DANGER

ELECTRONIC

CALIBRATION

REQUIRED

BEFORE USE

TG1081



 \bigcirc

DANGER

MECHANICAL

CALIBRATION

REQUIRED

BEFORE USE

TG1082



0

DANGER

CAUSTIC

SODA

TG1083



0

DANGER

SAFETY

GUARDS

REMOVED

TG1084



DANGER

CONTENTS

UNDER

PRESSURE

TG1085



0

DANGER

DO NOT

OPERATE

TG1086



 \bigcirc

DANGER

DO NOT

OPERATE

MAINTENANCE REQUIRE

TG1087



TG1088


































TG1104













TG1112

TG1117

TG1119

WARNING OSHA Workplace Tags


It is the sole responsibility of the user to determine the suitability of this product for their application, including, but not limited to, identifying the risk and its classification. When in doubt consult a gualified professional.

We offer 3 different material types to meet all budgets and durability issues. All tags are printed on both sides with state of the art digital printing and come 25 per pack. Don't see the legend you need? Give us a call to see what we can do for your next tag requirement.



Back print

HOW TO ORDER:



TG4019

TG4020

TG4021

TG4023

TG4024

TG4025

TG4022

TG4Ø18















TG4Ø26

TG4Ø27

TG4028

TG4Ø29

TG4030

TG4Ø31

TG4Ø32

TG4Ø33

















TG4Ø34

TO

TG4Ø35

TG4Ø36

TG4Ø37

TG4Ø38

TG

TG4Ø39

TG4Ø4Ø

TG4Ø41

















TG4042

TG4Ø43

TG4Ø44

TG4Ø45

TG4046

TG4047

TG4Ø48

TG4Ø49



Inspection Tags

Page 114-115

Inspection tags are designed to record and document equipment and machinery inspection, servicing and maintenance events for easy reference.

CAUTION OSHA Workplace Tags

It is the sole responsibility of the user to determine the suitability of this product for their application, including, but not limited to, identifying the risk and its classification. When in doubt consult a qualified professional.

We offer 3 different material types to meet all budgets and durability issues. All tags are printed on both sides with state of the art digital printing and come 25 per pack. Don't see the legend you need? Give us a call to see what we can do for your next tag requirement.



Back print

HOW TO ORDER:

SELECT TAG - TG3ØØØ SELECT TAG TYPE - PT ADD TOGETHER TG3ØØØPT			
	PT	RP	RL
10-	mil Poly Tag	15-mil Rigid DuraPly	20-mil Rigid Laminated DuraPly
3/8" dian	neter drilled hole.	3/8" diameter metal grommet to add strength.	3/8" diameter large grommet for extra strength.





TG3016 TG3017 TG3018 TG3019 TG3020 TG3021 TG3022 TG3023



TG3024



TG3Ø25



TG3026



TG3Ø27



TG3028



TG3029



TG3030



TG3Ø31



TG3032



TG3Ø33



TG3034



TG3Ø35



TG3Ø36

0




TG3Ø37



TG3Ø38



TG3Ø39





TG3040



TG3041



TG3042



TG3043



TG3044



TG3045

0



TG3Ø46



TG3Ø47



TG3Ø49



TG3050



TG3051

NOTICE Workplace Tags

It is the sole responsibility of the user to determine the suitability of this product for their application, including, but not limited to, identifying the risk and its classification. When in doubt consult a qualified professional.

We offer 3 different material types to meet all budgets and durability issues. All tags are printed on both sides with state of the art digital printing and come 25 per pack. Don't see the legend you need? Give us a call to see what we can do for your next tag requirement.



Back print

HOW TO ORDER:

HOW TO UNDER.				
	SELECT TAG - TG5ØØØ	SELECT TAG TYPE - PT	ADD TOGETHER TG5ØØØPT	
		PT	RP	RL
	10-mil Poly Tag		15-mil Rigid DuraPly	20-mil Rigid Laminated DuraPly
	3/8" diame	ter drilled hole.	3/8" diameter metal grommet to add strength.	3/8" diameter large grommet for extra strength.



104

С

Self Laminating Tags Durability & Convenience

Our stock self laminating tags offer an easy way to protect the information on your tags. Designed with a thick 2 mil clear protective laminating flap, these tags are a highly durable option for use in your facility. Simply write in the required information, peel off the backing from the lamination flap and seal the tag. Once sealed, the information on your tag will be protected from dirt abrasion or chemical splashes. Also a great way to prevent further changes to the tag once it is put into use.

Tags are made from a durable 15 mil stock and measure 3-3/8" x 5-3/4". Sold in packages of 24 with 3/8" eyelet.







Back print

LOCKOUT (LOTO) Tags

It is the sole responsibility of the user to determine the suitability of this product for their application, including, but not limited to, identifying the risk and its classification. When in doubt consult a qualified professional.

These tags are used to indicate that energy isolating devices are in use and the tagged equipment may not be operated until the Lock Out/Tag Out device is removed. Tags Include our patented "LIGHTNING BOLT" for drawing attention to the lockout area. Sold in packages of 25.

HOW TO ORDER:

SELECT TAG - TG6ØØØ SELECT TAG TYPE - PT		SELECT TAG TYPE - PT	ADD TOGETHER TG6ØØØPT	
		PT	RP	RL
	10-mil Poly Tag		15-mil Rigid DuraPly	20-mil Rigid Laminated DuraPly
	3/8" diameter drilled hole.		3/8" diameter metal grommet to add strength.	3/8" diameter large grommet for extra strength.



















TG6025

TG6026



TG6028

TG6029

TG6030

TG6032

















TG6033

TG6Ø35

TG6036

TG6Ø37

TG6038

TG6039

TG6040





















TG6041

TG6Ø42

TG6044

Tags-On-Roll

With Convenient Dispenser Box Page 112-113

Safety tags supplied in a roll provide an easy and convenient way to contain and dispense your tags.



Bilingual Safety Tags English/Spanish

Use these safety tags as a great way to communicate health and safety issues in a bilingual working environment. We offer a wide variety of stock legends for most applications. We also offer 3 different material types to meet all budgets and durability issues.


It is the sole responsibility of the user to determine the suitability of this product for their application, including, but not limited to, identifying the risk and its classification. When in doubt consult a qualified professional.

We offer 3 different material types to meet all budgets and durability issues. All tags are printed on both sides with state of the art digital printing and come 25 per pack. Don't see the legend you need? Give us a call to see what we can do for your next tag requirement.

HOW TO ORDER:

SELECT TAG - TG75ØØ	SELECT TAG TYPE - PT	ADD TOGETHER TG75ØØPT	
	PT	RP	RL
10-	mil Poly Tag	15-mil Rigid DuraPly	20-mil Rigid Laminated DuraPly
3/8" diam	eter drilled hole.	3/8" diameter metal grommet to add strength.	3/8" diameter large grommet for extra strength.

Bilingual DANGER Tags English/Spanish



Bilingual WARNING Tags English/Spanish



Bilingual CAUTION Tags English/Spanish









Back print

TG7507

TG7508

TG7509









TG7510

TG7512

TG7513

Bilingual NOTICE Tags English/Spanish















MATERIALS

INFLAMABLES



Back print

TG7521

TG7522

TG7524

TG7525

TG7526

TG7527

Bilingual LOCKOUT Tags English/Spanish



















Back print

TG7528

TG7529

TG7530

TG7531

TG7532

TG7533

TG7534

Lightning Bolt is a Registered Design of INCOM Manufacturing Group

Bilingual Safety Tags English/French

Use these safety tags as a great way to communicate health and safety issues in a bilingual working environment. We offer a wide variety of stock legends for most applications. We also offer 3 different material types to meet all budgets and durability issues.


It is the sole responsibility of the user to determine the suitability of this product for their application, including, but not limited to, identifying the risk and its classification. When in doubt consult a qualified professional.

We offer 3 different material types to meet all budgets and durability issues. All tags are printed on both sides with state of the art digital printing and come 25 per pack. Don't see the legend you need? Give us a call to see what we can do for your next tag requirement.

HOW TO ORDER:

SELECT TAG - TG7ØØØ	SELECT TAG TYPE - PT	ADD TOGETHER TG7ØØØPT			
	PT	RP	RL		
10-mil Poly Tag		15-mil Rigid DuraPly	20-mil Rigid Laminated DuraPly		
3/8" diameter drilled hole.		3/8" diameter metal grommet to add strength.	3/8" diameter large grommet for extra strength.		

Bilingual DANGER Tags English/French



Bilingual WARNING Tags English/French



0

Bilingual CAUTION Tags English/French









Back print

TG7007

TG7008

TG7ØØ9









TG7010

TG7012

TG7Ø13

Bilingual NOTICE Tags English/French















LAMMABLE MATERIALS

INFLAMMABLES



Back print

TG7Ø21

TG7Ø22

TG7Ø24

TG7025

TG7026

TG7Ø27

Bilingual LOCKOUT Tags English/French

















Back print

TG7028

TG7029

TG7030

TG7Ø31

TG7032

TG7Ø33

TG7034

Lightning Bolt is a Registered Design of INCOM Manufacturing Group

Tags-On-A-Roll

With Convenient Dispenser Box

Safety tags supplied in a roll provide an easy and convenient way to transport and contain your tags, providing a larger tag quantity on hand for heavy demand applications.

Made from 10-mil Polytag stock, these tags are a good choice for indoor or limited use outdoor applications. Stock is waterproof and can be written on with pencil, ball point pen or marker. These tags are 3" x 6.25" with a 0.375" hole and come with 100 or 250 tags per box. These tags are like traditional tags, but connected together by an easy to tear perforation. Just pull the next tag from the dispenser box and tear it off.

The specially designed dispenser box keep the tags safely and neatly contained for any on the go application Perfect for work vehicles, tool cribs, mobile work carts, and many other applications.

Available in a large selection of stock legends, as well a thermal printable versions for a print on demand application. Custom versions also available. Please contact us for details.



100 tags without grommets


250 tags without grommets

200 tags with grommets



Inspection Tags





HOW TO ORDER:







WARNING Tags



Tag Roll Tags are connected together by an easy to tear next tag from



CAUTION Tags



CAUTION RT3Ø48



Lockout Tags









Bilingual Tags - English/Spanish















Back print

LOCKED OUT **BŁOOUE**ADO

RT7528

RT7530

Bilingual Tags - English/French















Inspection Tags

Inspection tags are designed to record and document equipment and machinery inspection, servicing and maintenance events for easy

Tags are made from a durable 15 mil stock and measure 3-3/8" x 5-3/4". Sold in packages of 25 with 3/8" eyelet.

General Tags

































114

Scaffold Tags



Cylinder Tags





Custom Tags

Let us help you design the exact tag you will need for your application. Our tag production capabilities offer a wide range of design, print and finishing options.

What is DOT?

Department of Transportation

Department of Transportation (DOT) is focused on the prevention of incidents when dangerous goods are imported, handled, or offered for transport.

Placards are displayed on vehicles and tanks to identify the risk of products being transported. Shipping labels are essential for packages that contain dangerous goods. All product manufactured to Department of Transportation specifications.



Dangerous Goods Placards

Dangerous goods truck placards are displayed on vehicles and tanks to identify the risk of products being transported. We manufacture our entire placard line to meet Department of Transport (DOT) guidelines and offer them in several material options. Our coated paper tagboard placards offer a cost effective single use; rigid plastic placards offer multiple use even under severe weather conditions: and our adhesive backed VynMark placards are perfect for permanent marking.





Transport Vehicle Markings

We manufacture a wide selection of safety signs & decals, reflectors, and Conspicuity tapes for a variety of fleet marking applications.

Truck Flip Placards and Placard Holders

Our placard holders are manufactured out of high quality aluminum or stainless steel with a stainless steel clip to ensure longevity even in the worst conditions. Our flip charts are printed with DOT legends, and the design is built for durability with a heavy .032" aluminum back plate with baked-on polyester finish to resist fading.



DOT Worded Truck Placards (USA Version)

DOT Truck placards are displayed on vehicles and tanks to identify the risk of products being transported. We manufacture our entire placard line to meet Department of Transport (DOT) guidelines and offer them in several material options. Our paper tagboard placards offer a cost effective single use; rigid plastic placards offer multiple use even under severe weather conditions; and our adhesive backed VynMark placards are perfect for permanent marking. All placards are 10-3/4" x 10-3/4".

Other DOT legends and custom UN numbered placards also available, please call for details. For Canadian TDG version placards please refer to page 128-129.

FLAMMABLE CORROSIV NON-FLAMMA


Adhesive VynMark Intended for permanent application on the


transport vehicle. They are constructed with an outdoor grade 4-MIL VynMark with an aggressive permanent adhesive backing. Once applied these placards provide a permanent DOT marking solution. 100/pack

Rigid Plastic
Printed on durable plastic using weather and UV resistant inks. Able to withstand repeated usage under most conditions. Intended for use with placard holders. 100/pack

Tagboard

Made from a semi-rigid paper card stock with a water resistant coating on both sides. This material is intended for single trip usage, at an economical price. Intended for use with placard holders. 100/pack















Flammable Solids

TA41ØTB – Tagboard TA41ØSS – Rigid Plastic TA41ØPS - Adhesive VynMark

Substances Liable to Spontaneous Combustion

TA42ØTB – Tagboard TA42ØSS - Rigid Plastic TA42ØPS - Adhesive VynMark


Water Reactive Substances

TA43ØTB – Tagboard TA43ØSS – Rigid Plastic TA43ØPS – Adhesive VynMark



Oxidizing Substances

TA51ØTB – Tagboard TA51ØSS - Rigid Plastic TA51ØPS - Adhesive VynMark



Organic Peroxides

TA521TB - Tagboard TA521SS - Rigid Plastic TA521PS - Adhesive VynMark



TA6ØØTB – Tagboard TA6ØØSS - Rigid Plastic TA6ØØPS – Adhesive VynMark

TA62ØTB – Tagboard TA62ØSS - Rigid Plastic TA62ØPS – Adhesive VynMark




Radioactive Materials

TA7ØØTB – Tagboard TA7ØØSS – Rigid Plastic TA7ØØPS – Adhesive VynMark




Corrosives

TA8ØØTB – Tagboard TA8ØØSS – Rigid Plastic TA8ØØPS - Adhesive VynMark



TA96ØTB – Tagboard TA96ØSS - Rigid Plastic TA96ØPS - Adhesive VynMark



TA95ØTB – Tagboard TA95ØSS – Rigid Plastic TA95ØPS – Adhesive VynMark



Aluminum Placard Holder

Page 36-37

Aluminum with a stainless steel clip to ensure longevity even in the worst conditions.

DOT UN Truck Placards (USA Version)

Use these placards when you are required to show a UN number for your Dangerous Goods shipment. Use our individual numbers or numbering kits to produce compliant UN numbered placards in minutes. Check with local compliance authorities to determine appropriate product for your application. For Canadioan TDG versions, please see page 130-131.

Adhesive VynMark
Intended for permanent application on the transport vehicle. They are constructed with an outdoor grade 4-MIL VynMark with an aggressive permanent adhesive backing. Once applied these placards provide a permanent DOT marking solution. 100/pack

Rigid Plastic
Printed on durable plastic using weather and UV resistant inks. Able to withstand repeated usage under most conditions. Intended for use with placard holders.

Tagboard

Made from a semi-rigid paper card stock with a water resistant coating on both sides. This material is intended for single trip usage, at an economical price. Intended for use with placard holders. 100/pack








Non-Flammable & Non-Toxic Gases TT22ØTBPIN – Tagboard TT22ØSSPIN - Rigid Plastic TT22ØPSPIN - Adhesive VynMark




Inhalation Hazard TA23ØTBPIN – Tagboard TA23ØSSPIN - Rigid Plastic TA23ØPSPIN - Adhesive VynMark



Oxidizing Gases TT232TBPIN - Tagboard TT232SSPIN - Rigid Plastic TT232PSPIN - Adhesive VynMark







Placard Numbers & Number Kits

are printed in black on clear or white with permanent adhesive backing. Outer dimensions are 2.125" W x 4" L. Each kit includes 50 decals of each number from 0 to 9 (500 decals). Individual numbers available separately in

Description	Black on Clear	Black on White
Complete Kit	UNCLKIT	UNWHKIT
ʻØ'	UNCLØ	UNWHØ
"1"	UNCL1	UNWH1
'2'	UNCL2	UNWH2
'3'	UNCL3	UNWH3
'4'	UNCL4	UNWH4
'5'	UNCL5	UNWH5
'6'	UNCL6	UNWH6
'7'	UNCL7	UNWH7
'8'	UNCL8	UNWH8
'9'	UNCL9	UNWH9

120



CLASS 4



Flammable Solids

TT41ØTBPIN – Tagboard TT41ØSSPIN – Rigid Plastic TT41ØPSPIN – Adhesive VynMark

Substances Liable to Spontaneous Combustion

TT42ØTBPIN – Tagboard TT42ØSSPIN – Rigid Plastic TT42ØPSPIN – Adhesive VynMark

Water Reactive Substances


TT43ØTBPIN – Tagboard TT43ØSSPIN – Rigid Plastic TT43ØPSPIN – Adhesive VynMark





TT6ØØTBPIN – Tagboard TT6ØØSSPIN – Rigid Plastic TT6ØØPSPIN – Adhesive VynMark

TA62ØTBPIN – Tagboard TA62ØSSPIN – Rigid Plastic TA62ØPSPIN – Adhesive VynMark



Corrosives

TA8ØØTBPIN – Tagboard TA8ØØSSPIN – Rigid Plastic TA8ØØPSPIN - Adhesive VynMark



Misc. Products, Substances or Organisms

TA96ØTBPIN – Tagboard TA96ØSSPIN – Rigid Plastic TA96ØPSPIN – Adhesive VynMark





DOT Pre-Numbered Truck Placards


(USA Version)

We stock a large selection of pre-printed UN numbered placards for your specific transportation compliance needs.

Choose from any of our stock legends below or call for pricing on a custom UN numbered placard. Available in paper tagboard, rigid plastic or adhesive VynMark to suit your specific application. Check with local compliance authorities to determine appropriate product for your application. For Canadian version, please refer to page 132-133.








TT21ØTB1Ø75 – Tagboard TT21ØSS1Ø75 - Rigid Plastic TT21ØPS1Ø75 – Adhesive VynMark




TT3ØØTB1133 – Tagboard TT3ØØSS1133 - Rigid Plastic TT3ØØPS1133 - Adhesive VynMark



TT3ØØTB117Ø – Tagboard TT3ØØSS117Ø - Rigid Plastic TT3ØØPS117Ø – Adhesive VynMark



TT3ØØTB12Ø2 – Tagboard TT3ØØSS12Ø2 - Rigid Plastic TT3ØØPS12Ø2 – Adhesive VynMark



TT3ØØTB12Ø3 – Tagboard TT3ØØSS12Ø3 – Rigid Plastic TT3ØØPS12Ø3 – Adhesive VynMark



TT3ØØTB121Ø – Tagboard TT3ØØSS121Ø – Rigid Plastic TT3ØØPS121Ø – Adhesive VynMark




TT3ØØTB123Ø – Tagboard TT3ØØSS123Ø – Rigid Plastic TT3ØØPS123Ø – Adhesive VynMark



TT3ØØTB1263 – Tagboard TT3ØØSS1263 – Rigid Plastic TT3ØØPS1263 – Adhesive VynMark



TT3ØØTB1267 – Tagboard TT3ØØSS1267 – Rigid Plastic TT3ØØPS1267 – Adhesive VynMark



TT3ØØTB1268 – Tagboard TT3ØØSS1268 – Rigid Plastic TT3ØØPS1268 – Adhesive VynMark



TT3ØØTB1863 – Tagboard TT3ØØSS1863 - Rigid Plastic TT3ØØPS1863 - Adhesive VynMark



TT3ØØTB1866 - Tagboard TT3ØØSS1866 – Rigid Plastic TT3ØØPS1866 – Adhesive VynMark



TT3ØØTB1993 – Tagboard TT3ØØSS1993 – Rigid Plastic TT3ØØPS1993 – Adhesive VynMark



Flammable Liquid, Corrosive, N.O.S.

TT3ØØTB2924 – Tagboard TT3ØØSS2924 – Rigid Plastic TT3ØØPS2924 – Adhesive VynMark



Elevated Temperature Liquid, Flammable N.O.S.

TT3ØØTB3256 – Tagboard TT3ØØSS3256 – Rigid Plastic TT3ØØPS3256 – Adhesive VynMark



Ethanol And Gasoline Mixture

TT3ØØTB3475 – Tagboard TT3ØØSS3475 – Rigid Plastic TT3ØØPS3475 – Adhesive VynMark



Petroleum Sour Crude Oil, Flammable, Toxic

TT3ØØTB3494 – Tagboard TT3ØØSS3494 – Rigid Plastic TT3ØØPS3494 – Adhesive VynMark



Ammonium Nitrite

TT51ØTB1942 – Tagboard TT51ØSS1942 – Rigid Plastic TT51ØPS1942 – Adhesive VynMark



Caustic Alkali Liquid, N.O.S.

TA8ØØTB1719 – Tagboard TA8ØØSS1719 – Rigid Plastic TA8ØØPS1719 – Adhesive VynMark



Corrosive Liquid N.O.S.

TA8ØØTB176Ø – Tagboard TA8ØØSS176Ø – Rigid Plastic TA8ØØPS176Ø – Adhesive VynMark



Hydrochloric Acid

TA8ØØTB1789 – Tagboard TA8ØØSS1789 – Rigid Plastic TA8ØØPS1789 – Adhesive VynMark



Sodium Hydroxide Solution

TA8ØØTB1824 – Tagboard TA8ØØSS1824 – Rigid Plastic TA8ØØPS1824 – Adhesive VynMark



Batteries, Wet, Filled With Acid

TA8ØØTB2794 – Tagboard TA8ØØSS2794 – Rigid Plastic TA8ØØPS2794 – Adhesive VynMark



Corrosive Liquid, Acidic, Inorganic, N.O.S.

TA8ØØTB3264 – Tagboard TA8ØØSS3264 – Rigid Plastic TA8ØØPS3264 – Adhesive VynMark



Corrosive Liquid, Acidic, Organic, N.O.S.

TA8ØØTB3265 – Tagboard TA8ØØSS3265 – Rigid Plastic TA8ØØPS3265 – Adhesive VynMark



Corrosive Liquid, Basic, Inorganic, N.O.S.

TA8ØØTB3266 – Tagboard TA8ØØSS3266 – Rigid Plastic TA8ØØPS3266 – Adhesive VynMark



Environmentally Hazardous Substance, Solid, N.O.S.

TA96ØTB3Ø77 – Tagboard TA96ØSS3Ø77 – Rigid Plastic TA96ØPS3Ø77 – Adhesive VynMark



Environmentally Hazardous Substance, Liquid, N.O.S.

TA96ØTB3Ø82 – Tagboard TA96ØSS3Ø82 – Rigid Plastic TA96ØPS3Ø82 – Adhesive VynMark

DOT Worded Shipping Labels

(USA Version)

Shipping Labels are essential for packages that contain dangerous goods. Labels are available in two materials, adhesive paper for indoor applications and adhesive VynMark for extended outdoor usage.

Our Shipping Labels are manufactured to DOT specifications with fade resistant inks. Labels are 4"x 4" and sold 500/roll.



TA4ØØP - Adhesive Paper TA4ØØV - Adhesive VynMark



Only TA4Ø1P - Adhesive Paper TA4Ø1V - Adhesive VynMark



Gases

TA21P - Adhesive Paper TTA1V - Adhesive VynMark



Class 2 - Non-Fammable & Non-Toxic Gases

TA22P - Adhesive Paper TA22V - Adhesive VynMark



Inhalation Hazard

TA23P - Adhesive Paper TA23V - Adhesive VynMark



Flammable **...** Liquids

TA3ØP - Adhesive Paper TA3ØV - Adhesive VynMark



Flammable Solids

TA41P - Adhesive Paper TA41V - Adhesive VynMark



Spontaneous Combustion

TA42P - Adhesive Paper TA42V - Adhesive VynMark



Water Reactive Substances

TA43P - Adhesive Paper TA43V - Adhesive VynMark



Oxidizing Substances

TA51P - Adhesive Paper TA51V - Adhesive VynMark



Organic Peroxides

TA53P - Adhesive Paper TA53V - Adhesive VynMark



Inhalation Hazard

TA6ØP - Adhesive Paper TA6ØV - Adhesive VynMark



Poison

TA61P - Adhesive Paper TA61V - Adhesive VynMark



Substances

TA63P - Adhesive Paper TA63V - Adhesive VynMark



Cat. 1

TA71P - Adhesive Paper TA71V - Adhesive VynMark



Radioactive Materials Cat. 2

TA72P - Adhesive Paper TA72V - Adhesive VynMark



Radioactive Materials Cat. 3

TA73P - Adhesive Paper TA73V - Adhesive VynMark



TA8ØP - Adhesive Paper TA8ØV - Adhesive VynMark

124



Products

TA91P - Adhesive Paper TA91V - Adhesive VynMark



С

С

0

DOT Worded Tabbed Shipping Labels


(USA Version)

Do you require a dangerous goods label that clearly identifies the exact product that you are shipping? Try our customized DOT shipping labels ($4" \times 5"$). Each $8-1/2" \times 11"$ sheet comes with four color paper DOT labels with the exact product name and UN# printed on the $1" \times 4"$ blank section on one side of the label.

25 sheets per package (100 labels). Call customer service for more details.



The graph below displays the maximum 69 characters allocated for your shipping name and UN number.



What is TDG?

Transportation of Dangerous Goods

Transportation of Dangerous Goods (TDG) is focused on the prevention of incidents when dangerous goods are imported, handled, or offered for transport.

Placards are displayed on vehicles and tanks to identify the risk of products being transported. Shipping labels are essential for packages that contain dangerous goods. All product manufactured to Transport Canada specifications.



Placards are displayed on vehicles and tanks to identify the risk of products being transported. We manufacture our entire placard line to meet Transport Canada guidelines and offer them in your choice of material. Our coated paper tagboard placards offer a cost effective single use; rigid plastic placards offer multiple use even under severe weather conditions; and our adhesive VynMark is perfect for permanent marking.





Transport Vehicle Markings

We manufacture a wide selection of safety signs & decals, reflectors, and Conspicuity tapes for a variety of fleet marking applications.

Truck Flip Placards and Placard Holders

Our placard holders are manufactured out of high quality aluminum or stainless steel with a stainless steel clip to ensure longevity even in the worst conditions. Our flip charts are printed with Canadian TDG legends, and the design is built for durability with a heavy .031" aluminum back plate with baked-on polyester finish to resist fading.



TDG Truck Placards (Canada & International)

Placards are displayed on vehicles and tanks to identify the risk of products being transported. We manufacture our entire placard line to meet Transport Canada guidelines and offer them in your choice of material. Check with local compliance authorities to determine correct product for your application. All placards are 10-3/4" x 10-3/4".


Adhesive VynMark Intended for permanent application on the


transport vehicle. They are constructed with an outdoor grade 4-MIL VynMark with an aggressive permanent adhesive backing. Once applied these placards provide a permanent TDG marking solution. 100/pack


Rigid Plastic
Manufactured on durable plastic able to withstand repeated usage under any weather conditions. The ink is applied using a silk screen process to ensure print quality and resist fading. Intended for use with placard holders. 100/pack


Tagboard


Made from a semi-rigid paper card stock with a water resistant coating on both sides. This material is intended for single trip usage, at an economical price. Intended for use with placard holders. 100/pack




































Aluminum Placard Holder

Page 136-137

Aluminum with a stainless steel clip to ensure longevity even in the worst conditions.

TDG UN Truck Placards (Canada & International)

Use these placards when you are required to show a UN number for your Dangerous Goods shipment. Use our individual numbers or numbering kits to produce compliant UN numbered placards in minutes. Check with local compliance authorities to determine appropriate product for your application. All placards are 10-3/4" x 10-3/4".

Adhesive VynMark Intended for permanent application on the transport vehicle. They are constructed with an outdoor grade 4-MIL VynMark with an aggressive permanent adhesive backing. Once applied these placards provide a permanent TDG marking solution. 100/pack

Rigid Plastic

Manufactured on durable plastic able
to withstand repeated usage under any weather conditions. The ink is applied using a silk screen process to ensure print quality and resist fading. Intended for use with

Tagboard

Made from a semi-rigid paper card stock with a water resistant coating on both sides. This material is intended for single trip usage, at an economical price. Intended for use with placard holders. 100/pack








Non-Flammable & Non-Toxic Gases TT22ØTBPIN - Tagboard TT22ØSSPIN - Rigid Plastic TT22ØPSPIN - Adhesive VynMark




Toxic Gases TT23ØTBPIN – Tagboard TT23ØSSPIN - Rigid Plastic TT23ØPSPIN - Adhesive VynMark



Oxidizing Gases TT232TBPIN - Tagboard TT232SSPIN - Rigid Plastic TT232PSPIN - Adhesive VynMark



TT3ØØPSPIN - Adhesive VynMark



Placard Numbers & Number Kits

are printed in black on clear or white with permanent adhesive backing. Outer dimensions are 2.125" W x 4" L. Each kit includes 50 decals of each number from 0 to 9 (500 decals). Individual numbers available separately in packages of 50 numbers each. All numbers have an over-

Description	BIACK ON Clear	BIACK ON WNITE
Complete Kit	UNCLKIT	UNWHKIT
ʻØ'	UNCLØ	UNWHØ
1'	UNCL1	UNWH1
'2'	UNCL2	UNWH2
'3'	UNCL3	UNWH3
'4'	UNCL4	UNWH4
' 5'	UNCL5	UNWH5
'6'	UNCL6	UNWH6
'7'	UNCL7	UNWH7
'8'	UNCL8	UNWH8
·9·	UNCL9	UNWH9




TDG Pre-Numbered Truck Placards


(Canada & International)

We stock a large selection of pre-printed UN numbered placards for your specific transportation compliance needs.

Choose from any of our stock legends below or call for pricing on a custom UN numbered placard. Available in paper tagboard, rigid plastic or adhesive VynMark to suit your specific application. Check with local compliance authorities to determine appropriate product for your application. All placards are 10-3/4" x 10-3/4".












TT3ØØPS117Ø – Adhesive VynMark














Gasoline TT3ØØTB12Ø3 - Tagboard TT3ØØSS12Ø3 – Rigid Plastic TT3ØØPS12Ø3 - Adhesive VynMark





TT3ØØTB1263 – Tagboard TT3ØØSS1263 – Rigid Plastic TT3ØØPS1263 – Adhesive VynMark









TT3ØØPS1267 - Adhesive VynMark



Flammable Liquid, N.O.S.

TT3ØØTB1993 – Tagboard TT3ØØSS1993 – Rigid Plastic TT3ØØPS1993 – Adhesive VynMark



Flammable Liquid, Corrosive, N.O.S.

TT3ØØTB2924 – Tagboard TT3ØØSS2924 – Rigid Plastic TT3ØØPS2924 – Adhesive VynMark



Elevated Temperature Liquid, Flammable N.O.S.

TT3ØØTB3256 – Tagboard TT3ØØSS3256 – Rigid Plastic TT3ØØPS3256 – Adhesive VynMark



Ethanol And Gasoline Mixture

TT3ØØTB3475 – Tagboard TT3ØØSS3475 – Rigid Plastic TT3ØØPS3475 – Adhesive VynMark



Petroleum Sour Crude Oil, Flammable, Toxic

TT3ØØTB3494 – Tagboard TT3ØØSS3494 – Rigid Plastic TT3ØØPS3494 – Adhesive VynMark



Ammonium Nitrite

TT51ØTB1942 – Tagboard TT51ØSS1942 – Rigid Plastic TT51ØPS1942 – Adhesive VynMark



Caustic Alkali Liquid, N.O.S.

TT8ØØTB1719 – Tagboard TT8ØØSS1719 – Rigid Plastic TT8ØØPS1719 – Adhesive VynMark



Corrosive Liquid N.O.S.

TT8ØØTB176Ø – Tagboard TT8ØØSS176Ø – Rigid Plastic TT8ØØPS176Ø – Adhesive VynMark



Hydrochloric Acid

TT8ØØTB1789 – Tagboard TT8ØØSS1789 – Rigid Plastic TT8ØØPS1789 – Adhesive VynMark



Sodium Hydroxide Solution

TT8ØØTB1824 – Tagboard TT8ØØSS1824 – Rigid Plastic TT8ØØPS1824 – Adhesive VynMark



Batteries, Wet, Filled With Acid

TT8ØØTB2794 – Tagboard TT8ØØSS2794 – Rigid Plastic TT8ØØPS2794 – Adhesive VynMark



Corrosive Liquid, Acidic, Inorganic, N.O.S.

TT8ØØTB3264 – Tagboard TT8ØØSS3264 – Rigid Plastic TT8ØØPS3264 – Adhesive VynMark



Corrosive Liquid, Acidic, Organic, N.O.S.

TT8ØØTB3265 – Tagboard TT8ØØSS3265 – Rigid Plastic TT8ØØPS3265 – Adhesive VynMark



Corrosive Liquid, Basic, Inorganic, N.O.S.

TT8ØØTB3266 – Tagboard TT8ØØSS3266 – Rigid Plastic TT8ØØPS3266 – Adhesive VynMark



Environmentally Hazardous Substance, Solid, N.O.S.

TT96ØTB3Ø77 – Tagboard TT96ØSS3Ø77 – Rigid Plastic TT96ØPS3Ø77 – Adhesive VynMark



Environmentally Hazardous Substance, Liquid, N.O.S.

TT96ØTB3Ø82 – Tagboard TT96ØSS3Ø82 – Rigid Plastic TT96ØPS3Ø82 – Adhesive VynMark

TDG Shipping Labels

(Canada & International)

Shipping Labels are essential for packages that contain dangerous goods. Labels are available in two materials, adhesive paper for indoor applications and adhesive VynMark for extended outdoor usage.

Our Shipping Labels are manufactured to Transport Canada specifications with fade resistant inks. Labels are 4"x 4" and sold 500/roll.









Gases TT21P - Adhesive Paper TT21V - Adhesive VynMark



Class 2 - Non-Fammable & Non-Toxic Gases

TT22P - Adhesive Paper TT22V - Adhesive VynMark



TT23P - Adhesive Paper TT23V - Adhesive VynMark



TT5ØP - Adhesive Paper TT5ØV - Adhesive VynMark



TT3ØP - Adhesive Paper TT3ØV - Adhesive VynMark



Solids TT41P - Adhesive Paper TT41V - Adhesive VynMark



Combustion TT42P - Adhesive Paper TT42V - Adhesive VynMark



TT43P - Adhesive Paper TT43V - Adhesive VynMark



TT51P - Adhesive Paper TT51V - Adhesive VynMark



TT53P - Adhesive Paper TT53V - Adhesive VynMark



Substances

TT6ØP - Adhesive Paper TT6ØV - Adhesive VynMark




Substances

TT63P - Adhesive Paper TT63V - Adhesive VynMark




TT71P - Adhesive Paper

TT71V - Adhesive VynMark



TT72P - Adhesive Paper TT72V - Adhesive VynMark



TT73P - Adhesive Paper TT73V - Adhesive VynMark



TT8ØP - Adhesive Paper TT8ØV - Adhesive VynMark



Products

TT91P - Adhesive Paper TT91V - Adhesive VynMark



TT92P - Adhesive Paper TT92V - Adhesive VynMark



134

m

TDG Tabbed Shipping Labels


(Canada & International)

Do you require a dangerous goods label that clearly identifies the exact product that you are shipping? Try our customized TDG shipping labels (4" \times 5"). Each 8-1/2" \times 11" sheet comes with four color paper TDG labels with the exact product name and UN# printed on the 1" \times 4" blank section on one side of the label.

25 sheets per package (100 labels). Call customer service for more details.



The graph below displays the maximum 69 characters allocated for your shipping name and UN number.



Fuel Tag Dial


Stainless Steel

Completely constructed from 304 stainless steel including all mounting hardware, this durable unit identifies specific fuel types with a selection of eight legends to choose from.

The colorful selection panel face has thick polyester over-lamination to ensure long term durability in all weather conditions and resistance to fuel spills..

Simply push in and rotate to the desired legend then the unit will lock into place. Stop costly mistakes of incorrectly marked fuel, and avoid the hassle of old style fuel tags.

FG1ØØ



Placard Holder

Our placard holders are manufactured out of high quality aluminum or stainless steel with a stainless steel clip to ensure longevity even in the worst conditions. Placard holders have 10 pre-drilled mounting holes for ease of installation. Holder has a formed ramp at the clip to guide placards easily over the clip during removal. Back plate has several raised bumps that keep plastic placards from becoming stuck in the holder during winter weather.


Placard holder is available in natural aluminum (PH223) Or for ultimate durability, longevity and chemical resistance, try our stainless steel version (PH226).



Easy Access Aluminum Placard Holder With Shield

These highly durable placard holders are ideal for extreme weather or muddy conditions because they come with a removable protective shield to cover the placard while in use. This style of placard holder is typically considered the easiest to use in severe conditions.


Replacement shields (PH221) and clips (FCCLIP) also available.



Heavy Duty Placard Holder


Our Heavy Duty Placard holders are manufactured out of 0.040" thick pre-painted white aluminum with a stainless steel clip to ensure longevity even in the worst conditions. These holders have 14 pre-drilled mounting holes for installation. The Heavy Duty holder has a four clip design for added grip on your TDG placards. When used in combination with our PH221 clear shield, it will provide a highly durable, and easy to use placard holding system.

Sized at 14.5" x 14.5", this holder can also be used on most roll up style doors.




Split Placard Holder

Our Split Placard Holders use our standard model (PH223/PH223W) and are split down the middle of the holder allowing for roll up door applications. Manufactured out of high quality aluminum and a stainless steel clip to ensure longevity even in the worst conditions. Placard holders have 10 pre-drilled mounting holes for ease of installation. Holder has a formed ramp at the clip to guide placards easily over the clip during removal. Back plate has several raised bumps that keep plastic placards from becoming stuck in the holder during winter weather.



Clipped Corner Placard Holder

These placard holders are the same design as our PH223 series, but have the corners "clipped" for use on roll up doors. Measuring 14.875" across from clipped corner to clipped corner. Manufactured out of high quality aluminum with a stainless steel clip to ensure longevity even in the worst conditions, these placard holders have 10 pre-drilled mounting holes for ease of installation. Holder has a formed ramp at the clip to guide placards easily over the clip during removal. Back plate has several raised bumps that keep plastic placards from becoming stuck in the holder during winter weather.



Placard Holder Face Plates

For an economical solution, try the face plate only version of our holders. Simply mount them directly on the trailer, add a stainless steel clip (PHCLIP) in the appropriate space, and save. This face plate holder is available in natural aluminum (PH23Ø).



Protective Shield

Our clear placard shields are made from durable 0.040" clear polyethylene PETG plastic. These shields will protect the surface of the placard from abrasion, and will ensure tagboard style placards cannot blow out in wet weather. Plastic offers excellent impact resistance. Compatible with PH223 and PH227 holders



DOT Worded Truck Flip Placards

(USA Version)

Our exclusive design is built for durability. Heavy duty aluminum back plate with baked-on polyester finish to resist fading. The legends are screen printed on corrosion resistant aluminum panels. Stainless steel spring clips are mounted to hold the pages in place and all corners are rounded for easy handling. The aluminum base is available in white enamel finish or mill finish.

Size: 13-3/4" x 13-3/4"



5 Page Flip Placard

Inhalation Hazard (Class 2.3) Oxidizing Gases (Class 2) Flammable Gases (Class 2.1) Non-Flammable Gases (Class 2.2) Blank White

Size: 13-3/4" x 13-3/4"

FC8ØØ5WH (Painted White)




8 Page Flip Placard

Flammable Gases (Class 2.1)
Non-Flammable Gases (Class 2.2)
Flammable Liquids (Class 3)
Oxidizing Substances (Class 5.1)
Poison (Class 6.1)
Inhalation Hazard (Class 6.1)
Corrosive (Class 8)
Danger Mixed Loads

Size: 13-3/4" x 13-3/4"

FC8Ø5ØWH (Painted White)



9 Page Flip Placard

Flammable Gases (Class 2.1)
Non-Flammable Gases (Class 2.2)
Flammable Liquids (Class 3)
Oxidizing Substances (Class 5.1)
Poison (Class 6.1)
Radioactive Materials (Class 7)
Corrosive (Class 8)
Danger Mixed Loads
Blank White

Size: 13-3/4" x 13-3/4"

FC8Ø1ØWH (Painted White)



15 Page Flip Placard

Flammable Gases (Class 2.1) Non-Flammable Gases (Class 2.2) Inhalation Hazard (Class 2.3) Flammable Liquids (Class 3) Flammable Solids (Class 4.1) Substances Liable to Spontaneous Combustion (Class 4.2) Water Reactive Substances (Class 4.3) Oxidizing Substances (Class 5.1) Organic Peroxides (Class 5.2) Toxic (Class 6.1) Inhalation Hazard (Class 6.1) Corrosive (Class 8) Misc. Products Substances or Organisms (Class 9) Danger Mixed Loads Blank White Size: 13-3/4" x 13-3/4" FC8Ø15WH (Painted White)



15 Page Flip Placard

Flammable Gases (Class 2.1) Non-Flammable Gases (Class 2.2) NON-FLAMMABLE GAS INHALATION **FLAMMABLE** FLAMMABLE Inhalation Hazard (Class 2.3) Flammable Liquids (Class 3) Combustible Liquids (Class 3) Flammable Solids (Class 4.1) Substances Liable to Spontaneous Combustion (Class 4.2) Water Reactive Substances (Class 4.3) Oxidizing Substances (Class 5.1) COMBUSTIBLE Poison (Class 6.1) Inhalation Hazard (Class 6.1) PG II (Class 6.1) Corrosive (Class 8) Misc. Products Substances or Organisms (Class 9) Danger Mixed Loads INHALATION HAZARD DANGEROUS W **OXIDIZER** POISON Size: 13-3/4" x 13-3/4" 6 FC8Ø3ØWH (Painted White) DANGEROUS PG III **CORROSIVE**

TDG Truck Flip Placards

(Canada & International)

Our exclusive design is built for durability, heavy duty aluminum back plate with baked-on polyester finish to resist fading. The legends are screen printed on corrosion resistant aluminum panels. Stainless steel spring clips are mounted to hold the pages in place and all corners are rounded for easy handling. The aluminum base is available in white enamel finish or mill finish.

Size: 13-3/4" x 13-3/4"



4 Page Flip Placard

1.1D (Class 1)

1.1B (Class 1)

1.4B (Class 1)

1.5D (Class 1)

Size: 13-3/4" x 13-3/4"

FC7ØØØWH (Painted White)









5 Page Flip Placard

Flammable Gas (Class 2) Compressed Gas (Class 2) Flammable Liquids (Class 3) Corrosive (Class 8) DANGER

Size: 13-3/4" x 13-3/4"

FC5Ø1ØWH (Painted White)



Flip Placard Clip

Use our stainless steel clips to replace broken or missing clips from any flip placard system.



Placard Holder Clip

Use our stainless steel clip to repair or replace any placard style holder on the market. Has a fold back flat style to allow for easy placard removal.



m

6 Page Flip Placard

Flammable Liquids (Class 3) Oxidizers (Class 5.1) Toxic Substances (Class 6.1) Corrosive (Class 8) DANGER Blank White

Size: 13-3/4" x 13-3/4"

FC5Ø3ØWH (Painted White)



9 Page Flip Placard

Flammable Gas (Class 2) Compressed Gas (Class 2) Flammable Liquids (Class 3) Oxidizers (Class 5.1) Toxic Substances (Class 6.1) Radioactive (Class 7) Corrosive (Class 8) DANGER Blank White

Size: 13-3/4" x 13-3/4"

FC5Ø2ØWH (Painted White)



14 Page Flip Placard

Flammable Gas (Class 2)
Compressed Gas (Class 2)
Poison Gas (Class 2)
Flammable Liquids (Class 3)
Flammable Solid (Class 4)
Dangerous When Wet (Class 4)
Oxidizers (Class 5.1)
Organic Peroxides (Class 5.2)
Toxic Substances (Class 6.1)
Radioactive (Class 7)
Corrosive (Class 8)
Miscellaneous (Class 9)
DANGER
Blank White

Size: 13-3/4" x 13-3/4"

FC5ØØØWHR (Painted White)





2 Page Fuel Flip Placard

Class 3 Flammable Liquid with UN 1202 UN 1203

Size: 13-3/4" x 13-3/4"

2 Page FC4Ø2ØAL (Natural Aluminum) 2 Page FC4Ø2ØWH (Painted White)



3 Page Fuel Flip Placard

Class 3 Flammable Liquid with UN 1202 UN 1203 UN 1267

Size: 13-3/4" x 13-3/4"

3 Page FC4Ø5ØAL (Natural Aluminum) 3 Page FC4Ø5ØWH (Painted White)



3 Page Fuel Flip Placard

Class 3 Flammable Liquid with UN 1202 UN 1203 UN 1863

Size: 13-3/4" x 13-3/4"

3 Page FC4Ø3ØAL (Natural Aluminum) 3 Page FC4Ø3ØWH (Painted White)



4 Page Fuel Flip Placard

Class 3 Flammable Liquid with

UN 1202

UN 1203

UN 1863

UN 3475.

Size: 13-3/4" x 13-3/4"

- 4 Page FC4Ø4ØAL (Natural Aluminum)
- 4 Page FC4Ø4ØWH (Painted White)



6 Page Fuel Flip Placard

Class 3 Flammable Liquid with

UN 1202

UN 1203 UN 1268

UN 1863

UN 1993

UN 3475

Size: 13-3/4" x 13-3/4"

6 Page FC4Ø6ØAL (Natural Aluminum) 6 Page FC4Ø6ØWH (Painted White)



Custom Flip Placard System

Choose any of the legends in any combination that you need.

Call for more details.



Flip Placard with Rotating Numbers

Versatile flip placards from INCOM help make changing numbered placards quick and easy. This flip placard system contains both Canadian & US legends. Our exclusive design is built for durability, heavy .031" aluminum back plate with baked-on polyester finish to resist fading. The legends are screen printed on corrosion resistant aluminum panels. Stainless steel spring clips are mounted to hold the pages in place and all corners are rounded for easy handling.

Size: 13-3/4" x 13-3/4"



5 Page Flip Placard

Flammable (Class 3) DOT & TDG Combustible (Class 3) DOT Poison (Class 6) DOT & TDG Corrosive (Class 8) DOT & TDG Blank White

Size: 13-3/4" x 13-3/4"

FC6Ø15AL (Natural Aluminum)







6 Page Flip Placard

Flammable (Class 3) DOT & TDG Oxidizer (Class 5.1) DOT & TDG Inhalation Hazard (Class 6) DOT Poison (Class 6) DOT & TDG Corrosive (Class 8) DOT & TDG Blank White

Size: 13-3/4" x 13-3/4"

& TDG & TDG & TDG DG & TDG










FC6Ø1ØWH (Painted White)

9 Page Flip Placard

Inhalation Hazard (Class 2) DOT Combustible (Class 3) DOT Flammable (Class 3) DOT & TDG Oxidizer (Class 5.1) DOT & TDG Inhalation Hazard (Class 6) DOT Poison (Class 6) DOT & TDG Corrosive (Class 8) DOT & TDG Miscellaneous (Class 9) DOT & TDG Blank White

Size: 13-3/4" x 13-3/4"

FC6ØØØAL (Natural Aluminum)




Rigid-Flip Rectangle Page Flip Placard

The FC9000 series "Rigid-Flip" placards are a versatile flip placard with features that differ from our standard model. The construction of the pages has an added benefit utilizing a cutout in the page so each clip arm seats securely in place to help reduce both page wear and clip loss during use. Page turning is made easy by two finger cutouts adjacent to each other on the frame. This allows the user access to the edge of the pages and select the desired legend. All weather versatility with large ridges that run along all 4 sides of the thick durable base for added strength. Rectangular shape of pages, coupled with the location of hinges and stainless steel clips being closer to corners and edge helps to reduce curled page edges for added safety. Made from a ultra durable 0.04" thick aluminum.

Rigid-Flip placard systems are 15" between clipped corners for use on most roll up style doors. Contact us for the full range of standard and custom options for this new flip placard product.

Size: 14.5" x 14.5"



2 Page Rigid-Flip Placard

(USA, Canada & International)

Class 3 Flammable Liquid with UN number 1202 and 1203.

Size: 14.5" x 14.5"

FC9Ø2Ø (Painted White)





Non-Worded 9 Page Rigid-Flip Placard

(Canada & International)

Class 2 Flammable Gas, Class 2.1 Non-Flammable Gas,

Class 3 Flammable Liquid, Class 5.1 Oxidizer, Class 6.1 Toxic Substances,

Class 7 Radioactive, Class 8 Corrosive DANGER and Blank White.

Size: 14.5" x 14.5"

9 Page FC9ØØ9 (Painted White)



Worded 9 Page Rigid-Flip Placard

(USA Version)

Class 2 Flammable Gas, Class 2.1 Non-Flammable Gas, Class 3 Flammable Liquid, Class 5.1 Oxidizer, Class 6.1 Poison, Class 7 Radioactive, Class 8 Corrosive DANGEROUS and Blank White.

Size: 14.5" x 14.5"

9 Page FC9Ø1Ø (Painted White)



Vehicle Safety Decals

Our vehicle safety decals are perfect for marking notices and safety equipment to drivers. Decals have been laminated with a thick polyester UV-resistant film for added outdoor durability and chemical resistance when mounted on vehicles.

4" x 4" printed on outdoor adhesive VynMark with polyester UV lamination. Sold 25 per pack.











DEC103



DEC1Ø1



DEC1Ø4



DEC109



DEC105



DEC107



DEC108



DEC102



DEC110



DEC106



DEC111

Speciality Handling

Labels

Identify specific handling requirements for your goods with our specialty handling labels. We manufacture them using a white high gloss paper stock with an aggressive permanent adhesive.

Labels are shipped 500/roll, with the exception of the "Made In Canada" labels which are shipped 1000/roll only.



1Ø79 3" x 6'



1093 4" x 4"



1631 6" x 1.5"



5" x 4.5"



1113P 1" x 1'



1Ø19 5" x 3"



1122P 3/4" x 1/2"



1Ø87 4" x 4"



1Ø88 4" x 4"



4" x 6"



1Ø64R 4" x 6"



1Ø58 4" x 6"



1Ø67 4" x 6"



1Ø71 4" x 6"

d



1074 4" x 6"



1Ø55 4" x 6"



1Ø57 4" x 6"

Transport Trailer Safety Signs

Our durable truck signs are silk screen printed on an outdoor grade VynMark for long term durability. Make sure drivers are aware of the limited operation of your vehicle.

Custom Designs Available. Call for Details.



WT1592 - 16" x 14"




WT1593 - 11-1/2" x 16"



WT159Ø - 13" x 9"



WT1595 - 17" x 9"



WT1594 - 17" x 11"

Inventory Coding Labels

Perfect for marking inventory and anything else that needs to be coded for identification purposes. We manufacture our color coded labels in a wide variety of colors and sizes to suit any application.

They are made using a high gloss paper stock with permanent adhesive. Labels are sold 1000 per roll.



Size	Red	Blue	Green	Yellow	Pink	White	Orange	Purple	Black
3/4"	13Ø5	13Ø6	13Ø7	13Ø8	13Ø9	1310	1311	1312	1313
1"	1314	1315	1316	1317	1318	1319	1320	1321	1322
2"	1332	1333	1334	1335	1336	1337	1338	1339	1340

SO 17712:2013C O M P L I A N T

High Security Bolt Seal

APPLICATION

- Container Door Latches

FEATURES

- Meets ISO 17712:2013 compliant (C-TPAT)
 Both parts can be numbered to prevent fraud by replacement of either Bolt or Body
- and accurate tracking of numbers

 Anti-spin feature ensures the seal is locked when closed
- Removal requires bolt cutters
- Total length 3-3/4" with a 2-1/4" barrel for locking



TS7000Y Yellow - 200/case **TS700Y**



California Regulatory Warning

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

High Security Cable Seal

High security, metal, temper evident, flexible cable seal. Lock body available in two

APPLICATION

- Trucks/Trailers
- Meter BoxesTote Boxes
- Rail Cars

- Remove with cable cutter
- Standard length is 12 inches. Cable lengths can be varied according to requirements



California Regulatory Warning

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Pull-Tight Seal

Adjustable strap seal with dual locking mechanism

APPLICATION

- Trucks/Trailers
- Refineries
- Postal bags • Cash bags
- Warehouse
- Fuel oil tankers

FEATURES

- Dual Locking mechanism
- Beaded strap provide addition grip with applied surface
- Carefully designed strap diameter that enable sealing apertures
- Laser printing provides highest level of security
- Suitable for temperatures ranging from -20° C to 80° C
- Overall length 14 inches





Dual-Lock Seal

Dual-Lock Seal is a fixed length seal made from polypropylene plastic. It has an acetal jaw and unique double locking mechanism specially designed to enhance its security against tampering.

APPLICATION

- Vehicle doors
- Tankers petroleum, bulk foods & liquids
- Shipping containers

FEATURES

- Fixed loop design, with an 8 inch overall length
- Patented double locking mechanism & ribbed locking head
- Acetal locking jaw with a higher melting point than polypropylene
- Pre-determined break point on the seal





1117053

California Regulatory Warning
WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

TS1000R

TS100R

Red - 1000/case

Red - 100/pack

Easy-Break Seal


Easy-Break Seal has been developed primarily for sealing safety equipment after their annual test and certification. The low break strength (14 lbs / 6 Kgs) allows for manual removal in cases of emergency.

APPLICATION

• Regulated emergency devices

FEATURES

- Has a low breaking strength (14 lbs / 6 Kgs)
- · Available in two standard colors
- Total length is 9-3/4 inches
- Can be printed with customer name and sequential serial number



California Regulatory Warning

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

Padlock Seal

This easy to apply padlock seal features a stainless steel wire hasp which can be scored for added protection and easy removal.

APPLICATION

- Utility Meters
- Switches
- Valves
- Vending Machines
- Keys
- Medical Cabinets

FEATURES

- Consecutive and alphabetically prefixed hot-stamped numbers are available
- Name and/or logo can be hot-stamped
- Any attempt to tamper with seal is clearly evident
- Ultra Violet stabilized
- Overall length 2-1/2" with a 7/8" loop

TS4000R

Red - 1000/case


TS400R

Red - 100/pack

TS4000B Blue - 1000/case

TS400B

Blue - 100/pack



California Regulatory Warning

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

0000723

What is the NFPA?

National
Fire
Protection
Association



The National Fire Protection Association (NFPA) is an non-profit organization devoted to eliminating death, injury, property and economic loss due to fire, electrical and related hazards.

The NFPA Diamond

The NFPA hazard diamond is a commonly used standard of identification of the hazards of chemicals and materials.


The easily read visual details help emergency first responders quickly identify the hazardous chemical, by using the rating numbers and symbols.


Learn more about NFPA at www.nfpa.org



Understanding the NFPA 704 Diamond

This is diamond-shaped NFPA 704 style sign with four smaller quadrants inside. One diamond is blue, one is red, one is yellow and one is white. The diamond-shaped signs use the four color-coded categories identify the hazards that personnel or observers are exposed to in any specific area with just a quick visual inspection of the sign diamond. The image to the right shows the different colored sections and what they represent.





Recommended Viewing Distance

The size of the diamond and the associated numbers and symbols is dependent on the distance at which the hazard ratings can be safely viewed in the event of an accident.

According to the NFPA 704 Standard, a ratio of 25 feet of viewing distance per inch of text should be used to determine the minimum text size required, up to 100 feet.

A Diamond Size	B Character Size	C Diamond Height	Legible Viewing Distance
3" x 3"	1"	4.25"	1 to 40 ft
6" x 6"	2"	8.5"	41 to 85 ft
9" x 9"	3"	12.75"	86 to 135 ft
11" x 11"	4"	15.5"	136 to 150 ft
15" x 15"	6"	21.25"	151 to 200 ft
20" x 20"	8"	28.25"	201 to 300 ft
24" x 24"	10"	34"	301 to 400 ft

NFPA Hazardous Materials Signs

NFPA workplace safety signs give a clear and obvious display of the NFPA hazards and symbology. Signs include the commonly seen NFPA diamond along with details as to the hazards it represents.

Helps identify the extent of a health or fire hazard with a chemical using the NFPA diamond system. Commonly used in workplaces using the NFPA hazard identification system. Available in an assortment of materials to suit your application.

HOW TO ORDER:

SELECT SIGN - \$\$5000 SELECT SIGN TYPE - V ADD TOGETHER. - \$\$5000


SIGN 🕶 ARMOR	Weather, Chemic	Weather, Chemical, Abrasion & Graffiti Resistant Coating	
V	P	A	MV
Adhesive VynMark	Semi-Rigid Plastic	Aluminum	Magnetic Sheeting

OVER-LAMINATION	High Performance Outdoor UV Film		
VL	PL	AL	
Adhesive VynMark	Semi Rigid Plastic	Aluminum	



Custom NFPA Hazard Rating Diamond Send us the chemical name and hazard classifications for us to make up professional looking signs for your regulatory requirements. Call our customer service department for details.

To obtain your sign hazard rating you'll will need to look at your SDS sheets or refer to Fire Protection Guide to Hazardous Materials.



SA4500 - 7" x 10" **SS4500** - 10" x 14" **SC4500** - 14" x 20"



SA45Ø1 - 7" x 10" **SS45Ø1** - 10" x 14" **SC45Ø1** - 14" x 20"



SA4502 - 7" x 10" **SS4502** - 10" x 14" **SC4502** - 14" x 20"




SA45Ø3 - 7" x 10" **SS45Ø3** - 10" x 14" **SC45Ø3** - 14" x 20"



SA45Ø4 - 7" x 10" **SS45Ø4** - 10" x 14" **SC45Ø4** - 14" x 20"



SA45Ø5 - 7" x 10" **SS45Ø5** - 10" x 14" **SC45Ø5** - 14" x 20"



SA45Ø6 - 7" x 10" **SS45Ø6** - 10" x 14" **SC45Ø6** - 14" x 20"



SA4507 - 7" x 10" **SS4507** - 10" x 14" **SC4507** - 14" x 20"

NFPA 704 Diamond

NFPA workplace diamond gives a clear and obvious display of the NFPA hazards and symbology. Signs include the commonly seen NFPA diamond along with labels to apply different hazard numbers and symbols to change the sign to suit the specific chemical hazard. Numbers and symbols are included in the kit version of these signs and the user can apply them to meet their needs. Blank diamonds are also sold separately.

Helps identify the extent of a health or fire hazard with a chemical using the NFPA diamond system. Commonly used in workplaces using the NFPA hazard identification system.

We can also pre-print these diamonds with all your required details for an easy and professional looking result. Call us for details.

NFPA diamond only or in kit form

Each Kit Includes

- One NFPA diamond
- 15 numbers 0-4 in blue, red and yellow
- 7 specific hazard symbols

Diamond Size	Character Size	Stock No.	Material	Description	
3" x 3"	1"	NFPA1ØØKITV	Adhesive VynMark	NFPA Diamond & Character Set	
3" x 3"	1"	NFPA1ØØV	Adhesive VynMark	NFPA Diamond Only	
6" x 6"	2"	NFPA1Ø1KITV	Adhesive VynMark	NFPA Diamond & Character Set	
6" x 6"	2"	NFPA1Ø1V	Adhesive VynMark	NFPA Diamond Only	
6" x 6"	2"	NFPA1Ø1KITP	Rigid Plastic	NFPA Diamond & Character Set	
6" x 6"	2"	NFPA1Ø1P	Rigid Plastic	NFPA Diamond Only	
9" x 9"	3"	NFPA1Ø2KITV	Adhesive VynMark	NFPA Diamond & Character Set	
9" x 9"	3"	NFPA1Ø2V	Adhesive VynMark	NFPA Diamond Only	
9" x 9"	3"	NFPA1Ø2KITP	Rigid Plastic	NFPA Diamond & Character Set	
9" x 9"	3"	NFPA1Ø2P	Rigid Plastic	NFPA Diamond Only	
9" x 9"	3"	NFPA1Ø2KITA	Aluminum	NFPA Diamond & Character Set	
9" x 9"	3"	NFPA1Ø2A	Aluminum	NFPA Diamond Only	
11" x 11"	4"	NFPA1Ø3KITV	Adhesive VynMark	NFPA Diamond & Character Set	
11" x 11"	4"	NFPA1Ø3V	Adhesive VynMark	NFPA Diamond Only	
11" x 11"	4"	NFPA1Ø3KITP	Rigid Plastic	NFPA Diamond & Character Set	
11" x 11"	4"	NFPA1Ø3P	Rigid Plastic	NFPA Diamond Only	
11" x 11"	4"	NFPA1Ø3KITA	Aluminum	NFPA Diamond & Character Set	
11" x 11"	4"	NFPA1Ø3A	Aluminum	NFPA Diamond Only	
15" x 15"	6"	NFPA1Ø4KITV	Adhesive VynMark	NFPA Diamond & Character Set	
15" x 15"	6"	NFPA1Ø4V	Adhesive VynMark	NFPA Diamond Only	
15" x 15"	6"	NFPA1Ø4KITP	Rigid Plastic	NFPA Diamond & Character Set	
15" x 15"	6"	NFPA1Ø4P	Rigid Plastic	NFPA Diamond Only	
15" x 15"	6"	NFPA1Ø4KITA	Aluminum	NFPA Diamond & Character Set	
15" x 15"	6"	NFPA1Ø4A	Aluminum	NFPA Diamond Only	
20" x 20"	8"	NFPA1Ø5KITV	Adhesive VynMark	NFPA Diamond & Character Set	
20" x 20"	8"	NFPA1Ø5V	Adhesive VynMark	NFPA Diamond Only	
20" x 20"	8"	NFPA1Ø5KITP	Rigid Plastic	NFPA Diamond & Character Set	
20" x 20"	8"	NFPA1Ø5P	Rigid Plastic	NFPA Diamond Only	
20" x 20"	8"	NFPA1Ø5KITA	Aluminum	NFPA Diamond & Character Set	
20" x 20"	8"	NFPA1Ø5A	Aluminum	NFPA Diamond Only	
24" x 24"	10"	NFPA1Ø6KITV	Adhesive VynMark	NFPA Diamond & Character Set	
24" x 24"	10"	NFPA1Ø6V	Adhesive VynMark	NFPA Diamond Only	
24" x 24"	10"	NFPA1Ø6KITP	Rigid Plastic	NFPA Diamond & Character Set	
24" x 24"	10"	NFPA1Ø6P	Rigid Plastic	NFPA Diamond Only	
24" x 24"	10"	NFPA1Ø6KITA	Aluminum	NFPA Diamond & Character Set	
24" x 24"	10"	NFPA1Ø6A	Aluminum	NFPA Diamond Only	





Custom NFPA Hazard Rating Diamond

Select the character you require and we will print directly on the NFPA diamond.

To obtain your sign hazard rating you'll will need to look at your SDS sheets or refer to Fire Protection Guide to Hazardous Materials.

NFPA Wallet Guide

Use our NFPA wallet guide to keep a quick and handy reference to the NFPA hazards and symbology. Helps identify the extent of a health or fire hazard with a chemical using the NFPA diamond system. Commonly used in workplaces using the NFPA hazard identification system.

Wallet Guide size: 3.375" x 2.125"

NFPA2000





BACK


HEALTH		FLAMMABLE		INSTABILITY
Recommended protection	S	usceptibility to burning	Sus	sceptibility to energy release
Deadly - Special full protective suit and breathing apparatus must be worn.	4	Below 73°F - Very flamable	4	May detonate under normal conditions.
Danger - Full protective suit and breathing apparatus should be worn.	3	Below 100°F - Ignites under normal temperature conditions.	3	May detonate with shock or heat.
Hazardous - Breathing apparatus with full face mask should be worn.	2	Below 200°F - Ignites with moderate heating.	2	Violent chemical change but does not detonate.
Slightly hazardous - Breathing apparatus may be worn.	1	Above 200°F - Ignites when preheated	1	Not stable if heated use precautions.
Normal - No precautions necessary.	0	Wi ll not burn	0	Normally stable

NFPA Label Rolls


NFPA workplace safety labels give a clear and obvious display of the NFPA hazards and symbology. Labels include the commonly seen NFPA diamond along with areas to fill in specific details of the chemical hazard. Labels will adhere to most clean dry surfaces.

Helps identify the extent of a health or fire hazard with a chemical using the NFPA diamond system. Commonly used in workplaces using the NFPA hazard identification system.





NFPA2001 - 1.5" x 4" 500/roll



NFPA2002 - 1.5" x 4" 500/roll


NFPA Hazardous Material Tags



NFPA workplace safety tags give a clear and obvious display of the NFPA hazards and symbology. Tags include the commonly seen NFPA diamond along with details as to the hazards it represents. Helps identify the extent of a health or fire hazard with a chemical using the NFPA diamond system. Commonly used in workplaces using the NFPA hazard identification system.

HOW TO ORDER:

SELECT TAG - TG7ØØØ	SELECT TAG TYPE - PT	ADD TOGETHER TG7ØØØPT	
	PT	RP	RL
10-mil Poly Tag		15-mil Rigid DuraPly	20-mil Rigid Laminated DuraPly
3/8" diameter drilled hole.		3/8" diameter metal grommet to add strength.	3/8" diameter large grommet for extra strength.



NFPA Flip Placard

NFPA workplace flip placard diamond gives a clear and obvious display of the NFPA hazards and symbology. Flip placard sign include the commonly seen NFPA diamond along with the ability to flip through the different hazard numbers and symbols to change the sign to suit different chemical hazards. Constructed from aluminum with stainless steel clips for longevity

Helps identify the extent of a health or fire hazard with a chemical using the NFPA diamond system. Commonly used in workplaces using the NFPA hazard identification system.

NFPA3ØØØ







HazCom 2012 and WHMIS 2015



(GHS)

HazCom 2012 ■

Hazard Communication

WHMIS 2015 №

Workplace Hazardous

Materials Information System

What are the different versions of GHS?

While the regulations of HazCom 2012 (US) and WHMIS 2015 (Canada) are closely aligned, they do have slight variations in classification and labeling. For example, all labels and SDSs in WHMIS 2015 (Canada) must be in both English and French, while the HazCom 2012 (US) labels and SDSs must be in English only. Other variances include a hazard class for Biohazardous Infectious Materials (BIM) and pictogram for WHMIS 2015 (Canada), which does not exist for HazCom 2012 (US), as these materials are not regulated in US workplaces.

To learn more, please visit OSHA's website: www.osha.gov and Health Canada's website: www.canada.ca for additional information.

Under the Globally Harmonized System (GHS), workplace hazardous materials have new Pictograms, Signal Words, and Hazard Statements replacing the existing system. Our products are designed for the specific requirements that these changes bring to workplaces.

Labelling

- Pictogram Labels
- Workplace labels
- Laser & thermal printable
- Workplace Tags and Decals
- Multiple sizes for any application






Signage

- SDS Centers
- Information centers
- SDS Binders
- Wall Charts
- Compliance Signs

Information Wall Chart

Our GHS Wall Chart provides a comprehensive overview of new GHS labeling requirements. The chart details the 3 main hazard groups; Physical, Health & Environmental. The requirements for supplier labels when decanting or transferring hazardous chemicals; visual representations of the precautionary statement pictograms; and a list of the information required on a Safety Data Sheet.

Mount this durable, pliable plastic chart in a prominent place to help refresh your employee's knowledge of the GHS requirements. Available in two sizes.



Pictogram Wall Chart

Our GHS Pictogram Poster is a quick and easy way to convey the new GHS pictograms in the workplace. This wall chart clearly displays the new pictograms and arranges them by their hazard group under the GHS: Physical, Health & Environmental hazards. The wall chart also provides a detailed description of the related hazards. Printed in full color on durable, pliable plastic, this chart is easily mounted on any wall. Units are 24" x 36".

Stock No.	HazCom 2012 (USA) Description		
GHS1Ø1Ø	HazCom 2012 Pictogram Wall Chart (24" x 36")		
Stock No.	WHMIS 2015 (Canada) Description		
GHS1Ø1ØC	WHMIS 2015 Pictogram Wall Chart (24" x 36")		

Simplified Pictogram Wall Chart

1

Our Simplified Pictogram Chart quickly illustrates the GHS hazard pictograms in a big and bold format. The large sized pictograms are easily read from a distance making it a handy reference for any work environment.

Printed in full color on a durable, pliable plastic, this chart is easily mounted on any wall. Available in two sizes.

Stock No.	Description
GHS1Ø27	Simplified Pictogram Wall Chart (24" x 36")
GHS1Ø28	Simplified Pictogram Wall Chart (18" x 24")
Stock No.	WHMIS 2015 (Bilingual Canadian Version)
GHS1077	WHMIS 2015 Simplified Pictogram Wall Chart - English/French (24" x 36")



Safety Data Sheet

Information Station

Our GHS Information Station provides a central place to easily access all SDS sheets as well as the basic information required for the GHS system. The board is printed with the 3 main hazard groups; Physical, Health & Environmental. The requirements for supplier labels when decanting or transferring hazardous chemicals; visual representations of the precautionary statement pictograms; and a list of the information required on a Safety Data Sheet.

The station is printed in full color on a mounting board and comes with a sturdy metal pocket. Each station also comes with a standard 3 ring SDS printed binder with A - Z alphabetical dividers to sort all of your Safety Data Sheets. The mounting board is constructed of 1/4" rigid plastic with 4 mounting holes to provide easy mounting and years of durability. Available in two sizes.

Stock No.	HazCom 2012 (USA) Description
GHS1ØØ1	HazCom 2012 Information Station with 2 binders (24" x 36")
GHS1ØØ2	HazCom 2012 Information Station with 1 binder (18" x 24")
Stock No.	WHMIS 2015 (Canada) Description
GHS1ØØ1C	WHMIS 2015 Information Station with 2 binders (24" x 36")
GHS1ØØ2C	WHMIS 2015 Information Station with 1 binder (18" x 24")
GHS1Ø19	WHMIS 2015 Information Station with 2 binders - English/French (24" x 36")
GHS1Ø72	WHMIS 2015 Information Station with 1 binder - English/French (18" x 24")



Safety Data Sheet Station

Our Safety Data Sheet Information Station provides a central place to easily access all SDS sheets for your plant or office. The Station comes with a sturdy metal pocket designed to hold the included binder. The mounting board is constructed of 1/4" rigid plastic with 4 mounting holes to provide easy mounting and years of durability.

Each station comes with a standard 3 ring SDS printed binder with A - Z alphabetical dividers to sort all of your Safety Data Sheets. Available in 2 sizes.

Stock No.	Description
GHS1Ø11	SDS Station with 2 binders (24" x 36")
GHS1Ø12	SDS Station with 1 binder (18" x 24")
GHS1Ø84	SDS Station with 1 binder (17.5" x 15.5")
Stock No.	WHMIS 2015 (Bilingual Canadian Version)
GHS1Ø2Ø	WHMIS 2015 SDS Station with 2 binders - English/French (24" x 36")
GHS1Ø21	WHMIS 2015 SDS Station with 1 binder - English/French (18" x 24")
GHS1Ø85	WHMIS 2015 SDS Station with 1 binder - English/French (17.5" x 15.5")



Safety Data Sheet Binder

Organize and access your Safety Data Sheets quickly and easily with our Safety Data Sheet Binders. Our binders come in two sizes. The regular size binders come with a standard 1-1/2" D-slant format ring. Our Large binder comes with a 3" D-slant ring for easy storage of large numbers of SDS sheets.

C

Printed with bright graphics, these binders will be highly visible in your workplace.

All our binders come with sturdy A-Z alphabetical reinforced dividers to sort and organize your Safety Data Sheets.

Stock No.	Description
GHS1Ø49	Large SDS Binder with A-Z Dividers
GHS1ØØ8	SDS Binders with A-Z Dividers
Stock No.	WHMIS 2015 (Bilingual Canadian Version)
GHS1082	WHMIS 2015 Large SDS Binder with A-Z Dividers - English/French
GHS1ØØ9	WHMIS 2015 SDS Binders with A-Z Dividers - English/French



Safety Data Sheet

Awareness Decals

These SDS decals can be used on the binder pockets of our Information Stations or simply add it to a wall or storage area for your SDS information.

Decals are 4" \times 4" (100mm \times 100mm) and come in sheets with 10 per pack. Printed on adhesive VynMark. Available in SDS and FDS formats.

Stock No.	Description
GHS13Ø1	SDS Decal (English)
GHS13Ø2	FDS Decal (French/Spanish)



Metal Safety Data Sheet

Storage Case

Our Metal SDS Storage Case provides a durable, protective, and secure area for storage of all your SDS records. Units have two metal closure latches. Our SDS Storage Case has 4 pre-drilled holes and is easily mounted to any wall in your facility. This highly visible case will accommodate any of our SDS binders (sold separately).

Inside Dimensions: 13.75" H x 13.875" W x 5" D

Stock No.	Description
GHS1Ø46	Metal SDS Storage Case



GHS Trained Stickers

These decals are great handouts at the completion of your GHS training sessions.

2.5" in diameter and printed on adhesive VynMark, these decals come 2 per sheet, 5 sheets per package, 10 stickers per package.




Stock No.	Description
GHS1Ø26	GHS Trained Stickers (10/pkg)

Information Decals

This GHS Information decal is a great choice for mounting inside delivery vehicles and on equipment. It covers topics important to employees dealing with product identified under the new GHS standards including the 5 main sections of a GHS Supplier Label and the GHS formatted pictograms, including the optional Environment picto.

The decals are 8.5" wide, by 11" tall, printed on adhesive VynMark. 10 Decals/pack.



Stock No.	Description
GHS1Ø47	GHS Information Decals (8.5" x 11")

Secondary Workplace Tags & Labels

Our secondary workplace tags and labels clearly identify hazards to your employees. These labels and tags offer an easy to use design to correctly identify the hazard information for labeling secondary containers in your workplace. The tags are made from a waterproof stock that can easily be printed on. The labels are made from a premium peel and stick material with a permanent adhesive.

Both tags and labels are available with a self laminating protective shield that is installed after completing the information, making them chemical and scuff resistant.



(Self-Laminated Tag)

Stock No.	Description
GHS1Ø83	Self-Laminated Tag - (3%" x 5¾") (24/pack)
GHS1318	Tag - (3%" x 5¾") (25/pack)
Stock No.	WHMIS 2015 (Canada) Description
GHS1Ø83F	WHMIS 2015 Self-Laminated Tag - French (3%" x 5¾") (24/pack)
GHS1318F	WHMIS 2015 Tag - French (3%" x 534") (25/pack)



GHS1316 (Self-Laminated Label)

Stock No.	Description
GHS1316	Self-Laminated Label - (3" x 6") (24/pack)
GHS1317	Label - (3" x 6") (24/pack)

Make Your Own

Workplace Tags

Use our GHS style workplace tags to clearly identify hazards to your employees. Our GHS tags offer a simple template design to build your tag on. The tags are made from a waterproof stock that can easily be printed on and the tags are sized to work with ½" pictograms and PPE label pads (sold separately). Build your own tags on demand that look professional and communicate your message clearly.

Tags are 3" \times 6" made from a durable rip-resistant waterproof stock with a reinforcing 3/8" metal grommet. Sold 25/pkg.



GHS1Ø43 (Self-Laminated)

Stock No.	Description
GHS1Ø43	Self-Laminated Tag - (3" x 6") (25/pack)
GHS1Ø42	Tag - (3" x 6") (25/pack)

Pictogram Placards

 $10\frac{3}{4}$ " × $10\frac{3}{4}$ "

These large format GHS Pictograms are 10.75" x 10.75" (273 mm x 273 mm) and perfect for marking your containment vessels or tanks. Printed on adhesive VynMark, these pictograms are easily visible due to their large size. They come with a back split liner for easy application and are sold individually or in packages of 100.



Stock No. Size

GHS1266 10¾" x 10¾" GHS1257 4" x 4"

GHS13Ø3 2" x 2"



Stock No. Size

GHS1267 10¾" x 10¾"

GHS1258 4" x 4" GHS13Ø4 2" x 2"



Stock No. Size

GHS1268 10¾" x 10¾"

GHS1259 4" x 4"

GHS13Ø5 2" x 2"



Stock No. Size

GHS1269 10¾" x 10¾"

GHS126Ø 4" x 4"

GHS13Ø6 2" x 2"



Stock No. Size

701 1034" v 103

GHS1261 4" x 4

GHS13Ø7 2" x 2"



Stock No. Size

GHS1271 10¾" x 10¾

GHS1262 4" x 4"

GHS13Ø8 2" x 2"



Stock No. Size

GHS1272 10¾" x 10¾'

GHS1263 4" x 4"

GHS13Ø9 2" x 2'



Stock No. Size

GHS1273 10¾" x 10¾"

GHS1264 4" x 4'

GHS131Ø 2" x 2'



Stock No. Size

GHS1274 10¾" x 10¾"

GHS1265 4" x 4

GHS1311 2" x 2"



Stock No. Size
GHS1314 4" x 4

GHS1315 2" x 2⁻¹



Pictogram Labels

4" X 4"

Quickly and easily mark your goods for shipping with our GHS Hazard Pictograms. These pictograms are $4" \times 4"$ (100 mm \times 100 mm) and come in rolls of 500 labels. Printed on gloss paper with a peel and stick adhesive, these labels are easily applied to metal or plastic containers.





Pictogram Labels

2" X 2"

Need a smaller format of GHS Pictograms for labelling your goods or documents? Our 2" x 2" GHS pictogram labels come in rolls of 500. Printed on gloss paper with peel and stick adhesive, these labels will apply easily to metal and plastic containers.



GHS Hazard Class & PPE

Pictogram Labels

Provide your employees with a quick and easy way to identify Hazard Classes and Personal Protective Equipment requirements. Our labels are manufactured on high gloss paper stock with a permanent pressure sensitive adhesive for ease of application and longer durability. Make clean, professional looking labels in minutes.

Printed in sheets and padded with a cardboard backer for ease of use. Each sheet is perforated to allow removal when completed. Labels are sold in pads. 1" are 1,120 labels per pad and ½" are 1,820 labels per pad.





GHS12Ø8 - 1" GHS1225 - 1/2"



GHS12Ø9 - 1" GHS1226 - 1/2"



GHS121Ø - 1" GHS1227 - 1/2"



GHS1211 - 1" GHS1228 - 1/2"



GHS1212 - 1" GHS1229 - 1/2"



GHS1213 - 1" GHS123Ø - 1/2"



GHS1214 - 1" GHS1231 - 1/2"



GHS1215 - 1" GHS1232 - 1/2"



GHS1216 - 1" GHS1233 - 1/2"



GHS1312 - 1" GHS1313 - 1/2"



GHS1217 - 1" GHS1234 - 1/2"



GHS1218 - 1" GHS1235 - 1/2"



GHS1219 - 1" GHS1236 - 1/2"



GHS1220 - 1" GHS1237 - 1/2"



GHS1221 - 1" GHS1238 - 1/2"



GHS1222 - 1" GHS1239 - 1/2"



GHS1223 - 1" GHS1240 - 1/2"



GHS1224 - 1" GHS1241 - 1/2"

REMOVABLE **ADHESIVE**

Hazard Pictogram Variety Pack

These Hazard Class Variety Packs provide an assortment of all the GHS hazard class pictograms in one convenient pack.

The labels are manufactured on high gloss paper stock with removable adhesive. This makes is easy to peel cleanly from most surfaces including glass and plastic. A great choice for use in laboratory settings.



Stock No. Description 1" Hazard Class Variety Pack (1,120 assorted labels per pad) 1/2" Hazard Class Variety Pack (1,820 assorted labels per pad)

Signal Word Signs

Signal Words are an important part of hazard identification in the GHS. These highly visible Signal Word placards are designed to be used with our GHS Pictograms.

Available in 6.25" x 15.75" and printed on outdoor grade adhesive VynMark using durable fade resistant inks. They come with a back split liner for easy application and are sold individually or in packages of 100.







GHS1276

Safety Data Sheet

Pocket Booklet

Our SDS Pocket Booklet is designed as a quick reference guide to the new style Safety Data Sheets (SDS) under GHS. This booklet provides an alphabetical list of terms and definitions for all the relevant GHS terminology, sections of the SDS, GHS symbols as well as a table breakdown of Acute Toxicity Classes. The booklet also provides a full color index of GHS hazard symbols and their meanings. The back of the book also has a small section for any additional notes to be entered. Designed to fit easily in a shirt pocket or desk-top for easy reference.

The booklets are 3-5/8" x 4-7/8" and sold 10/pkg (English edition - 42 pages).



Stock No.	Description
GHS2ØØ7	SDS Pocket Booklet
Stock No.	WHMIS 2015 (Canada) Description
GHS2ØØ8	WHMIS 2015 SDS Pocket Booklet - French

Pictogram Reference

Wallet Cards

Our GHS Wallets Cards are a quick and easy reference to the new GHS pictograms and their meanings. One side of the card provides the complete set of GHS pictograms with a detailed description of each. The other side contains the list of information required to be found on an SDS (Safety Data Sheet) as well as the images of the various Precautionary Statement Pictograms.

Printed in full color to match the look of the GHS system requirements. Each card is 4-1/4" x 2-1/2" with rounded corners. Covered in a heavy lamination on both sides to provide long term durability in pockets or wallet. Sold in packages of 50.

Stock No.	Description
GHS1Ø15	Wallet Cards - (50/pkg)
Stock No.	WHMIS 2015 (Canada) Description
GHS1Ø17	WHMIS 2015 Wallet Cards - French (50/pkg)



Make Your Own Laser Labels

Our laser printer templates make it easy for you to make your own labels for the new GHS requirements. These laser printer ready paper sheets come with a pre-printed red boarder and pre-cut labels. Use any desktop publishing package to quickly make your own professional looking labels.

Made from laser printable paper with permanent peel and stick backing. If color printing is not an option, use our Hazard Class and Personal Protective Equipment labels (sold separately) to complete your labels. Laser labels are sold in packages of 100 sheets.

Stock No.	Description
GHS1277LP	8.5" x 14" (1 per/sheet)
GHS1278LP	8.5" x 11" (1 per/sheet)
GHS1279LP	8.5" x 5.5" (2 per/sheet)
GHS128ØLP	4.25" x 5.5" (4 per/sheet)
GHS1281LP	2.83" x 2.75" (12 per/sheet)



Make Your Own

Thermal Transfer Labels

Need an open format label for your GHS requirements? Try our generic GHS label system. Labels are Thermal Transfer paper with a permanent adhesive and can be hand printed or used in any standard Thermal Transfer printer.

Use any standard desktop publishing package to quickly make your own Professional looking labels. Enhance the label with our Hazard Class and Personal Protective Equipment labels (sold separately). Labels sold by the roll.

Stock No.	Description
GHS12Ø4	4" X 2" (1000/roll)
GHS12Ø5	4" X 6" (500/roll)
GHS12Ø6	6" X 7.125" (250/roll)
GHS12Ø7	8" X 8" (250/roll)



Supplier


Laser Labels

These open format labels are perfect for creating supplier labels for larger packaging formats. The paper labels are ideal for any indoor application and the more durable adhesive VynMark labels will work in outdoor applications.

All labels are manufactured on laser printable stock with a peel and stick adhesive back for permanent application. Labels come in both 8.5" x 11" and 8.5" x 14" size. Sold in bundles of 100 labels.



GHS1298LP - 8.5" x 11" Adhesive Paper **GHS1298VY** - 8.5" x 11" Adhesive VynMark



GHS1297LP - 8.5" x 14" Adhesive Paper **GHS1297VY** - 8.5" x 14" Adhesive VynMark



GHS1278LP - 8.5" x 11" Adhesive Paper **GHS1278VY** - 8.5" x 11" Adhesive VynMark



GHS1277LP - 8.5" x 14" Adhesive Paper **GHS1277VY** - 8.5" x 14" Adhesive VynMark

Store Displays

An excellent way to keep our industrial products within easy reach of your customers

Individual packs display well on pegboard hooks or simply sitting on a shelf. These products have many uses around the home, workshop, recreational, farm or vehicles.



RE3952

Black Anti-Slip Tape

UPC 0 57003 71097 9 Size 4" x 15 ft Inner 1 roll Master 6 packs



RE3864

Yellow/Black Anti-Slip Tape

UPC 0 57003 83439 2 Size 2" x 15 ft Inner 1 roll Master 12 packs



RE3950

Black Anti-Slip Tape

UPC 0 57003 70897 6

Size 1" x 15 ft Inner 1 roll Master 12 packs




RE3951

Black Anti-Slip Tape

UPC 0 57003 70997 3 Size 2" x 15 ft Inner 1 roll Master 12 packs







RE2110

DOT-C2 Red/Silver Reflective Tape

UPC 0 57003 13649 6
Size 2" x 10 ft
Inner 1 roll
Master 6 packs



RE2125

DOT-C2 Red/Silver Reflective Tape

UPC 0 57003 20596 3 Size 2" x 25 ft Inner 1 roll Master 6 packs

Safety Identification Display Merchandiser

Safety Sign Display

Improve your safety identification sales with our new safety products display rack. These units are able to accommodate safety signs, placards and safety tape products. This attractive display rack shows your customers the exciting and value added products that you can offer to them and help with their workplace safety compliance issues.

Merchandisers are available FREE when ordered full with product, offering you a no charge way to improve sales. Made from a durable powder coated steel, these racks will offer years of service. Speak to our sales staff for more information on how to order your merchandiser.



SRD2ØØ

Dimensions: 34" W, 68" H, 22" D



SRD1ØØ

Dimensions: 34" W, 68" H, 22" D



Custom Merchandisers

Pick and choose which items you would like in your display to meet the needs of your local market.



Safety Identification Display Merchandiser

DOT/TDG Placard Display

Improve your safety identification sales with our new safety products display rack. These units are able to accommodate safety signs, placards and safety tape products. This attractive display rack shows your customers the exciting and value added products that you can offer to them and help with their workplace safety compliance issues.

Merchandisers are available FREE when ordered full with product, offering you a no charge way to improve sales. Made from a durable powder coated steel, these racks will offer years of service. Speak to our sales staff for more information on how to order your merchandiser.



SRD3ØØ

Dimensions: 34" W, 68" H, 22" D



PDR1ØØ

Dimensions: 34" W, 68" H, 22" D



Custom Merchandisers

Pick and choose which items you would like in your display to meet the needs of your local market.

Top 10 OSHA

Safety Signs

Effectively communicate important safety messages to employees and visitors

These safety signs are the most used in the workplace to indicate dangers, hazards and precautions. All the signs below are 10" x 14" and are coated with Sign Armor weather, chemical, abrasion and graffiti resistant coating.



ı	No. 1			
I	Stock No.	10" x 14"	Qty	
	SS1111V	Adhesive VynMark		
	SS1111P	Semi-Rigid Plastic		
	CC1111A	Aluminum		



No.	6	
Stock No.	10" x 14"	Qty
SS1090V	Adhesive VynMark	
SS1090P	Semi-Rigid Plastic	
SS1090A	Aluminum	



NO. 2		
Stock No.	10" x 14"	Qty
SS1016V	Adhesive VynMark	
SS1016P	Semi-Rigid Plastic	
SS1016A	Aluminum	



NO.		
Stock No.	10" x 14"	Qty
SS4058V	Adhesive VynMark	
SS4058P	Semi-Rigid Plastic	
SS4058A	Aluminum	



Stock No.	10" x 14"	Qty
SS1066V	Adhesive VynMark	
SS1066P	Semi-Rigid Plastic	
SS1066A	Aluminum	
SS1066P	Semi-Rigid Plastic	



No.	8	
Stock No.	10" x 14"	Qty
SS4049V	Adhesive VynMark	
SS4049P	Semi-Rigid Plastic	
SS4049A	Aluminum	



Stock No.	10" x 14"	Qty
SS1006V	Adhesive VynMark	
SS1006P	Semi-Rigid Plastic	
SS1006A	Aluminum	
SS1006A	Aluminum	



NO.	9	
Stock No.	10" x 14"	Qty
SS2005V	Adhesive VynMark	
SS2005P	Semi-Rigid Plastic	
SS2005A	Aluminum	
332003A	Alullillulli	



NO.	5	
Stock No.	10" x 14"	Qty
SS1005V	Adhesive VynMark	
SS1005P	Semi-Rigid Plastic	
SS1005A	Aluminum	



Stock No.	10" x 14"	Qty
SS2002V	Adhesive VynMark	
SS2002P	Semi-Rigid Plastic	
SS2002A	Aluminum	

No. 10

Signage Audit Tool

Department:	
Conducted by	/ <u>:</u>
Date:	

Purpose: Use this audit tool to assess the signage requirements for each Department and determine if the required signs are missing.

Is there clear and proper signage for restricted access locations?		Yes	No
Is there clear and proper signage for all emergency exits?		Yes	No
Is there clear and proper signage for the first-aid box?		Yes	No
Is there clear and proper signage for emergency shower and eye wash stations?		Yes	No
Is the fire fighting equipment correctly identified and signed?		Yes	No
Is there adequate signage for fire blankets?		Yes	No
Does each fire extinguisher have a fire extinguisher sign?		Yes	No
If so, is the sign 2 meters above the ground?		Yes	No
Is there a sign immediately above each extinguisher denoting type of fires it can safe	ely be used on?	Yes	No
List all PPE required in this Department:			
Comments:			
Is there signage outlining all PPE requirements? If no, what PPE signage is missing	?	Yes	No
Comments:			
Are there identified hazards that require appropriate signage? (refer to SOP's, injury	statistics) eg. Danger signs, Cau	tion s	signs
Comments:			
Are there dangerous goods? If so, do they have clear and appropriate signage?		Yes	No
Are there any confined spaces? If so, do they have clear and appropriate signage?		Yes	No
Are there any damaged signs that require replacements?		Yes	No
Comments:			
Are there any hand written or makeshift signs that need replacing?		Yes	No
Comments:			
Has the Supervisor been advised of the signage requirements?		Yes	No
Name of Supervisor:	Date Advised:		

