



The Firestone 1T or Reversible Sleeve type spring is the most popular style used on suspensions.

READING THE PARTS TABLE

<b>1</b> BELLOWS <b>1T15M2</b>	<b>2</b> AON <b>W01-358-9105</b>	<b>7</b> C01-358-1131	<b>8</b> 12.79	<b>9</b> Composite
			<b>10</b> SERVICE ASSEMBLY <b>W01-358-0725</b>	
	<b>3235</b>	<b>9550/ NAD-29456</b>	<b>11</b> APPLICATIONS: Hendrickson Trailer S1245 Granning 5065 Ridewell 1003589105C Watson & Chalin AS-0015	
	<b>6</b> ORDER NO. WC1-358-1652	<b>12</b> OBSOLETE: REPLACED BY W01-358-5508		

**1. Bellows Number**

Identifies the bellows, normally molded directly underneath the Firestone logo.

**2. Assembly Order Number (AON)**

Located on the label adhered to the bead plate. This number is used for ordering purposes.

**3. Cross Section View**

Includes dimensional information in inches for **uninflated** diameter, maximum height, and collapsed height. A bumper, shown in black, and bumper drawing number is also referenced, if applicable (i.e., 3159).

**4. Bead Plate Top View**

Identifies dimensional information in inches, mounting attachments and the internal Firestone reference number for bead plate, stamped on bead plate top.

**5. Piston Bottom View**

Includes dimensional information in inches, mounting attachments and piston identification numbers.

**6. Piston Component Order Number**

The number used to order a replacement piston component, if applicable.

**7. Bellows Component Number**

If present, the C01-xxx-xxxx number identifies the Firestone internal bellows component, and can be referenced to specific AON applications.

**8. Assembly Weight**

Total weight of the assembly in pounds.

**9. Piston Material**

Aluminum, Steel, or Composite.

**10. Assembly Components**

Part numbers for sub-components associated with the assembly.

**11. Applications**

Vehicle and suspension manufacturers' part numbers for the particular Airide spring.

**12. Assembly Notes**

Important information if an assembly has been obsoleted and if there is an exact replacement part available, or if it has replaced other parts.

AIR SPRING IDENTIFICATION

**Assembly Order Number (AON)**

The quickest way to identify the air spring is to read the manufacturer or Firestone assembly order number on the label adhered to the bead plate. Do not confuse this with the stamped 8-digit bead plate number.

**Bellows Number**

If the AON is illegible, read the part number molded on the bellows, normally directly under the Firestone name. The bellows could be identified in two ways; 1) with the "1T15M2" call out, or 2) with a "1T15 Series" call out and a "C01" number identification (e.g. "C013581131"), which would narrow your search to a smaller group of AONs. Then, use the bead plate and piston combination to determine the final AON.



**Bead Plate**

Identify the 8-digit stamped bead plate number. Reference the last 4 digits to find a match. If the number is not legible, use the **bead plate diameter** measurement in this view to further distinguish between assemblies. In addition, verify the alignment of mounting attachments.

**Piston Bottom View**

Compare the **piston identification numbers**, molded inside the piston, to those shown in the "Piston Bottom View" to find a match. You may also reference the piston indexes on pages 220 and 234 to narrow your search.

**BOTTOM VIEW**



**Measure and Reference Cross Section View**

Should the bellows number be unreadable, the type can still be determined by measuring the **bellows diameter (uninflated)** and comparing this with the 1T styles in the Bellows Index by Size (page 216) until you find a match for the possible bellows. Then, measure the **maximum extended height**, as shown, and compare this with the "Cross Section View" of the parts tables for the general style of possible bellows (1T14, 1T15, 1T17, etc.). To determine if an **internal bumper** is present, measure the minimum collapsed height and compare it to the parts table.

BELLOWS <b>1T14C1</b>	AON <b>W01-358-2119</b>	C01-358-2112	5.76 Composite
	3093 	9491/FIP-100744 	<b>APPLICATIONS:</b> Granning 5122 Hendrickson Trailer S2394 Rowe Truck ASC1400HL Lift
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0609

BELLOWS <b>1T14C1</b>	AON <b>W01-358-2120</b>	C01-358-2112	6.96 Aluminum
	3148 	9651/NBD-11498 	<b>APPLICATIONS:</b> Granning 5691 Granning 6104 (no stud) Rowe Truck ASCS2000 Lift Rowe Trailer ASCST2000
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-9095

BELLOWS <b>1T14C1</b>	AON <b>W01-358-2131</b>	C01-358-2112	5.58 Composite
	3140 	9491/FIP-100744 	<b>APPLICATIONS:</b> Kelderman
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0609

BELLOWS <b>1T14C1</b>	AON <b>W01-358-5310</b>	C01-358-2112	6.28 Aluminum
	3079 	9708/NBD-8626 	<b>APPLICATIONS:</b> American Carrier 9003-001 Hendrickson Trailer S8832 Ridewell 1003585310C Circle R
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0600

BELLOWS <b>1T14C1</b>	AON <b>W01-358-5311</b>	C01-358-2112	6.59 Aluminum
	3079 	9708/NBD-8626 	<b>APPLICATIONS:</b> Ridewell 1003585311C
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0600

BELLOWS <b>1T14C1</b>	AON <b>W01-358-5323</b>	C01-358-2112	6.79 Aluminum
	3148 	9708/NBD-8626 	<b>APPLICATIONS:</b> Air Ax (Roelofs) Granning 7504 Ridewell 1003585323C
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0600

BELLOWS <b>1T14C1</b>	AON <b>W01-358-5343</b>	C01-358-2112	6.33 Aluminum
	3079 	9651/NBD-11498 	<b>APPLICATIONS:</b> Iveco 504035755
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-9095

BELLOWS <b>1T14C3</b>	AON <b>W01-358-5405</b>	C01-358-2185	6.32 Aluminum
	3079 	9708/NBD-8626 	<b>APPLICATIONS:</b> Circle R Hendrickson Trailer S9346
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0600

BELLOWS <b>1T14C3</b>	AON <b>W01-358-5406</b>	C01-358-2185	6.69 Aluminum
	3140 	9708/NBD-8626 	<b>APPLICATIONS:</b> Granning 1971
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0600

BELLOWS <b>1T14C3</b>	AON <b>W01-358-5408</b>	C01-358-2185	6.26 Aluminum
	3096 	9708/NBD-8626 	<b>APPLICATIONS:</b> Jet Company
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0600

**HARDWARE KEY**  
 ● Bolt or Stud 1/2-13      ⊗ Air Inlet 1/4 N.P.T.  
 ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons  
 ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.  
 ▲ No Alignment Specified-Center Stud Mounting is Standard  
 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T14C3</b>	AON <b>W01-358-5410</b>	C01-358-2185	8.01	Aluminum
	3140 	9778/NAD-18053 	<b>APPLICATIONS:</b> Granning 2112 Watson & Chalin AS-0029 Ridewell 1003585410C	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0686	

BELLOWS <b>1T14C3</b>	AON <b>W01-358-5412</b>	C01-358-2185	8.20	Aluminum
	3079 	9778/NAD-18053 	<b>APPLICATIONS:</b> American Carrier 8003-011 Oshkosh Neway 90057057	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0686	

BELLOWS <b>1T14C3</b>	AON <b>W01-358-5414</b>	C01-358-2185	8.53	Aluminum
	3148 	9778/NAD-18053 	<b>APPLICATIONS:</b> Air AX (Roelofs) Ridewell 1003585414C	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0686	

BELLOWS <b>1T14C3</b>	AON <b>W01-358-5422</b>	C01-358-2185	7.04	Aluminum
	3079 	9708/NBD-8626 	<b>APPLICATIONS:</b> Circle R	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0600	

BELLOWS <b>1T14C3</b>	AON <b>W01-358-5423</b>	C01-358-2185	7.32	Aluminum
	3148 	9651/NBD-11498 	<b>APPLICATIONS:</b> Granning 5235 Granning 5307 (no stud) Rowe Truck ASC1500/ASC1500/ ASCS2000 Lift Rowe Trailer ASCT1500/ ASCST1500/ ASCST2000	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-9095	

BELLOWS <b>1T14C3</b>	AON <b>W01-358-5434</b>	C01-358-2185	7.43	Aluminum
	3148 	9708/NBD-8626 	<b>APPLICATIONS:</b> Granning 7765	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0600	

BELLOWS <b>1T14C3</b>	AON <b>W01-358-9478</b>	C01-358-2185	6.78	Composite
	3140 	9493/FIP-100743 	<b>APPLICATIONS:</b> Granning 6250	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0754	

BELLOWS <b>1T14C5</b>	AON <b>W01-358-5335</b>	C01-358-2114	8.81	Aluminum
	4161 	9620/FIP-103587 OR 9778/NAD-18053 	<b>APPLICATIONS:</b> General Coach	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM		

BELLOWS <b>1T14C5</b>	AON <b>W01-358-5336</b>	C01-358-2114	8.50	Aluminum
	3148 	9778/NAD-18053 	<b>APPLICATIONS:</b> John Deere AH160823	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	TANK VALVE WC1-358-0009	

BELLOWS <b>1T14C5</b>	AON <b>W01-358-5345</b>	C01-358-2114	8.59	Aluminum
	3079 	9620/FIP-103587 OR 9778/NAD-18053 	<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM		

**HARDWARE KEY**  
 ● Bolt or Stud 1/2-13      ⊗ Air Inlet 1/4 N.P.T.  
 ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons  
 ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.  
 ▲ No Alignment Specified-Center Stud Mounting is Standard  
 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T14C5</b>	AON <b>W01-358-5354</b>	C01-358-2114	8.50	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Rowe Truck</p>	
	3148	9651/NBD-11498	Order No. WC1-358-9095	

BELLOWS <b>1T14C5</b>	AON <b>W01-358-8868</b>	C01-358-2114	7.28	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson 57965-2 (reuse old bracket) Supersedes Hendrickson 57839 Hendrickson 57920-2 w/bracket Includes Bracket 57966-2 (left) 57967-2 (right)</p>	
	3106	9651/NBD-11498	Order No. WC1-358-9095	

BELLOWS <b>1T14C6</b>	AON <b>W01-358-5439</b>	C01-358-2192	10.33	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Link 1103-0500 Ultraride</p>	
	3148	9754/NBD-11689	Order No. WC1-358-1603	

BELLOWS <b>1T14C6</b>	AON <b>W01-358-5730</b>	C01-358-2192	6.38	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b></p>	
	4161	9493 / FIP-100743		

BELLOWS <b>1T14C6</b>	AON <b>W01-358-8977</b>	C01-358-2192	10.36	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Granning 5301 General Coach Air Ax (Roelofs)</p>	
	3148	9754/NBD-11689	Order No. WC1-358-1603	

BELLOWS <b>1T14C6</b>	AON <b>W01-358-8979</b>	C01-358-2192	10.24	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Granning 5553</p>	
	3148	9754/NBD-11689	Order No. WC1-358-1603	

BELLOWS <b>1T14C7</b>	AON <b>W01-358-5426</b>	C01-358-2187	9.13	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Granning 6117</p>	
	3148	9778 / NAD-18053	ORDER NO. WC1-358-0686	

BELLOWS <b>1T14C7</b>	AON <b>W01-358-5702</b>	C01-358-2187	10.29	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Granning 8609</p>	
	3148	9754 / NBD-11689	ORDER NO. WC1-358-1603	

BELLOWS <b>1T14C7</b>	AON <b>W01-358-5710</b>	C01-358-2187	7.25	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b></p>	
	3140	6853/FIP-103894 OR 9708/NBD-8626	Order No. WC1-358-0600	

BELLOWS <b>1T14C7</b>	AON <b>W01-358-5712</b>	C01-358-2187	7.14	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Capacity of Texas</p>	
	3079	9708 / NBD-8626	ORDER NO. WC1-358-0600	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T14C8</b>	AON <b>W01-358-5429</b>	C01-358-2188	10.59	Aluminum
	3079 	9754/NBD-11689 	<b>APPLICATIONS:</b> Silent Drive	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-1603	

BELLOWS <b>1T14CB1</b>	AON <b>W01-358-5297</b>	C01-358-0018	5.83	Composite
	4159 	9491/FIP-100744 	<b>APPLICATIONS:</b> Watson & Chalin AS-0106	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	<b>OBSELETE: NO LONGER AVAILABLE</b>	
Order No. WC1-358-0609				

BELLOWS <b>1T14CB1</b>	AON <b>W01-358-5298</b>	C01-358-0018	5.70	Composite
	3148 	9493 / FIP-100743 	<b>APPLICATIONS:</b> Gillig Low Floor front 08-372-09-000N	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-0754	

BELLOWS <b>1T14CB1</b>	AON <b>W01-358-5319</b>	C01-358-0018	6.51	Composite
	3101 	9493/FIP-100743 	<b>APPLICATIONS:</b> Monaco Coach 8618	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0754	

BELLOWS <b>1T14CB1</b>	AON <b>W01-358-5379</b>	C01-358-0018	6.29	Composite
	4159 	9491/FIP-100744 	<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0609	

BELLOWS <b>1T14CB1</b>	AON <b>W01-358-8992</b>	C01-358-0018	5.79	Composite
	3148 	9491/FIP-100744 	<b>APPLICATIONS:</b> Ridewell 1003588992C	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0609	

BELLOWS <b>1T14CB1</b>	AON <b>W01-358-8997</b>	C01-358-0018	5.80	Composite
	3148 	9491/FIP-100744 	<b>APPLICATIONS:</b> Holland (Neway) 90557034 90557029 Watson & Chalin (AS-0026) Ridewell 1003588997C Silent Drive	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0609	

BELLOWS <b>1T15CCR6</b>	AON <b>W01-358-8184</b>	C01-358-2276	20.28	Steel
	3253 	9645/NAD-31622 	<b>BRACKET WC1-358-3887</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	<b>APPLICATIONS:</b> Neway 90557290 (RL228, KL230) Neway 90557308 (Same except piston stud length 1.5 W01-358-8182)	

BELLOWS <b>1T15DR5.5</b>	AON <b>W01-358-8525</b>	C01-358-1150	18.07	Steel
	3235 	9639 / NAD-37120 	<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM		

BELLOWS <b>1T15L1.5</b>	AON <b>W01-358-9422</b>	C01-358-2184	9.65	Composite
	3267 	9571/NAD-18130 	<b>APPLICATIONS:</b> Kenworth K303-6 Kenworth K303-14 Kenworth K303-15 (Airglide 100) older version with no bracket	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0646	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

<b>BELLOWS 1T15L1.5</b>	<b>AON W01-358-9584</b>	C01-358-2020 12.07 Composite
BRACKET <b>WC1-358-3887</b>		
<b>APPLICATIONS:</b> Neway 90557250 (replaces W01-675-9613, 90557224-flush fitting)		

<b>BELLOWS 1T15L1.5</b>	<b>AON W01-358-9616</b>	C01-358-2184 11.23 Composite
BRACKET <b>WC1-358-3893</b>		
<b>APPLICATIONS:</b> Kenworth K-303-16 (Airglide 100)		

<b>BELLOWS 1T15L2</b>	<b>AON W01-358-8897</b>	C01-358-2182 11.80 Composite
<b>APPLICATIONS:</b> Monaco 1804591		

<b>BELLOWS 1T15L2</b>	<b>AON W01-358-8901</b>	C01-358-2182 11.56 Composite
<b>APPLICATIONS:</b> Ridewell 1003588901C		

<b>BELLOWS 1T15L2</b>	<b>AON W01-358-9376</b>	C01-358-2182 11.84 Composite
<b>APPLICATIONS:</b> Monaco Coach 8619 Monaco Coach W01-358-8897 with 3/4" NPT		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

<b>BELLOWS 1T15L2</b>	<b>AON W01-358-9387</b>	C01-358-2182 10.40 Composite
<b>APPLICATIONS:</b> Ridewell 1003589387C		

<b>BELLOWS 1T15L2</b>	<b>AON W01-358-9445</b>	C01-358-2182 14.26 Aluminum
<b>APPLICATIONS:</b> Ridewell 1003589445C REPLACEMENT PISTON COMES WITHOUT STUDS		

<b>BELLOWS 1T15L2</b>	<b>AON W01-358-9447</b>	C01-358-2182 14.06 Aluminum
<b>APPLICATIONS:</b> Ridewell 1003589447C		

<b>BELLOWS 1T15L2</b>	<b>AON W01-358-9448</b>	C01-358-2182 19.98 Aluminum
<b>APPLICATIONS:</b> Ridewell 1003589448C Foretravel Inc. REPLACEMENT PISTON COMES WITHOUT STUDS		

<b>BELLOWS 1T15L2</b>	<b>AON W01-358-9457</b>	C01-358-2182 14.00 Aluminum
<b>APPLICATIONS:</b> Ridewell 1003589457C REPLACEMENT PISTON COMES WITHOUT STUDS		

BELLOWS <b>1T15L2</b>	AON <b>W01-358-9459</b>	C01-358-2182	13.88	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Ridewell 1003589459C ArvinMeritor A-2258-U-1451 RFA23ER-RV</p> <p>ORDER NO. WC1-358-0683</p>		

BELLOWS <b>1T15L2</b>	AON <b>W01-358-9477</b>	C01-358-2182	13.72	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Ridewell 1003589477C</p> <p>ORDER NO. WC1-358-0683</p>		

BELLOWS <b>1T15L2</b>	AON <b>W01-358-9551</b>	C01-358-2182	10.56	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Roadmaster</p> <p>Order No. WC1-358-0646</p> <p><b>OBSOLETE: NO LONGER AVAILABLE</b></p>		

BELLOWS <b>1T15L2</b>	AON <b>W01-358-9562</b>	C01-358-2182	11.64	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Link 1103-0501 Liftable</p>		

BELLOWS <b>1T15L4</b>	AON <b>W01-358-8647</b>	C01-358-2176	11.31	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b></p> <p>ORDER NO. WC1-358-1616</p>		

BELLOWS <b>1T15L4</b>	AON <b>W01-358-8874</b>	C01-358-2176	11.36	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b></p> <p>ORDER NO. WC1-358-1616</p>		

BELLOWS <b>1T15L4</b>	AON <b>W01-358-8916</b>	C01-358-2176	15.51	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T15L4</b>	AON <b>W01-358-8919</b>	C01-358-2176	12.95	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Ridewell 1003588919C</p> <p>ORDER NO. WC1-358-1616</p>		

BELLOWS <b>1T15L4</b>	AON <b>W01-358-8922</b>	C01-358-2176	13.64	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Granning 5492 Granning 5385 (no stud)</p> <p>ORDER NO. WC1-358-0683</p>		

BELLOWS <b>1T15L4</b>	AON <b>W01-358-8941</b>	C01-358-2176	13.50	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson 59031-2</p> <p>Order No. WC1-358-0683</p>		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15L4</b>	AON <b>W01-358-9391</b>	C01-358-2176	13.32	Aluminum
<p>CROSS SECTION      BEAD PLATE TOP      PISTON BOTTOM</p>	<p>3220      3822 / NBD-10378</p>	<p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T15L4</b>	AON <b>W01-358-9415</b>	C01-358-2176	15.70	Aluminum
<p>CROSS SECTION      BEAD PLATE TOP      PISTON BOTTOM</p>	<p>3264      9691/ NBD-14503</p>	<p><b>APPLICATIONS:</b> Kenworth K-303-5 REPLACEMENT PISTON COMES WITHOUT STUDS</p>		

BELLOWS <b>1T15L4</b>	AON <b>W01-358-9439</b>	C01-358-2176	14.50	Aluminum
<p>CROSS SECTION      BEAD PLATE TOP      PISTON BOTTOM</p>	<p>3271      9656 / NBD-10440</p>	<p><b>APPLICATIONS:</b> Waggoner's Truck Hagie Mfg.</p>		

BELLOWS <b>1T15L4</b>	AON <b>W01-358-9441</b>	C01-358-2176	15.10	Aluminum
<p>CROSS SECTION      BEAD PLATE TOP      PISTON BOTTOM</p>	<p>3271      9606 / NAD-35550</p>	<p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T15L4</b>	AON <b>W01-358-9469</b>	C01-358-2176	14.71	Composite
<p>CROSS SECTION      BEAD PLATE TOP      PISTON BOTTOM</p>	<p>3271      9490 / FIP-101012</p>	<p><b>APPLICATIONS:</b></p>		

**HARDWARE KEY**

- Bolt or Stud 1/2-13      ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15L6</b>	AON <b>W01-358-9626</b>	C01-358-1039	13.36	Composite
<p>CROSS SECTION      BEAD PLATE TOP      PISTON BOTTOM</p>	<p>3306      9532/ NAD-29827</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S23720</p>		

BELLOWS <b>1T15L6</b>	AON <b>W01-358-9749</b>	C01-358-2211	24.43	Composite
<p>CROSS SECTION      BEAD PLATE TOP      PISTON BOTTOM</p>	<p>3190      9585/FIP-101543</p>	<p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T15L9</b>	AON <b>W01-358-9560</b>	C01-358-2171	14.08	Composite
<p>CROSS SECTION      BEAD PLATE TOP      PISTON BOTTOM</p>	<p>3242      9530/ NAD-27809</p>	<p><b>APPLICATIONS:</b> Reyco 25396-01</p>		

BELLOWS <b>1T15LA(-1)</b>	AON <b>W01-358-9547</b>	C01-358-2003	11.00	Composite
<p>CROSS SECTION      BEAD PLATE TOP      PISTON BOTTOM</p>	<p>3509      9569/NAD-27754</p>	<p>BRACKET <b>WC1-358-3883</b></p> <p><b>APPLICATIONS:</b> Kenworth C81-1004 Airglide 200 5/5/03 or later Airglide 400</p>		

BELLOWS <b>1T15LA(-1)</b>	AON <b>W01-358-9617</b>	C01-358-2003	11.18	Composite
<p>CROSS SECTION      BEAD PLATE TOP      PISTON BOTTOM</p>	<p>3174      9569/NAD-27754</p>	<p>BRACKET <b>WC1-358-3892</b></p> <p><b>APPLICATIONS:</b> Kenworth K-303-18 (Airglide 200) - small air fitting - original design (1996 &amp; 1997 prod.) Replaced by K -303-22(9622)</p>		

BELLOWS <b>1T15LA(-1)</b>	AON <b>W01-358-9622</b>	C01-358-2003 11.19 Composite
	BRACKET <b>WC1-358-3883</b>	<b>APPLICATIONS:</b> Kenworth K-303-22 (Airglide 200-1998 to 5/5/03) - (large air fitting with interconnected airsprings)

BELLOWS <b>1T15LA0</b>	AON <b>W01-358-9541</b>	C01-358-2021 11.00 Composite
	BRACKET <b>WC1-358-3890</b>	<b>APPLICATIONS:</b> Kenworth C81-1005 Airglide 200 5/5/03 or later Airglide 460 Airglide 690

BELLOWS <b>1T15LA0</b>	AON <b>W01-358-9618</b>	C01-358-2007 13.52 Composite
	BRACKET <b>WC1-358-3892</b>	<b>APPLICATIONS:</b> Kenworth K-303-19 (Airglide 200-46,000#) - small air fitting -1996 & 97 prod. Replaced by K-303-25(9625)

BELLOWS <b>1T15LA0</b>	AON <b>W01-358-9625</b>	C01-358-2007 13.48 Composite
	BRACKET <b>WC1-358-3890</b>	<b>APPLICATIONS:</b> Kenworth K-303-25 (Airglide 200-46,000#, 1998 & later prod.)

BELLOWS <b>1T15LA0</b>	AON <b>W01-358-9675</b>	C01-358-2021 11.63 Composite
	BRACKET <b>WC1-358-3890</b>	<b>APPLICATIONS:</b> Kenworth K-303-28 Airglide 200 Before 5/5/03

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊙ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊕ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊖ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15LB10</b>	AON <b>W01-358-9621</b>	C01-358-2018 14.53 Composite
	BRACKET <b>WC1-358-1619</b>	<b>APPLICATIONS:</b> Hendrickson Trailer S23613

BELLOWS <b>1T15LC2.5</b>	AON <b>W01-358-9379</b>	C01-358-2179 13.63 Aluminum
	BRACKET <b>WC1-358-3890</b>	<b>APPLICATIONS:</b> Navistar (U-Haul) 1660694C-1

BELLOWS <b>1T15LC2.5</b>	AON <b>W01-358-9565</b>	C01-358-2179 11.81 Aluminum
	BRACKET <b>WC1-358-3890</b>	<b>APPLICATIONS:</b> Navistar 2027912C1 (GY 1R12-324)

BELLOWS <b>1T15LC2.5</b>	AON <b>W01-358-9566</b>	C01-358-2179 11.81 Aluminum
	BRACKET <b>WC1-358-3890</b>	<b>APPLICATIONS:</b> Navistar 1672401C1 (GY 1R12-204)
<b>OBSELETE: NO LONGER AVAILABLE</b>		

BELLOWS <b>1T15LC4.5</b>	AON <b>W01-358-9567</b>	C01-358-2166 14.12 Aluminum
	BRACKET <b>WC1-358-3890</b>	<b>APPLICATIONS:</b> Navistar 2027913C1 (GY 1R12-325)
<b>OBSELETE: NO LONGER AVAILABLE</b>		

BELLOWS <b>1T15LC4.5</b>	AON <b>W01-358-9568</b>	C01-358-2166	14.54	Aluminum
			<b>APPLICATIONS:</b> Navistar 1675495C1 (GY 1R12-205)	

BELLOWS <b>1T15LC12</b>	AON <b>W01-358-9619</b>	C01-358-2170	16.15	Composite
			<b>APPLICATIONS:</b> Hendrickson Trailer S23614	

BELLOWS <b>1T15LP1.5</b>	AON <b>W01-358-8597</b>	C01-358-0106	14.61	Aluminum
			<b>APPLICATIONS:</b> Hendrickson Truck 65790-2	

BELLOWS <b>1T15LP2</b>	AON <b>W01-358-8959</b>	C01-358-0107	14.58	Composite
			<b>APPLICATIONS:</b> Reyco 20773-01	

BELLOWS <b>1T15LP2</b>	AON <b>W01-358-9554</b>	C01-M58-2212	10.96	Composite
			<b>APPLICATIONS:</b> Hendrickson 60716-2 Volvo 20462941	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-8478</b>	C01-358-0093	13.00	Aluminum
			<b>APPLICATIONS:</b>	

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-8492</b>	C01-358-0093	13.65	Composite
			<b>APPLICATIONS:</b>	

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9017</b>	C01-358-0093	11.68	Composite
			<b>APPLICATIONS:</b>	

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9049</b>	C01-358-0093	13.64	Composite
			<b>APPLICATIONS:</b> East Mfg. Granning 6252	

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9073</b>	C01-358-0093	15.86	Composite
			<b>APPLICATIONS:</b> Circle R Kenworth K-102-A Hendrickson Trailer S-7193 Ridewell 1003589073C	

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9285</b>	C01-358-0093 11.63 Composite
<p><b>APPLICATIONS:</b> Hendrickson Trailer S-7364 REPLACEMENT PISTON COMES WITHOUT STUDS</p> <p><b>OBSOLETE: NO LONGER AVAILABLE</b></p>		

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9290</b>	C01-358-0093 14.14 Composite
<p><b>APPLICATIONS:</b> American Carrier 8003-025 (supersedes 9234) Ridewell 1003589290C Peerless</p> <p>Order No. WC1-358-1659</p>		

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9539</b>	C01-358-0093 17.13 Composite
<p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9587</b>	C01-358-0093 14.67 Aluminum
<p>BRACKET <b>WC1-358-3887</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) 90557248 (replaces 90557220-1/2" NPT flush) - ref. W01-358-9597</p>		

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9592</b>	C01-358-0093 14.51 Composite
<p>Order No. WC1-358-1659</p> <p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9595</b>	C01-358-0093 14.14 Composite
<p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9597</b>	C01-358-0093 14.69 Aluminum
<p>BRACKET <b>WC1-358-3887</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) 90557172 (AD-200) - ref. 90557220 90557248 (1/2" NPT)</p>		

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9599</b>	C01-358-0093 13.96 Aluminum
<p><b>APPLICATIONS:</b> Holland (Neway) 90557094 (ARD suspensions) - reference 90557128 (bead plate-3215) Holland (Neway) 90557128</p>		

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9652</b>	C01-358-0093 11.38 Composite
<p>Order No. WC1-358-1658</p> <p><b>APPLICATIONS:</b> Mack 57QL1115 Hendrickson Trailer S14147 Supersedes W01-358-9043</p>		

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9750</b>	C01-358-0093 10.43 Composite
<p><b>APPLICATIONS:</b></p>		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15LP3</b>	AON <b>W01-358-9953</b>	C01-358-0093	17.93	Aluminum
			<b>APPLICATIONS:</b> Air AX (Roelofs)	

BELLOWS <b>1T15LP5</b>	AON <b>W01-358-8949</b>	C01-358-0095	12.82	Composite
			<b>APPLICATIONS:</b> Holland (Neway) 90557150	

BELLOWS <b>1T15LP5</b>	AON <b>W01-358-9291</b>	C01-358-0095	14.66	Composite
			<b>APPLICATIONS:</b> Holland (Neway) 90557139 (RL196-17) (RL196A-17) - replaces 90557122 - originally 1T15M-4 bellows	

BELLOWS <b>1T15LP5</b>	AON <b>W01-358-9293</b>	C01-358-0095	13.26	Composite
			<b>APPLICATIONS:</b> Holland (Neway) 90557120 (RL196-14, RL196A-14)	

BELLOWS <b>1T15LP5</b>	AON <b>W01-358-9294</b>	C01-358-0095	11.38	Composite
			<b>APPLICATIONS:</b> Holland (Neway) 90557127 (RL-196-12)	

BELLOWS <b>1T15LP5</b>	AON <b>W01-358-9295</b>	C01-358-0095	13.16	Composite
			<b>APPLICATIONS:</b> Holland (Neway) 90557121 (RL196-15 & 16) (RL196A-15 & 16)	

BELLOWS <b>1T15M0</b>	AON <b>W01-358-8961</b>	C01-358-2139	10.08	Composite
			<b>APPLICATIONS:</b> Reyco 23377-01	

BELLOWS <b>1T15M0</b>	AON <b>W01-358-8963</b>	C01-358-2151	13.17	Aluminum
			<b>APPLICATIONS:</b> Ridewell 1003588963C	

BELLOWS <b>1T15M0</b>	AON <b>W01-358-8964</b>	C01-358-2139	11.64	Composite
			<b>APPLICATIONS:</b> Reyco 21598-01	

BELLOWS <b>1T15M0</b>	AON <b>W01-358-8971</b>	C01-358-2139	10.13	Composite
			<b>APPLICATIONS:</b> Hendrickson 59484-2 (Blue Bird)	

**HARDWARE KEY**  
 ● Bolt or Stud 1/2-13      ⊗ Air Inlet 1/4 N.P.T.  
 ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons  
 ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.  
 ▲ No Alignment Specified-Center Stud Mounting is Standard  
 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15M0</b>	AON <b>W01-358-9031</b>	C01-358-2139	12.96	Aluminum
			<b>APPLICATIONS:</b> Peerless 0550-00051	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-0663	

BELLOWS <b>1T15M0</b>	AON <b>W01-358-9033</b>	C01-358-2139	13.36	Aluminum
			<b>APPLICATIONS:</b> Holland (Neway) 90557012 Mfg.SV.# Holland (Neway) 90044198	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-9454	

BELLOWS <b>1T15M0</b>	AON <b>W01-358-9036</b>	C01-358-2139	13.40	Aluminum
			<b>APPLICATIONS:</b> Willmar	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-0663	

BELLOWS <b>1T15M0</b>	AON <b>W01-358-9039</b>	C01-358-2151	13.44	Aluminum
			<b>SEVICE ASSEMBLY W01-358-0702</b> <b>APPLICATIONS:</b> Hendrickson Trailer S2064/S11650 Holland (Neway) 90557001, 90557023, 90557085 Hutchens H-9424-01 R & S Truck & Body 1090218 Ridewell 1013589039C FabTek 101827 Sauer P50-734 Watson & Chalin AS-0012	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-9454	

BELLOWS <b>1T15M0</b>	AON <b>W01-358-9308</b>	C01-358-2139	13.03	Aluminum
			<b>APPLICATIONS:</b> Reyco 17360-01 Holland (Neway) 90557089 (remove bolt)	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-0663	

BELLOWS <b>1T15M0</b>	AON <b>W01-358-9333</b>	C01-358-2139	12.75	Aluminum
			<b>APPLICATIONS:</b> Reyco 20437-01	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-0663	

**OBSELETE: NO LONGER AVAILABLE**

BELLOWS <b>1T15M0</b>	AON <b>W01-358-9334</b>	C01-358-2139	12.97	Aluminum
			<b>APPLICATIONS:</b> Ridewell 1003589334C	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-0663	

BELLOWS <b>1T15M0.5</b>	AON <b>W01-358-8970</b>	C01-358-2193	10.59	Composite
			<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-1634	

BELLOWS <b>1T15M0.5</b>	AON <b>W01-358-9306</b>	C01-358-2193	11.34	Composite
			<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-1634	

BELLOWS <b>1T15M0.5</b>	AON <b>W01-358-9307</b>	C01-358-2190	10.14	Composite
			<b>APPLICATIONS:</b> Holland (Neway) 90557129 (AR-41, 45 & 45-1) (plastic)	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-1634	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15M2</b>	AON <b>W01-358-8195</b>	C01-358-1131	12.64	Composite
			<b>APPLICATIONS:</b>	

BELLOWS <b>1T15M2</b>	AON <b>W01-358-8197</b>	C01-358-1131	10.37	Composite
			<b>APPLICATIONS:</b> Holland (Neway) 90557230	

BELLOWS <b>1T15M2</b>	AON <b>W01-358-8198</b>	C01-358-1131	13.27	Composite
			<b>APPLICATIONS:</b> 90557229 (IFS-114) - (center stud used for locating in pre-assembly)	
<b>OBSELETE: NO LONGER AVAILABLE</b>				

BELLOWS <b>1T15M2</b>	AON <b>W01-358-8203</b>	C01-358-1131	13.06	Composite
			<b>APPLICATIONS:</b> Holland (Neway) 90557210 - (replaces W01-358-8987) Wabash Trailer ArvinMeritor 2258-C-1459	

BELLOWS <b>1T15M2</b>	AON <b>W01-358-8204</b>	C01-358-1131	10.43	Composite
			<b>APPLICATIONS:</b> Holland (Neway) 90557173 (RL196A-12) Holland (Neway) 90557223 Binkley Newlite (NS 190-16)	

BELLOWS <b>1T15M2</b>	AON <b>W01-358-8878</b>	C01-358-1131	11.87	Composite
			<b>APPLICATIONS:</b> Arvin Meritor A-2258-A-1483 (WCC Front RV)	

BELLOWS <b>1T15M2</b>	AON <b>W01-358-8931</b>	C01-M58-0020	15.80	Aluminum
			<b>APPLICATIONS:</b> John Deere	

BELLOWS <b>1T15M2</b>	AON <b>W01-358-8932</b>	C01-358-1131	13.81	Composite
			<b>APPLICATIONS:</b> Reyco 22241-01	
<b>OBSELETE: NO LONGER AVAILABLE</b>				

BELLOWS <b>1T15M2</b>	AON <b>W01-358-8938</b>	C01-358-1131	12.79	Composite
			<b>APPLICATIONS:</b>	

BELLOWS <b>1T15M2</b>	AON <b>W01-358-8991</b>	C01-358-1131	12.74	Composite
			<b>APPLICATIONS:</b> Reyco 17414-01	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

**PRIMARY TRUCK & TRAILER AXLE**  
1T REVERSIBLE SLEEVE SPRINGS



BELLOWS <b>1T15M2</b>	AON <b>W01-358-9053</b>	C01-358-1131	14.64	Aluminum	
 CROSS SECTION	 BEAD PLATE TOP	 PISTON BOTTOM	<b>APPLICATIONS:</b> EZ Ride 8030192 Ridewell 1003589053C Fruehauf UCE-1304-2		

BELLOWS <b>1T15M2</b>	AON <b>W01-358-9078</b>	C01-358-1131	14.04	Aluminum	
 CROSS SECTION	 BEAD PLATE TOP	 PISTON BOTTOM	<b>APPLICATIONS:</b> Fruehauf UCB-9668-1 Fruehauf MFR-022355		

BELLOWS <b>1T15M2</b>	AON <b>W01-358-9105</b>	C01-358-1131	12.80	Composite	
 CROSS SECTION	 BEAD PLATE TOP	 PISTON BOTTOM	<b>APPLICATIONS:</b> Hendrickson Trailer S1245 Granning 5065 Ridewell 1003589105C Watson & Chalin AS-0015		

BELLOWS <b>1T15M2</b>	AON <b>W01-358-9118</b>	C01-358-1131	14.29	Aluminum	
 CROSS SECTION	 BEAD PLATE TOP	 PISTON BOTTOM	<b>APPLICATIONS:</b> Ridewell 1003589118C		

BELLOWS <b>1T15M2</b>	AON <b>W01-358-9303</b>	C01-358-1131	13.22	Composite	
 CROSS SECTION	 BEAD PLATE TOP	 PISTON BOTTOM	<b>APPLICATIONS:</b>		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons



**PRIMARY TRUCK & TRAILER AXLE**  
1T REVERSIBLE SLEEVE SPRINGS

BELLOWS <b>1T15M2</b>	AON <b>W01-358-9325</b>	C01-358-1131	13.64	Composite	
 CROSS SECTION	 BEAD PLATE TOP	 PISTON BOTTOM	<b>APPLICATIONS:</b> Holland (Neway) 90557149		

BELLOWS <b>1T15M2</b>	AON <b>W01-358-9339</b>	C01-358-1131	11.96	Composite	
 CROSS SECTION	 BEAD PLATE TOP	 PISTON BOTTOM	<b>APPLICATIONS:</b> Hendrickson 56808-2 (class 6 Ford) Hendrickson 57150 RH Hendrickson 57140 LH - Remove new bracket and reuse old (class 6&7 GM)		

BELLOWS <b>1T15M2</b>	AON <b>W01-358-9365</b>	C01-358-1131	12.45	Composite	
 CROSS SECTION	 BEAD PLATE TOP	 PISTON BOTTOM	<b>APPLICATIONS:</b> Holland (Neway) 90557159		

BELLOWS <b>1T15M2</b>	AON <b>W01-358-9366</b>	C01-358-1131	11.82	Composite	
 CROSS SECTION	 BEAD PLATE TOP	 PISTON BOTTOM	<b>APPLICATIONS:</b> Holland (Neway) 90557160 Holland (Neway) 90557210 Holland (Neway) 90557225 Watson & Chalin AS-0054 Wabash Holland (Neway) 90557225		

BELLOWS <b>1T15M2</b>	AON <b>W01-358-9807</b>	C01-358-1131	11.00	Composite	
 CROSS SECTION	 BEAD PLATE TOP	 PISTON BOTTOM	<b>APPLICATIONS:</b> Spacer Options WC1-358-1690 WC1-358-1691 WC1-358-1692 (see specs for each following) Holland 90557372 50857000		

PRIMARY TRUCK & TRAILER AXLE

BELLOWS <b>1T15M4</b>	AON <b>W01-358-0742</b>	C01-358-2145	10.54	N/A
			<b>APPLICATIONS:</b>	

BELLOWS <b>1T15M4</b>	AON <b>W01-358-8802</b>	C01-358-2145	12.04	Composite
			<b>APPLICATIONS:</b> Ridewell 1003588802C Holland (Neway) 90557170	

BELLOWS <b>1T15M4</b>	AON <b>W01-358-8803</b>	C01-358-2145	13.09	Composite
			<b>APPLICATIONS:</b> Ridewell 1003588803C Holland (Neway) 90557194 (Dock-Mate)	

BELLOWS <b>1T15M4</b>	AON <b>W01-358-8805</b>	C01-358-2145	16.18	Aluminum
			<b>APPLICATIONS:</b> Ridewell 1003588805C	

BELLOWS <b>1T15M4</b>	AON <b>W01-358-8806</b>	C01-358-2145	14.00	Aluminum
			<b>APPLICATIONS:</b> Ridewell 1003588806C	

BELLOWS <b>1T15M4</b>	AON <b>W01-358-8810</b>	C01-358-2145	15.03	Aluminum
			<b>APPLICATIONS:</b> Hagie	

BELLOWS <b>1T15M4</b>	AON <b>W01-358-8813</b>	C01-358-2145	12.62	Composite
			<b>APPLICATIONS:</b> Kenworth C81-1003 Airglide 380 Peterbilt C81-6000 Flex Air	

BELLOWS <b>1T15M4</b>	AON <b>W01-358-8816</b>	C01-358-2145	13.19	Composite
			<b>APPLICATIONS:</b> Hendrickson 60929-2	

BELLOWS <b>1T15M4</b>	AON <b>W01-358-8817</b>	C01-358-2145	13.46	Composite
			<b>APPLICATIONS:</b> Hendrickson 60925-2	

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9010</b>	C01-358-2145	16.14	Aluminum
			<b>APPLICATIONS:</b> Ridewell 1003589010C (replaces 9064) Reyco 12928-01 Hendrickson Trailer S2827 Hendrickson Trailer S11566 (remove bolt) Watson & Chalin AS-0044	

**HARDWARE KEY**  
 ● Bolt or Stud 1/2-13      ⊗ Air Inlet 1/4 N.P.T.  
 ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons  
 ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.  
 ▲ No Alignment Specified-Center Stud Mounting is Standard  
 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9056</b>	C01-358-2145	13.65	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> DAF 656991</p>		

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9059</b>	C01-358-2145	16.32	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hutchens H-1913-1</p> <p>ORDER NO. WC1-358-0651</p>		

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9069</b>	C01-358-2145	14.23	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Peterbilt 03-02456 Peterbilt 03-04759 Peterbilt 03-01649 Peterbilt 03-06746 Peterbilt 03-07112 Peterbilt 03-02038 (Air-Trac) MFG.SV# Peterbilt 03-10042</p> <p>ORDER NO. WC1-358-0666</p>		

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9070</b>	C01-358-2145	15.25	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557038 Holland (Neway) 90557090 (AR-90-1-12) Silent Drive</p> <p>ORDER NO. WC1-358-0652</p>		

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9071</b>	C01-358-2145	16.08	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Fab Tek (West Unit) 101357 Ridewell 1003589071C Pioneer Trailer</p> <p>ORDER NO. WC1-358-0651</p>		

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9335</b>	C01-358-2145	12.34	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>BRACKET <b>WC1-358-3903</b></p> <p><b>APPLICATIONS:</b> Hendrickson 56917 - 1 &amp; 2 (Class6&amp;7 Freightliner) -ref.56916 (W01-358-9284) Superseded</p> <p>ORDER NO. WC1-358-1634</p>		

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9336</b>	C01-358-2145	13.38	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Watson &amp; Chalin AS-0053</p> <p>ORDER NO. WC1-358-1616</p>		

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9467</b>	C01-358-2145	18.58	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Ridewell 1003589467C</p> <p><b>OBSELETE: NO LONGER AVAILABLE</b></p>		

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9482</b>	C01-358-2145	14.91	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>BRACKET <b>WC1-358-3887</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) 90557161 (AD200-7) (Gillig) - ref. W01-358-9585 (1/2" NPT)</p> <p>ORDER NO. WC1-358-1616</p>		

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9484</b>	C01-358-2145	12.87	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557158</p> <p>ORDER NO. WC1-358-0666</p>		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9507</b>	C01-358-2145	16.23	Aluminum
			BRACKET <b>WC1-358-3887</b>	
APPLICATIONS: Holland (Neway) 90557313				
ORDER NO. WC1-358-0651				

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9585</b>	C01-358-2145	15.41	Composite
			BRACKET <b>WC1-358-3887</b>	
APPLICATIONS: Holland (Neway) 90557247 (replaces 90557219-flush fitting) - ref.W01-358-9482				
<b>OBSELETE: NO LONGER AVAILABLE</b>				
ORDER NO. WC1-358-1616				

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9697</b>	C01-358-2145	13.25	Composite
			APPLICATIONS: Holland 90557329	
ORDER NO. WC1-358-1619				

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9797</b>	C01-358-2145	13.86	Aluminum
			APPLICATIONS: Ridewell 1003589797C	
ORDER NO. WC1-358-0652				

BELLOWS <b>1T15M4</b>	AON <b>W01-358-9978</b>	C01-358-2145	14.10	Composite
			APPLICATIONS: Hendrickson S-28929	
Order No. WC1-358-1674				

BELLOWS <b>1T15M6</b>	AON <b>W01-358-1096</b>	C01-358-2149	14.55	Aluminum
			APPLICATIONS: Goodyear 1R12-494 566243142	
Order No. WC1-358-0652				

BELLOWS <b>1T15M6</b>	AON <b>W01-358-8591</b>	C01-358-2149	15.92	Composite
			APPLICATIONS: Volvo 3180673	
<b>OBSELETE: NO LONGER AVAILABLE</b>				
Order No. WC1-358-1628				

BELLOWS <b>1T15M6</b>	AON <b>W01-358-8824</b>	C01-358-2149	13.88	Composite
			APPLICATIONS: Tuthill-Reycro 702614-01	
Order No. WC1-358-9452 PL				

BELLOWS <b>1T15M6</b>	AON <b>W01-358-8825</b>	C01-358-2149	13.74	Composite
			APPLICATIONS: Watson & Chalin AS-0113 Goodyear 1R12-541	
<b>OBSELETE: NO LONGER AVAILABLE</b>				
Order No. WC1-358-9452				

BELLOWS <b>1T15M6</b>	AON <b>W01-358-8924</b>	C01-358-2149	14.89	Composite
			APPLICATIONS: Ridewell 1003588924C	
Order No. WC1-358-9452				

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

PRIMARY TRUCK & TRAILER AXLE

BELLOWS <b>1T15M6</b>	AON <b>W01-358-8927</b>	C01-358-2149 14.54 Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>
<p><b>APPLICATIONS:</b> Watson &amp; Chalin AS-0062</p> <p><b>OBSELETE: NO LONGER AVAILABLE</b></p>		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9026</b>	C01-358-2149 12.70 Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>
<p><b>APPLICATIONS:</b> Peterbilt 03-06213 Peterbilt 03-07111 (Low Air Leaf)</p>		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9082</b>	C01-358-2149 14.59 Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>
<p>SERVICE ASSEMBLY <b>W01-358-0712</b></p> <p><b>APPLICATIONS:</b> Hendrickson Can. S2066, S11651, B-12514-007 Kelderman Hutchens H-9630-01 Kwik Lok/ToDo (Jifflox) CP-5125 Holland (Neway) 90557006, 90557027, 90557033 (special mounting), 90557037, 90557054, 90557075 Reyco 12882-01, R &amp; S Truck &amp; body 1090217 Ridewell 1003589082C, Silent Drive, Watson &amp; Chalin AS-0011</p>		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9083</b>	C01-358-2149 13.22 Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>
<p>SERVICE ASSEMBLY <b>W01-358-9080</b></p> <p><b>APPLICATIONS:</b> Granning 1359 Watson &amp; Chalin AS-0028 Ridewell 1003589083C Hendrickson Trailer S1561</p>		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9092</b>	C01-358-2149 15.11 Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>
<p><b>APPLICATIONS:</b> Holland (Neway) 90557031 Hendrickson Can. S12353</p>		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9093</b>	C01-358-2149 15.98 Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>
<p>SERVICE ASSEMBLY <b>W01-358-0712</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) 90557007 Holland (Neway) 90557032 Holland (Neway) 90557035</p>		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9096</b>	C01-358-2149 14.79 Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>
<p>SERVICE ASSEMBLY <b>W01-358-0707</b></p> <p><b>APPLICATIONS:</b> Fruehauf UCE-1304-1</p>		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9193</b>	C01-358-2149 15.09 Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>
<p>SERVICE ASSEMBLY <b>W01-358-0712</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) 90557101 REPLACEMENT PISTON COMES WITHOUT STUDS</p> <p><b>OBSELETE: NO LONGER AVAILABLE</b></p>		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9194</b>	C01-358-2149 12.99 Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>
<p>SERVICE ASSEMBLY <b>W01-358-9080</b></p> <p><b>APPLICATIONS:</b> Peterbilt 03-05107</p>		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9210</b>	C01-358-2149 15.88 Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>
<p>SERVICE ASSEMBLY <b>W01-358-9080</b></p> <p><b>APPLICATIONS:</b> Granning 2577</p>		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9211</b>	C01-358-2149 17.34 Aluminum
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
SERVICE ASSEMBLY <b>W01-358-0712</b>		
<b>APPLICATIONS:</b> Granning 2692		
<b>OBSOLETE: NO LONGER AVAILABLE</b>		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9213</b>	C01-358-2149 13.29 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
SERVICE ASSEMBLY <b>W01-358-0748</b>		
<b>APPLICATIONS:</b> Navistar 501559C-1 Navistar 501559C-2 Navistar 1660581C-1		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9219</b>	C01-358-2149 13.54 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Volvo/GM Heavy Duty Truck 35003-3201 Volvo/GM Heavy Duty Truck 35203-3202 Volvo/GM Heavy Duty Truck 35003-3204 Volvo/GM Heavy Duty Truck 35003-3209		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9223</b>	C01-358-2149 20.57 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Reyco 12884-01 Reyco 12884-01A (102AR) Hendrickson 48195-2		
<b>REPLACES 1T15LX8</b>		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9227</b>	C01-358-2149 14.98 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Hendrickson Trailer S2924 Hendrickson 48195-1 (b.plate studs-1.35) (2 studs in piston at 90deg alignment)		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9296</b>	C01-358-2149 14.39 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
BRACKET <b>WC1-358-3873</b>		
<b>APPLICATIONS:</b> Volvo/GM 8061151 Volvo/GM 8169868		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9304</b>	C01-358-2149 16.20 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Holland (Neway) 90557124 (AR-90115 & 16) Watson & Chalin AS-0059		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9362</b>	C01-358-2149 14.88 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Watson & Chalin AS-0049 Holland (Neway) 90557113 (AR90-1-14&17) (AR75-6&9)		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9392</b>	C01-358-2149 16.02 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
SERVICE ASSEMBLY <b>W01-358-0712</b>		
<b>APPLICATIONS:</b> Hendrickson Trailer S4773		

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9466</b>	C01-358-2149 14.33 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Hendrickson 49048 (Ford) Hendrickson 49674-1&2 (Mack) (57QL411M) Hendrickson 49207 (Marmon) HA-360/400/460 [up to 1991]		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9474</b>	C01-358-2149	15.12	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Reyco 20966-01 Everly</p> <p>ORDER NO. WC1-358-0651</p>	

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9496</b>	C01-358-2149	15.19	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>BRACKET <b>WC1-358-3887</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) 90557208</p> <p>ORDER NO. WC1-358-1619</p> <p><b>OBSELETE: NO LONGER AVAILABLE</b></p>	

BELLOWS <b>1T15M6</b>	AON <b>W01-358-9966</b>	C01-358-2149	22.36	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Reyco 20124-02 (1/2 NPT) Reyco 20124-01 Reyco 20124-01K (1/4 NPT) - [Use 1/2 to 1/4 NPT adaptor]</p> <p>Order No. WC1-358-0660</p>	

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-8888</b>	C01-358-2197	13.99	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Rowe Truck 0027 ASC2500</p> <p>ORDER NO. WC1-358-9452</p>	

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-9342</b>	C01-358-2197	13.65	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Granning 2727 (supersedes 9298) Chalmers (remove bolt) - Suspension should have axle stops - if not: use W01-358-9245</p> <p>ORDER NO. WC1-358-9452</p>	

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-9902</b>	C01-358-2197	14.70	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557138</p> <p>Order No. WC1-358-0666</p>	

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-9921</b>	C01-358-2197	13.70	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557117 (AR92-12 &amp; 14), (AR93-14) Watson &amp; Chalin AS-0090 Silent Drive</p> <p>ORDER NO. WC1-358-0666</p>	

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-9922</b>	C01-358-2197	15.04	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557119 (AR92-17) (AR93-17)</p> <p>Order No. WC1-358-0664</p>	

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-9923</b>	C01-358-2197	13.74	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557118 (AR92 &amp; 93-15&amp;16)</p> <p>ORDER NO. WC1-358-1619</p>	

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-9935</b>	C01-358-2197	13.81	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557157 (RL-228-17) Holland (Neway) 90557301</p> <p>Order No. WC1-358-1619</p>	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-9936</b>	C01-358-2197	13.91	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557156 (RL-228-14, 15, 16) Holland (Neway) 90557300</p> <p>Order No. WC1-358-0666</p>		

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-9942</b>	C01-358-2197	14.14	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557142</p> <p>Order No. WC1-358-1619</p>		

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-9943</b>	C01-358-2197	15.16	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557143</p> <p>Order No. WC1-358-0664</p> <p><b>OBsolete: NO LONGER AVAILABLE</b></p>		

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-9947</b>	C01-358-2197	15.88	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Reyco 20142-01 &amp; 01K</p> <p>Order No. WC1-358-0666</p>		

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-9971</b>	C01-358-2197	84.68	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557295 (RL230, GRL228)</p> <p>ORDER NO. WC1-358-0659</p>		

BELLOWS <b>1T15M7.5</b>	AON <b>W01-358-9974</b>	C01-358-2197	14.34	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland 90557332</p> <p>ORDER NO. WC1-358-0659</p>		

BELLOWS <b>1T15M8</b>	AON <b>W01-358-9287</b>	C01-358-2160	18.50	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>BRACKET <b>WC1-358-3903</b></p> <p><b>APPLICATIONS:</b> Hendrickson 50405-1&amp;2 (Ford, W.Star) HA-360/400/460 [1991-Up] Hendrickson 50405 (remove intermediate plate and use new production version with bracket)</p> <p>Order No. WC1-358-1606</p>		

BELLOWS <b>1T15M8</b>	AON <b>W01-358-9297</b>	C01-358-2160	16.48	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>BRACKET <b>WC1-358-3903</b></p> <p><b>APPLICATIONS:</b> Hendrickson 50898-1 &amp; 2 (GH &amp; Ford) (class 6, 7 &amp; 8) Hendrickson Truck 64651-2</p> <p>Order No. WC1-358-1628</p>		

BELLOWS <b>1T15M8</b>	AON <b>W01-358-9371</b>	C01-358-2160	17.96	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>BRACKET <b>WC1-358-3888</b></p> <p><b>APPLICATIONS:</b> Navistar 1670073C-1 Navistar 1686386C-1</p> <p>ORDER NO. WC1-358-1620</p>		

BELLOWS <b>1T15M8</b>	AON <b>W01-358-9373</b>	C01-358-2160	16.05	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>BRACKET <b>WC1-358-3903</b></p> <p><b>APPLICATIONS:</b> Hendrickson 57122-2 (Ford, class 8) HAS-360/400/402/460</p> <p>Order No. WC1-358-1628</p>		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15M8</b>	AON <b>W01-358-9375</b>	C01-358-2160 16.88 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
BRACKET <b>WC1-358-3904</b>		
<b>APPLICATIONS:</b> Hendrickson 50899 -1 & 2 (Mack-class 8) 57QL414M Mack 3645Q27		

BELLOWS <b>1T15M8</b>	AON <b>W01-358-9641</b>	C01-358-2160 16.75 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
BRACKET <b>WC1-358-3906</b>		
<b>APPLICATIONS:</b> Hendrickson 59010-2		

BELLOWS <b>1T15M8</b>	AON <b>W01-358-9647</b>	C01-358-2160 15.86 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
BRACKET <b>WC1-358-3906</b>		
<b>APPLICATIONS:</b> Hendrickson 58786-2 (MACK 57QL417M)		
<b>REPLACES 1T15MT8</b>		

BELLOWS <b>1T15M8</b>	AON <b>W01-358-9649</b>	C01-358-2160 17.22 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
BRACKET <b>WC1-358-3906</b>		
<b>APPLICATIONS:</b> Holland (Neway) 90557252		

BELLOWS <b>1T15M8</b>	AON <b>W01-358-9654</b>	C01-358-2160 15.10 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
BRACKET <b>WC1-358-3906</b>		
<b>APPLICATIONS:</b> Hendrickson 65032-2 Mack 57QL53M		

BELLOWS <b>1T15M8</b>	AON <b>W01-358-9663</b>	C01-358-2160 16.23 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
BRACKET <b>WC1-358-3906</b>		
<b>APPLICATIONS:</b> Hendrickson Truck 60271-2 Mack 57WL57M		

BELLOWS <b>1T15M8</b>	AON <b>W01-M58-9372</b>	C01-M58-2123 16.74 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
BRACKET <b>WC1-358-3906</b>		
<b>APPLICATIONS:</b> Hendrickson 58520-2 (Nissan) (replaces 58654-2) Hendrickson Truck 64489-2		

BELLOWS <b>1T15M8</b>	AON <b>W01-M58-9656</b>	C01-M58-2123 19.00 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
BRACKET <b>WC1-358-3906</b>		
<b>APPLICATIONS:</b> Hendrickson Truck 64651-2 Mack 57QL57M		

BELLOWS <b>1T15M9</b>	AON <b>W01-358-0783</b>	C01-358-1000 27.50 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
BRACKET <b>WC1-358-3906</b>		
<b>APPLICATIONS:</b> Goodyear 1R12-467 Ridewell 1000001		

BELLOWS <b>1T15M9</b>	AON <b>W01-358-8842</b>	C01-358-1000 15.21 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
BRACKET <b>WC1-358-3906</b>		
<b>APPLICATIONS:</b> Link 1103-0058		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

**PRIMARY TRUCK & TRAILER AXLE**  
1T REVERSIBLE SLEEVE SPRINGS



BELLOWS <b>1T15M9</b>	AON <b>W01-358-8852</b>	C01-358-1000	13.19	Composite
	3302 	9532/NAD-29827 	<b>APPLICATIONS:</b> Peterbilt 03-07887 (Low Air Leaf)	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-1619	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-8855</b>	C01-358-1000	14.64	Composite
	3242 	9530/ NAD-27809 	<b>APPLICATIONS:</b> Reyco 23521-01	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-9452	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-8856</b>	C01-358-1000	14.53	Composite
	3242 	9532/NAD-29827 	<b>APPLICATIONS:</b> Reyco 23521-02	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1619	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-8861</b>	C01-358-1000	15.46	Composite
	3192 	9530/NAD-27809 	<b>APPLICATIONS:</b> Watson & Chalin AS-0061-1 Goodyear 1R12-534	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-9452	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-8864</b>	C01-358-1000	14.06	Composite
	3202 	9531 / NAD-28197 	<b>APPLICATIONS:</b> Peterbilt 03-08716 (New Low Leaf Supersedes 03-07887 effective 04/04) CB11011 Paccar Part	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-1626	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons



**PRIMARY TRUCK & TRAILER AXLE**  
1T REVERSIBLE SLEEVE SPRINGS

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9101</b>	C01-358-1000	16.65	Composite
	3235 	9553 / NAD-29467 	<b>APPLICATIONS:</b> Holland (Neway) 90557008, 90557009, 90557082 Ridewell 1003589101C Reyco 12883-01 Silent Drive Truckstell (Marion Mfg.) 63647 MFG.SV.# Neway 90044201 Watson & Chalin AS-0040	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	SERVICE ASSEMBLY <b>W01-358-9102</b>	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9106</b>	C01-358-1000	17.98	Aluminum
	3201 	9653/NBD-10437 OR 6777/FIP-103970 	<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0620	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9130</b>	C01-358-1000	16.31	Composite
	3271 	9553/NAD-29467 	<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-9453	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9192</b>	C01-358-1000	15.87	Composite
	3235 	9530/NAD-27809 	<b>APPLICATIONS:</b> Hendrickson Trailer S6195 Holland (Neway) 90557086 90557108 (AR-90) Watson & Chalin AS-0038 AS-0046 Rotate Piston 90557135-28LH Rotate Piston 90557136-28RH	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-9452	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9203</b>	C01-358-1000	15.98	Composite
	3271 	9530/NAD-27809 	<b>APPLICATIONS:</b> Hendrickson Trailer S2694	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-9452	

PRIMARY TRUCK & TRAILER AXLE

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9238</b>	C01-358-1000	16.38	Composite
	3210 	9553/NAD-29467  Order No. WC1-358-9453	<b>APPLICATIONS:</b> Hendrickson Trailer S5060	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9240</b>	C01-358-1000	16.63	Composite
	3235 	9553 / NAD-29467  ORDER NO. WC1-358-9453	<b>APPLICATIONS:</b> Hendrickson Trailer S3842 Hendrickson Can. S10352  <b>OBSELETE: NO LONGER AVAILABLE</b>	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9241</b>	C01-358-1000	16.17	Composite
	3271 	9553/NAD-29467  Order No. WC1-358-9453	<b>APPLICATIONS:</b>	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9243</b>	C01-358-1000	14.44	Composite
	3235 	9532 / NAD-29827  ORDER NO. WC1-358-1619	<b>APPLICATIONS:</b> Holland (Neway) 900557112 (AR90-[All]) (ARU92-9&10) Watson & Chalin AS-0061	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9245</b>	C01-358-1000	15.80	Composite
	3490 	9530 / NAD-27809  Order No. WC1-358-9452	SERVICE ASSEMBLY <b>W01-358-9102</b> <b>APPLICATIONS:</b> Ridewell 1003589245C	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9346</b>	C01-358-1000	16.60	Composite
	3235 	9540/NAD-29828  Order No. WC1-358-0664	SERVICE ASSEMBLY <b>W01-358-9102</b> <b>APPLICATIONS:</b> Holland (Neway) 90557126 (AR-75-12) (AR-75-1-12) (ARU92-12) Watson & Chalin AS-0056	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9348</b>	C01-358-1000	16.87	Composite
	3173 	9553/NAD-29467  Order No. WC1-358-9453	<b>APPLICATIONS:</b> CCG McCullough Trailer  <b>OBSELETE: NO LONGER AVAILABLE</b>	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9350</b>	C01-358-1000	14.60	Composite
	3271 	9553/NAD-29467  Order No. WC1-358-9453	<b>APPLICATIONS:</b> Watson & Chalin	

BELLOWS <b>1T15M9</b>	AON <b>W01-358-9394</b>	C01-358-1000	16.50	Composite
	3271 	9553/NAD-29467  Order No. WC1-358-9453	<b>APPLICATIONS:</b> Fruehauf UCD-9393-2 (if bolt is removed, this part can replace the UCE-9393-1) Suspensions Inc. 200041 Supersedes 9241	

BELLOWS <b>1T15M11</b>	AON <b>W01-358-9320</b>	C01-358-5129	17.33	Composite
	3490 	9553/NAD-29467  Order No. WC1-358-9453	<b>APPLICATIONS:</b> Holland (Neway) 90557099 Silent Drive	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊙ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊕ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊖ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15M11</b>	AON <b>W01-358-9321</b>	C01-358-5129	19.76	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Watson &amp; Chain AS-0036</p> <p>Order No. WC1-358-0620</p>		

BELLOWS <b>1T15M11</b>	AON <b>W01-358-9367</b>	C01-358-5129	20.41	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson S14249 (W01-455-9321) Hendrickson Aux. 003319 (metric equivalent)</p> <p>Order No. WC1-358-0620</p>		

BELLOWS <b>1T15M11</b>	AON <b>W01-358-9368</b>	C01-358-5129	20.71	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Ridewell 1003589368C</p> <p>Order No. WC1-358-9453</p> <p><b>OBsolete: NO LONGER AVAILABLE</b></p>		

BELLOWS <b>1T15M11</b>	AON <b>W01-358-9370</b>	C01-358-5129	16.96	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Watson &amp; Chain AS-0057</p> <p>Order No. WC1-358-0664</p>		

BELLOWS <b>1T15MA4</b>	AON <b>W01-M58-9851</b>	C01-M58-2292	13.00	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson 65086-2</p> <p>Order No. WC1-358-1634</p>		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15MBTW6</b>	AON <b>W01-358-9644</b>	C01-358-1081	13.84	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S23721</p> <p>Order No. WC1-358-1619</p>		

BELLOWS <b>1T15MBTW10</b>	AON <b>W01-358-9646</b>	C01-358-1078	14.43	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S23611</p> <p>Order No. WC1-358-1619</p>		

BELLOWS <b>1T15MBTW12</b>	AON <b>W01-358-9645</b>	C01-358-1079	16.93	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S23612</p> <p>Order No. WC1-358-0664</p>		

BELLOWS <b>1T15MLW7</b>	AON <b>W01-358-8944</b>	C01-358-0007	16.70	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S20217 (HT-190U)</p> <p>Order No. WC1-358-1694</p> <p><b>REPLACES W01-358-9015</b></p>		

BELLOWS <b>1T15MM9</b>	AON <b>W01-358-9265</b>	C01-358-2203	16.68	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S20124 Hendrickson Trailer HT-250T Hendrickson Trailer C20413 (rotate piston to 45deg alignment) Hendrickson Trailer HT-250U (all others) Hendrickson Trailer HT-250U-Y (9Y-001)</p> <p>Order No. WC1-358-1694</p> <p><b>REPLACES 1T15MW10</b></p>		

BELLOWS <b>1T15MMW8.0</b>	AON <b>W01-M58-7074</b>	C01-M58-0032	13.12	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3532 3881/NAD-34837</p> <p>M12x1.75 M22x1.5, M12x1.5 2x M12x1.75</p>	<p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T15MN6</b>	AON <b>W01-358-8828</b>	C01-358-2200	15.37	Aluminum
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3191 9603/NAD-29630</p> <p>Order No. WC1-358-1635</p>	<p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T15MPW6</b>	AON <b>W01-358-8494</b>	C01-358-0082	14.07	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3226 9532/NAD-29827</p> <p>.500 PIN</p> <p>Order No. WC1-358-1619</p>	<p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T15MPW7</b>	AON <b>W01-358-6231</b>	C01-358-0054	14.54	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3249 9507/NAD-31763</p> <p>1/2-13 UNC</p>	<p><b>APPLICATIONS:</b> Arvin Meritor 21227742FS FS230</p> <p><b>REPLACES W01-358-6262</b></p>		

BELLOWS <b>1T15MPW7</b>	AON <b>W01-358-6262</b>	C01-358-0054	14.34	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3249 9557/NAD-31181</p> <p>Order No. WC1-358-1654</p>	<p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T15MPW7</b>	AON <b>W01-358-8903</b>	C01-M58-0032	13.64	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3235 9532/NAD-29827</p> <p>Order No. WC1-358-1619</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557169 (Advance Mixer)</p>		

BELLOWS <b>1T15MR2</b>	AON <b>W01-358-9268</b>	C01-358-1016	9.07	No Piston
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3253</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557123 - Service assembly only (no piston) ARD120 &amp; 240-5 (Air Beam) (90054540 w/o bracket)</p>		

BELLOWS <b>1T15MT3</b>	AON <b>W01-358-8466</b>	C01-358-1069	16.37	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3002 9550 / NAD-29456</p> <p>ORDER NO. WC1-358-1652</p>	<p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T15MT3</b>	AON <b>W01-358-9634</b>	C01-358-1069	16.19	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3404 9550/NAD-29456</p> <p>Order No. WC1-358-1652</p>	<p><b>APPLICATIONS:</b> Freightliner 16-14263-000 Freightliner 16-15443-000 (6033 bracket) Freightliner 16-14263-001 Freightliner 16-15443-001 (6034 bracket) Freightliner 16-15444-000 service (no bracket, no piston) - reuse old bracket or purchase separately replacement Freightliner 16-19470-000, 16-18333-000, 16-18333-001</p> <p><b>REPLACES 1T15ZR3</b></p>		

BELLOWS <b>1T15MT3</b>	AON <b>W01-358-9640</b>	C01-358-1069	14.27	Aluminum
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3242 9702/ NAD-27357</p> <p>ORDER NO. WC1-358-1608</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S20223 (HT-190T, HS-190T)</p> <p><b>REPLACES W01-358-9630</b></p>		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

PRIMARY TRUCK & TRAILER AXLE

BELLOWS <b>1T15MT6</b>	AON <b>W01-358-8831</b>	C01-358-2169	14.69	Composite
	3271 	9561 / NAD-32767 	<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-1606	

BELLOWS <b>1T15MT6</b>	AON <b>W01-358-9643</b>	C01-358-2169	15.93	Composite
	3313 	9538 / NAD-27740 	<b>APPLICATIONS:</b> Hendrickson 58995-2 (Freightliner)	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	BRACKET <b>WC1-358-3903</b>	
<b>OBSOLETE: NO LONGER AVAILABLE</b>				

BELLOWS <b>1T15MW6</b>	AON <b>W01-358-9299</b>	C01-358-2205	16.41	Aluminum
	3242 	9694/NAD-25396 	<b>APPLICATIONS:</b> Hendrickson Trailer S20716 (HT250U(6.5-002))	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1694	

BELLOWS <b>1T15SN6</b>	AON <b>W01-358-9260</b>	C01-358-2161	13.20	Composite
	3201 	9535/NAD-29592 	<b>APPLICATIONS:</b> Jet Co. (10.3 max.OD) Bolt removed for center mounting	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. N/A	

BELLOWS <b>1T15SN6</b>	AON <b>W01-358-9278</b>	C01-358-2161	11.43	Composite
	3225 	9535/NAD-29592 	<b>APPLICATIONS:</b> Caterpillar 102-9283	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	<b>OBSOLETE: NO LONGER AVAILABLE</b>	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15T1</b>	AON <b>W01-358-9401</b>	C01-358-1013	9.70	Composite
	3201 	9492 / FIP-100742 	<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM		

BELLOWS <b>1T15T1</b>	AON <b>W01-358-9402</b>	C01-358-1013	10.64	Composite
	3215 	9492 / FIP-100742 	<b>APPLICATIONS:</b> Capacity of Texas	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1642	

BELLOWS <b>1T15T1</b>	AON <b>W01-358-9650</b>	C01-358-1013	12.26	Aluminum
	3235 	9654/NBD-10438 	<b>APPLICATIONS:</b> Holland (Neway) 90557097	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0663	

BELLOWS <b>1T15T1</b>	AON <b>W01-358-9651</b>	C01-358-1013	9.83	Composite
	3220 	9571/NAD-18130 	<b>APPLICATIONS:</b> Monaco Coach 01806160	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0646	

BELLOWS <b>1T15TM1</b>	AON <b>W01-358-5766</b>	C01-358-1008	12.17	Composite
	3235 	9492/FIP-100742 	<b>APPLICATIONS:</b> American Carrier 8003-023 Hutchens 19141-01	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1642	

BELLOWS <b>1T15TM1</b>	AON <b>W01-358-9421</b>	C01-358-1008	10.07	Composite
	3235 	9492/FIP-100742 	<b>APPLICATIONS:</b> American Carrier 8003-003	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1642	

BELLOWS <b>1T15TM1</b>	AON <b>W01-358-9423</b>	C01-358-1008	13.04	Aluminum
	3235 	9655/NBD-10439 	<b>APPLICATIONS:</b> Ridewell 1003589423C	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	<b>OBSELETE: NO LONGER AVAILABLE</b>	

BELLOWS <b>1T15TQ1</b>	AON <b>W01-358-5770</b>	C01-358-1030	11.17	Aluminum
	3235 	9681/NBD-14213 	<b>APPLICATIONS:</b> Ridewell 1003585770C Watson & Chalin AS-0042	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1612	

BELLOWS <b>1T15TQ1</b>	AON <b>W01-358-5772</b>	C01-358-1031	9.42	Aluminum
	3235 	9681/NBD-14213 	<b>APPLICATIONS:</b> Brock Link (see 5789)	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1612	

BELLOWS <b>1T15TQ1</b>	AON <b>W01-358-5775</b>	C01-358-1031	11.94	Aluminum
	3211 	9681/NBD-14213 	<b>APPLICATIONS:</b> Reyco 20783-01	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1612	

BELLOWS <b>1T15TQ1</b>	AON <b>W01-358-5776</b>	C01-358-1048	11.64	Aluminum
	3253 	9681/NBD-14213 	<b>APPLICATIONS:</b> Holland (Neway) 90557174 (AS 120) ref. W01-358-9586 (1/2 NPT)	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1612	

BELLOWS <b>1T15TQ1</b>	AON <b>W01-358-5777</b>	C01-358-1031	11.01	Aluminum
	3211 	9681/NBD-14213 	<b>APPLICATIONS:</b> Reyco 22425-01	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1612	

BELLOWS <b>1T15TQ1</b>	AON <b>W01-358-5783</b>	C01-358-1030	10.52	Aluminum
	3235 	4078/NBD-17119 	<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1612	

BELLOWS <b>1T15TQ1</b>	AON <b>W01-358-5789</b>	C01-358-1031	11.17	Aluminum
	3235 	9681/NBD-14213 	<b>APPLICATIONS:</b> Link 1103-0503 Ultradie	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1612	

BELLOWS <b>1T15TQ1</b>	AON <b>W01-358-5792</b>	C01-358-1030	11.61	Composite
	3235 	9492/FIP-100742 	<b>APPLICATIONS:</b> Ridewell 1003585792C	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1642	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

<b>BELLOWS 1T15TQ1</b>	<b>AON W01-358-9586</b>	C01-358-1048	11.78	Aluminum
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>9681/NBD-14213</p> <p>Order No. WC1-358-1612</p>	<p><b>BRACKET WC1-358-3887</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) 90557249 Replaces 90557221 (1/2 NPT-flush) (ref.W01-358-5776)</p>		

<b>BELLOWS 1T15V1</b>	<b>AON W01-358-9249</b>	C01-358-5103	12.16	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3235 9528/NBD-14404</p> <p>Order No. WC1-358-0667</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557107 Mercedes Bus Mexico Front</p>		

<b>BELLOWS 1T15V3</b>	<b>AON W01-358-9578</b>	C01-358-5098	11.57	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3235 9528/NBD-14404</p> <p>ORDER NO. WC1-358-0667</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557232</p>		

<b>BELLOWS 1T15V3</b>	<b>AON W01-358-9582</b>	C01-358-5098	13.03	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3235 9528/NBD-14404</p> <p>ORDER NO. WC1-358-0667</p>	<p><b>SPACER WC1-358-3701</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) 90557240 REPLACEMENT PISTON DOES NOT INCLUDE SPACER</p> <p><b>OBSOLETE: NO LONGER AVAILABLE</b></p>		

<b>BELLOWS 1T15V8</b>	<b>AON W01-358-9274</b>	C01-358-5105	19.03	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3235 9462/FIP-101776</p>	<p><b>APPLICATIONS:</b> Ridewell 1003589274C</p>		

<b>BELLOWS 1T15V8</b>	<b>AON W01-358-9275</b>	C01-358-5105	19.26	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3235 9462/FIP-101776</p>	<p><b>APPLICATIONS:</b> Ridewell 1003589275C</p>		

<b>BELLOWS 1T15V8</b>	<b>AON W01-358-9470</b>	C01-358-5105	16.18	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3253 9532/NAD-29827</p> <p>ORDER NO. WC1-358-1619</p>	<p><b>BRACKET WC1-358-3887</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) 90557145 (AD-246) Holland (Neway) 90557211 (2 bolt mounting on piston)</p>		

<b>BELLOWS 1T15V8</b>	<b>AON W01-358-9471</b>	C01-358-5105	17.77	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3253 9540/NAD-29828</p> <p>ORDER NO. WC1-358-0664</p>	<p><b>BRACKET WC1-358-3887</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) (AD-123/246-10) 90557146 90557182 (no bracket) 90557177 (special lower connection) Holland (Neway) 90557212 (146) Holland (Neway) 90557214 (182) (2 bolt mounting on piston)</p>		

<b>BELLOWS 1T15V8</b>	<b>AON W01-358-9472</b>	C01-358-5105	16.20	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3253 9544/NAD-29826</p> <p>ORDER NO. WC1-358-0666</p>	<p><b>BRACKET WC1-358-3887</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) 90557147 (AD-123/246-6.5 &amp; 8.75) 90557213 (147) (2 bolt mounting on piston) 90557178-Ford (special lower connection)</p>		

<b>BELLOWS 1T15V8</b>	<b>AON W01-358-9473</b>	C01-358-5105	18.04	Composite
<p>CROSS SECTION BEAD PLATE TOP PISTON BOTTOM</p>	<p>3253 9540/NAD-29828</p> <p>ORDER NO. WC1-358-0664</p>	<p><b>BRACKET WC1-358-3887</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) 90557152 90557179 (no bracket) 90557215 (152) 90557216 (179) (2 bolt mounting on piston)</p>		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15V8</b>	AON <b>W01-358-9491</b>	C01-358-5105 18.44 Aluminum
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
BRACKET <b>WC1-358-3887</b>		
<b>APPLICATIONS:</b> Holland (Neway) 90557206 90557213 REPLACEMENT PISTON COMES WITHOUT STUDS Order No. WC1-358-0651		

BELLOWS <b>1T15V8</b>	AON <b>W01-358-9501</b>	C01-358-5105 17.58 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Holland 90557214 REPLACEMENT PISTON COMES WITHOUT STUDS ORDER NO. WC1-358-9453		

BELLOWS <b>1T15V8</b>	AON <b>W01-358-9502</b>	C01-358-5105 16.70 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Holland 90557211 REPLACEMENT PISTON COMES WITHOUT STUDS ORDER NO. WC1-358-9452 <b>OBSOLETE: NO LONGER AVAILABLE</b>		

BELLOWS <b>1T15V8</b>	AON <b>W01-358-9504</b>	C01-358-5105 17.91 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Holland 90557216 ORDER NO. WC1-358-9453		

BELLOWS <b>1T15V11</b>	AON <b>W01-358-9250</b>	C01-358-5133 23.57 Aluminum
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Ridewell 1003589250C Silent Drive ORDER NO. WC1-358-0680		

BELLOWS <b>1T15VMR8</b>	AON <b>W01-358-9865</b>	C01-358-5085 14.55 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Hendrickson 67043-2		

BELLOWS <b>1T15VMR8</b>	AON <b>W01-358-9866</b>	C01-358-5085 18.00 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Hendrickson 67391-2		

BELLOWS <b>1T15VMW8</b>	AON <b>W01-358-6258</b>	C01-358-5087 14.54 Composite
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Arvin Meritor 21227892 FS25 ORDER NO. WC1-358-1654		

BELLOWS <b>1T15VP4</b>	AON <b>W01-358-8800</b>	C01-358-5090 21.50 Steel
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Hendrickson Trailer S-25559 Order No. WC1-358-1649		

BELLOWS <b>1T15VP4</b>	AON <b>W01-358-9270</b>	C01-358-5090 14.27 Aluminum
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM
<b>APPLICATIONS:</b> Hendrickson S-20010 (HT230T) ref.S21208 (different bead plate) Also replaces 1T15VM-4.0 ORDER NO. WC1-358-1613 <b>REPLACES 1T15VM4</b>		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T15XBZR7.5</b>	AON <b>W01-358-9780</b>	C01-358-0572	13.24	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>3191</b>      <b>9527/NAD-27265</b> PLASTIC</p> <p>Order No. WC1-358-1627</p>	
<p><b>APPLICATIONS:</b> Freightliner 16-13810-000 (composite) Freightliner 681-320-0017 (aluminum) - see W01-358-9781 Freightliner Piston 16-1673-000 (steel) - see W01-358-9782 A16-18335-000 A16-18335-001</p> <p><b>REPLACES 1T15ZR6</b></p>				

BELLOWS <b>1T15XBZR7.5</b>	AON <b>W01-358-9781</b>	C01-358-0572	17.00	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>3191</b>      <b>9604/NAD-30174</b></p> <p>Order No. WC1-358-1624</p>	
<p><b>APPLICATIONS:</b> Freightliner 681-320-0017, A16-14004-000 (aluminum) A16-17574-001 (w/o bracket) A16-17574-002 (w/o bracket) Freightliner Piston 16-13840-000 (composite) - see W01-358-9780 Freightliner Piston 16-16773-000 (steel) - see W01-358-9782 A16-17574-001 A16-17574-002</p> <p><b>REPLACES 1T15ZR6</b></p>				

BELLOWS <b>1T15XBZR7.5</b>	AON <b>W01-358-9782</b>	C01-358-0572	21.00	Steel
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>3191</b>      <b>9676/ NAD-31612</b></p> <p>ORDER NO. N/A</p>	
<p><b>APPLICATIONS:</b> Freightliner Custom Chassis 16-16773-000 (steel) 681-320-0017 (aluminum) - see W01-358-9781 16-13810-000 (composite) - see W01-358-9780</p> <p><b>REPLACES 1T15ZR6</b></p>				

BELLOWS <b>1T15XMR7</b>	AON <b>W01-358-8829</b>	C01-358-1179	11.90	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>3254</b>      <b>4008/FIP-101526</b></p> <p>BRACKET <b>WC1-358-3873</b></p>	
<p><b>APPLICATIONS:</b> Volvo 3934699 Volvo 8079902</p> <p><b>REPLACES 1T15M6</b></p>				

BELLOWS <b>1T15XMR7</b>	AON <b>W01-M58-8463</b>	C01-358-1179	14.70	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>2959</b>      <b>4008/FIP-101526</b></p> <p>BRACKET <b>70-3582-6070</b></p>	
<p><b>APPLICATIONS:</b> Volvo 20733034 Goodyear 1R12-647</p>				

BELLOWS <b>1T15XMR7</b>	AON <b>W01-M58-8468</b>	C01-358-1179	11.20	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>2960</b>      <b>4008/FIP-101526</b></p> <p>LOCATING PIN</p>	
<p><b>APPLICATIONS:</b> Volvo 21132005 Goodyear 1R12-654</p>				

BELLOWS <b>1T15XNR5</b>	AON <b>W01-358-9648</b>	C01-358-1178	12.37	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>3315</b>      <b>4008/FIP-101526</b></p> <p>BRACKET <b>70-3582-6047</b></p>	
<p><b>APPLICATIONS:</b> Navistar 2027911C1 &amp; C2</p> <p><b>REPLACES 1T15M8</b></p>				

BELLOWS <b>1T15XR9</b>	AON <b>W01-358-1190</b>	C01-358-1180	12.75	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>2883</b>      <b>4008/FIP-101526</b></p>	
<p><b>APPLICATIONS:</b> Bead plate Bracket (Double Hole) 70-358-6064 Navistar 3541732C1 Goodyear 1R12-523</p> <p><b>REPLACES W01-358-9876</b></p>				

BELLOWS <b>1T15XR9</b>	AON <b>W01-358-1191</b>	C01-358-1180	12.20	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>2942</b>      <b>4008/FIP-101526</b></p>	
<p><b>APPLICATIONS:</b> Bead plate Bracket (Single Hole) 70-358-6063 Navistar 3541731C1 Goodyear 1R12-432</p> <p><b>REPLACES W01-358-9875</b></p>				

BELLOWS <b>1T15XR9</b>	AON <b>W01-358-1192</b>	C01-358-1180	12.20	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>2942</b>      <b>4008/FIP-101526</b></p>	
<p><b>APPLICATIONS:</b> Navistar 3691773C1</p>				

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T17B5</b>	AON <b>W01-358-8631</b>	C01-358-0458	25.45	Steel
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Watson &amp; Chalin AS-0098-01F</p> <p>Order No. WC1-358-1649</p>	

BELLOWS <b>1T17B5</b>	AON <b>W01-358-8723</b>	C01-358-0458	15.24	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Ridewell 1001R13087 Ridewell 1001R13097</p> <p>ORDER NO. WC1-358-1635</p>	

BELLOWS <b>1T17B5</b>	AON <b>W01-358-8740</b>	C01-358-0458	15.22	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Reyco 23433-01</p> <p>ORDER NO. WC1-358-1613</p>	

BELLOWS <b>1T17B5</b>	AON <b>W01-358-8752</b>	C01-358-0458	15.29	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Watson &amp; Chalin AS-0084 Ridewell 1003588752C Suspensions Inc. 201642 [piston mounting may vary with GY bag-787 BC]</p> <p>Order No. WC1-358-1613</p>	

BELLOWS <b>1T17B5</b>	AON <b>W01-358-8753</b>	C01-358-0458	15.35	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Ridewell 1003588753C Watson &amp; Chalin AS-0098</p> <p>Order No. WC1-358-1613</p>	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T17B5</b>	AON <b>W01-358-8755</b>	C01-358-0458	17.00	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S22045 (HK190T) Hendrickson Trailer Prototype C21623</p> <p>ORDER NO. WC1-358-1610</p>	

BELLOWS <b>1T17B5</b>	AON <b>W01-358-8782</b>	C01-358-0458	15.56	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Ridewell 1001R13109G</p> <p>ORDER NO. WC1-358-1635</p>	

BELLOWS <b>1T17B7</b>	AON <b>W01-358-8720</b>	C01-358-0463	22.27	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Reyco 22747-01</p>	

BELLOWS <b>1T17B11</b>	AON <b>W01-358-8744</b>	C01-358-0459	16.47	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557243</p> <p>ORDER NO. WC1-358-0664</p>	

BELLOWS <b>1T17B11</b>	AON <b>W01-358-8746</b>	C01-358-0459	15.97	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557235</p> <p>ORDER NO. WC1-358-1619</p>	

BELLOWS <b>1T17B11</b>	AON <b>W01-358-8748</b>	C01-358-0459	16.01	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557167 (AR250-14 &amp; 15)</p> <p>ORDER NO. WC1-358-1619</p>	

BELLOWS <b>1T17B11</b>	AON <b>W01-358-8749</b>	C01-358-0459	17.95	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557168 (AR250-12,16,17)</p> <p>ORDER NO. WC1-358-0664</p>	

BELLOWS <b>1T17BB2</b>	AON <b>W01-358-8729</b>	C01-358-0454	13.15	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Meritor 202796 (GY 1R13-130)</p> <p>Order No. WC1-358-1644</p>	

BELLOWS <b>1T17BM6</b>	AON <b>W01-358-8673</b>	C01-358-0420	20.50	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson 66643-002</p>	

BELLOWS <b>1T17BP17</b>	AON <b>W01-358-8724</b>	C01-358-0467	38.94	Steel
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S22697</p>	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T17BV3</b>	AON <b>W01-358-8616</b>	C01-358-0455	13.83	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b></p> <p>Order No. WC1-358-1652</p>	

BELLOWS <b>1T17C3</b>	AON <b>W01-358-8737</b>	C01-358-0469	17.00	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557272 (NS225,NS450, WN225, NSH450)</p> <p>ORDER NO. WC1-358-0667</p>	

BELLOWS <b>1T17C3</b>	AON <b>W01-358-8738</b>	C01-358-0469	12.82	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557271 (NSH225, NSB225, RLU250)</p> <p>ORDER NO. WC1-358-0667</p>	

BELLOWS <b>1T17C6</b>	AON <b>W01-358-8637</b>	C01-358-0466	17.50	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Watson &amp; Chalin AS-0107</p> <p>Order No. WC1-358-1613</p>	

BELLOWS <b>1T17C8</b>	AON <b>W01-358-8109</b>	C01-358-0416	20.90	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson 67234-002</p>	

BELLOWS <b>1T17C8</b>	AON <b>W01-M58-8712</b>	C01-M58-0475	19.68	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>3739</p> <p>9690/NAD-28840</p> <p>Order No. N/A</p>	<p><b>APPLICATIONS:</b> Hendrickson 59319-2</p>

BELLOWS <b>1T17CA3</b>	AON <b>W01-358-8614</b>	C01-358-0417	24.00	Steel
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>3300</p> <p>9648/ NAD-31288</p> <p>ORDER NO. WC1-358-1649</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S26773 Wilson Trailer</p>

BELLOWS <b>1T17CA5</b>	AON <b>W01-358-8709</b>	C01-358-0471	14.15	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>3300</p> <p>9525/ NAD-26906</p> <p>ORDER NO. WC1-358-1609</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S21800 (Intraax AA230) [8/97-up] Replaces W01-358-8751 (approx. 6/98)</p>

BELLOWS <b>1T17CA6.5</b>	AON <b>W01-358-8708</b>	C01-358-0473	15.20	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>3300</p> <p>9537/ NAD-29798</p> <p>ORDER NO. WC1-358-1637</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S21966 (HKA200 Special)</p>

BELLOWS <b>1T17CA6.5</b>	AON <b>W01-358-8713</b>	C01-358-0473	17.96	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>3344</p> <p>9537/NAD-29798</p> <p>Order No. WC1-358-1637</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S22948 (Van Traax) Prior to 9/99 - use 9525 piston with bumper spacer</p>

BELLOWS <b>1T17CA6.5</b>	AON <b>W01-358-8735</b>	C01-358-0473	17.00	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>3302</p> <p>9603/ NAD-29630</p> <p>ORDER NO. WC1-358-1635</p>	<p><b>APPLICATIONS:</b> Granning 7901 [1T19F-7]</p> <p><b>REPLACES W01-681-8770</b></p>

BELLOWS <b>1T17CD3</b>	AON <b>W01-358-8617</b>	C01-358-0453	13.52	Composite
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>3301</p> <p>9533/ NAD-30515</p> <p>ORDER NO. WC1-358-1635</p>	<p><b>APPLICATIONS:</b> Arvin Meritor A2258-E-1461 RHP-55 Arvin Meritor 202796 Ride Sentry</p>

BELLOWS <b>1T17CL5</b>	AON <b>W01-358-8710</b>	C01-358-0470	17.52	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>3300</p> <p>9802/ NAD-27999</p> <p>ORDER NO. WC1-358-1611</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S22046 (HK230) Approximate availability 1-98</p> <p><b>REPLACES W01-358-8756</b></p>

BELLOWS <b>1T17CL9.5</b>	AON <b>W01-358-9580</b>	C01-358-0452	18.87	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>3244</p> <p>9689/NAD-28838</p> <p>Order No. WC1-358-1607</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S20127 [HT-250U 9-006] [HT-250UY 9Y-006]</p> <p><b>REPLACES 1T15VLT10.5, 1T15V11 AND W01-358-9262</b></p>

BELLOWS <b>1T17CL9.5</b>	AON <b>W01-358-9581</b>	C01-358-0452	18.96	Aluminum
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>3244</p> <p>9689/ NAD-28838</p> <p>ORDER NO. WC1-358-1607</p>	<p><b>APPLICATIONS:</b> Hendrickson Trailer S20414 [HT-250U (9-006)] [HT-250U-Y (9Y-006)]</p> <p><b>REPLACES 1T15VLT10.5 AND 1T15V11</b></p>

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

**PRIMARY TRUCK & TRAILER AXLE**  
1T REVERSIBLE SLEEVE SPRINGS



BELLOWS <b>1T17DCJ8.5</b>	AON <b>W01-M58-8608</b>	C01-M58-2217	13.89	Composite
			<b>APPLICATIONS:</b>	

BELLOWS <b>1T17GJ6</b>	AON <b>W01-358-8539</b>	C01-358-0394	30.60	Composite
			<b>APPLICATIONS:</b> Dana/Spicer SR1VA101-1 SR1VA105	

BELLOWS <b>1T19L3</b>	AON <b>W01-358-8760</b>	C01-358-0526	19.03	Aluminum
			<b>APPLICATIONS:</b> Granning 7593	

BELLOWS <b>1T19L5</b>	AON <b>W01-358-8500</b>	C01-358-5356	20.96	Aluminum
			<b>APPLICATIONS:</b> Rowe RV ASC1000/ ASC1001ASC1002/ ASC1003 Spartan	

BELLOWS <b>1T19L5</b>	AON <b>W01-358-9200</b>	C01-358-5356	21.74	Aluminum
			<b>APPLICATIONS:</b> Hendrickson Trailer S3839 Ridewell 1003589200C Mexican De Autobus Front-Rear Tag	



**PRIMARY TRUCK & TRAILER AXLE**  
1T REVERSIBLE SLEEVE SPRINGS

BELLOWS <b>1T19L5</b>	AON <b>W01-358-9206</b>	C01-358-5356	18.46	Aluminum
			<b>APPLICATIONS:</b>	

BELLOWS <b>1T19L5</b>	AON <b>W01-358-9215</b>	C01-358-5356	21.31	Aluminum
			<b>APPLICATIONS:</b> Hendrickson Trailer S3648	

BELLOWS <b>1T19L5</b>	AON <b>W01-358-9218</b>	C01-358-5356	21.42	Aluminum
			<b>APPLICATIONS:</b> Ridewell 1003589218C Holland (Neway) 90557209 Suspensions Inc. Watson & Chalin AS-0073 Rowe RV ASC1000 / ASC1001 / ASC1002 / ASC1003 Spartan	

BELLOWS <b>1T19L5</b>	AON <b>W01-358-9801</b>	C01-358-5356	21.47	Aluminum
			<b>APPLICATIONS:</b>	

BELLOWS <b>1T19L7</b>	AON <b>W01-358-8778</b>	C01-358-0501	22.66	Aluminum
			<b>APPLICATIONS:</b> Holland (Neway) 90557164	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊙ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊕ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊖ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T19L7</b>	AON <b>W01-358-8980</b>	C01-358-0501	21.20	Composite
			<b>APPLICATIONS:</b>	

BELLOWS <b>1T19L7</b>	AON <b>W01-358-9121</b>	C01-358-0501	21.73	Aluminum
			<b>APPLICATIONS:</b> Holland (Neway) 90557019, 90557052, 90557078, 90557083 90557110 (parallel alignment) R & S Truck & Body 1090023 Ridewell 1003589121C Sauer P50-733 Reyco 12882-02 Watson & Chalin AS-0013	

BELLOWS <b>1T19L7</b>	AON <b>W01-358-9135</b>	C01-358-0501	30.59	Aluminum
			<b>APPLICATIONS:</b> Dart 21-4048 Unit Rig 1016034	

BELLOWS <b>1T19L7</b>	AON <b>W01-358-9141</b>	C01-358-0501	22.50	Aluminum
			<b>APPLICATIONS:</b> Neway 90557110	

BELLOWS <b>1T19L7</b>	AON <b>W01-358-9144</b>	C01-358-0501	24.20	Aluminum
			<b>APPLICATIONS:</b> Holland (Neway) 90557155	

BELLOWS <b>1T19L7</b>	AON <b>W01-358-9148</b>	C01-358-0501	20.89	Aluminum
			<b>APPLICATIONS:</b> Peerless 0550-00070	

BELLOWS <b>1T19L7</b>	AON <b>W01-358-9149</b>	C01-358-0501	21.80	Aluminum
			<b>APPLICATIONS:</b> City Welding Peerless 0550-00010	

BELLOWS <b>1T19L7</b>	AON <b>W01-358-9177</b>	C01-358-0501	21.76	Aluminum
			<b>APPLICATIONS:</b> Hendrickson Trailer S2065 R & S Truck & Body 1090216 Holland (Neway) 90557003 Ridewell 1003589177C Columbia Trailer	

BELLOWS <b>1T19L7</b>	AON <b>W01-358-9221</b>	C01-358-0497	21.36	Aluminum
			<b>APPLICATIONS:</b> Load Air P60733	

BELLOWS <b>1T19L7</b>	AON <b>W01-358-9280</b>	C01-358-0501	20.13	Composite
			<b>APPLICATIONS:</b>	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

PRIMARY TRUCK & TRAILER AXLE

BELLOWS <b>1T19L7</b>	AON <b>W01-358-9811</b>	C01-358-0501	19.56	Aluminum
			<b>APPLICATIONS:</b> Rowe Truck ASCC2000 Ride	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0631	

BELLOWS <b>1T19L9</b>	AON <b>W01-358-8779</b>	C01-358-1169	20.20	Aluminum
			<b>APPLICATIONS:</b> Holland (Neway) 90557163	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	<b>OBSOLETE: NO LONGER AVAILABLE</b>	

BELLOWS <b>1T19L9</b>	AON <b>W01-358-8780</b>	C01-358-1169	19.90	Aluminum
			<b>APPLICATIONS:</b> Holland (Neway) 90557162	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-9450	

BELLOWS <b>1T19L9</b>	AON <b>W01-358-8781</b>	C01-358-1169	19.89	Composite
			<b>APPLICATIONS:</b> Holland (Neway) 90557205	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0528	

BELLOWS <b>1T19L9</b>	AON <b>W01-358-9134</b>	C01-358-1169	19.88	Aluminum
			<b>APPLICATIONS:</b> Holland (Neway) 90557125 (AR-80-9) (AR-80-9WST)	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-9450	

BELLOWS <b>1T19L9</b>	AON <b>W01-358-9138</b>	C01-358-1169	20.03	Aluminum
			<b>APPLICATIONS:</b> Holland (Neway) 90557111 (AR-80-9FM)	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-9450	

BELLOWS <b>1T19L11</b>	AON <b>W01-358-8792</b>	C01-358-0525	23.91	Aluminum
			<b>APPLICATIONS:</b> Aluminum version of W01-358-9122	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1640	

BELLOWS <b>1T19L11</b>	AON <b>W01-358-8796</b>	C01-358-0525	19.92	Composite
			<b>APPLICATIONS:</b> Holland (Neway) 90557283 RL300	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	<b>OBSOLETE: NO LONGER AVAILABLE</b>	

BELLOWS <b>1T19L11</b>	AON <b>W01-358-9122</b>	C01-358-0525	23.11	Composite
			<b>APPLICATIONS:</b> Hendrickson Trailer S3467, S3830 Holland (Neway) 90557020, 90557071, 90557076, 90557077 Hendrickson Can. B-12514-008, B-12514-010 Porcupine, Reyco 12883-02, Sauer P50-732 Ridewell 1003589122C, Temisko, Watson & Chalin AS-0023 Holland (Neway) 90557185 (parallel align.)	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0528	

BELLOWS <b>1T19L11</b>	AON <b>W01-358-9156</b>	C01-358-0525	21.32	Composite
			<b>APPLICATIONS:</b> City Welding Peerless 0550-00080 Hendrickson Trailer S7128	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-0528	

**HARDWARE KEY**  
 ● Bolt or Stud 1/2-13      ⊗ Air Inlet 1/4 N.P.T.  
 ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons  
 ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.  
 ▲ No Alignment Specified-Center Stud Mounting is Standard  
 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

**PRIMARY TRUCK & TRAILER AXLE**  
1T REVERSIBLE SLEEVE SPRINGS



BELLOWS <b>1T19L11</b>	AON <b>W01-358-9158</b>	C01-358-0525	21.81	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Hendrickson Can. B-12514-004, B-12514-011 Holland (Neway) 90557005 Hendrickson Trailer S2063 Holland (Neway) 90557069 Peerless Ridewell 1003589158C Porcupine MFG.SV.# Neway 90044197</p>		

BELLOWS <b>1T19L11</b>	AON <b>W01-358-9804</b>	C01-358-0525	23.33	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Watson &amp; Chalin AS-0162-1G Ridewell 1000006 GoodYear 1R14-151</p>		

BELLOWS <b>1T19L11</b>	AON <b>W01-358-9985</b>	C01-358-0525	22.30	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Watson &amp; Chalin AS-0081</p>		

BELLOWS <b>1T19L11</b>	AON <b>W01-M58-6339</b>	C01-M58-0499	23.62	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> R.O.R./Meritor 21215633, SAF 2 229 0003 00, Wewerler US 07345F Trailer 0036/58 E Viberti 128147122, SAE 8403/102, TEC 505859/01 Terberg 21071483, York 785170, CF Gomma 1T19E-2, 87408</p> <p><b>OBSELETE: NO LONGER AVAILABLE</b></p>		

BELLOWS <b>1T19L12</b>	AON <b>W01-358-5503</b>	C01-358-0522	21.77	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p>SERVICE ASSEMBLY <b>W01 M58 7238</b></p> <p><b>APPLICATIONS:</b> Holland (Neway) 90557200 Watson &amp; Chalin AS-0047</p>		



**PRIMARY TRUCK & TRAILER AXLE**  
1T REVERSIBLE SLEEVE SPRINGS

BELLOWS <b>1T19L12</b>	AON <b>W01-358-5505</b>	C01-358-0496	24.00	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557103</p>		

BELLOWS <b>1T19L12</b>	AON <b>W01-358-5508</b>	C01-358-0522	25.16	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b></p>		

BELLOWS <b>1T19L12</b>	AON <b>W01-358-5511</b>	C01-358-0522	21.96	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557102 Hendrickson Trailer S22173</p>		

BELLOWS <b>1T19L12</b>	AON <b>W01-358-5514</b>	C01-358-0496	21.87	Composite	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Watson &amp; Chalin AS-0047G Goodyear 1R14-170</p>		

BELLOWS <b>1T19L12</b>	AON <b>W01-358-9891</b>	C01-358-0522	24.50	Aluminum	
<p>CROSS SECTION</p>	<p>BEAD PLATE TOP</p>	<p>PISTON BOTTOM</p>	<p><b>APPLICATIONS:</b> Holland (Neway) 90557218</p>		

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T19L14</b>	AON <b>W01-358-9264</b>	C01-358-0504	24.87	Aluminum
			<b>APPLICATIONS:</b> Hendrickson Trailer S13122 [HT250U(9-020)] Holland (Neway) 90557104 Watson Chalin AS-0063	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1602	

BELLOWS <b>1T19L14</b>	AON <b>W01-358-9915</b>	C01-358-0495	24.26	Aluminum
			<b>APPLICATIONS:</b> Holland (Neway) 90557104 Watson & Chalin AS-0063	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1602	

BELLOWS <b>1T19L16</b>	AON <b>W01-358-9896</b>	C01-358-0527	25.46	Aluminum
			<b>APPLICATIONS:</b> Neway 90557144 Rotate Piston: 90557133-28 Degrees RH 90557134-28 Degrees LH 90557148 Parallel	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1602	

BELLOWS <b>1T19L16</b>	AON <b>W01-358-9928</b>	C01-358-0527	25.40	Aluminum
			<b>APPLICATIONS:</b> Suspensions Inc. (Wabash) Hendrickson Trailer S20157	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1602	

BELLOWS <b>1T19LB8</b>	AON <b>W01-M58-8775</b>	C01-M58-0492	21.26	Aluminum
			<b>APPLICATIONS:</b> ROR SAF WEWELER 1R14-716	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1602	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊙ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊙ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊙ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

BELLOWS <b>1T19LB12</b>	AON <b>W01-M58-6348</b>	C01-M58-1163	24.60	Aluminum
			<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-M58-1655	

BELLOWS <b>1T19LC5</b>	AON <b>W01-358-8092</b>	C01-358-5250	21.40	Aluminum
			<b>APPLICATIONS:</b> Ag Chem	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	<b>OBSELETE: NO LONGER AVAILABLE</b>	

BELLOWS <b>1T19LC5</b>	AON <b>W01-M58-8798</b>	C01-M58-5346	14.36	Aluminum
			<b>APPLICATIONS:</b> John Deere AN205761	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1614	

BELLOWS <b>1T19LC6</b>	AON <b>W01-358-8091</b>	C01-358-5349	17.88	Composite
			<b>APPLICATIONS:</b> Hendrickson Trailer S20901 (Intraux 250) -Reuse metal disk Hendrickson Trailer S21784 w/ metal disk for piston support	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1614	

BELLOWS <b>1T19LC8</b>	AON <b>W01-358-8093</b>	C01-358-5350	21.17	Composite
			<b>APPLICATIONS:</b> Hendrickson Trailer S23748 (w/ disk S24443)	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	ORDER NO. WC1-358-1614	

**PRIMARY TRUCK & TRAILER AXLE**  
1T REVERSIBLE SLEEVE SPRINGS



BELLOWS <b>1T19LE8</b>	AON <b>W01-358-9825</b>	C01-358-0521	22.08	Aluminum
	3388 	9666/NAD-19631 	<b>APPLICATIONS:</b> Tuthill Granning 700136-01	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. N/A	

BELLOWS <b>1T19LE12</b>	AON <b>W01-358-8793</b>	C01-358-0517	22.82	Aluminum
	3388 	9666/NAD-19631 	<b>APPLICATIONS:</b> Holland (Neway) 90557270 AD-130	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. N/A	

BELLOWS <b>1T19LF7</b>	AON <b>W01-358-8774</b>	C01-358-0519	18.01	Composite
	3318 	9594/ NAD-28384 	<b>APPLICATIONS:</b> Hendrickson Trailer S25873 Replacement piston comes without mounting plate Watson & Chalin AS-0159	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-1614	

BELLOWS <b>1T19LG8</b>	AON <b>W01-358-5530</b>	C01-358-0562	19.13	Aluminum
	2819 	9766/NAD-28978 	<b>APPLICATIONS:</b> Neway 90557434	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. N/A	

BELLOWS <b>1T19ZK5.7</b>	AON <b>W01-358-5523</b>	C01-358-0513	29.20	Steel
	3196 	9644/NAD-31862 	<b>APPLICATIONS:</b> Hend. Trailer S-4771 Hend Canada B-12514-013 Tuthill-Reyco 23631-01 WatsonChalin AS-0039	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	<b>REPLACES 1T19J6</b>	



**PRIMARY TRUCK & TRAILER AXLE**  
1T REVERSIBLE SLEEVE SPRINGS

BELLOWS <b>1T19ZK5.7</b>	AON <b>W01-358-8050</b>	C01-358-0513	25.00	Aluminum
	2690 	9640/FIP-101136 	<b>APPLICATIONS:</b> Hendrickson Trailer S4771 Hend. Canada B-12514-013 Tuthill-Reyco 23631-01 Watson & Chalin AS-0039	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	<b>REPLACES 1T19J6</b>	

BELLOWS <b>1T19ZK5.7</b>	AON <b>W01-358-8052</b>	C01-358-0513	29.55	Steel
	3388 	9644/NAD-31862 	<b>APPLICATIONS:</b> Hendrickson Can. B12514-012 Watson & Chalin AS-0078 Watson & Chalin AS-0039	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-9999	
			<b>REPLACES 1T19J6</b>	

BELLOWS <b>1T19ZK5.7</b>	AON <b>W01-358-8053</b>	C01-358-0513	20.88	Steel
	3395 	9644/NAD-31862 	<b>APPLICATIONS:</b> Holland (Neway) 90557098 (ARDTB125-6A&6B)	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	Order No. WC1-358-9999	
			<b>REPLACES 1T19J6</b>	

BELLOWS <b>1T26D7</b>	AON <b>W01-358-9310</b>	C01-358-5147	5.73	Aluminum
	3452 	9889/NBD-9253 	<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	1/2-13 UNC-2B x .87 DP.	

BELLOWS <b>1T26D7</b>	AON <b>W01-358-9327</b>	C01-358-5147	5.63	Aluminum
	3450 	9889/NBD-9253 	<b>APPLICATIONS:</b>	
CROSS SECTION	BEAD PLATE TOP	PISTON BOTTOM	1/2-13 UNC-2B x .87 DP.	

**HARDWARE KEY**

- Bolt or Stud 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Pistons
- ⊗ Exception to Standard Stud/Air Inlet Stud Inside Thread of 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons

PRIMARY TRUCK & TRAILER AXLE

