



WHEEL-GUARD SEPARATOR PLATES

The Wheel-Guard nylon separator plate is approximately .040" thick. It is placed between the hub or drum and the wheel, and/or between two wheels in dual applications. The Wheel-Guard is recommended in severe applications where corrosion and/or wear have been identified. Both aluminum and steel wheels can benefit from use of the Wheel-Guard. Care must be exercised in centering the separator plate prior to torquing and stud length must be checked as each plate is approximately .040" thick.

	PART NO.	DESCRIPTION
	590-1	10-HOLE, 11-1/4" BOLT CIRCLE, STUD-PILOTED 7/8" AND 1-1/8" DIAMETER STUDS
	590-2	10-HOLE, 11-1/4" BOLT CIRCLE, STUD-PILOTED 3/4" DIAMETER STUDS
	590-3	10-HOLE, 285.75 MM BOLT CIRCLE, HUB-PILOTED 22 MM DIAMETER STUDS
	738-1	10-HOLE, 335 MM BOLT CIRCLE, HUB-PILOTED 22 MM DIAMETER STUDS
	790-2	8-HOLE, 275 MM BOLT CIRCLE, HUB-PILOTED 20 MM DIAMETER STUDS



WHEEL-GUARD SEPARATOR PLATES (continued)

	PART NO.	DESCRIPTION
	HDN5901	10-HOLE, 11-1/4" BOLT CIRCLE, STUD-PILOTED 7/8" AND 1-1/8" DIAMETER STUDS
	HDN5902	10-HOLE, 11-1/4" BOLT CIRCLE, STUD-PILOTED 3/4" DIAMETER STUDS
	HDN5903	10-HOLE, 285.75 MM BOLT CIRCLE, HUB-PILOTED 22 MM DIAMETER STUDS
	HDN7381	10-HOLE, 335 MM BOLT CIRCLE, HUB-PILOTED 22 MM DIAMETER STUDS
	HDN7902	8-HOLE, 275 MM BOLT CIRCLE, HUB-PILOTED 20 MM DIAMETER STUDS



NUTS

SKIRT NUT BY SAFETY TRIGO INC.

	PART NO.	DESCRIPTION
	SN100	<ul style="list-style-type: none"> HEAVY DUTY, GRADE 10 SAFETY FLANGE NUT, FOR M22 STUDS THE "SKIRT" PENETRATES THE STUD HOLES IN THE DISC WHEEL IT DELIVERS MORE THREAD ENGAGEMENT FOR BETTER TORQUE-HOLDING ABILITY IN THE SAE ESTABLISHED TORQUE RANGE OF 370 - 500 FT/LB EXCEEDS ALL APPLICABLE STANDARDS OF SAE J1965



NUTS (continued)

RIM NUTS

	PART NO.	DESCRIPTION		REPLACES			
		TH. SIZE	HEX.	NWRA	GUNITE	ERIE	DAYTON
	WEP04962	5/8" - 11	1-1/16"	N-26	WP2	5270	08-005149
	WEP04963	3/4" - 10	1-1/4"	N-40	WP148	5260	08-005716

INNER CAP NUTS - STEEL WHEELS

	PART NO.	OUTER THREAD	INNER THREAD	LENGTH	REPLACES NWRA
<p>STANDARD INNER CAP NUTS STEEL WHEELS</p>	WEP07895R	R/H 1-1/8" - 16	3/4" - 16	2-1/4"	X-1828
	WEP07895L	L/H 1-1/8" - 16	3/4" - 16	2-1/4"	X-1829
	WEP07896R	R/H 1-1/8" - 16	3/4" - 16	2-9/16"	X-1835
	WEP07896L	L/H 1-1/8" - 16	3/4" - 16	2-9/16"	X-1836
	WEP07897R	R/H 1-1/8" - 16	3/4" - 16	3-1/16"	X-1407
	WEP07897L	L/H 1-1/8" - 16	3/4" - 16	3-1/16"	X-1408
	WEP07898R	R/H 1-5/16" - 12	5/16" - 12	3"	X-1411
	WEP07898L	L/H 1-5/16" - 12	5/16" - 12	3"	X-1412

INNER CAP NUTS - ALUMINUM WHEELS



	PART NO.	OUTER THREAD	INNER THREAD	LENGTH	REPLACES NWRA
<p>STANDARD INNER CAP NUTS ALUMINUM WHEELS</p>	WEP05978R	R/H 1-1/8" - 16	3/4" - 16	3-1/16"	X-1873
	WEP05978L	L/H 1-1/8" - 16	3/4" - 16	3-1/16"	X-1874
	WEP05988R	R/H 1-1/8" - 16	3/4" - 16	3-1/16"	X-2138
	WEP05988L	L/H 1-1/8" - 16	3/4" - 16	3-1/16"	X-2139



NUTS (continued)

INNER NUTS - ALUMINUM WHEELS


TWO PIECE METRIC FLANGED NUTS

	PART NO.	THREAD	HEX	HT.	REPLACES
	WEPO5991	M22 X 1.5 METRIC	1-1/2" 38 MM	1-3/8" 35 MM	MOTOR WHEEL: 88881 NwRA: X-2143
	PART NO.	THREAD	HEX	HT.	REPLACES
	WEPO6000	M22 X 1.5 METRIC	1-19/64" 33 MM	1-11/32" 34 MM	MERITOR: R006000A SECUREX: 39702 BUDD: 106333 NwRA: X-2156 WEB: 179935 MOTORWHEEL: 90846




MERITOR

TWO PIECE METRIC FLANGED NUTS

	PART NO.	THREAD	HEX	HT.	REPLACES
	R009020	M22 X 1.5 METRIC	1-19/64" 33 MM	1-1/32" 26 MM	NwRA: X-2159

TRAMEC-HDSS
HEAVY DUTY SUSPENSION COMPONENTS


TWO PIECE METRIC FLANGED NUTS

	PART NO.	THREAD	HEX	HT.	REPLACES
	CM39514	M22 X 1.5 METRIC	1-1/2" 38 MM	1-3/8" 35 MM	MOTOR WHEEL: 88881 MERITOR: R005991
	CM39701	M22 X 1.5 METRIC	1-19/64" 33 MM	1-1/32" 26 MM	MERITOR: R009020
	CM39702	M22 X 1.5 METRIC	1-19/64" 33 MM	1-11/32" 34 MM	MERITOR: R006000A SECUREX: 39702 BUDD: 106333 NwRA: X-2156 WEB: 179935 MOTORWHEEL: 90846




NUTS (continued)


OUTER NUTS

	PART NO.	THREAD	HEX	HT.	REPLACES
 STANDARD OUTER CAP NUTS	WEP05977R	R/H 1-1/8" - 16	1-1/2"	7/8"	BUDD: 37891 NWRA: X-1831
	WEP05977L	L/H 1-1/8" - 16	1-1/2"	7/8"	BUDD: 37892 NWRA: X-1832
 "LONG GRIP" CAP NUTS	WEP05996R	R/H 1-1/8" - 16	1-1/2"	1"	ALCOA: 599601
	WEP05996L	L/H 1-1/8" - 16	1-1/2"	1"	ALCOA: 599602

OUTER NUTS - ALUMINUM WHEELS

	PART NO.	THREAD	HEX	HT.	REPLACES
	WEP05995R	R/H 3/4" - 16	1-1/2"	1-3/8"	BUDD: 178950R NWRA: 599501
	WEP05995L	L/H 3/4" - 16	1-1/2"	1-3/8"	BUDD: 178951L NWRA: 599502


OUTER NUTS - GR8

	PART NO.	THREAD	HEX	HT.	REPLACES
	WEP05576R	R/H 1-5/16" - 12	1-3/4"	1-3/8"	BUDD: 49416 NWRA: X-1416
	WEP05576L	L/H 1-5/16" - 12	1-3/4"	1-3/8"	BUDD: 49417 NWRA: X-1417
	WEP05577R	R/H 1-3/16" - 12	1-3/4"	1-3/8"	BUDD: 48051 NWRA: X-1414
	WEP05577L	L/H 1-3/16" - 12	1-3/4"	1-3/8"	BUDD: 48052 NWRA: X-1415
	WEP06060R	R/H 1-1/8" - 16	1-3/4"	1"	BUDD: 67011 NWRA: X-1362
	WEP06060L	L/H 1-1/8" - 16	1-3/4"	1"	BUDD: 67012 NWRA: X-1363



NUTS (continued)

FLANGED CAP NUTS


	PART NO.	THREAD	HEX	HT.	REPLACES
	WEPO5579R	R/H 1-1/8" - 16	1-1/2"	1-3/32"	BUDD: 69912 NWARA: X-1420
	WEPO5579L	L/H 1-1/8" - 16	1-1/2"	1-3/32"	BUDD: 69913 NWARA: X-1421
	WEPO5578R	R/H 3/4" - 16	1-1/2"	1-3/32"	BUDD: 71736 NWARA: X-1418
	WEPO5578L	L/H 3/4" - 16	1-1/2"	1-3/32"	BUDD: 71737 NWARA: X-1419

WHEEL NUTS

	PART NO.	THREAD	HEX	HT.	REPLACES
	WEPO5652R	R/H 3/4" - 16	1-1/2"	7/8"	BUDD: 37888 NWARA: X-1803
	WEPO5652L	L/H 3/4" - 16	1-1/2"	7/8"	BUDD: 37889 NWARA: X-1804

STUDS


RIM STUDS



PART NO.	DESCRIPTION				REPLACES					
	TH. SIZE	A	B	C	GUNITE	DAYTON	NWARA	MERITOR	EUCLID	USE NUT
WEPO6003	-	-	-	-	W-855	-	-	-	-	-
	3/4" - 10	3"	1-13/16"	1-1/16"	WP147	08-005715	B602	RO04956A	E-4956A	WEPO4963
	-	-	-	-	WP-855	08-205349	-	-	-	-

METRIC SERRATED STUDS

M22 X 1.5 Metric Thread – .977 Body Diameter – Grade 10.9

	PART NO.	DESCRIPTION				REPLACES	
		A	B	C	D	WEBB	MERITOR
	WEPO6035	3-15/16"	23/32"	2-11/16"	3/8"	101162	RO06035
	WEPO6034	4-13/16"	23/32"	3-17/32"	3/8"	101160	RO06034
	WEPO10676	4-1/4"	7/16"	3-1/4"	1/2"	-	RO010676