

Standard Keyseats

Table No.1

Bore Range	Keyseat
1" 1 1/4"	1/4x1/8
1 5/16 1 3/8	5/16 x 5/32
1 7/16 1 3/4	3/8 x 3/16
1 13/16 2 1/4	1/2 x 1/4
2 5/16 2 3/4	5/8 x 5/16
2 13/16 3 1/4	3/4 x 3/8
3 3/8 3 3/4	7/8 x 7/16
3 7/8 4 1/4	1 x 1/2
4 9/16 5 1/2	1 1/4 x 5/8
5 9/16 6 1/2	1 1/2 x 3/4
6 9/16 7	1 3/4 x 5/8

1 3/8" Bore Bushing also available with 3/8x3/16"Keyway.




Table No.2

Specifications

Part No.	Bushing	Bore Range	Type	D.D. "8V" Belts	O.D.	E	L	M	Wt. Less Bushing
4 GROOVES, F = 4 7/8"									
48V1250F	F	1 4	D Web	12.30	12.50	5/32	3 3/4	1 9/32	75
48V1320F	F	1 4	D Web	13.00	13.20	5/32	3 3/4	1 9/32	81
48V1400F	F	1 4	D Arm	13.80	14.00	5/32	3 3/4	1 9/32	87
48V1500F	F	1 4	D Arm	14.80	15.00	5/32	3 3/4	1 9/32	91
48V1600F	F	1 4	D Arm	15.80	16.00	5/32	3 3/4	1 9/32	96
48V1700F	F	1 4	D Arm	16.80	17.00	5/32	3 3/4	1 9/32	104
48V1800F	F	1 4	D Arm	17.80	18.00	5/32	3 3/4	1 9/32	114
48V1900F	F	1 4	D Arm	18.80	19.00	5/32	3 3/4	1 9/32	121
48V2000J	J	1 1/2 4 1/2	D Arm	19.80	20.00	0	4 5/8	1/4	136
48V2120J	J	1 1/2 4 1/2	D Arm	21.00	21.20	0	4 5/8	1/4	145
48V2240J	J	1 1/2 4 1/2	D Arm	22.20	22.40	0	4 5/8	1/4	154
48V2480M	M	2 5 1/2	C Arm	24.60	24.80	25/32	6 3/4	1 3/32	176
48V3000M	M	2 5 1/2	C Arm	29.80	30.00	25/32	6 3/4	1 3/32	224
48V3550M	M	2 5 1/2	C Arm	35.30	35.50	25/32	6 3/4	1 3/32	267
48V4000M	M	2 5 1/2	C Arm	39.80	40.00	25/32	6 3/4	1 3/32	310
48V4450M	M	2 5 1/2	C Arm	44.30	44.50	25/32	6 3/4	1 3/32	363
48V5300M	M	2 5 1/2	C Arm	52.80	53.00	25/32	6 3/4	1 3/32	437



Q-D SHEAVES FOR "8V" BELTS

Table No.1

Specifications

Part No.	Bushing	Bore	Range	Type	D.D. "8V" Belts	O.D.	E	L	M	Wt. Less Bushing
5 GROOVES, F = 6"		6 GROOVES, F = 7 1/8"		8 GROOVES, F = 9 3/8"						
58V1250F	F	1 1/4		A Web	12.30	12.50	31/32	3 3/4	1 9/32	82
58V1320F	F	1 1/4		A Web	13.00	13.20	31/32	3 3/4	1 9/32	89
58V1400F	F	1 1/4		A Arm	13.80	14.00	31/32	3 3/4	1 9/32	99
58V1500F	F	1 1/4		A Arm	14.80	15.00	31/32	3 3/4	1 9/32	103
58V1600F	F	1 1/4		A Arm	15.80	16.00	31/32	3 3/4	1 9/32	111
58V1700J	J	1 1/2	4 1/2	A Arm	16.80	17.00	9/16	4 5/8	13/16	119
58V1800J	J	1 1/2	4 1/2	A Arm	17.80	18.00	9/16	4 5/8	13/16	131
58V1900J	J	1 1/2	4 1/2	A Arm	18.80	19.00	9/16	4 5/8	13/16	142
58V2000J	J	1 1/2	4 1/2	A Arm	19.80	20.00	9/16	4 5/8	13/16	151
58V2120J	J	1 1/2	4 1/2	A Arm	21.00	21.20	9/16	4 5/8	13/16	167
58V2240M	M	2	5 1/2	B Arm	22.20	22.40	11/32	6 3/4	1 3/32	178
58V2480M	M	2	5 1/2	B Arm	24.60	24.80	11/32	6 3/4	1 3/32	201
58V3000M	M	2	5 1/2	B Arm	29.80	30.00	11/32	6 3/4	1 3/32	243
58V3550M	M	2	5 1/2	B Arm	35.30	35.50	11/32	6 3/4	1 3/32	278
58V4000M	M	2	5 1/2	B Arm	39.80	40.00	11/32	6 3/4	1 3/32	340
58V4450N	N	2 7/16	5 7/8	C Arm	44.30	44.50	1 1/8	8 1/8	1	418
58V5300N	N	2 7/16	5 7/8	C Arm	52.80	53.00	1 1/8	8 1/8	1	496
68V1250F	F	1 1/4		A Web	12.30	12.50	31/32	3 3/4	2 13/32	90
68V1320F	F	1 1/4		A Web	13.00	13.20	31/32	3 3/4	2 13/32	98
68V1400F	F	1 1/4		A Arm	13.80	14.00	31/32	3 3/4	2 13/32	112
68V1500J	J	1 1/2	4 1/2	A Web	14.80	15.00	1 1/8	4 5/8	1 3/8	123
68V1600J	J	1 1/2	4 1/2	A Arm	15.80	16.00	1 1/8	4 5/8	1 3/8	129
68V1700J	J	1 1/2	4 1/2	A Arm	16.80	17.00	1 1/8	4 5/8	1 3/8	136
68V1800J	J	1 1/2	4 1/2	A Arm	17.80	18.00	1 1/8	4 5/8	1 3/8	143
68V1900J	J	1 1/2	4 1/2	A Arm	18.80	19.00	1 1/8	4 5/8	1 3/8	157
68V2000M	M	2	5 1/2	B Arm	19.80	20.00	1 11/32	6 3/4	31/32	179
68V2120M	M	2	5 1/2	B Arm	21.00	21.20	1 11/32	6 3/4	31/32	193
68V2240M	M	2	5 1/2	B Arm	22.20	22.40	1 11/32	6 3/4	31/32	205
68V2480M	M	2	5 1/2	A Arm	24.60	24.80	11/32	6 3/4	1/32	235
68V3000M	M	2	5 1/2	A Arm	29.80	30.00	11/32	6 3/4	1/32	285
68V3550N	N	2 7/16	5 7/8	C Arm	35.30	35.50	15/16	8 1/8	1/16	340
68V4000N	N	2 7/16	5 7/8	C Arm	39.80	40.00	15/16	8 1/8	1/16	394
68V4450N	N	2 7/16	5 7/8	C Arm	44.30	44.50	15/16	8 1/8	1/16	489
68V5300N	N	2 7/16	5 7/8	C Arm	52.80	53.00	15/16	8 1/8	1/16	584
88V1250J	J	1 1/2	4 1/2	A Sol.	12.30	12.50	2 1/8	4 5/8	2 5/8	131
88V1320J	J	1 1/2	4 1/2	A Sol.	13.00	13.20	2 1/8	4 5/8	2 5/8	160
88V1400J	J	1 1/2	4 1/2	A Web	13.80	14.00	2 1/8	4 5/8	2 5/8	175
88V1500J	J	1 1/2	4 1/2	A Web	14.80	15.00	2 1/8	4 5/8	2 5/8	186
88V1600J	J	1 1/2	4 1/2	A Web	15.80	16.00	2 1/8	4 5/8	2 5/8	210
88V1700M	M	2	5 1/2	A Web	16.80	17.00	2 11/32	6 3/4	9/32	221
88V1800M	M	2	5 1/2	A Web	17.80	18.00	2 11/32	6 3/4	9/32	235
88V1900M	M	2	5 1/2	A Arm	18.80	19.00	2 11/32	6 3/4	9/32	250
88V2000M	M	2	5 1/2	A Arm	19.80	20.00	2 11/32	6 3/4	9/32	265
88V2120M	M	2	5 1/2	A Arm	21.00	21.20	2 11/32	6 3/4	9/32	280
88V2240M	M	2	5 1/2	A Arm	22.20	22.40	2 11/32	6 3/4	9/32	295
88V2480N	N	2 7/16	5 7/8	A Web	24.60	24.80	3/16	8 1/8	1 1/16	320
88V3000N	N	2 7/16	5 7/8	A Arm	29.80	30.00	3/16	8 1/8	1 1/16	375
88V3550N	N	2 7/16	5 7/8	A Arm	35.30	35.50	3/16	8 1/8	1 1/16	442
88V4000N	N	2 7/16	5 7/8	A Arm	39.80	40.00	3/16	8 1/8	1 1/16	530
88V4450P	P	2 15/16	7	B Arm	44.30	44.50	1/4	9 3/8	1/4	610
88V5300P	P	2 15/16	7	B Arm	52.80	53.00	1/4	9 3/8	1/4	795
88V6300P	P	2 15/16	7	B Arm	62.80	63.00	1/4	9 3/8	1/4	995



Table No.1

Specifications

Part No.	Bushing	Bore Range	Type	D.D. "8V" Belts	O.D.	E	L	M	Wt. Less Bushing
10 GROOVES, F = 11 5/8"		12 GROOVES, F = 13 7/8"							
108V1250J	J	1 1/2- 4 1/2	A-Sol.	12.30	12.50	2 1/8	4 5/8	4 7/8	155
108V1320J	J	1 1/2- 4 1/2	A-Sol.	13.00	13.20	2 1/8	4 5/8	4 7/8	190
108V1400J	J	1 1/2- 4 1/2	A-Sol.	13.80	14.00	2 1/8	4 5/8	4 7/8	210
108V1500M	M	2- 5 1/2	A-Sol.	14.80	15.00	2 11/32	6 3/4	2 17/32	266
108V1600M	M	2- 5 1/2	A-Web	15.80	16.00	2 11/32	6 3/4	2 17/32	256
108V1700M	M	2- 5 1/2	A-Sol.	16.80	17.00	2 11/32	6 3/4	2 17/32	281
108V1800M	M	2- 5 1/2	A-Web	17.80	18.00	2 11/32	6 3/4	2 17/32	290
108V1900M	M	2- 5 1/2	A-Web	18.80	19.00	2 11/32	6 3/4	2 17/32	301
108V2000M	M	2- 5 1/2	A-Web	19.80	20.00	2 11/32	6 3/4	2 17/32	325
108V2120M	M	2- 5 1/2	A-Web	21.00	21.20	2 11/32	6 3/4	2 17/32	340
108V2240N	N	2 7/16- 5 7/8	A-Web	22.20	22.40	3/16	8 1/8	3 5/16	365
108V2480N	N	2 7/16- 5 7/8	A-Web	24.60	24.80	3/16	8 1/8	3 5/16	390
108V3000N	N	2 7/16- 5 7/8	A-Arm	29.80	30.00	3/16	8 1/8	3 5/16	435
108V3550P	P	2 15/16- 7	A-Web	35.30	35.50	1/4	9 3/8	2	507
108V4000P	P	2 15/16- 7	A-Arm	39.80	40.00	1/4	9 3/8	2	615
108V4450P	P	2 15/16- 7	A-Web	44.30	44.50	1/4	9 3/8	2	710
108V5300P	P	2 15/16- 7	A-Arm	52.80	53.00	1/4	9 3/8	2	945
128V1250M	M	2- 5 1/2	A-Sol.	12.30	12.50	2 11/32	6 3/4	4 25/32	195
128V1320M	M	2- 5 1/2	A-Sol.	13.00	13.20	2 11/32	6 3/4	4 25/32	230
128V1400M	M	2- 5 1/2	A-Sol.	13.80	14.00	2 11/32	6 3/4	4 25/32	250
128V1500M	M	2- 5 1/2	A-Sol.	14.80	15.00	2 11/32	6 3/4	4 25/32	268
128V1600M	M	2- 5 1/2	A-Sol.	15.80	16.00	2 11/32	6 3/4	4 25/32	296
128V1700M	M	2- 5 1/2	A-Sol.	16.80	17.00	2 11/32	6 3/4	4 25/32	341
128V1800M	M	2- 5 1/2	A-Sol.	17.80	18.00	2 11/32	6 3/4	4 25/32	345
128V1900N	N	2 7/16- 5 7/8	A-Sol.	18.80	19.00	3/16	8 1/8	5 9/16	352
128V2000N	N	2 7/16- 5 7/8	A-Sol.	19.80	20.00	3/16	8 1/8	5 9/16	385
128V2120N	N	2 7/16- 5 7/8	A-Sol.	21.00	21.20	3/16	8 1/8	5 9/16	400
128V2240N	N	2 7/16- 5 7/8	A-Sol.	22.20	22.40	3/16	8 1/8	5 9/16	435
128V2480N	N	2 7/16- 5 7/8	A-Sol.	24.60	24.80	3/16	8 1/8	5 9/16	460
128V3000P	P	2 15/16- 7	A-Web	29.80	30.00	1/4	9 3/8	4 1/4	495
128V3550P	P	2 15/16- 7	A-Web	35.30	35.50	1/4	9 3/8	4 1/4	572
128V4000P	P	2 15/16- 7	A-Web	39.80	40.00	1/4	9 3/8	4 1/4	700
128V4450P	P	2 15/16- 7	A-Web	44.30	44.50	1/4	9 3/8	4 1/4	825