

Hose reels

Accessories

Manual hose reels



AU-HR38100 Accessories..... temperature max. 225 °F, pressure max 4000 psi, capacity of 100' x 3/8"
 AU-HR38200 Accessories..... temperature max. 225 °F, pressure max 4000 psi, capacity of 200' x 3/8"

Accessories

Manual hose reels



HR-10201416..... Accessories..... temperature max. 4000F, pressure max 4000 psi, capacity of 200' x 3/8" or 125' x 1/2"
 HR-15201718..... Accessories..... temperature max. 4000F, pressure max 4000 psi, capacity of 300' x 3/8" or 200' x 1/2"
 HR-152017185..... Accessories..... temperature max.3000F, pressure max 5000 psi, capacity of 300' x 3/8" or 200' x 1/2"
 HR-15261718..... Accessories..... temperature max. 4000F, pressure max 4000 psi, capacity of 450' x 3/8" or 300' x 1/2"
 HR-15261718E..... Accessories..... 12 V - temperature max. 4000F, pressure max 4000 psi, capacity of 450' x 3/8" or 300' x 1/2"

Accessories

Manual hose reels with guide



- 250°F maximum
- 4000 psi maximum
- capacity of 150' x 3/8" with guide



HR-PW2

Accessories

Brackets for reel # HR-PW2



HR-PWK2.....\$74.46

HR-PWK400

Accessories

Spring rewind hose reel

HR-N7162324J..... Accessories..... Pressure max. 3000 psi, 60' x 3/8" or 60' x 1/2"
 HR-N7182526G Accessories..... Pressure max. 3000 psi, 100' x 3/8" or 100' x 1/2"
 HR-N7161920J..... Accessories..... Pressure max. 3000 psi, 50' x 3/8" or 50' x 1/2"



Accessories

Swivel wall bracket for spring rewind hose reel

- For «N» series spring rewind hose reel.
- Allows 160° rotation
- Designed for easy mounting on a wall, a post or a column



HR-99089990

Accessories

Hose stop

3" hose stop (for spring rewind reel)



HR-HS3

Accessories

Mobile cart

Mobile cart with spring rewind hose reel 65' capacity.



PN00213 3000 psi
 PN00214 5000 psi

Accessories

Mobile cart

Mobile cart (w/o hose and w/o reel), for reel # HR-10201416.



MS-SE1020

Accessories

Mobile cart

Mobile cart with reel # HR-10201416, Includes 10' of feed hose with ball-valve.



MS-SE1020A

All operators should read the owner's manual outlining warranty safety and maintenance recommendations before attempting to operate any machine. Please read and pay attention to all safety recommendations contained in the manual and those labeled on the machine.

We Simplify Your Work!

Swivels - Guns & wand assemblies

Parts

Swivel

- 5000 psi maximum
- 400°F maximum
- greasable
- dimensions of 1/2" FNPT x 1/2" FNPT x 90°
- Viton seal



HR-99278541 Swivel
 HR-99360389 Repair kit

Parts

Swivel for AU-HR38100 & AU-HR38200 hose reel

- 4000 psi maximum
- 225°F maximum (for cold water only)
- dimensions of 1/2" MNPT x 3/8" FNPT x 90°



AU-HR38GSW Swivel
 AU-HR38GSWK Repair kit

Accessories

Gun and wand - Cold water - Couplers

- Industrial guns with comfortable handle



MS-GUN24QC1 Accessories With gun AU-DG4000, 24", 2750 psi
 MS-GUN36QC1 Accessories With gun AU-DG4000, 36", 2750 psi
 MS-GUN48QC1 Accessories With gun AU-DG4000, 48", 2750 psi

 MS-GUN24QC2 Accessories With gun AU-ST15005, 24", 4000 psi
 MS-GUN36QC2 Accessories With gun AU-ST15005, 36", 4000 psi
 MS-GUN48QC2 Accessories With gun AU-ST15005, 48", 4000 psi
 MS-GUN60QC2 Accessories With gun AU-ST15005, 60", 4000 psi
 MS-GUN79QC2 Accessories With gun AU-ST15005, 79", 4000 psi

Accessories

Guns and insulated wand - Hot water - Twist connect coupler

- Industrial guns with comfortable handle



MS-GUN36QC2H Accessories With gun AU-ST15005, 36", 4000 psi
 MS-GUN48QC2H Accessories With gun AU-ST15005, 48", 4000 psi
 MS-GUN79QC2H Accessories With gun AU-ST15005, 79", 4000 psi

Accessories

Guns and dual wand



MS-GUN38QC1 Accessories With gun AU-ST15005, 38", 4000 psi - Cold water - Quick disconnect
 MS-GUN38QC1H Accessories With gun AU-ST15005, 38", 4000 psi - Hot water - Twist disconnect

Accessories

Auto-propelling drain cleaning nozzles

	Inlet	Rotative	Orifice x psi	Front hole	Back holes	Price
AU-122375000	1/8" FPT	no	4.5 x 4200	0	3	\$30.63
AU-122370170	1/8" FPT	no	5.5 x 4200	1	3	\$30.63
AU-121370170	1/4" FPT	no	4.5 x 4200	1	3	\$30.63
AU-121375175	1/4" FPT	no	5.5 x 4200	1	3	\$30.63
AU-121480180	1/4" FPT	no	7.5 x 4200	1	4	\$30.63
AU-123065188	3/8" FPT	no	4.0 x 4200	1	3	\$59.59
AU-123065187	3/8" FPT	no	5.5 x 4200	1	3	\$59.59
AU-123065189	3/8" FPT	no	8.5 x 4200	1	4	\$59.59
AU-200049650	1/8" FPT	yes	5.5 x 3000	0	3	\$59.59
AU-200049600	1/4" FPT	yes	5.5 x 3000	0	3	\$59.59
AU-200049610	1/4" FPT	yes	8.0 x 3000	0	3	\$59.59



Accessories

1/4" drain cleaning hose

- 3000 psi maximum
- 212°F maximum
- black hose
- 3/8" MNPT x 1/8" MNPT adaptators
- 1-1/4" bend radius



FH-H1450R7.....	50 feet
FH-H14100R7.....	100 feet
FH-H14150R7.....	150 feet
FH-H14200R7.....	200 feet
FH-H14250R7.....	250 feet

Accessories

Drain hose and manual reel



Drain hose kit

- PN00149VS 100' hose, gun, quick disconnect plug
- PN00156VS 200' hose, gun, quick disconnect plug


Reel and support kit

- PN00150VS reel 100 ft capacity, 3000 psi, cold water, bracket and carrying handle
- PN00151VS reel 200 ft capacity, 4000 psi, cold or hot water, bracket and carrying handle

Accessories

Foot valve

- 3000 psi maximum
- 8 gpm
- 3/8" FNPT inlet
- 1/4" FNPT outlet



- AU-999000012..... Accessories
- AU-200810491 Repair kit

Accessories

Foot valve

- 5000 psi maximum
- 12 gpm
- 3/8" FNPT inlet
- 1/4" FNPT outlet



- AU-999002305
- AU-202300490 Repair kit

All operators should read the owner's manual outlining warranty safety and maintenance recommendations before attempting to operate any machine. Please read and pay attention to all safety recommendations contained in the manual and those labeled on the machine.

We Simplify Your Work!