





| <b>80513 REDUCTEUR - MALE BSPP / FEM. BSP<br/>REDUCER - BUSHING M. BSPP / FEM. BSP</b> |               |               |  |  |  |
|--|---------------|---------------|--|--|--|
| FUTURE   | BSPP          |               |  |  |  |
|  | 1 - Po. / In. | 2 - Po. / In. |  |  |  |
| 80513-02-02  | 1/8-28        | 1/8-28        |  |  |  |
| 80513-02-04  | 1/8-28        | 1/4-19        |  |  |  |
| 80513-02-06  | 1/8-28        | 3/8-19        |  |  |  |
| 80513-04-02  | 1/4-19        | 1/8-28        |  |  |  |
| 80513-04-04  | 1/4-19        | 1/4-28        |  |  |  |
| 80513-04-06  | 1/4-19        | 3/8-19        |  |  |  |
| 80513-04-08  | 1/4-19        | 1/2-14        |  |  |  |
| 80513-06-02  | 3/8-19        | 1/8-28        |  |  |  |
| 80513-06-04  | 3/8-19        | 1/4-19        |  |  |  |
| 80513-06-06  | 3/8-19        | 3/8-19        |  |  |  |
| 80513-06-08  | 3/8-19        | 1/2-14        |  |  |  |
| 80513-06-12  | 3/8-19        | 3/4-14        |  |  |  |
| 80513-08-02  | 1/2-14        | 1/8-28        |  |  |  |
| 80513-08-04  | 1/2-14        | 1/4-19        |  |  |  |
| 80513-08-06  | 1/2-14        | 3/8-19        |  |  |  |
| 80513-08-08  | 1/2-14        | 1/2-14        |  |  |  |
| 80513-08-12  | 1/2-14        | 3/4-14        |  |  |  |
| 80513-08-16  | 1/2-14        | 1-11          |  |  |  |
| 80513-10-08  | 5/8-14        | 1/2-14        |  |  |  |
| 80513-12-04  | 3/4-14        | 1/4-19        |  |  |  |
| 80513-12-06  | 3/4-14        | 3/8-19        |  |  |  |
| 80513-12-08  | 3/4-14        | 1/2-14        |  |  |  |
| 80513-12-10  | 3/4-14        | 5/8-14        |  |  |  |
| 80513-12-12  | 3/4-14        | 3/4-14        |  |  |  |
| 80513-12-16  | 3/4-14        | 1-11          |  |  |  |
| 80513-12-20  | 3/4-14        | 1 1/4-11      |  |  |  |
| 80513-16-04  | 1-11          | 1/4-19        |  |  |  |
| 80513-16-06  | 1-11          | 3/8-19        |  |  |  |
| 80513-16-08  | 1-11          | 1/2-14        |  |  |  |
| 80513-16-12  | 1-11          | 3/4-14        |  |  |  |
| 80513-16-16  | 1-11          | 1-11          |  |  |  |
| 80513-16-20  | 1-11          | 1 1/4-11      |  |  |  |
| 80513-16-24  | 1-11          | 1 1/2-11      |  |  |  |
| 80513-20-08  | 1 1/4-11      | 1/2-14        |  |  |  |
| 80513-20-12  | 1 1/4-11      | 3/4-14        |  |  |  |
| 80513-20-16  | 1 1/4-11      | 1-11          |  |  |  |
| 80513-20-20  | 1 1/4-11      | 1 1/4-11      |  |  |  |
| 80513-24-08  | 1 1/2-11      | 1/2-14        |  |  |  |
| 80513-24-12  | 1 1/2-11      | 3/4-14        |  |  |  |
| 80513-24-16  | 1 1/2-11      | 1-11          |  |  |  |
| 80513-24-20  | 1 1/2-11      | 1 1/4-11      |  |  |  |
| 80513-24-24  | 1 1/2-11      | 1 1/2-11      |  |  |  |
| 80513-32-12  | 2-11          | 3/4-14        |  |  |  |
| 80513-32-16  | 2-11          | 1-11          |  |  |  |
| 80513-32-20  | 2-11          | 1 1/4-11      |  |  |  |
| 80513-32-24  | 2-11          | 1 1/2-11      |  |  |  |
| 80513-32-32  | 2-11          | 2-11          |  |  |  |
| 80513-40-32  | 2 1/2-11      | 2-11          |  |  |  |



| <b>80514 ADAPTEUR - MALE BSPP - MALE ORFS<br/>ADAPTER - MALE BSPP - MALE ORFS</b> |               |               |      |  |  |
|---|---------------|---------------|------|--|--|
| FUTURE  | BSPP          |               | ORFS |  |  |
|   | 1 - Po. / In. | 2 - Po. / In. |      |  |  |
| 80514-02-04   | 1/8-28        | 9/16-18       |      |  |  |
| 80514-04-04   | 1/4-19        | 9/16-18       |      |  |  |
| 80514-04-06   | 1/4-19        | 11/16-16      |      |  |  |
| 80514-06-04   | 3/8-19        | 9/16-18       |      |  |  |
| 80514-06-06   | 3/8-19        | 11/16-16      |      |  |  |
| 80514-06-08   | 3/8-19        | 13/16-16      |      |  |  |
| 80514-08-06   | 1/2-14        | 11/16-16      |      |  |  |
| 80514-08-08   | 1/2-14        | 13/16-16      |      |  |  |
| 80514-08-10   | 1/2-14        | 1-14          |      |  |  |
| 80514-08-12   | 1/2-14        | 1 3/16-12     |      |  |  |
| 80514-08-16   | 1/2-14        | 1 7/16-12     |      |  |  |
| 80514-12-12   | 3/4-14        | 1 3/16-12     |      |  |  |
| 80514-12-16   | 3/4-14        | 1 7/16-12     |      |  |  |
| 80514-16-12   | 1-11          | 1 3/16-12     |      |  |  |
| 80514-16-16   | 1-11          | 1 7/16-12     |      |  |  |
| 80514-20-20   | 1 1/4-11      | 1 11/16-12    |      |  |  |
| 80514-24-24   | 1 1/2-11      | 2-12          |      |  |  |




| <b>80520 TE - MALE BSPP / MALE BSPP<br/>TEE - MALE BSPP / MALE BSPP</b> |               |  |  |  |  |
|---|---------------|--|--|--|--|
| FUTURE  | BSPP          |  |  |  |  |
|   | 1 - Po. / In. |  |  |  |  |
| 80520-02  | 1/8-28        |  |  |  |  |
| 80520-04  | 1/4-19        |  |  |  |  |
| 80520-06  | 3/8-19        |  |  |  |  |
| 80520-08  | 1/2-14        |  |  |  |  |
| 80520-10  | 5/8-14        |  |  |  |  |
| 80520-12  | 3/4-14        |  |  |  |  |
| 80520-16  | 1-11          |  |  |  |  |
| 80520-20  | 1 1/4-11      |  |  |  |  |
| 80520-24  | 1 1/2-11      |  |  |  |  |
| 80520-32  | 2-11          |  |  |  |  |




| <b>80594</b> MALE BSPP / MALE ORFS 90°<br>BSPP MALE / ORFS MALE 90° |               |               |  |  |  |
|---|---------------|---------------|--|--|--|
| FUTURE  | BSPP          | ORFS          |  |  |  |
|   | 1 - Po. / In. | 2 - Po. / In. |  |  |  |
| 80594-02-04   | 1/8-28        | 9/16-18       |  |  |  |
| 80594-04-04   | 1/4-19        | 9/16-18       |  |  |  |
| 80594-04-06   | 1/4-19        | 11/16-16      |  |  |  |
| 80594-04-08   | 1/4-19        | 13/16-16      |  |  |  |
| 80594-06-06   | 3/8-19        | 11/16-16      |  |  |  |
| 80594-06-08   | 3/8-19        | 13/16-16      |  |  |  |
| 80594-08-06   | 1/2-14        | 11/16-16      |  |  |  |
| 80594-08-08   | 1/2-14        | 13/16-16      |  |  |  |
| 80594-08-10   | 1/2-14        | 1-14          |  |  |  |
| 80594-08-12   | 1/2-14        | 1 3/16-12     |  |  |  |
| 80594-12-12   | 3/4-14        | 1 3/16-12     |  |  |  |
| 80594-12-16   | 3/4-14        | 1 7/16-12     |  |  |  |
| 80594-16-12   | 1-11          | 1 3/16-12     |  |  |  |
| 80594-16-16   | 1-11          | 1 7/16-12     |  |  |  |
| 80594-20-16   | 1 1/4-11      | 1 7/16-12     |  |  |  |
| 80594-20-20   | 1 1/4-11      | 1 11/16-12    |  |  |  |
| 80594-24-24   | 1 1/2-11      | 2-12          |  |  |  |


| <b>80598</b> COUDE 90° - MALE BSPP / MALE NPTF<br>ELBOW 90° - MALE BSPP / MALE NPTF |               |               |  |  |  |
|---|---------------|---------------|--|--|--|
| FUTURE  | BSPP          | NPTF          |  |  |  |
|   | 1 - Po. / In. | 2 - Po. / In. |  |  |  |
| 80598-02-02   | 1/8-28        | 1/8-27        |  |  |  |
| 80598-04-04   | 1/4-19        | 1/4-18        |  |  |  |
| 80598-06-06   | 3/8-19        | 3/8-18        |  |  |  |
| 80598-08-08   | 1/2-14        | 1/2-14        |  |  |  |
| 80598-12-12   | 3/4-14        | 3/4-14        |  |  |  |
| 80598-16-16   | 1-11          | 1-11          |  |  |  |




| <b>80705</b> ADAPTEUR - MALE BSPT / MALE BSPP<br>ADAPTER - MALE BSPT / MALE BSPP |               |               |  |  |  |
|--|---------------|---------------|--|--|--|
| FUTURE   | BSPT          | BSPP          |  |  |  |
|  | 1 - Po. / In. | 2 - Po. / In. |  |  |  |
| 80705-02-02  | 1/8-28        | 1/8-28        |  |  |  |
| 80705-02-04  | 1/8-28        | 1/4-19        |  |  |  |
| 80705-02-06  | 1/8-28        | 3/8-19        |  |  |  |
| 80705-04-02  | 1/4-19        | 1/8-28        |  |  |  |
| 80705-04-04  | 1/4-19        | 1/4-19        |  |  |  |
| 80705-04-06  | 1/4-19        | 3/8-19        |  |  |  |
| 80705-04-08  | 1/4-19        | 1/2-14        |  |  |  |
| 80705-04-12  | 1/4-19        | 3/4-14        |  |  |  |
| 80705-06-02  | 3/8-19        | 1/8-28        |  |  |  |
| 80705-06-04  | 3/8-19        | 1/4-19        |  |  |  |
| 80705-06-06  | 3/8-19        | 3/8-19        |  |  |  |
| 80705-06-08  | 3/8-19        | 1/2-14        |  |  |  |
| 80705-06-10  | 3/8-19        | 5/8-14        |  |  |  |
| 80705-06-12  | 3/8-19        | 3/4-14        |  |  |  |
| 80705-08-04  | 1/2-14        | 1/4-19        |  |  |  |
| 80705-08-06  | 1/2-14        | 3/8-19        |  |  |  |
| 80705-08-08  | 1/2-14        | 1/2-14        |  |  |  |
| 80705-08-10  | 1/2-14        | 5/8-14        |  |  |  |
| 80705-08-12  | 1/2-14        | 3/4-14        |  |  |  |
| 80705-08-16  | 1/2-14        | 1-11          |  |  |  |
| 80705-10-08  | 5/8-14        | 1/2-14        |  |  |  |
| 80705-10-10  | 5/8-14        | 5/8-14        |  |  |  |
| 80705-10-12  | 5/8-14        | 3/4-14        |  |  |  |
| 80705-12-06  | 3/4-14        | 3/8-19        |  |  |  |
| 80705-12-08  | 3/4-14        | 1/2-14        |  |  |  |
| 80705-12-10  | 3/4-14        | 5/8-14        |  |  |  |




| <b>80595</b> COUDE 90° - MALE BSPP / M. BSPP ADJUST.<br>ELBOW 90° - MALE BSPP / MALE ADJUST. |               |               |  |  |  |
|--|---------------|---------------|--|--|--|
| FUTURE   | BSPP          | BSPP          |  |  |  |
|  | 1 - Po. / In. | 2 - Po. / In. |  |  |  |
| 80595-04-04  | 1/4-19        | 1/4-19        |  |  |  |
| 80595-04-06  | 1/4-19        | 3/8-19        |  |  |  |
| 80595-06-04  | 3/8-19        | 1/4-19        |  |  |  |
| 80595-06-06  | 3/8-19        | 3/8-19        |  |  |  |
| 80595-06-08  | 3/8-19        | 1/2-14        |  |  |  |
| 80595-08-06  | 1/2-14        | 3/8-19        |  |  |  |
| 80595-08-08  | 1/2-14        | 1/2-14        |  |  |  |
| 80595-08-12  | 1/2-14        | 3/4-14        |  |  |  |
| 80595-12-08  | 3/4-14        | 1/2-14        |  |  |  |
| 80595-12-12  | 3/4-14        | 3/4-14        |  |  |  |
| 80595-16-16  | 1-11          | 1-11          |  |  |  |
| 80595-20-20  | 1 1/4-11      | 1 1/4-11      |  |  |  |





| <b>80705</b>     |                      | <b>ADAPTEUR - MALE BSPT / MALE BSPP<br/>ADAPTER - MALE BSPT / MALE BSPP</b> |  |  |  |
|------------------|----------------------|---|--|--|--|
| <b>FUTURE</b>    | <b>BSPT</b>          | <b>BSPP</b>   |  |  |  |
|                  | <b>1 - Po. / In.</b> | <b>2 - Po. / In.</b>  |  |  |  |
| Continue/Cont'd. |                      |   |  |  |  |
| 80705-12-12      | 3/4-14               | 3/4-14  |  |  |  |
| 80705-12-16      | 3/4-14               | 1-11  |  |  |  |
| 80705-12-20      | 3/4-14               | 1 1/4-11  |  |  |  |
| 80705-16-06      | 1-11                 | 3/8-19  |  |  |  |
| 80705-16-12      | 1-11                 | 3/4-14  |  |  |  |
| 80705-16-16      | 1-11                 | 1-11  |  |  |  |
| 80705-16-20      | 1-11                 | 1 1/4-11  |  |  |  |
| 80705-16-24      | 1-11                 | 1 1/2-11  |  |  |  |
| 80705-20-12      | 1 1/4-11             | 3/4-14  |  |  |  |
| 80705-20-16      | 1 1/4-11             | 1-11  |  |  |  |
| 80705-20-20      | 1 1/4-11             | 1 1/4-11  |  |  |  |
| 80705-20-24      | 1 1/4-11             | 1 1/2-11  |  |  |  |
| 80705-20-32      | 1 1/4-11             | 2-11  |  |  |  |
| 80705-24-16      | 1 1/2-11             | 1-11  |  |  |  |
| 80705-24-20      | 1 1/2-11             | 1 1/4-11  |  |  |  |
| 80705-24-24      | 1 1/2-11             | 1 1/2-11  |  |  |  |
| 80705-24-32      | 1 1/2-11             | 2-11  |  |  |  |
| 80705-32-16      | 2-11                 | 1-11  |  |  |  |
| 80705-32-20      | 2-11                 | 1 1/4-11  |  |  |  |
| 80705-32-24      | 2-11                 | 1 1/2-11  |  |  |  |
| 80705-32-32      | 2-11                 | 2-11  |  |  |  |
| 80705-40-40      | 2 1/2-11             | 2 1/2-11  |  |  |  |
| 80705-48-48      | 3-11                 | 3-11  |  |  |  |



| <b>80707</b>     |                      | <b>UNION - MALE BSPT / MALE BSPT<br/>NIPPLE - MALE BSPT / MALE BSPT</b> |  |  |  |
|------------------|----------------------|---|--|--|--|
| <b>FUTURE</b>    | <b>BSPT</b>          | <b>BSPT</b>   |  |  |  |
|                  | <b>1 - Po. / In.</b> | <b>2 - Po. / In.</b>  |  |  |  |
| Continue/Cont'd. |                      |   |  |  |  |
| 80707-16-12      | 1-11                 | 3/4-14  |  |  |  |
| 80707-16-16      | 1-11                 | 1-11  |  |  |  |
| 80707-20-16      | 1 1/4-11             | 1-11  |  |  |  |
| 80707-20-20      | 1 1/4-11             | 1 1/4-11  |  |  |  |
| 80707-24-24      | 1 1/2-11             | 1 1/2-11  |  |  |  |
| 80707-32-32      | 2-11                 | 2-11  |  |  |  |
| 80707-40-40      | 2 1/2-11             | 2 1/2-11  |  |  |  |
| 80707-48-48      | 3-11                 | 3-11  |  |  |  |



| <b>80714</b>  |                      | <b>ADAPTEUR - MALE BSPT / MALE ORFS<br/>ADAPTER - MALE BSPT / MALE ORFS</b> |  |  |  |
|---------------|----------------------|---|--|--|--|
| <b>FUTURE</b> | <b>BSPT</b>          | <b>ORFS</b>   |  |  |  |
|               | <b>1 - Po. / In.</b> | <b>2 - Po. / In.</b>  |  |  |  |
| 80714-04-04   | 1/4-19               | 9/16-18   |  |  |  |
| 80714-12-12   | 3/4-14               | 1 3/16-12   |  |  |  |
| 80714-16-16   | 1-11                 | 1 7/16-12   |  |  |  |
| 80714-20-20   | 1 1/4-11             | 1 11/16-12  |  |  |  |
| 80714-24-24   | 1 1/2-11             | 2-12  |  |  |  |



| <b>80707</b>  |                      | <b>UNION - MALE BSPT / MALE BSPT<br/>NIPPLE - MALE BSPT / MALE BSPT</b> |  |  |  |
|---------------|----------------------|---|--|--|--|
| <b>FUTURE</b> | <b>BSPT</b>          | <b>BSPT</b>   |  |  |  |
|               | <b>1 - Po. / In.</b> | <b>2 - Po. / In.</b>  |  |  |  |
| 80707-02-02   | 1/8-27               | 1/8-28  |  |  |  |
| 80707-04-02   | 1/4-19               | 1/8-28  |  |  |  |
| 80707-04-04   | 1/4-19               | 1/4-19  |  |  |  |
| 80707-06-02   | 3/8-19               | 1/8-28  |  |  |  |
| 80707-06-04   | 3/8-19               | 1/4-19  |  |  |  |
| 80707-06-06   | 3/8-19               | 3/8-19  |  |  |  |
| 80707-08-04   | 1/2-14               | 1/4-19  |  |  |  |
| 80707-08-06   | 1/2-14               | 3/8-19  |  |  |  |
| 80707-08-08   | 1/2-14               | 1/2-14  |  |  |  |
| 80707-10-10   | 5/8-14               | 5/8-14  |  |  |  |
| 80707-12-08   | 3/4-14               | 1/2-14  |  |  |  |
| 80707-12-12   | 3/4-14               | 3/4-14  |  |  |  |

| <b>80728</b>  |                      | <b>ADAPTEUR - MALE BSPT / MALE NPTF<br/>ADAPTER - MALE BSPT / MALE NPTF</b> |  |  |  |
|---------------|----------------------|---|--|--|--|
| <b>FUTURE</b> | <b>BSPT</b>          | <b>NPT</b>  |  |  |  |
|               | <b>1 - Po. / In.</b> | <b>2 - Po. / In.</b>  |  |  |  |
| 80728-02-02   | 1/8-28               | 1/8-27  |  |  |  |
| 80728-02-04   | 1/8-28               | 1/4-18  |  |  |  |
| 80728-04-02   | 1/4-19               | 1/8-27  |  |  |  |
| 80728-04-04   | 1/4-19               | 1/4-18  |  |  |  |
| 80728-04-06   | 1/4-19               | 3/8-18  |  |  |  |
| 80728-06-04   | 3/8-19               | 1/4-18  |  |  |  |
| 80728-06-06   | 3/8-19               | 3/8-18  |  |  |  |
| 80728-08-08   | 1/2-14               | 1/2-14  |  |  |  |
| 80728-12-12   | 3/4-14               | 3/4-14  |  |  |  |
| 80728-16-16   | 1-11                 | 1-11.5  |  |  |  |
| 80728-20-20   | 1 1/4-11             | 1 1/4-11.5  |  |  |  |
| 80728-24-24   | 1 1/2-11             | 1 1/2-11.5  |  |  |  |
| 80728-32-32   | 2-11                 | 2-11.5  |  |  |  |
| 80728-40-40   | 2 1/2-11             | 2 1/2-8   |  |  |  |
| 80728-48-48   | 3-11                 | 3-8   |  |  |  |