



3759 Té Femelle NPT/Male NPT
(5602) Tee NPT Female/NPT Male



Style No.	T1	T2
3759-02	1/8-27	1/8-27
3759-04	1/4-18	1/4-18
3759-06	3/8-18	3/8-18
3759-08	1/2-14	1/2-14
3759-12	3/4-14	3/4-14
3759-16	1-11 1/2	1- 11 1/2
3759-20	1 1/4-11 1/2	1 1/4-11 1/2
3759-24	1 1/2-11 1/2	1 1/2-11 1/2

FP X FP X MP TEE


5100 Femelle JIC/Male JIC
(2406) JIC Female/JIC Male



Style No.	T1	T2
5100-02-04	5/16-24	7/16-20
5100-04-02	7/16-20	5/16-24
5100-04-03	7/16-20	3/8-24
5100-04-05	7/16-20	1/2-20
5100-04-06	7/16-20	9/16-18
5100-04-08	7/16-20	3/4-16
5100-05-04	1/2-20	7/16-20
5100-06-04	9/16-18	7/16-20
5100-06-05	9/16-18	1/2-20
5100-06-08	9/16-18	3/4-16
5100-08-04	3/4-16	7/16-20
5100-08-06	3/4-16	9/16-18
5100-08-08	3/4-16	3/4-16
5100-08-10	3/4-16	7/8-14
5100-08-12	3/4-16	1 1/16-12
5100-10-04	7/8-14	7/16-20
5100-10-06	7/8-14	9/16-18
5100-10-08	7/8-14	3/4-16
5100-10-10	7/8-14	7/8-14
5100-10-12	7/8-14	1 1/16-12
5100-12-04	1 1/16-12	7/16-20
5100-12-06	1 1/16-12	9/16-18
5100-12-08	1 1/16-12	3/4-16
5100-12-10	1 1/16-12	7/8-14
5100-12-12	1 1/16-12	1 1/16-12
5100-12-16	1 1/16-12	1 5/16-12
5100-14-06	1 3/16-12	9/16-18
5100-14-08	1 3/16-12	3/4-16
5100-14-10	1 3/16-12	7/8-14
5100-14-12	1 3/16-12	1 1/16-12
5100-16-04	1 5/16-12	7/16-20
5100-16-06	1 5/16-12	9/16-18
5100-16-08	1 5/16-12	3/4-16
5100-16-10	1 5/16-12	7/8-14
5100-16-12	1 5/16-12	1 1/16-12
5100-16-14	1 5/16-12	1 3/16-12
5100-16-20	1 5/16-12	1 5/8-12
5100-20-08	1 5/8-12	3/4-16
5100-20-12	1 5/8-12	1 1/16-12
5100-20-16	1 5/8-12	1 5/16-12
5100-20-24	1 5/8-12	1 7/8-12
5100-24-12	1 7/8-12	1 1/16-12
5100-24-16	1 7/8-12	1 5/16-12
5100-24-20	1 7/8-12	1 5/8-12
5100-24-32	1 7/8-12	2 1/2-14
5100-32-24	2 1/2-14	1 7/8-12

FJ X MJ


3809 Té Male NPT
(5600) Tee NPT Male



Style No.	T1
3809-04	1/4-18
3809-06	3/8-18
3809-08	1/2-14
3809-12	3/4-14
3809-16	1-11 1/2







MP X MP X MP TEE

3959 Croix Femelle NPT
(5652) Cross NPT Female




Style No.	T1
3959-02	1/8-27
3959-04	1/4-18
3959-06	3/8-18
3959-08	1/2-14
3959-12	3/4-14
3959-16	1-11 1/2
3959-20	1 1/4-11 1/2
3959-24	1 1/2-11 1/2

FP CROIX/CROSS


5105 (0318)		Écrou JIC JIC Nut		Femelle JIC/Femelle JIC JIC Female/JIC Female			5156 (6510)	
	Style No.	T1		Style No.	T1	T2		
	5105-02	5/16-24		5156-04-04	7/16-20	7/16-20		
	5105-03	3/8-24		5156-05-05	1/2-20	1/2-20		
	5105-04	7/16-20		5156-06-06	9/16-18	9/16-18		
	5105-05	1/2-20		5156-08-08	3/4-16	3/4-16		
	5105-06	9/16-18		5156-10-08	7/8-14	7/8-14		
	ECROU/NUT FJ	5105-08	3/4-16		5156-10-10	7/8-14		7/8-14
		5105-10	7/8-14		5156-12-12	1 1/16-12		1 1/16-12
		5105-12	1 1/16-12		5156-16-16	1 5/16-12		1 5/16-12
		5105-14	1 3/16-12		5156-20-20	1 5/8-12		1 5/8-12
		5105-16	1 5/16-12		5156-24-24	1 7/8-12		1 7/8-12
		5105-20	1 5/8-12					
		5105-24	1 7/8-12					
		5105-32	2 1/2-12					
	5106 (6504)		Femelle JIC/Male JIC JIC Female/JIC Male		Bague JIC JIC Sleeve			5165 (0319)
	Style No.	T1	T2	Style No.	T1			
	5106-04-04	7/16-20	7/16-20	5165-02	1/8			
	5106-05-05	1/2-20	1/2-20	5165-03	3/16			
	5106-06-04	9/16-18	7/16-20	5165-04	1/4			
	5106-06-05	9/16-18	1/2-20	5165-05	5/16			
	5106-06-06	9/16-18	9/16-18	5165-06	3/8			
	FJS X MJ	5106-06-08	9/16-18	3/4-16	5165-08			1/2
		5106-08-06	3/4-16	9/16-18	5165-10			5/8
		5106-08-08	3/4-16	3/4-16	5165-12			3/4
		5106-10-10	7/8-14	7/8-14	5165-14			7/8
		5106-12-10	1 1/16-12	7/8-14	5165-16			1
		5106-12-12	1 1/16-12	1 1/16-12	5165-20			1 1/4
		5106-16-16	1 5/16-12	1 5/16-12	5165-24			1 1/2
		5106-20-16	1 5/8-12	1 5/16-12	5165-32			2
		5106-20-20	1 5/8-12	1 5/8-12				
	5106-24-20	1 7/8-12	1 5/8-12					
	5106-24-24	1 7/8-12	1 7/8-12					
	5106-32-32	2 1/2-12	2 1/2-12					
5129 (0304-C)		Bouchon Femelle JIC JIC Female Cap		Male JIC/Male NPT JIC Male/NPT Male		5205 (2404)		
	Style No.	T1		Style No.	T1	T2		
	5129-02	5/16-24		5205-02-02	5/16-24	1/8-27		
	5129-03	3/8-24		5205-03-02	3/8-24	1/8-27		
	5129-04	7/16-20		5205-04-02	7/16-20	1/8-27		
	5129-05	1/2-20		5205-04-04	7/16-20	1/4-18		
	5129-06	9/16-18		5205-04-06	7/16-20	3/8-18		
	CAP FJ	5129-08	3/4-16		5205-04-08	7/16-20		1/2-14
		5129-10	7/8-14		5205-04-12	7/16-20		3/4-14
		5129-12	1 1/16-12		5205-05-02	1/2-20		1/8-27
		5129-14	1 3/16-12		5205-05-04	1/2-20		1/4-18
		5129-16	1 5/16-12		5205-05-06	1/2-20		3/8-18
		5129-20	1 5/8-12		5205-05-08	1/2-20		1/2-14
		5129-24	1 7/8-12		5205-06-02	9/16-18		1/8-27
		5129-32	2 1/2-12					
					Continue / Cont'd			

5205
(2404)
Male JIC/Male NPT
JIC Male/NPT Male



MJ X MP


Style No.	T1	T2
Continue / Cont'd		
5205-06-04	9/16-18	1/4-18
5205-06-06	9/16-18	3/8-18
5205-06-08	9/16-18	1/2-14
5205-06-12	9/16-18	3/4-14
5205-08-02	3/4-16	1/8-27
5205-08-04	3/4-16	1/4-18
5205-08-06	3/4-16	3/8-18
5205-08-08	3/4-16	1/2-14
5205-08-12	3/4-16	3/4-14
5205-08-16	3/4-16	1-11 1/2
5205-10-04	7/8-14	1/4-18
5205-10-06	7/8-14	3/8-18
5205-10-08	7/8-14	1/2-14
5205-10-12	7/8-14	3/4-14
5205-10-16	7/8-14	1-11 1/2
5205-12-06	1 1/16-12	3/8-18
5205-12-08	1 1/16-12	1/2-14
5205-12-12	1 1/16-12	3/4-14
5205-12-16	1 1/16-12	1-11 1/2
5205-12-20	1 1/16-12	1 1/4-11 1/2
5205-12-24	1 1/16-12	1 1/2-11 1/2
5205-14-12	1 3/16-12	3/4-14
5205-16-08	1 5/16-12	1/2-14
5205-16-12	1 5/16-12	3/4-14
5205-16-16	1 5/16-12	1-11 1/2
5205-16-20	1 5/16-12	1 1/4-11 1/2
5205-16-24	1 5/16-12	1 1/2-11 1/2
5205-20-12	1 5/8-12	3/4-14
5205-20-16	1 5/8-12	1-11 1/2
5205-20-20	1 5/8-12	1 1/4-11 1/2
5205-20-24	1 5/8-12	1 1/2-11 1/2
5205-20-32	1 5/8-12	2-11 1/2
5205-24-16	1 7/8-12	1-11 1/2
5205-24-20	1 7/8-12	1 1/4-11 1/2
5205-24-24	1 7/8-12	1 1/2-11 1/2
5205-24-32	1 7/8-12	2-11 1/2
5205-32-20	2 1/2-12	1 1/4-11 1/2
5205-32-24	2 1/2-12	1 1/2-11 1/2
5205-32-32	2 1/2-12	2-11 1/2



MJ X MP LONG

Style No.	T1	T2
5206-04-02	7/16-20	1/8-27
5206-04-04	7/16-20	1/4-18
5206-06-04	9/16-18	1/4-18
5206-06-06	9/16-18	3/8-18
5206-08-06	3/4-16	3/8-18
5206-12-12	1 1/16-12	3/4-14


5207
(2404LL)
Male JIC/Male NPT-XLong
JIC Male/NPT Male-XLong



MJ X MP X-LONG

Style No.	T1	T2
5207-04-02	7/16-20	1/4-18
5207-04-04	7/16-20	1/4-18
5207-06-06	9/16-18	3/8-18


5215
(6407)
Male "ORB" /Male "ORB"
"ORB" Male/ "ORB" Male



MB X MB

Style No.	T1	T2
5215-04-04	7/16/20	7/16/20
5215-06-06	9/16-18	9/16-18
5215-08-08	3/4-16	3/4-16
5215-10-10	7/8-14	7/8-14
5215-12-12	1 1/16-12	1 1/16-12
5215-16-12	1 5/16-12	1 1/16-12
5215-16-16	1 5/16-12	1 5/16-12
5215-20-20	1 5/8-12	1 5/8-12
5215-24-24	1 7/8-12	1 7/8-12


5225
(2706)R
Cloison Male JIC/Male NPT
JIC Male Bulkhead/NPT Male



MJ X MP BH


Style No.	T1	T2
5225-04-02	7/16-20	1/8-27
5225-04-04	7/16-20	1/4-18
5225-06-04	9/16-18	1/4-18
5225-06-06	9/16-18	3/8-18
5225-08-06	3/4-16	3/8-18
5225-08-08	3/4-16	1/2-14
5225-10-08	7/8-14	1/2-14
5225-12-12	1 1/16-12	3/4-14
5225-16-16	1 5/16-12	1-11 1/2
5225-20-20	1 5/8-12	1 1/4-11 1/2
5225-24-24	1 7/8-12	1 1/2-11 1/2


5229
(2408)
Bouchon Male JIC
JIC Male Plug





MJ PLUG

Style No.	T1
5229-02	5/16-24
5229-03	3/8-24
5229-04	7/16-20
5229-05	1/2-20
5229-06	9/16-18
5229-08	3/4-16
5229-10	7/8-14
5229-12	1 1/16-12
5229-14	1 3/16-12
5229-16	1 5/16-12
5229-20	1 5/8-12
5229-24	1 7/8-12
5229-32	2 1/2-12


5255 (2405)		Male JIC/Femelle NPT JIC Male/NPT Female	
	Style No.	T1	T2
	5255-02-02	5/16-24	1/8-27
	5255-03-02	3/8-24	1/8-27
	5255-04-02	7/16-20	1/8-27
	5255-04-04	7/16-20	1/4-18
MJ X FP	5255-04-06	7/16-20	3/8-18
	5255-04-08	7/16-20	1/2-14
	5255-05-02	1/2-20	1/8-27
	5255-05-04	1/2-20	1/4-18
	5255-06-02	9/16-18	1/8-27
	5255-06-04	9/16-18	1/4-18
	5255-06-06	9/16-18	3/8-18
	5255-06-08	9/16-18	1/2-14
	5255-08-04	3/4-16	1/4-18
	5255-08-06	3/4-16	3/8-18
	5255-08-08	3/4-16	1/2-14
	5255-08-12	3/4-16	3/4-14
	5255-10-06	7/8-14	3/8-18
	5255-10-08	7/8-14	1/2-14
	5255-10-12	7/8-14	3/4-14
	5255-12-08	1 1/16-12	1/2-14
	5255-12-12	1 1/16-12	3/4-14
	5255-12-16	1 1/16-12	1-11 1/2
	5255-14-12	1 3/16-12	3/4-14
	5255-16-12	1 5/16-12	3/4-14
	5255-16-16	1 5/16-12	1-11 1/2
	5255-20-20	1 5/8-12	1 1/4-11 1/2
	5255-24-24	1 7/8-12	1 1/2-11 1/2
	5255-32-32	2 1/2-12	2-11 1/2


5305 (2403)		Male JIC/Male JIC JIC Male/JIC Male	
	Style No.	T1	T2
	5305-02-02	5/16-24	5/16-24
	5305-03-03	3/8-24	3/8-24
	5305-04-02	7/16-20	5/16-24
	5305-04-03	7/16-20	3/8-24
	5305-04-04	7/16-20	7/16-20
	5305-05-04	1/2-20	7/16-20
	5305-05-05	1/2-20	1/2-20
	5305-06-04	9/16-18	7/16-20
	5305-06-05	9/16-18	1/2-20
	5305-06-06	9/16-18	9/16-18
	5305-08-04	3/4-16	7/16-20
	5305-08-05	3/4-16	1/2-20
	5305-08-06	3/4-16	9/16-18
	5305-08-08	3/4-16	3/4-16
	5305-10-06	7/8-14	9/16-18
	5305-10-08	7/8-14	3/4-16
	5305-10-10	7/8-14	7/8-14
	5305-12-06	1 1/16-12	9/16-18
	5305-12-08	1 1/16-12	3/4-16
	5305-12-10	1 1/16-12	7/8-14
	5305-12-12	1 1/16-12	1 1/16-12
	5305-14-12	1 3/16-12	1 1/16-12
	5305-14-14	1 3/16-12	1 3/16-12
	5305-16-08	1 5/16-12	3/4-16
	5305-16-10	1 5/16-12	7/8-14
	5305-16-12	1 5/16-12	1 1/16-12
	5305-16-16	1 5/16-12	1 5/16-12
	5305-20-16	1 5/8-12	1 5/16-12
	5305-20-20	1 5/8-12	1 5/8-12
	5305-24-16	1 7/8-12	1 5/16-12
	5305-24-20	1 7/8-12	1 5/8-12
	5305-24-24	1 7/8-12	1 7/8-12
	5305-32-24	2 1/2-12	1 7/8-12
	5305-32-32	2 1/2-12	2 1/2-12


5275 (2705)R		Cloison Male JIC/Femelle NPT JIC Male Bulkhead/NPT Female	
	Style No.	T1	T2
	5275-04-02	7/16-20	1/8-27
	5275-04-04	7/16-20	1/4-18
	5275-06-04	9/16-18	1/4-18
	5275-06-06	9/16-18	3/8-18
MJ X FP BH	5275-08-06	3/4-16	3/8-18
	5275-08-08	3/4-16	1/2-14
	5275-10-08	7/8-14	1/2-14
	5275-12-12	1 1/16-12	3/4-14
	5275-16-16	1 5/16-12	1-11 1/2
	5275-20-20		


5306 (2403LH)		Male JIC/Male JIC Hex Large JIC Male/JIC Male Large Hex	
	Style No.	T1	T2
	5306-04-04	7/16-20	7/16-20
	5306-06-06	9/16-18	9/16-18
	5306-08-08	3/4-16	3/4-16
	5306-10-10	7/8-14	7/8-14
	5306-12-12	1 1/16-12	1 1/16-12

Si l'écrou cloison est requise commandez sous 5275-LN-
If Bulkhead Nut is needed, simply order as 5275-LN-


5315 (6400)			
Male JIC/Male "ORB" JIC Male/"ORB" Male			
Style No.	T1	T2	
			
5315-02-02	5/16-24	5/16-24	
5315-03-02	3/8-24	5/16-24	
5315-03-03	3/8-24	3/8-24	
5315-03-04	3/8-24	7/16-20	
5315-04-02	7/16-20	5/16-24	
MJ X MB	5315-04-03	7/16-20	3/8-24
	5315-04-04	7/16-20	7/16-20
	5315-04-05	7/16-20	1/2-20
	5315-04-06	7/16-20	9/16-18
	5315-04-08	7/16-20	3/4-16
	5315-04-10	7/16-20	7/8-14
	5315-05-03	1/2-20	3/8-24
	5315-05-04	1/2-20	7/16-20
	5315-05-05	1/2-20	1/2-20
	5315-05-06	1/2-20	9/16-18
	5315-05-08	1/2-20	3/4-16
	5315-06-04	9/16-18	7/16-20
	5315-06-05	9/16-18	1/2-20
	5315-06-06	9/16-18	9/16-18
	5315-06-08	9/16-18	3/4-16
	5315-06-10	9/16-18	7/8-14
	5315-06-12	9/16-18	1 1/16-12
	5315-08-04	3/4-16	7/16-20
	5315-08-05	3/4-16	1/2-20
	5315-08-06	3/4-16	9/16-18
	5315-08-08	3/4-16	3/4-16
	5315-08-10	3/4-16	7/8-14
	5315-08-12	3/4-16	1 1/16-12
	5315-08-16	3/4-16	1 5/16-12
	5315-08-20	3/4-16	1 5/8-12
	5315-10-04	7/8-14	7/16-20
	5315-10-06	7/8-14	9/16-18
	5315-10-08	7/8-14	3/4-16
	5315-10-10	7/8-14	7/8-14
	5315-10-12	7/8-14	1 1/16-12
	5315-10-16	7/8-14	1 5/16-12
	5315-12-06	1 1/16-12	9/16-18
	5315-12-08	1 1/16-12	3/4-16
	5315-12-10	1 1/16-12	7/8-14
	5315-12-12	1 1/16-12	1 1/16-12
	5315-12-14	1 1/16-12	1 3/16-12
	5315-12-16	1 1/16-12	1 5/16-12
	5315-12-20	1 1/16-12	1 5/8-12
	5315-14-12	1 3/16-12	1 1/16-12
	5315-14-14	1 3/16-12	1 3/16-12
	5315-14-16	1 3/16-12	1 5/16-12
	5315-16-06	1 5/16-12	9/16-18
	5315-16-08	1 5/16-12	3/4-16
Continue / Cont'd			

5315 (6400)			
Male JIC/Male "ORB" JIC Male/"ORB" Male			
Style No.	T1	T2	
			
Continue / Cont'd			
5315-16-10	1 5/16-12	7/8-14	
5315-16-12	1 5/16-12	1 1/16-12	
5315-16-14	1 5/16-12	1 3/16-12	
5315-16-16	1 5/16-12	1 5/16-12	
5315-16-20	1 5/16-12	1 5/8-12	
5315-16-24	1 5/16-12	1 7/8-12	
5315-20-12	1 5/8-12	1 1/16-12	
5315-20-16	1 5/8-12	1 5/16-12	
5315-20-20	1 5/8-12	1 5/8-12	
5315-20-24	1 5/8-12	1 7/8-12	
5315-24-16	1 7/8-12	1 5/16-12	
5315-24-20	1 7/8-12	1 5/8-12	
5315-24-24	1 7/8-12	1 7/8-12	
5315-24-32	1 7/8-12	2 1/2-12	
5315-32-24	2 1/2-12	2 1/2-12	
5315-32-32	2 1/2-12	2 1/2-12	
MJ X MB			

5316 (6400L)			
Male JIC/Male "ORB" - Long JIC Male/"ORB" Male - Long			
Style No.	T1	T2	
			
5316-04-04	7/16-20	7/16-20	
5316-06-06	9/16-18	9/16-18	
5316-06-08	9/16-18	3/4-16	
5316-08-08	3/4-16	3/4-16	
5316-10-10	7/8-14	7/8-14	
5316-12-12	1 1/16-12	1 1/16-12	
5316-16-16	1 5/16-12	1 5/16-12	
MJ X MB LONG			


5325 (2700)			
Male JIC/Cloison Male JIC JIC Male/JIC Male Bulkhead			
Style No.	T1	T2	
			
5325-04-04	7/16-20	7/16-20	
5325-05-05	1/2-20	1/2-20	
5325-06-06	9/16-18	9/16-18	
5325-08-08	3/4-16	3/4-16	
5325-10-10	7/8-14	7/8-14	
5325-12-12	1 1/16-12	1 1/16-12	
5325-14-14	1 3/16-12	1 3/16-12	
5325-16-16	1 5/16-12	1 5/16-12	
5325-20-20	1 5/8-12	1 5/8-12	
5325-24-24	1 7/8-12	1 7/8-12	
MJ X MJ BH			
Si l'écrou cloison est requise commandez sous 5325-LN-			
If Bulkhead Nut is needed, simply order as 5325-LN-			

5345 45° Male JIC/Male JIC
(2504) 45° JIC Male/JIC Male



Style No.	T1	T2
5345-04-04	7/16-20	7/16-20
5345-06-04	9/16-18	7/16-20
5345-06-06	9/16-18	9/16-18
5345-08-04	3/4-16	7/16-20
5345-08-06	3/4-16	9/16-18
5345-08-08	3/4-16	3/4-16
5345-10-10	7/8-14	7/8-14
MJ X MJ 45°	5345-12-12	1 1/16-12
	5345-16-16	1 5/16-12


5356 45° Femelle JIC/Male JIC
(6502) 45° JIC Female/JIC Male



Style No.	T1	T2
5356-04-04	7/16-20	7/16-20
5356-05-05	1/2-20	1/2-20
5356-06-06	9/16-18	9/16-18
5356-08-08	3/4-16	3/4-16
5356-10-08	7/8-14	3/4-16
5356-10-10	7/8-14	7/8-14
5356-12-12	1 1/16-12	1 1/16-12
5356-14-14	1 3/16-12	1 3/16-12
5356-16-16	1 5/16-12	1 5/16-12
5356-20-20	1 5/8-12	1 5/8-12
5356-24-24	1 7/8-12	1 7/8-12
5356-32-32	2 1/2-12	2 1/2-12


FJ X MJ 45°

5355 45° Male JIC/Male NPT
(2503) 45° JIC Male/NPT Male



Style No.	T1	T2
5355-02-02	5/16-24	1/8-27
5355-03-02	3/8-24	1/8-27
5355-04-02	7/16-20	1/8-27
5355-04-04	7/16-20	1/4-18
5355-04-06	7/16-20	3/8-18
5355-05-02	1/2-20	1/8-27
5355-05-04	1/2-20	1/4-18
MJ X MP 45°	5355-06-02	9/16-18
	5355-06-04	9/16-18
	5355-06-06	9/16-18
	5355-06-08	9/16-18
	5355-06-08	9/16-18
	5355-06-08	9/16-18
	5355-08-04	3/4-16
	5355-08-06	3/4-16
	5355-08-08	3/4-16
	5355-08-12	3/4-16
	5355-10-06	7/8-14
	5355-10-08	7/8-14
	5355-10-12	7/8-14
	5355-12-08	1 1/16-12
	5355-12-12	1 1/16-12
	5355-12-16	1 1/16-12
	5355-14-12	1 3/16-12
	5355-16-12	1 5/16-12
	5355-16-16	1 5/16-12
	5355-16-20	1 5/16-12
	5355-20-16	1 5/8-12
	5355-20-20	1 5/8-12
	5355-24-24	1 7/8-12
	5355-32-32	2 1/2-12


5365 45° Male JIC/Male "ORB" Adjustable
(6802) 45° JIC Male/"ORB" Male Adjustable



Style No.	T1	T2
5365-04-04	7/16-20	7/16-20
5365-04-06	7/16-20	9/16-18
5365-05-05	1/2-20	1/2-20
5365-06-04	9/16-18	7/16-20
5365-06-05	9/16-18	1/2-20
5365-06-06	9/16-18	9/16-18
5365-06-08	9/16-18	3/4-16
5365-06-10	9/16-18	7/8-14
5365-08-06	3/4-16	9/16-18
5365-08-08	3/4-16	3/4-16
5365-08-10	3/4-16	7/8-14
5365-08-12	3/4-16	1 1/16-12
5365-10-06	7/8-14	9/16-18
5365-10-08	7/8-14	3/4-16
5365-10-10	7/8-14	7/8-14
5365-10-12	7/8-14	1 1/16-12
5365-12-08	1 1/16-12	3/4-16
5365-12-10	1 1/16-12	7/8-14
5365-12-12	1 1/16-12	1 1/16-12
5365-12-16	1 1/16-12	1 5/16-12
5365-14-14	1 3/16-12	1 3/16-12
5365-16-12	1 5/16-12	1 1/16-12
5365-16-16	1 5/16-12	1 5/16-12
5365-16-20	1 5/16-12	1 5/8-12
5365-20-16	1 5/8-12	1 5/16-12
5365-20-20	1 5/8-12	1 5/8-12
5365-20-24	1 5/8-12	1 7/8-12
5365-24-24	1 7/8-12	1 7/8-12

MJ X MB 45°

5375 45° Male JIC/Cloison Male JIC
(2702) 45° JIC Male/JIC Male Bulkhead



Style No.	T1	T2
5375-04-04	7/16-20	7/16-20
5375-05-05	1/2-20	1/2-20
5375-06-06	9/16-18	9/16-18
5375-08-08	3/4-16	3/4-16
5375-10-10	7/8-14	7/8-14
5375-12-12	1 1/16-12	1 1/16-12
5375-16-16	1 5/16-12	1 5/16-12
5375-20-20	1 5/8-12	1 5/8-12


MJ X MJ 45° BH

**Si l'écrou cloison est requise commandez sous 5375-LN-
If Bulkhead Nut is needed, simply order as 5375-LN-**

90° Male JIC/Male NPT
90° JIC Male/NPT Male


Continue / Cont'd

Style No.	T1	T2
5405-10-08	7/8-14	1/2-14
5405-10-12	7/8-14	3/4-14
5405-10-16	7/8-14	1-11 1/2
5405-12-06	1 1/16-12	3/8-18
5405-12-08	1 1/16-12	1/2-14
5405-12-12	1 1/16-12	3/4-14
5405-12-16	1 1/16-12	1-11 1/2
5405-12-20	1 1/16-12	1 1/4-11 1/2
5405-14-12	1 3/16-12	3/4-14
5405-16-08	1 5/16-12	1/2-14
5405-16-12	1 5/16-12	3/4-14
5405-16-16	1 5/16-12	1-11 1/2
5405-16-20	1 5/16-12	1 1/4-11 1/2
5405-16-24	1 5/16-12	1 1/2-11 1/2
5405-20-12	1 5/8-12	3/4-14
5405-20-16	1 5/8-12	1-11 1/2
5405-20-20	1 5/8-12	1 1/4-11 1/2
5405-20-24	1 5/8-12	1 1/2-11 1/2
5405-24-16	1 7/8-12	1-11 1/2
5405-24-20	1 7/8-12	1 1/4-11 1/2
5405-24-24	1 7/8-12	1 1/2-11 1/2
5405-32-32	2 1/2-12	2-11 1/2



MJ X MP 90°


5403 90° Male JIC/Male NPT Tournant
(5701) 90° JIC Male/NPT Male Swivel



Style No.	T1	T2
5403-06-04	9/16-18	1/4-18
5403-06-06	9/16-18	3/8-18
5403-08-06	3/4-16	3/8-18
5403-08-08	3/4-16	1/2-14
5403-10-08	7/8-14	1/2-14
5403-12-12	1 1/16-12	3/4-14

MJ X MPS 90°

5405 90° Male JIC/Male NPT
(2501) 90° JIC Male/NPT Male



Style No.	T1	T2
5405-02-02	5/16-24	1/8-27
5405-03-02	3/8-24	1/8-27
5405-04-02	7/16-20	1/8-27
5405-04-04	7/16-20	1/4-18
5405-04-06	7/16-20	3/8-18
5405-04-08	7/16-20	1/2-14
5405-05-02	1/2-20	1/8-27
5405-05-04	1/2-20	1/4-18
5405-05-06	1/2-20	3/8-18
5405-06-02	9/16-18	1/8-27
5405-06-04	9/16-18	1/4-18
5405-06-06	9/16-18	3/8-18
5405-06-08	9/16-18	1/2-14
5405-06-12	9/16-18	3/4-14
5405-08-04	3/4-16	1/4-18
5405-08-06	3/4-16	3/8-18
5405-08-08	3/4-16	1/2-14
5405-08-12	3/4-16	3/4-14
5405-08-16	3/4-16	1-11 1/2
5405-10-06	7/8-14	3/8-18
5405-10-08	7/8-14	1/2-14
5405-10-12	7/8-14	3/4-14
5405-10-06	7/8-14	3/8-18
5405-10-08	7/8-14	1/2-14


MJ X MP 90°

Continue / Cont'd


90° Male JIC/Male NPT-Long
90° JIC Male/NPT Male-Long


5435
(2501L)

Style No.	T1	T2
5435-04-02	7/16-20	1/8-27
5435-04-04	7/16-20	1/4-18
5435-05-02	1/2-20	1/8-27
5435-05-04	1/2-20	1/4-18
5435-06-04	9/16-18	1/4-18
5435-06-06	9/16-18	3/8-18
5435-08-06	3/4-16	3/8-18
5435-08-08	3/4-12	1/2-14
5435-10-08	7/8-14	1/2-14
5435-12-12	1 1/16-12	3/4-14
5435-16-12	1 5/16-12	3/4-14
5435-16-16	1 5/16-12	1 1/4-11 1/2
5435-20-20	1 5/8-12	1 1/4-11 1/2
5435-24-24	1 7/8-12	1 1/2-11 1/2





MJ X MP 90°

5436 (2501LL)		90° Male JIC/Male NPT-EX Long 90° JIC Male/NPT Male-EX Long	
Style No.	T1	T2	
	5436-04-02	7/16-20	1/8-27
	5436-04-04	7/16-20	1/4-18
	5436-05-02	1/2-20	1/8-27
	5436-05-04	1/2-20	1/4-18
	5436-06-04	9/16-18	1/4-18
	5436-06-06	9/16-18	3/8-18
	5436-06-08	9/16-18	1/2-14
	5436-08-06	3/4-16	3/8-18
MJ X MP 90° X-LONG	5436-08-08	3/4-16	1/2-14
	5436-10-08	7/8-14	1/2-14
	5436-12-12	1 1/16-12	3/4-14
	5436-16-16	1 5/16-12	1-11 1/2
	5436-20-20	1 5/8-12	1 1/4-11 1/2

90° Male JIC/Male JIC 90° JIC Male/JIC Male		5505 (2500)	
Style No.	T1	T2	
	5505-04-04	7/16-20	7/16-20
	5505-05-05	1/2-20	1/2-20
	5505-06-06	9/16-18	9/16-18
	5505-08-06	3/4-16	9/16-18
	5505-08-08	3/4-16	3/4-16
	5505-10-08	7/8-14	3/4-16
	5505-10-10	7/8-14	7/8-14
	5505-12-12	1 1/16-12	1 1/16-12
	5505-14-14	1 3/16-12	1 3/16-12
	5505-16-12	1 5/16-12	1 1/16-12
	5505-16-16	1 5/16-12	1 5/16-12
	5505-20-20	1 5/8-12	1 5/8-12
	5505-24-24	1 7/8-12	1 7/8-12
	5505-32-32	2 1/2-12	2 1/2-12

MJ X MJ 90°


5455 (2502)		90° Male JIC/Femelle NPT 90° JIC Male/NPT Female	
Style No.	T1	T2	
	5455-04-02	7/16-20	1/8-27
	5455-04-04	7/16-20	1/4-18
	5455-04-06	7/16-20	3/8-18
	5455-04-08	7/16-20	1/2-14
	5455-05-02	1/2-20	1/8-27
MJ X FP 90°	5455-05-04	1/2-20	1/4-18
	5455-06-02	9/16-18	1/8-27
	5455-06-04	9/16-18	1/4-18
	5455-06-06	9/16-18	3/8-18
	5455-06-08	9/16-18	1/2-14
	5455-08-04	3/4-16	1/4-18
	5455-08-06	3/4-16	3/8-18
	5455-08-08	3/4-16	1/2-14
	5455-10-08	7/8-14	1/2-14
	5455-12-08	1 1/16-12	1/2-14
	5455-12-12	1 1/16-12	3/4-14
	5455-12-16	1 1/16-12	1-11 1/2
	5455-14-12	1 3/16-12	3/4-14
	5455-16-12	1 5/16-12	3/4-14
	5455-16-16	1 5/16-12	1-11 1/2
	5455-20-20	1 5/8-12	1 1/4-11 1/2
	5455-24-24	1 7/8-12	1 1/2-11 1/2

90° Male JIC/Femelle JIC 90° JIC Male/JIC Female		5506 (6500)	
Style No.	T1	T2	
	5506-02-02	5/16-24	5/16-24
	5506-03-03	3/8-24	3/8-24
	5506-04-04	7/16-20	7/16-20
	5506-04-06	7/16-20	9/16-18
	5506-05-05	1/2-20	1/2-20
	5506-06-04	9/16-18	7/16-20
	5506-06-06	9/16-18	9/16-18
	5506-06-08	9/16-18	3/4-16
	5506-08-06	3/4-16	9/16-18
	5506-08-08	3/4-16	3/4-16
	5506-08-10	3/4-16	7/8-14
	5506-10-08	7/8-14	3/4-16
	5506-10-10	7/8-14	7/8-14
	5506-12-08	1 1/16-12	3/4-16
	5506-12-12	1 1/16-12	1 1/16-12
	5506-14-14	1 3/16-12	1 3/16-12
	5506-16-16	1 5/16-12	1 5/16-12
	5506-20-20	1 5/8-12	1 5/8-12
	5506-24-24	1 7/8-12	1 7/8-12
	5506-32-32	2 1/2-12	2 1/2-12

MJ X FJS 90°

5515
(6801)

90° Male JIC/Male "ORB" Ajustable
90° JIC Male/"ORB" Male Adjustable



MJ X MB 90°

Style No.	T1	T2
5515-02-02	5/16-24	5/16-24
5515-03-03	3/8-24	3/8-24
5515-04-02	7/16-20	5/16-24
5515-04-03	7/16-20	3/8-24
5515-04-04	7/16-20	7/16-20
5515-04-05	7/16-20	1/2-20
5515-04-06	7/16-20	9/16-18
5515-04-08	7/16-20	3/4-14
5515-04-10	7/16-20	7/8-14
5515-05-04	1/2-20	7/16-20
5515-05-05	1/2-20	1/2-20
5515-05-06	1/2-20	9/16-18
5515-05-08	1/2-20	3/4-16
5515-06-04	9/16-18	7/16-20
5515-06-05	9/16-18	1/2-20
5515-06-06	9/16-18	9/16-18
5515-06-08	9/16-18	3/4-16
5515-06-10	9/16-18	7/8-14
5515-06-12	9/16-18	1 1/16-12
5515-08-04	3/4-16	7/16-20
5515-08-05	3/4-16	1/2-20
5515-08-06	3/4-16	9/16-18
5515-08-08	3/4-16	3/4-16
5515-08-10	3/4-16	7/8-14
5515-08-12	3/4-16	1 1/16-12
5515-08-16	3/4-16	1 5/16-12
5515-10-06	7/8-14	9/16-18
5515-10-08	7/8-14	3/4-16
5515-10-10	7/8-14	7/8-14
5515-10-12	7/8-14	1 1/16-12
5515-10-16	7/8-14	1 5/16-12
5515-12-06	1 1/16-12	9/16-18
5515-12-08	1 1/16-12	3/4-16
5515-12-10	1 1/16-12	7/8-14
5515-12-12	1 1/16-12	1 1/16-12
5515-12-16	1 1/16-12	1 5/16-12
5515-12-20	1 1/16-12	1 5/8-12
5515-14-14	1 3/16-12	1 3/16-12
5515-14-16	1 3/16-12	1 5/16-12
5515-16-08	1 5/16-12	3/4-16
5515-16-10	1 5/16-12	7/8-14
5515-16-12	1 5/16-12	1 1/16-12
5515-16-14	1 5/16-12	1 3/16-12
5515-16-16	1 5/16-12	1 5/16-12
5515-16-20	1 5/16-12	1 5/8-12
5515-16-24	1 5/16-12	1 7/8-12
5515-20-16	1 5/8-12	1 5/16-12
5515-20-20	1 5/8-12	1 5/8-12


Continue / Cont'd

90° Male JIC/Male "ORB" Ajustable
90° JIC Male/"ORB" Male Adjustable

5515
(6801)

Continue / Cont'd

Style No.	T1	T2
5515-20-24	1 5/8-12	1 7/8-12
5515-24-20	1 7/8-12	1 5/8-12
5515-24-24	1 7/8-12	1 7/8-12
5515-32-32	2 1/2-12	2 1/2-12




MJ X MB 90°

90° Male JIC/Male "ORB" Ajustable EX-Long
90° JIC Male/"ORB" Male Adjustable EX-Long

5516
(6801LL)

Style No.	T1	T2
5516-04-04	7/16-20	7/16-20
5516-06-06	9/16-18	9/16-18
5516-08-08	3/4-16	3/4-16
5516-08-10	3/4-16	7/8-14
5516-10-10	7/8-14	7/8-14
5516-12-12	1 1/16-12	1 1/16-12
5516-16-12	1 5/16-12	1 1/16-12
5516-16-16	1 5/16-12	1 5/16-12
5516-20-20	1 5/8-12	1 5/8-12
5516-24-24	1 7/8-12	1 7/8-12




MJ X MB 90° LONG

90° Male JIC/Male JIC Cloison
90° JIC Male/JIC Male Bulkhead


5525
(2701)


Style No.	T1	T2
5525-04-04	7/16-20	7/16-20
5525-05-05	1/2-20	1/2-20
5525-06-06	9/16-18	9/16-18
5525-08-08	3/4-16	3/4-16
5525-10-10	7/8-14	7/8-14
5525-12-12	1 1/16-12	1 1/16-12
5525-16-16	1 5/16-12	1 5/16-12
5525-20-20	1 5/8-12	1 5/8-12
5525-24-24	1 7/8-12	1 7/8-12





MJ X MJ 90° BH


Si l'écrou cloison est requise commandez sous 5525-LN-
If Bulkhead Nut is needed, simply order as 5525-LN-

5605 (2601)		Té Male JIC/Male NPT Tee JIC Male/NPT Male	
Style No.	T1	T2	
			
MJ X MJ X MP TEE			
(BRANCH)			
5605-04-02	7/16-20	1/8-27	
5605-04-04	7/16-20	1/4-18	
5605-05-02	1/2-20	1/8-27	
5605-05-04	1/2-20	1/4-18	
5605-06-04	9/16-18	1/4-18	
5605-06-06	9/16-18	3/8-18	
5605-06-08	9/16-18	1/2-14	
5605-08-06	3/4-16	3/8-18	
5605-08-08	3/4-16	1/2-14	
5605-10-08	7/8-14	1/2-14	
5605-12-08	1 1/16-12	1/2-14	
5605-12-12	1 1/16-12	3/4-14	
5605-14-12	1 3/16-12	3/4-14	
5605-16-12	1 5/16-12	3/4-14	
5605-16-16	1 5/16-12	1-11 1/2	
5605-20-20	1 5/8-12	1 1/4-11 1/2	
5605-24-24	1 7/8-12	1 1/2-11 1/2	
5605-32-32	2 1/2-12	2-11 1/2	

5705 (2603)		Té Male JIC Tee JIC Male	
Style No.	T1	T2	
			
MJ X MJ X MJ TEE			
5705-02	5/16-24		
5705-03	3/8-24		
5705-04	7/16-20		
5705-05	1/2-20		
5705-06	9/16-18		
5705-06-08	9/16-18	3/4-16	
5705-08	3/4-16		
5705-10	7/8-14		
5705-12	1 1/16-12		
5705-12-16	1 1/16-12	1 5/16-12	
5705-14	1 3/16-12		
5705-16	1 5/16-12		
5705-20	1 5/8-12		
5705-24	1 7/8-12		
5705-32	2 1/2-12		


5655 (2602)		Té Male JIC/Femelle NPT Tee JIC Male/NPT Female	
Style No.	T1	T2	
			
MJ X MJ FP TEE			
5655-02-02	5/16-24	1/8-27	
5655-04-02	7/16-20	1/8-27	
5655-04-04	7/16-20	1/4-18	
5655-05-02	1/2-20	1/8-27	
5655-06-04	9/16-18	1/4-18	
5655-06-06	9/16-18	3/8-18	
5655-08-06	3/4-16	3/8-18	
5655-08-08	3/4-16	1/2-14	
5655-10-08	7/8-14	1/2-14	
5655-12-08	1 1/16-12	1/2-14	
5655-12-12	1 1/16-12	3/4-14	
5655-14-12	1 3/16-12	3/4-14	
5655-16-16	1 5/16-12	1-11 1/2	
5655-20-20	1 5/8-12	1 1/4-11 1/2	
5655-24-24	1 7/8-12	1 7/8-12	

5706 (6602)		Té Male JIC/Femelle JIC Tee JIC Male/JIC Female	
Style No.	T1		
			
MJ X MJ X FJS TEE			
(RUN)			
5706-04	7/16-20		
5706-05	1/2-20		
5706-06	9/16-18		
5706-08	3/4-16		
5706-10	7/8-14		
5706-12	1 1/16-12		
5706-14	1 3/16-12		
5706-16	1 5/16-12		
5706-20	1 5/8-12		
5706-24	1 7/8-12		

5707 (6600)		Té Male JIC/Femelle JIC Tee JIC Male/JIC Female	
Style No.	T1		
			
MJ X MJ X FJS TEE			
(BRANCH)			
5707-04	7/16-20		
5707-05	1/2-20		
5707-06	9/16-18		
5707-08	3/4-16		
5707-10	7/8-14		
5707-12	1 1/16-12		
5707-16	1 5/16-12		
5707-20	1 5/8-12		
5707-24	1 7/8-12		

5708
(6606)

Té Femelle JIC
Tee JIC Female




Style No.	T1
5708-04	7/16-20
5708-05	1/2-20
5708-06	9/16-18
5708-08	3/4-16
5708-12	1 1/16-12
5708-16	1 5/16-12

FJS X FJS X FJS TEE

Té Male JIC/Cloison Male JIC
Tee JIC Male/JIC Male Bulkhead

5725
(2703)




Style No.	T1
5725-04	7/16-20
5725-05	1/2-20
5725-06	9/16-18
5725-08	3/4-16
5725-10	7/8-14
5725-12	1 1/16-12
5725-16	1 5/16-12
5725-20	1 5/8-12

MJ X MJ X MJ BH TEE
(BRANCH)

Si l'écrou cloison est requise commandez sous 5725-LN-
If Bulkhead Nut is needed, simply order as 5725-LN-

5715
(6803)

Té Male JIC/Male "ORB" Ajustable
Tee JIC Male/"ORB" Male Adjustable




Style No.	T1	T2
5715-04	7/16-20	7/16-20
5715-04-06	7/16-20	9/16-18
5715-05	1/2-20	1/2-20
5715-06	9/16-18	9/16-18
5715-08-06	3/4-16	9/16-18
5715-08	3/4-16	3/4-16
5715-08-10	3/4-16	7/8-14
5715-10	7/8-14	7/8-14
5715-10-08	7/8-14	3/4-16
5715-10	7/8-14	7/8-14
5715-12-08	1 1/16-12	3/4-16
5715-12-10	1 1/16-12	7/8-14
5715-12	1 1/16-12	1 1/16-12
5715-14	1 3/16-12	1 3/16-12
5715-16	1 5/16-12	1 5/16-12
5715-20	1 5/8-12	1 5/8-12
5715-24	1 7/8-12	1 7/8-12

MJ X MJ X MB TEE
(BRANCH)

Té Male JIC/Cloison Male JIC
Tee JIC Male/JIC Male Bulkhead

5726
(2704)




Style No.	T1
5726-06-06	9/16-18
5726-08-08	3/4-16
5726-10-10	7/8-14
5726-12-12	1 1/16-12
5726-16-16	1 5/16-12
5726-20-20	1 5/8-12

MJ X MJ X MJ BH TEE
(RUN)

Si l'écrou cloison est requise commandez sous 5726-LN-
If Bulkhead Nut is needed, simply order as 5726-LN-

5716
(6804)

Té Male JIC/Male "ORB" Ajustable
Tee JIC Male/"ORB" Male Adjustable




Style No.	T1	T2
5716-04	7/16-20	7/16-20
5716-04-06	7/16-20	9/16-18
5716-05	1/2-20	1/2-20
5716-06	9/16-18	9/16-18
5716-06-04	9/16-18	7/16-20
5716-08	3/4-16	3/4-16
5716-10	7/8-14	7/8-14
5716-10-08	7/8-14	3/4-16
5716-12	1 1/16-12	1 1/16-12
5716-14	1 3/16-12	1 3/16-12
5716-16	1 5/16-12	1 5/16-12
5716-20	1 5/8-12	1 5/8-12
5716-24	1 7/8-12	1 7/8-12

MJ X MJ X MB TEE
(RUN)


Té Male JIC/Male NPT
Tee JIC Male/NPT Male


5755
(2605)




Style No.	T1	T2
5755-04-02	7/16-20	1/8-27
5755-04-04	7/16-20	1/4-18
5755-04-06	7/16-20	3/8-18
5755-05-02	1/2-20	1/8-27
5755-05-04	1/2-20	1/4-18
5755-06-04	9/16-18	1/4-18
5755-06-04-04	9/16-18	1/4-18
5755-06-06	9/16-18	3/8-18
5755-06-08	9/16-18	1/2-14
5755-08-06	3/4-16	3/8-18
5755-08-08	3/4-16	1/2-14
5755-08-12	3/4-16	3/4-14
5755-10-08	7/8-14	1/2-14
5755-10-12	7/8-14	3/4-14
5755-12-08	1 1/16-12	1/2-14
5755-12-12	1 1/16-12	3/4-14
5755-14-12	1 3/16-12	3/4-14
5755-16-12	1 5/16-12	3/4-14
5755-16-16	1 5/16-12	1-11 1/2
5755-20-20	1 5/8-12	1 1/4-11 1/2
5755-24-24	1 7/8-12	1 1/2-11 1/2


MJ X MJ X MP TEE
(RUN)

5805 (2606)				
Té Male JIC/Femelle NPT Tee JIC Male/Female NPT				
Style No.	T1	T2		
5805-04-02	7/16-20	1/8-27		
5805-04-04	7/16-20	1/4-18		
5805-06-04	9/16-18	1/4-18		
5805-06-06	9/16-18	3/8-18		
5805-08-06	3/4-16	3/8-18		
5805-08-08	3/4-16	1/2-14		
5805-10-08	7/8-14	1/2-14		
5805-12-12	1 1/16-12	3/4-14		
5805-16-16	1 5/16-12	1-11 1/2		
5805-20-20	1 5/8-12	1 1/4-11 1/2		
MJ X MJ X FP TEE (RUN)				


Bouchon Male "ORB" "ORB" Male Plug			7237 (6408)
Style No.	T1		
7237-02	5/16-24		
7237-03	3/18-24		
7237-04	7/16-20		
7237-05	1/2-20		
7237-06	9/16-18		
7237-08	3/4-16		
7237-10	7/8-14		
7237-12	1 1/16-12		
7237-14	1 3/16-12		
7237-16	1 5/16-12		
7237-20	1 5/8-12		
7237-24	1 7/8-12		
7237-32	2 1/2-12		

HEX PLUG MB





5924 (0306)		
Ecrou Cloison Bulkhead Nut		
Style No.	T1	
5924-04	7/16-20	
5924-05	1/2-20	
5924-06	9/16-18	
5924-08	3/4-16	
5924-10	7/8-14	
5924-12	1 1/16-12	
5924-14	1 3/16-12	
5924-16	1 5/16-12	
5924-20	1 5/8-12	
5924-24	1 7/8-12	
5924-32	2 1/2-12	

Bouchon Male "ORB" Clé Allen "ORB" Male Hollow Hex Plug			7238 (6408H)
Style No.	T1		
7238-02	5/16-24		
7238-03	3/18-24		
7238-04	7/16-20		
7238-05	1/2-20		
7238-06	9/16-18		
7238-08	3/4-16		
7238-10	7/8-14		
7238-12	1 1/16-12		
7238-14	1 3/16-12		
7238-16	1 5/16-12		
7238-20	1 5/8-12		
7238-24	1 7/8-12		

H. HEX PLUG MB

5955 (2650)		
Croix Femelle NPT Cross NPT Female		
Style No.	T1	
5955-04	7/16-20	
5955-05	1/2-20	
5955-06	9/16-18	
5955-08	3/4-16	
5955-10	7/8-14	
5955-12	1 1/16-12	
5955-14	1 3/16-12	
5955-16	1 5/16-12	
5955-20	1 5/8-12	

MJ CROIX/CROSS

9640 (6502BT)		45° Male JIC/Femelle JIC Tournant-Tube 45° JIC Male/JIC Fem. Swivel-Tube Style		O'ring Boss Boss O'ring		9950		
	Style No.	T1	T2	Style No. 9950-01 9950-02 9950-03 9950-04 9950-05 9950-06 9950-07 9950-08 9950-10 9950-12 9950-14 9950-16 9950-20 9950-24 9950-32		O'ring ORB		
	9640-04-04	7/16-20	7/16-20					
	9640-06-06	9/16-18	9/16-18					
	9640-08-08	3/4-16	3/4-16					
	9640-10-10	7/8-14	7/8-14					
	9640-12-12	1 1/16-12	1 1/16-12					
	9640-16-16	1 5/16-12	1 5/16-12					
MJ X FJ 45° BENT TUBE								
9690 (6500BT)		90° Male JIC/Femelle JIC Tournant-Tube 90° JIC Male/JIC Fem. Swivel-Tube Style						
	Style No.	T1	T2					
	9690-04-04	7/16-20	7/16-20					
	9690-06-06	9/16-18	9/16-18					
	9690-08-08	3/4-16	3/4-16					
	9690-10-10	7/8-14	7/8-14					
	9690-12-12	1 1/16-12	1 1/16-12					
	9690-16-16	1 5/16-12	1 5/16-12					
9690-20-20	1 5/8-12	1 5/8-12						
9690-24-24	1 7/8-12	1 7/8-12						
MJ X FJ 90° BENT TUBE								
9695 (6500BTL)		Male JIC/Fem.JIC Tournant-Long-Tube JIC Male/JIC Fem.Swivel Long-Tube Style		Liste/ List	NET			
	Style No.	T1	T2	Liste/ List	NET			
	9695-04-04	7/16-20	7/16-20	\$15.07	\$4.52			
	9695-06-06	9/16-18	9/16-18	\$16.50	\$4.95			
	9695-08-08	3/4-16	3/4-16	\$25.61	\$7.68			
	9695-10-10	7/8-14	7/8-14	\$30.09	\$9.03			
	9695-12-12	1 1/16-12	1 1/16-12	\$35.58	\$10.67			
	9695-16-16	1 5/16-12	1 5/16-12	\$47.10	\$14.13			
9695-20-20	1 5/8-12	1 5/8-12	POR	POR				
MJ X FJ 90° BENT LONG								