






<p>5105 (0318)</p> <p>Écrou JIC JIC Nut</p>		<p>Femelle JIC/Femelle JIC JIC Female/JIC Female</p>		<p>5156 (6510)</p>				
 <p>ECROU/NUT FJ</p>	<p>Style No.</p> <p>5105-02</p> <p>5105-03</p> <p>5105-04</p> <p>5105-05</p> <p>5105-06</p> <p>5105-08</p> <p>5105-10</p> <p>5105-12</p> <p>5105-14</p> <p>5105-16</p> <p>5105-20</p> <p>5105-24</p> <p>5105-32</p>	<p>T1</p> <p>5/16-24</p> <p>3/8-24</p> <p>7/16-20</p> <p>1/2-20</p> <p>9/16-18</p> <p>3/4-16</p> <p>7/8-14</p> <p>1 1/16-12</p> <p>1 3/16-12</p> <p>1 5/16-12</p> <p>1 5/8-12</p> <p>1 7/8-12</p> <p>2 1/2-12</p>	<p>Style No.</p> <p>5156-04-04</p> <p>5156-05-05</p> <p>5156-06-06</p> <p>5156-08-08</p> <p>5156-10-08</p> <p>5156-10-10</p> <p>5156-12-12</p> <p>5156-16-16</p> <p>5156-20-20</p> <p>5156-24-24</p>		<p>T1</p> <p>7/16-20</p> <p>1/2-20</p> <p>9/16-18</p> <p>3/4-16</p> <p>7/8-14</p> <p>7/8-14</p> <p>1 1/16-12</p> <p>1 5/16-12</p> <p>1 5/8-12</p> <p>1 7/8-12</p>	<p>T2</p> <p>7/16-20</p> <p>1/2-20</p> <p>9/16-18</p> <p>3/4-16</p> <p>7/8-14</p> <p>7/8-14</p> <p>1 1/16-12</p> <p>1 5/16-12</p> <p>1 5/8-12</p> <p>1 7/8-12</p>		
	<p>5106 (6504)</p> <p>Femelle JIC/Male JIC JIC Female/JIC Male</p>		<p>Bague JIC JIC Sleeve</p>		<p>5165 (0319)</p>			
	 <p>FJS X MJ</p>	<p>Style No.</p> <p>5106-04-04</p> <p>5106-05-05</p> <p>5106-06-04</p> <p>5106-06-05</p> <p>5106-06-06</p> <p>5106-06-08</p> <p>5106-08-06</p> <p>5106-08-08</p> <p>5106-10-10</p> <p>5106-12-10</p> <p>5106-12-12</p> <p>5106-16-16</p> <p>5106-20-16</p> <p>5106-20-20</p> <p>5106-24-20</p> <p>5106-24-24</p> <p>5106-32-32</p>	<p>T1</p> <p>7/16-20</p> <p>1/2-20</p> <p>9/16-18</p> <p>9/16-18</p> <p>9/16-18</p> <p>9/16-18</p> <p>3/4-16</p> <p>3/4-16</p> <p>3/4-16</p> <p>7/8-14</p> <p>1 1/16-12</p> <p>1 1/16-12</p> <p>1 5/16-12</p> <p>1 5/8-12</p> <p>1 5/8-12</p> <p>1 7/8-12</p> <p>1 7/8-12</p> <p>2 1/2-12</p>	<p>T2</p> <p>7/16-20</p> <p>1/2-20</p> <p>7/16-20</p> <p>1/2-20</p> <p>9/16-18</p> <p>3/4-16</p> <p>9/16-18</p> <p>3/4-16</p> <p>7/8-14</p> <p>7/8-14</p> <p>1 1/16-12</p> <p>1 5/16-12</p> <p>1 5/16-12</p> <p>1 5/8-12</p> <p>1 5/8-12</p> <p>1 7/8-12</p> <p>1 7/8-12</p> <p>2 1/2-12</p>	<p>Style No.</p> <p>5165-02</p> <p>5165-03</p> <p>5165-04</p> <p>5165-05</p> <p>5165-06</p> <p>5165-08</p> <p>5165-10</p> <p>5165-12</p> <p>5165-14</p> <p>5165-16</p> <p>5165-20</p> <p>5165-24</p> <p>5165-32</p>		<p>T1</p> <p>1/8</p> <p>3/16</p> <p>1/4</p> <p>5/16</p> <p>3/8</p> <p>1/2</p> <p>5/8</p> <p>3/4</p> <p>7/8</p> <p>1</p> <p>1 1/4</p> <p>1 1/2</p> <p>2</p>	
		<p>5129 (0304-C)</p> <p>Bouchon Femelle JIC JIC Female Cap</p>		<p>Male JIC/Male NPT JIC Male/NPT Male</p>		<p>5205 (2404)</p>		
		 <p>CAP FJ</p>	<p>Style No.</p> <p>5129-02</p> <p>5129-03</p> <p>5129-04</p> <p>5129-05</p> <p>5129-06</p> <p>5129-08</p> <p>5129-10</p> <p>5129-12</p> <p>5129-14</p> <p>5129-16</p> <p>5129-20</p> <p>5129-24</p> <p>5129-32</p>	<p>T1</p> <p>5/16-24</p> <p>3/8-24</p> <p>7/16-20</p> <p>1/2-20</p> <p>9/16-18</p> <p>3/4-16</p> <p>7/8-14</p> <p>1 1/16-12</p> <p>1 3/16-12</p> <p>1 5/16-12</p> <p>1 5/8-12</p> <p>1 7/8-12</p> <p>2 1/2-12</p>	<p>Style No.</p> <p>5205-02-02</p> <p>5205-03-02</p> <p>5205-04-02</p> <p>5205-04-04</p> <p>5205-04-06</p> <p>5205-04-08</p> <p>5205-04-12</p> <p>5205-05-02</p> <p>5205-05-04</p> <p>5205-05-06</p> <p>5205-05-08</p> <p>5205-06-02</p>		<p>T1</p> <p>5/16-24</p> <p>3/8-24</p> <p>7/16-20</p> <p>7/16-20</p> <p>7/16-20</p> <p>7/16-20</p> <p>7/16-20</p> <p>7/16-20</p> <p>1/2-20</p> <p>1/2-20</p> <p>1/2-20</p> <p>1/2-20</p> <p>9/16-18</p>	<p>T2</p> <p>1/8-27</p> <p>1/8-27</p> <p>1/8-27</p> <p>1/4-18</p> <p>3/8-18</p> <p>1/2-14</p> <p>3/4-14</p> <p>1/8-27</p> <p>1/4-18</p> <p>3/8-18</p> <p>1/2-14</p> <p>1/8-27</p>
			<p>5156 (6510)</p>		<p>5165 (0319)</p>		<p>5205 (2404)</p>	
			<p>FJ X FJ</p>		<p>BAGUE/SLEEVE JIC</p>		<p>MJ X MP</p>	
					<p>Continue / Cont'd</p>			

5205
(2404)
Male JIC/Male NPT
JIC Male/NPT Male



MJ X MP


Style No.	T1	T2
Continue / Cont'd		
5205-06-04	9/16-18	1/4-18
5205-06-06	9/16-18	3/8-18
5205-06-08	9/16-18	1/2-14
5205-06-12	9/16-18	3/4-14
5205-08-02	3/4-16	1/8-27
5205-08-04	3/4-16	1/4-18
5205-08-06	3/4-16	3/8-18
5205-08-08	3/4-16	1/2-14
5205-08-12	3/4-16	3/4-14
5205-08-16	3/4-16	1-11 1/2
5205-10-04	7/8-14	1/4-18
5205-10-06	7/8-14	3/8-18
5205-10-08	7/8-14	1/2-14
5205-10-12	7/8-14	3/4-14
5205-10-16	7/8-14	1-11 1/2
5205-12-06	1 1/16-12	3/8-18
5205-12-08	1 1/16-12	1/2-14
5205-12-12	1 1/16-12	3/4-14
5205-12-16	1 1/16-12	1-11 1/2
5205-12-20	1 1/16-12	1 1/4-11 1/2
5205-12-24	1 1/16-12	1 1/2-11 1/2
5205-14-12	1 3/16-12	3/4-14
5205-16-08	1 5/16-12	1/2-14
5205-16-12	1 5/16-12	3/4-14
5205-16-16	1 5/16-12	1-11 1/2
5205-16-20	1 5/16-12	1 1/4-11 1/2
5205-16-24	1 5/16-12	1 1/2-11 1/2
5205-20-12	1 5/8-12	3/4-14
5205-20-16	1 5/8-12	1-11 1/2
5205-20-20	1 5/8-12	1 1/4-11 1/2
5205-20-24	1 5/8-12	1 1/2-11 1/2
5205-20-32	1 5/8-12	2-11 1/2
5205-24-16	1 7/8-12	1-11 1/2
5205-24-20	1 7/8-12	1 1/4-11 1/2
5205-24-24	1 7/8-12	1 1/2-11 1/2
5205-24-32	1 7/8-12	2-11 1/2
5205-32-20	2 1/2-12	1 1/4-11 1/2
5205-32-24	2 1/2-12	1 1/2-11 1/2
5205-32-32	2 1/2-12	2-11 1/2



MJ X MP LONG

Style No.	T1	T2
5206-04-02	7/16-20	1/8-27
5206-04-04	7/16-20	1/4-18
5206-06-04	9/16-18	1/4-18
5206-06-06	9/16-18	3/8-18
5206-08-06	3/4-16	3/8-18
5206-12-12	1 1/16-12	3/4-14


5207
(2404LL)
Male JIC/Male NPT-XLong
JIC Male/NPT Male-XLong



MJ X MP X-LONG

Style No.	T1	T2
5207-04-02	7/16-20	1/4-18
5207-04-04	7/16-20	1/4-18
5207-06-06	9/16-18	3/8-18


5215
(6407)
Male "ORB" /Male "ORB"
"ORB" Male/ "ORB" Male



MB X MB

Style No.	T1	T2
5215-04-04	7/16/20	7/16/20
5215-06-06	9/16-18	9/16-18
5215-08-08	3/4-16	3/4-16
5215-10-10	7/8-14	7/8-14
5215-12-12	1 1/16-12	1 1/16-12
5215-16-12	1 5/16-12	1 1/16-12
5215-16-16	1 5/16-12	1 5/16-12
5215-20-20	1 5/8-12	1 5/8-12
5215-24-24	1 7/8-12	1 7/8-12


5225
(2706)R
Cloison Male JIC/Male NPT
JIC Male Bulkhead/NPT Male



MJ X MP BH


Style No.	T1	T2
5225-04-02	7/16-20	1/8-27
5225-04-04	7/16-20	1/4-18
5225-06-04	9/16-18	1/4-18
5225-06-06	9/16-18	3/8-18
5225-08-06	3/4-16	3/8-18
5225-08-08	3/4-16	1/2-14
5225-10-08	7/8-14	1/2-14
5225-12-12	1 1/16-12	3/4-14
5225-16-16	1 5/16-12	1-11 1/2
5225-20-20	1 5/8-12	1 1/4-11 1/2
5225-24-24	1 7/8-12	1 1/2-11 1/2


5229
(2408)
Bouchon Male JIC
JIC Male Plug





MJ PLUG

Style No.	T1
5229-02	5/16-24
5229-03	3/8-24
5229-04	7/16-20
5229-05	1/2-20
5229-06	9/16-18
5229-08	3/4-16
5229-10	7/8-14
5229-12	1 1/16-12
5229-14	1 3/16-12
5229-16	1 5/16-12
5229-20	1 5/8-12
5229-24	1 7/8-12
5229-32	2 1/2-12

5255 (2405)		Male JIC/Femelle NPT JIC Male/NPT Female	
	Style No.	T1	T2
	5255-02-02	5/16-24	1/8-27
	5255-03-02	3/8-24	1/8-27
	5255-04-02	7/16-20	1/8-27
	5255-04-04	7/16-20	1/4-18
MJ X FP	5255-04-06	7/16-20	3/8-18
	5255-04-08	7/16-20	1/2-14
	5255-05-02	1/2-20	1/8-27
	5255-05-04	1/2-20	1/4-18
	5255-06-02	9/16-18	1/8-27
	5255-06-04	9/16-18	1/4-18
	5255-06-06	9/16-18	3/8-18
	5255-06-08	9/16-18	1/2-14
	5255-08-04	3/4-16	1/4-18
	5255-08-06	3/4-16	3/8-18
	5255-08-08	3/4-16	1/2-14
	5255-08-12	3/4-16	3/4-14
	5255-10-06	7/8-14	3/8-18
	5255-10-08	7/8-14	1/2-14
	5255-10-12	7/8-14	3/4-14
	5255-12-08	1 1/16-12	1/2-14
	5255-12-12	1 1/16-12	3/4-14
	5255-12-16	1 1/16-12	1-11 1/2
	5255-14-12	1 3/16-12	3/4-14
	5255-16-12	1 5/16-12	3/4-14
	5255-16-16	1 5/16-12	1-11 1/2
	5255-20-20	1 5/8-12	1 1/4-11 1/2
	5255-24-24	1 7/8-12	1 1/2-11 1/2
	5255-32-32	2 1/2-12	2-11 1/2


5305 (2403)		Male JIC/Male JIC JIC Male/JIC Male	
	Style No.	T1	T2
	5305-02-02	5/16-24	5/16-24
	5305-03-03	3/8-24	3/8-24
	5305-04-02	7/16-20	5/16-24
	5305-04-03	7/16-20	3/8-24
	5305-04-04	7/16-20	7/16-20
	5305-05-04	1/2-20	7/16-20
	5305-05-05	1/2-20	1/2-20
	5305-06-04	9/16-18	7/16-20
	5305-06-05	9/16-18	1/2-20
	5305-06-06	9/16-18	9/16-18
	5305-08-04	3/4-16	7/16-20
	5305-08-05	3/4-16	1/2-20
	5305-08-06	3/4-16	9/16-18
	5305-08-08	3/4-16	3/4-16
	5305-10-06	7/8-14	9/16-18
	5305-10-08	7/8-14	3/4-16
	5305-10-10	7/8-14	7/8-14
	5305-12-06	1 1/16-12	9/16-18
	5305-12-08	1 1/16-12	3/4-16
	5305-12-10	1 1/16-12	7/8-14
	5305-12-12	1 1/16-12	1 1/16-12
	5305-14-12	1 3/16-12	1 1/16-12
	5305-14-14	1 3/16-12	1 3/16-12
	5305-16-08	1 5/16-12	3/4-16
	5305-16-10	1 5/16-12	7/8-14
	5305-16-12	1 5/16-12	1 1/16-12
	5305-16-16	1 5/16-12	1 5/16-12
	5305-20-16	1 5/8-12	1 5/16-12
	5305-20-20	1 5/8-12	1 5/8-12
	5305-24-16	1 7/8-12	1 5/16-12
	5305-24-20	1 7/8-12	1 5/8-12
	5305-24-24	1 7/8-12	1 7/8-12
	5305-32-24	2 1/2-12	1 7/8-12
	5305-32-32	2 1/2-12	2 1/2-12

5275 (2705)R		Cloison Male JIC/Femelle NPT JIC Male Bulkhead/NPT Female	
	Style No.	T1	T2
	5275-04-02	7/16-20	1/8-27
	5275-04-04	7/16-20	1/4-18
	5275-06-04	9/16-18	1/4-18
	5275-06-06	9/16-18	3/8-18
MJ X FP BH	5275-08-06	3/4-16	3/8-18
	5275-08-08	3/4-16	1/2-14
	5275-10-08	7/8-14	1/2-14
	5275-12-12	1 1/16-12	3/4-14
	5275-16-16	1 5/16-12	1-11 1/2
	5275-20-20		

5306 (2403LH)		Male JIC/Male JIC Hex Large JIC Male/JIC Male Large Hex	
	Style No.	T1	T2
	5306-04-04	7/16-20	7/16-20
	5306-06-06	9/16-18	9/16-18
	5306-08-08	3/4-16	3/4-16
	5306-10-10	7/8-14	7/8-14
	5306-12-12	1 1/16-12	1 1/16-12


Si l'écrou cloison est requise commandez sous 5275-LN-
If Bulkhead Nut is needed, simply order as 5275-LN-

5345 45° Male JIC/Male JIC
(2504) 45° JIC Male/JIC Male



Style No.	T1	T2
5345-04-04	7/16-20	7/16-20
5345-06-04	9/16-18	7/16-20
5345-06-06	9/16-18	9/16-18
5345-08-04	3/4-16	7/16-20
5345-08-06	3/4-16	9/16-18
5345-08-08	3/4-16	3/4-16
5345-10-10	7/8-14	7/8-14
MJ X MJ 45°	5345-12-12	1 1/16-12
	5345-16-16	1 5/16-12


45° Femelle JIC/Male JIC
45° JIC Female/JIC Male **5356**
(6502)



Style No.	T1	T2
5356-04-04	7/16-20	7/16-20
5356-05-05	1/2-20	1/2-20
5356-06-06	9/16-18	9/16-18
5356-08-08	3/4-16	3/4-16
5356-10-08	7/8-14	3/4-16
5356-10-10	7/8-14	7/8-14
5356-12-12	1 1/16-12	1 1/16-12
5356-14-14	1 3/16-12	1 3/16-12
5356-16-16	1 5/16-12	1 5/16-12
5356-20-20	1 5/8-12	1 5/8-12
5356-24-24	1 7/8-12	1 7/8-12
5356-32-32	2 1/2-12	2 1/2-12

FJ X MJ 45°


5355 45° Male JIC/Male NPT
(2503) 45° JIC Male/NPT Male



Style No.	T1	T2
5355-02-02	5/16-24	1/8-27
5355-03-02	3/8-24	1/8-27
5355-04-02	7/16-20	1/8-27
5355-04-04	7/16-20	1/4-18
5355-04-06	7/16-20	3/8-18
5355-05-02	1/2-20	1/8-27
5355-05-04	1/2-20	1/4-18
5355-06-02	9/16-18	1/8-27
5355-06-04	9/16-18	1/4-18
5355-06-06	9/16-18	3/8-18
5355-06-08	9/16-18	1/2-14
5355-08-04	3/4-16	1/4-18
5355-08-06	3/4-16	3/8-18
5355-08-08	3/4-16	1/2-14
5355-08-12	3/4-16	3/4-14
5355-10-06	7/8-14	3/8-18
5355-10-08	7/8-14	1/2-14
5355-10-12	7/8-14	3/4-14
5355-12-08	1 1/16-12	1/2-14
5355-12-12	1 1/16-12	3/4-14
5355-12-16	1 1/16-12	1-11 1/2
5355-14-12	1 3/16-12	3/4-14
5355-16-12	1 5/16-12	3/4-14
5355-16-16	1 5/16-12	1-11 1/2
5355-16-20	1 5/16-12	1 1/4-11 1/2
5355-20-16	1 5/8-12	1 5/8-12
5355-20-20	1 5/8-12	1 1/4-11 1/2
5355-24-24	1 7/8-12	1 1/2-11 1/2
5355-32-32	2 1/2-12	2-11 1/2

MJ X MP 45°


45° Male JIC/Male "ORB" Adjustable
45° JIC Male/"ORB" Male Adjustable **5365**
(6802)



Style No.	T1	T2
5365-04-04	7/16-20	7/16-20
5365-04-06	7/16-20	9/16-18
5365-05-05	1/2-20	1/2-20
5365-06-04	9/16-18	7/16-20
5365-06-05	9/16-18	1/2-20
5365-06-06	9/16-18	9/16-18
5365-06-08	9/16-18	3/4-16
5365-06-10	9/16-18	7/8-14
5365-08-06	3/4-16	9/16-18
5365-08-08	3/4-16	3/4-16
5365-08-10	3/4-16	7/8-14
5365-08-12	3/4-16	1 1/16-12
5365-10-06	7/8-14	9/16-18
5365-10-08	7/8-14	3/4-16
5365-10-10	7/8-14	7/8-14
5365-10-12	7/8-14	1 1/16-12
5365-12-08	1 1/16-12	3/4-16
5365-12-10	1 1/16-12	7/8-14
5365-12-12	1 1/16-12	1 1/16-12
5365-12-16	1 1/16-12	1 5/16-12
5365-14-14	1 3/16-12	1 3/16-12
5365-16-12	1 5/16-12	1 1/16-12
5365-16-16	1 5/16-12	1 5/16-12
5365-16-20	1 5/16-12	1 5/8-12
5365-20-16	1 5/8-12	1 5/16-12
5365-20-20	1 5/8-12	1 5/8-12
5365-20-24	1 5/8-12	1 7/8-12
5365-24-24	1 7/8-12	1 7/8-12

MJ X MB 45°

5375 45° Male JIC/Cloison Male JIC
(2702) 45° JIC Male/JIC Male Bulkhead




Style No.	T1	T2
5375-04-04	7/16-20	7/16-20
5375-05-05	1/2-20	1/2-20
5375-06-06	9/16-18	9/16-18
5375-08-08	3/4-16	3/4-16
5375-10-10	7/8-14	7/8-14
5375-12-12	1 1/16-12	1 1/16-12
5375-16-16	1 5/16-12	1 5/16-12
5375-20-20	1 5/8-12	1 5/8-12

MJ X MJ 45° BH

Si l'écrou cloison est requise commandez sous 5375-LN-

If Bulkhead Nut is needed, simply order as 5375-LN-


5403 90° Male JIC/Male NPT Tournant
(5701) 90° JIC Male/NPT Male Swivel



Style No.	T1	T2
5403-06-04	9/16-18	1/4-18
5403-06-06	9/16-18	3/8-18
5403-08-06	3/4-16	3/8-18
5403-08-08	3/4-16	1/2-14
5403-10-08	7/8-14	1/2-14
5403-12-12	1 1/16-12	3/4-14

MJ X MPS 90°

5405 90° Male JIC/Male NPT
(2501) 90° JIC Male/NPT Male



Style No.	T1	T2
5405-02-02	5/16-24	1/8-27
5405-03-02	3/8-24	1/8-27
5405-04-02	7/16-20	1/8-27
5405-04-04	7/16-20	1/4-18
5405-04-06	7/16-20	3/8-18
5405-04-08	7/16-20	1/2-14
5405-05-02	1/2-20	1/8-27
5405-05-04	1/2-20	1/4-18
5405-05-06	1/2-20	3/8-18
5405-06-02	9/16-18	1/8-27
5405-06-04	9/16-18	1/4-18
5405-06-06	9/16-18	3/8-18
5405-06-08	9/16-18	1/2-14
5405-06-12	9/16-18	3/4-14
5405-08-04	3/4-16	1/4-18
5405-08-06	3/4-16	3/8-18
5405-08-08	3/4-16	1/2-14
5405-08-12	3/4-16	3/4-14
5405-08-16	3/4-16	1-11 1/2
5405-10-06	7/8-14	3/8-18
5405-10-08	7/8-14	1/2-14
5405-10-12	7/8-14	3/4-14
5405-10-06	7/8-14	3/8-18
5405-10-08	7/8-14	1/2-14


MJ X MP 90°

Continue / Cont'd

90° Male JIC/Male NPT
90° JIC Male/NPT Male

Continue / Cont'd


Style No.	T1	T2
5405-10-08	7/8-14	1/2-14
5405-10-12	7/8-14	3/4-14
5405-10-16	7/8-14	1-11 1/2
5405-12-06	1 1/16-12	3/8-18
5405-12-08	1 1/16-12	1/2-14
5405-12-12	1 1/16-12	3/4-14
5405-12-16	1 1/16-12	1-11 1/2
5405-12-20	1 1/16-12	1 1/4-11 1/2
5405-14-12	1 3/16-12	3/4-14
5405-16-08	1 5/16-12	1/2-14
5405-16-12	1 5/16-12	3/4-14
5405-16-16	1 5/16-12	1-11 1/2
5405-16-20	1 5/16-12	1 1/4-11 1/2
5405-16-24	1 5/16-12	1 1/2-11 1/2
5405-20-12	1 5/8-12	3/4-14
5405-20-16	1 5/8-12	1-11 1/2
5405-20-20	1 5/8-12	1 1/4-11 1/2
5405-20-24	1 5/8-12	1 1/2-11 1/2
5405-24-16	1 7/8-12	1-11 1/2
5405-24-20	1 7/8-12	1 1/4-11 1/2
5405-24-24	1 7/8-12	1 1/2-11 1/2
5405-32-32	2 1/2-12	2-11 1/2



MJ X MP 90°

90° Male JIC/Male NPT-Long
90° JIC Male/NPT Male-Long


Style No.	T1	T2
5435-04-02	7/16-20	1/8-27
5435-04-04	7/16-20	1/4-18
5435-05-02	1/2-20	1/8-27
5435-05-04	1/2-20	1/4-18
5435-06-04	9/16-18	1/4-18
5435-06-06	9/16-18	3/8-18
5435-08-06	3/4-16	3/8-18
5435-08-08	3/4-12	1/2-14
5435-10-08	7/8-14	1/2-14
5435-12-12	1 1/16-12	3/4-14
5435-16-12	1 5/16-12	3/4-14
5435-16-16	1 5/16-12	1 1/4-11 1/2
5435-20-20	1 5/8-12	1 1/4-11 1/2
5435-24-24	1 7/8-12	1 1/2-11 1/2




MJ X MP 90°

5436 (2501LL)		90° Male JIC/Male NPT-EX Long 90° JIC Male/NPT Male-EX Long	
Style No.	T1	T2	
5436-04-02	7/16-20	1/8-27	
5436-04-04	7/16-20	1/4-18	
5436-05-02	1/2-20	1/8-27	
5436-05-04	1/2-20	1/4-18	
5436-06-04	9/16-18	1/4-18	
5436-06-06	9/16-18	3/8-18	
5436-06-08	9/16-18	1/2-14	
5436-08-06	3/4-16	3/8-18	
5436-08-08	3/4-16	1/2-14	
5436-10-08	7/8-14	1/2-14	
5436-12-12	1 1/16-12	3/4-14	
5436-16-16	1 5/16-12	1-11 1/2	
5436-20-20	1 5/8-12	1 1/4-11 1/2	

90° Male JIC/Male JIC 90° JIC Male/JIC Male		5505 (2500)	
Style No.	T1	T2	
5505-04-04	7/16-20	7/16-20	
5505-05-05	1/2-20	1/2-20	
5505-06-06	9/16-18	9/16-18	
5505-08-06	3/4-16	9/16-18	
5505-08-08	3/4-16	3/4-16	
5505-10-08	7/8-14	3/4-16	
5505-10-10	7/8-14	7/8-14	
5505-12-12	1 1/16-12	1 1/16-12	
5505-14-14	1 3/16-12	1 3/16-12	
5505-16-12	1 5/16-12	1 1/16-12	
5505-16-16	1 5/16-12	1 5/16-12	
5505-20-20	1 5/8-12	1 5/8-12	
5505-24-24	1 7/8-12	1 7/8-12	
5505-32-32	2 1/2-12	2 1/2-12	




MJ X MP 90° X-LONG




MJ X MJ 90°

5455 (2502)		90° Male JIC/Femelle NPT 90° JIC Male/NPT Female	
Style No.	T1	T2	
5455-04-02	7/16-20	1/8-27	
5455-04-04	7/16-20	1/4-18	
5455-04-06	7/16-20	3/8-18	
5455-04-08	7/16-20	1/2-14	
5455-05-02	1/2-20	1/8-27	
5455-05-04	1/2-20	1/4-18	
5455-06-02	9/16-18	1/8-27	
5455-06-04	9/16-18	1/4-18	
5455-06-06	9/16-18	3/8-18	
5455-06-08	9/16-18	1/2-14	
5455-08-04	3/4-16	1/4-18	
5455-08-06	3/4-16	3/8-18	
5455-08-08	3/4-16	1/2-14	
5455-10-08	7/8-14	1/2-14	
5455-12-08	1 1/16-12	1/2-14	
5455-12-12	1 1/16-12	3/4-14	
5455-12-16	1 1/16-12	1-11 1/2	
5455-14-12	1 3/16-12	3/4-14	
5455-16-12	1 5/16-12	3/4-14	
5455-16-16	1 5/16-12	1-11 1/2	
5455-20-20	1 5/8-12	1 1/4-11 1/2	
5455-24-24	1 7/8-12	1 1/2-11 1/2	





MJ X FP 90°


90° Male JIC/Femelle JIC 90° JIC Male/JIC Female		5506 (6500)	
Style No.	T1	T2	
5506-02-02	5/16-24	5/16-24	
5506-03-03	3/8-24	3/8-24	
5506-04-04	7/16-20	7/16-20	
5506-04-06	7/16-20	9/16-18	
5506-05-05	1/2-20	1/2-20	
5506-06-04	9/16-18	7/16-20	
5506-06-06	9/16-18	9/16-18	
5506-06-08	9/16-18	3/4-16	
5506-08-06	3/4-16	9/16-18	
5506-08-08	3/4-16	3/4-16	
5506-08-10	3/4-16	7/8-14	
5506-10-08	7/8-14	3/4-16	
5506-10-10	7/8-14	7/8-14	
5506-12-08	1 1/16-12	3/4-16	
5506-12-12	1 1/16-12	1 1/16-12	
5506-14-14	1 3/16-12	1 3/16-12	
5506-16-16	1 5/16-12	1 5/16-12	
5506-20-20	1 5/8-12	1 5/8-12	
5506-24-24	1 7/8-12	1 7/8-12	
5506-32-32	2 1/2-12	2 1/2-12	





MJ X FJS 90°

5605 (2601)		Té Male JIC/Male NPT Tee JIC Male/NPT Male	
Style No.	T1	T2	
			
MJ X MJ X MP TEE			
(BRANCH)			
5605-04-02	7/16-20	1/8-27	
5605-04-04	7/16-20	1/4-18	
5605-05-02	1/2-20	1/8-27	
5605-05-04	1/2-20	1/4-18	
5605-06-04	9/16-18	1/4-18	
5605-06-06	9/16-18	3/8-18	
5605-06-08	9/16-18	1/2-14	
5605-08-06	3/4-16	3/8-18	
5605-08-08	3/4-16	1/2-14	
5605-10-08	7/8-14	1/2-14	
5605-12-08	1 1/16-12	1/2-14	
5605-12-12	1 1/16-12	3/4-14	
5605-14-12	1 3/16-12	3/4-14	
5605-16-12	1 5/16-12	3/4-14	
5605-16-16	1 5/16-12	1-11 1/2	
5605-20-20	1 5/8-12	1 1/4-11 1/2	
5605-24-24	1 7/8-12	1 1/2-11 1/2	
5605-32-32	2 1/2-12	2-11 1/2	

5705 (2603)		Té Male JIC Tee JIC Male	
Style No.	T1	T2	
			
MJ X MJ X MJ TEE			
5705-02	5/16-24		
5705-03	3/8-24		
5705-04	7/16-20		
5705-05	1/2-20		
5705-06	9/16-18		
5705-06-08	9/16-18	3/4-16	
5705-08	3/4-16		
5705-10	7/8-14		
5705-12	1 1/16-12		
5705-12-16	1 1/16-12	1 5/16-12	
5705-14	1 3/16-12		
5705-16	1 5/16-12		
5705-20	1 5/8-12		
5705-24	1 7/8-12		
5705-32	2 1/2-12		


5655 (2602)		Té Male JIC/Femelle NPT Tee JIC Male/NPT Female	
Style No.	T1	T2	
			
MJ X MJ FP TEE			
5655-02-02	5/16-24	1/8-27	
5655-04-02	7/16-20	1/8-27	
5655-04-04	7/16-20	1/4-18	
5655-05-02	1/2-20	1/8-27	
5655-06-04	9/16-18	1/4-18	
5655-06-06	9/16-18	3/8-18	
5655-08-06	3/4-16	3/8-18	
5655-08-08	3/4-16	1/2-14	
5655-10-08	7/8-14	1/2-14	
5655-12-08	1 1/16-12	1/2-14	
5655-12-12	1 1/16-12	3/4-14	
5655-14-12	1 3/16-12	3/4-14	
5655-16-16	1 5/16-12	1-11 1/2	
5655-20-20	1 5/8-12	1 1/4-11 1/2	
5655-24-24	1 7/8-12	1 7/8-12	

5706 (6602)		Té Male JIC/Femelle JIC Tee JIC Male/JIC Female	
Style No.	T1		
			
MJ X MJ X FJS TEE			
(RUN)			
5706-04	7/16-20		
5706-05	1/2-20		
5706-06	9/16-18		
5706-08	3/4-16		
5706-10	7/8-14		
5706-12	1 1/16-12		
5706-14	1 3/16-12		
5706-16	1 5/16-12		
5706-20	1 5/8-12		
5706-24	1 7/8-12		

5707 (6600)		Té Male JIC/Femelle JIC Tee JIC Male/JIC Female	
Style No.	T1		
			
MJ X MJ X FJS TEE			
(BRANCH)			
5707-04	7/16-20		
5707-05	1/2-20		
5707-06	9/16-18		
5707-08	3/4-16		
5707-10	7/8-14		
5707-12	1 1/16-12		
5707-16	1 5/16-12		
5707-20	1 5/8-12		
5707-24	1 7/8-12		

5708
(6606)

Té Femelle JIC
Tee JIC Female




Style No.	T1
5708-04	7/16-20
5708-05	1/2-20
5708-06	9/16-18
5708-08	3/4-16
5708-12	1 1/16-12
5708-16	1 5/16-12

FJS X FJS X FJS TEE

Té Male JIC/Cloison Male JIC
Tee JIC Male/JIC Male Bulkhead

5725
(2703)




Style No.	T1
5725-04	7/16-20
5725-05	1/2-20
5725-06	9/16-18
5725-08	3/4-16
5725-10	7/8-14
5725-12	1 1/16-12
5725-16	1 5/16-12
5725-20	1 5/8-12

MJ X MJ X MJ BH TEE
(BRANCH)

Si l'écrou cloison est requise commandez sous 5725-LN-
If Bulkhead Nut is needed, simply order as 5725-LN-

5715
(6803)

Té Male JIC/Male "ORB" Ajustable
Tee JIC Male/"ORB" Male Adjustable




Style No.	T1	T2
5715-04	7/16-20	7/16-20
5715-04-06	7/16-20	9/16-18
5715-05	1/2-20	1/2-20
5715-06	9/16-18	9/16-18
5715-08-06	3/4-16	9/16-18
5715-08	3/4-16	3/4-16
5715-08-10	3/4-16	7/8-14
5715-10	7/8-14	7/8-14
5715-10-08	7/8-14	3/4-16
5715-10	7/8-14	7/8-14
5715-12-08	1 1/16-12	3/4-16
5715-12-10	1 1/16-12	7/8-14
5715-12	1 1/16-12	1 1/16-12
5715-14	1 3/16-12	1 3/16-12
5715-16	1 5/16-12	1 5/16-12
5715-20	1 5/8-12	1 5/8-12
5715-24	1 7/8-12	1 7/8-12

MJ X MJ X MB TEE
(BRANCH)

Té Male JIC/Cloison Male JIC
Tee JIC Male/JIC Male Bulkhead

5726
(2704)




Style No.	T1
5726-06-06	9/16-18
5726-08-08	3/4-16
5726-10-10	7/8-14
5726-12-12	1 1/16-12
5726-16-16	1 5/16-12
5726-20-20	1 5/8-12

MJ X MJ X MJ BH TEE
(RUN)

Si l'écrou cloison est requise commandez sous 5726-LN-
If Bulkhead Nut is needed, simply order as 5726-LN-

5716
(6804)

Té Male JIC/Male "ORB" Ajustable
Tee JIC Male/"ORB" Male Adjustable




Style No.	T1	T2
5716-04	7/16-20	7/16-20
5716-04-06	7/16-20	9/16-18
5716-05	1/2-20	1/2-20
5716-06	9/16-18	9/16-18
5716-06-04	9/16-18	7/16-20
5716-08	3/4-16	3/4-16
5716-10	7/8-14	7/8-14
5716-10-08	7/8-14	3/4-16
5716-12	1 1/16-12	1 1/16-12
5716-14	1 3/16-12	1 3/16-12
5716-16	1 5/16-12	1 5/16-12
5716-20	1 5/8-12	1 5/8-12
5716-24	1 7/8-12	1 7/8-12

MJ X MJ X MB TEE
(RUN)


Té Male JIC/Male NPT
Tee JIC Male/NPT Male


5755
(2605)





Style No.	T1	T2
5755-04-02	7/16-20	1/8-27
5755-04-04	7/16-20	1/4-18
5755-04-06	7/16-20	3/8-18
5755-05-02	1/2-20	1/8-27
5755-05-04	1/2-20	1/4-18
5755-06-04	9/16-18	1/4-18
5755-06-04-04	9/16-18	1/4-18
5755-06-06	9/16-18	3/8-18
5755-06-08	9/16-18	1/2-14
5755-08-06	3/4-16	3/8-18
5755-08-08	3/4-16	1/2-14
5755-08-12	3/4-16	3/4-14
5755-10-08	7/8-14	1/2-14
5755-10-12	7/8-14	3/4-14
5755-12-08	1 1/16-12	1/2-14
5755-12-12	1 1/16-12	3/4-14
5755-14-12	1 3/16-12	3/4-14
5755-16-12	1 5/16-12	3/4-14
5755-16-16	1 5/16-12	1-11 1/2
5755-20-20	1 5/8-12	1 1/4-11 1/2
5755-24-24	1 7/8-12	1 1/2-11 1/2


MJ X MJ X MP TEE
(RUN)



5805 (2606)		Té Male JIC/Femelle NPT Tee JIC Male/Female NPT		
	Style No.	T1	T2	
	5805-04-02	7/16-20	1/8-27	
	5805-04-04	7/16-20	1/4-18	
	5805-06-04	9/16-18	1/4-18	
	5805-06-06	9/16-18	3/8-18	
	5805-08-06	3/4-16	3/8-18	
	5805-08-08	3/4-16	1/2-14	
	MJ X MJ X FP TEE (RUN)	5805-10-08	7/8-14	1/2-14
		5805-12-12	1 1/16-12	3/4-14
		5805-16-16	1 5/16-12	1-11 1/2
	5805-20-20	1 5/8-12	1 1/4-11 1/2	



Bouchon Male "ORB" "ORB" Male Plug		7237 (6408)	
	Style No.	T1	HEX PLUG MB
	7237-02	5/16-24	
	7237-03	3/8-24	
	7237-04	7/16-20	
	7237-05	1/2-20	
	7237-06	9/16-18	
	7237-08	3/4-16	
	7237-10	7/8-14	
	7237-12	1 1/16-12	
	7237-14	1 3/16-12	
	7237-16	1 5/16-12	
	7237-20	1 5/8-12	
	7237-24	1 7/8-12	
	7237-32	2 1/2-12	

5924 (0306)		Ecrou Cloison Bulkhead Nut	
	Style No.	T1	BH LOCK NUT/ ECROU
	5924-04	7/16-20	
	5924-05	1/2-20	
	5924-06	9/16-18	
	5924-08	3/4-16	
	5924-10	7/8-14	
	5924-12	1 1/16-12	
	5924-14	1 3/16-12	
	5924-16	1 5/16-12	
	5924-20	1 5/8-12	
5924-24	1 7/8-12		
5924-32	2 1/2-12		

Bouchon Male "ORB" Clé Allen "ORB" Male Hollow Hex Plug		7238 (6408H)	
	Style No.	T1	H. HEX PLUG MB
	7238-02	5/16-24	
	7238-03	3/8-24	
	7238-04	7/16-20	
	7238-05	1/2-20	
	7238-06	9/16-18	
	7238-08	3/4-16	
	7238-10	7/8-14	
	7238-12	1 1/16-12	
	7238-14	1 3/16-12	
7238-16	1 5/16-12		
7238-20	1 5/8-12		
7238-24	1 7/8-12		



5955 (2650)		Croix Femelle NPT Cross NPT Female	
	Style No.	T1	MJ CROIX/CROSS
	5955-04	7/16-20	
	5955-05	1/2-20	
	5955-06	9/16-18	
	5955-08	3/4-16	
	5955-10	7/8-14	
	5955-12	1 1/16-12	
	5955-14	1 3/16-12	
	5955-16	1 5/16-12	
	5955-20	1 5/8-12	

9100 (6505)R		Femelle JIC/Male NPT JIC Female/NPT Male		Femelle NPSM Tournant/Femelle NPT NPSM Female Swivel/ Female NPT			9255 (1405)R		
		Style No.	T1	T2	Style No.	T1	T2		
FJS X MP		9100-04-02	7/16-20	1/8-27	9255-02-02	1/8-27	1/8-27	FPS X FP	
		9100-04-04	7/16-20	1/4-18	9255-02-04	1/8-27	1/4-18		
		9100-04-06	7/16-20	3/8-18	9255-04-02	1/4-18	1/8-27		
		9100-05-04	1/2-20	1/4-18	9255-04-04	1/4-18	1/4-18		
		9100-06-04	9/16-18	1/4-18	9255-04-06	1/4-18	3/8-18		
		9100-06-06	9/16-18	3/8-18	9255-04-08	1/4-18	1/2-14		
		9100-06-08	9/16-18	1/2-14	9255-06-04	3/8-18	1/4-18		
		9100-08-06	3/4-16	3/8-18	9255-06-06	3/8-18	3/8-18		
		9100-08-08	3/4-16	1/2-14	9255-06-08	3/8-18	1/2-14		
		9100-08-12	3/16-16	3/4-14	9255-08-04	1/2-14	1/4-18		
		9100-10-06	7/8-14	3/8-18	9255-08-06	1/2-14	3/8-18		
		9100-10-08	7/8-14	1/2-14	9255-08-08	1/2-14	1/2-14		
		9100-12-08	1 1/16-12	1/2-14	9255-12-12	3/4-14	3/4-14		
		9100-12-12	1 1/16-12	3/4-14	9255-12-16	3/4-14	1-11 1/2		
		9100-12-16	1 1/16-12	1-11 1/2	9255-16-12	1-11 1/2	3/4-14		
		9100-16-12	1 5/16-12	3/4-14	9255-16-16	1-11 1/2	1-11 1/2		
		9100-16-16	1 5/16-12	1-11 1/2	9255-16-20	1-11 1/2	1-11 1/2		
		9100-20-20	1 5/8-12	1 1/4-11 1/2	9255-20-20	1-11 1/2	1-11 1/2		
		9100-24-24	1 7/8-12	1 1/2-11 1/2	9255-24-24	1 1/2-11 1/2	1 1/2-11 1/2		
		9100-32-32	2 1/2-12	2-11 1/2	9255-32-32	2-11 1/2	2-11 1/2		

9205 (1404)R		Femelle NPSM Tournant/Male NPT NPSM Female Swivel/NPT Male		Femelle JIC Tournant/Femelle NPT JIC Female Swivel/NPT Male			9256 (6506)R		
		Style No.	T1	T2	Style No.	T1	T2		
FPS X MP		9205-02-02	1/8-27	1/8-27	9256-04-02	7/16-20	1/8-27	FJS X FP	
		9205-02-04	1/8-27	1/4-18	9256-04-04	7/16-20	1/4-18		
		9205-04-02	1/4-18	1/8-27	9256-06-04	9/16-18	1/4-18		
		9205-04-04	1/4-18	1/4-18	9256-06-06	9/16-18	3/8-18		
		9205-04-06	1/4-18	3/8-18	9256-06-08	9/16-18	1/2-14		
		9205-04-08	1/4-18	1/2-14	9256-08-06	3/4-16	3/8-18		
		9205-06-04	3/8-18	1/4-18	9256-08-08	3/4-16	1/2-14		
		9205-06-06	3/8-18	3/8-18	9256-10-06	7/8-14	3/8-18		
		9205-06-08	3/8-18	1/2-14	9256-10-08	7/8-14	1/2-14		
		9205-08-04	1/2-14	1/4-18	9256-12-08	1 1/16-12	1/2-14		
		9205-08-06	1/2-14	3/8-18	9256-12-12	1 1/16-12	3/4-14		
		9205-08-08	1/2-14	1/2-14	9256-16-16	1 5/16-12	1-11 1/2		
		9205-08-12	1/2-14	1/2-14	9256-20-20	1 5/8-12	1 1/4-11 1/2		
		9205-12-08	3/4-14	1/2-14	9256-24-24	1 7/8-12	1 1/2-11 1/2		
		9205-12-12	1/2-14	1/2-14	9256-32-32	2 1/2-12	2-11 1/2		
		9205-12-16	3/4-14	1-11 1/2					
		9205-16-12	1-11 1/2	1/2-14					
		9205-16-16	1-11 1/2	1-11 1/2					
		9205-16-20	1-11 1/2	1 1/4-11 1/2					
		9205-20-16	1 1/4-11 1/2	1-11 1/2					
9205-20-20	1 1/4-11 1/2	1 1/4-11 1/2							
9205-20-24	1 1/4-11 1/2	1 1/2-11 1/2							
9205-24-24	1 1/2-11 1/2	1 1/2-11 1/2							
9205-32-32	2-11 1/2	2-11 1/2							

9385 45° Femelle NPSM Tournant/Femelle NPT
(1504)R 45° NPSM Female Swivel/NPT Female

9405 90° Femelle NPSM Tournant/Male NPT
(1501)R 90° NPSM Female Swivel/NPT Male



FPS X FP 45°



FPS X MP 90°

Style No.	T1	T2
9385-02-02	1/8-27	1/8-27
9385-02-04	1/8-27	1/4-18
9385-04-02	1/4-18	1/8-27
9385-04-04	1/4-18	1/4-18
9385-04-06	1/4-18	3/8-18
9385-06-06	3/8-18	3/8-18
9385-06-08	3/8-18	1/2-14
9385-08-08	1/2-14	1/2-14
9385-08-12	1/2-14	3/4-14
9385-12-12	3/4-14	3/4-14
9385-12-16	3/4-14	1-11 1/2
9385-16-16	1-11 1/2	1-11 1/2
9385-20-20	1 1/4-11 1/2	1 1/4-11 1/2
9385-24-24	1 1/2-11 1/2	1 1/2-11 1/2
9385-32-32	2-11 1/2	2-11 1/2

Style No.	T1	T2
9405-02-02	1/8-27	1/8-27
9405-02-04	1/8-27	1/4-18
9405-04-02	1/4-18	1/8-27
9405-04-04	1/4-18	1/4-18
9405-04-06	1/4-18	3/8-18
9405-04-08	1/4-18	1/2-14
9405-06-04	3/8-18	1/4-18
9405-06-06	3/8-18	3/8-18
9405-06-08	3/8-18	1/2-14
9405-06-12	3/8-18	3/4-14
9405-08-04	1/2-14	1/4-18
9405-08-06	1/2-14	3/8-18
9405-08-08	1/2-14	1/2-14
9405-08-12	1/2-14	3/4-14
9405-08-16	1/2-14	1-11 1/2
9405-12-08	3/4-14	1/2-14
9405-12-12	3/4-14	3/4-14
9405-12-16	3/4-14	1-11 1/2
9405-16-12	1-11 1/2	3/4-14
9405-16-16	1-11 1/2	1-11 1/2
9405-16-20	1-11 1/2	1 1/4-11 1/2
9405-20-16	1 1/4-11 1/2	1-11 1/2
9405-20-20	1 1/4-11 1/2	1 1/4-11 1/2
9405-24-24	1 1/2-11 1/2	1 1/2-11 1/2
9405-32-32	2-11 1/2	2-11 1/2

9400 90° Femelle JIC Tournant/Male NPT
(6501)R 90° JIC Female Swivel/NPT Male

9406 90° Femelle NPSM Tournant/Male NPT Long
(1501L)R 90° NPSM Female Swivel/NPT Male Long



FJS X MP 90°

FPS X MP 90° LONG

Style No.	T1	T2
9400-04-02	7/16-20	1/8-27
9400-04-04	7/16-20	1/4-18
9400-05-04	1/2-20	1/4-18
9400-06-04	9/16-18	1/4-18
9400-06-06	9/16-18	3/8-18
9400-06-08	9/16-18	1/2-14
9400-08-06	3/4-16	3/8-18
9400-08-08	3/4-16	1/2-14
9400-10-08	7/8-14	1/2-14
9400-12-12	1 1/16-12	3/4-14
9400-16-12	1 5/16-12	3/4-14
9400-16-16	1 5/16-12	1-11 1/2
9400-20-20	1 5/8-12	1 1/4-11 1/2
9400-24-24	1 1/2-11 1/2	1 1/2-11 1/2

Style No.	T1	T2
9406-04-04	1/4-18	1/4-18
9406-06-06	3/8-18	3/8-18
9406-08-08	1/2-14	1/2-14
9406-12-12	3/4-14	3/4-14
9406-16-16	1-11 1/2	1-11 1/2