







3069 (5404)			
Male NPT / Male NPT NPT Male / NPT Male			
Style No.	T1	T2	
			
3069-02-02	1/8-27	1/8-27	
3069-04-02	1/4-18	1/8-27	
3069-04-04	1/4-18	1/4-18	
3069-06-02	3/8-18	1/8-27	
3069-06-04	3/8-18	1/4-18	
MP X MP	3069-06-06	3/8-18	3/8-18
	3069-08-04	1/2-14	1/4-18
	3069-08-06	1/2-14	3/8-18
	3069-08-08	1/2-14	1/2-14
	3069-12-04	3/4-14	1/4-18
	3069-12-06	3/4-14	3/8-18
	3069-12-08	3/4-14	1/2-14
	3069-12-12	3/4-14	3/4-14
	3069-16-08	1-11 1/2	1-11 1/2
	3069-16-12	1-11 1/2	3/4-14
	3069-16-16	1-11 1/2	1-11 1/2
	3069-20-12	1 1/4-11 1/2	3/4-14
	3069-20-16	1 1/4-11 1/2	1-11 1/2
	3069-20-20	1 1/4-11 1/2	1 1/4-11 1/2
	3069-24-12	1 1/2-11 1/2	3/4-14
	3069-24-16	1 1/2-11 1/2	1-11 1/2
	3069-24-20	1 1/2-11 1/2	1-11 1/2
	3069-24-24	1 1/2-11 1/2	1 1/2-11 1/2
	3069-32-20	2-11 1/2	1-11 1/2
	3069-32-24	2-11 1/2	1 1/2-11 1/2
	3069-32-32	2-11 1/2	2-11 1/2


Réduit NPT Male/Femelle NPT Reducer Male NPT/Female NPT			
3109 (5406)			
Style No.	T1	T2	
			
Continue / Cont'd			
3109-24-06	1 1/2-11 1/2	3/8-18	
3109-24-08	1 1/2-11 1/2	3/4-14	
3109-24-12	1 1/2-11 1/2	3/4-14	
3109-24-16	1 1/2-11 1/2	1-11 1/2	
3109-24-20	1 1/2-11 1/2	1 1/4-11 1/2	
3109-32-12	2-11 1/2	3/4-14	
3109-32-16	2-11 1/2	1-11 1/2	
3109-32-20	2-11 1/2	1 1/4-11 1/2	
3109-32-24	2-11 1/2	1 1/2-11 1/2	
MP X FP			


Bouchon femelle NPT Cap Female NPT			
3149 (5406-C)			
Style No.	T1		
			
3149-02	1/8-27		
3149-04	1/4-18		
3149-06	3/8-18		
3149-08	1/2-14		
3149-12	3/4-14		
3149-16	1-11 1/2		
3149-20	1 1/4-11 1/2		
3149-24	1 1/2-11 1/2		
CAP FP			


Bouchon Male NPT NPT Male Hex Head Plug			
3159 (5406-P)			
Style No.	T1		
			
3159-02	1/8-27		
3159-04	1/4-18		
3159-06	3/8-18		
3159-08	1/2-14		
3159-12	3/4-14		
3159-16	1-11 1/2		
3159-20	1 1/4-11 1/2		
3159-24	1 1/2-11 1/2		
3159-32	2-11 1/2		
PLUG MP			


3109 (5406)			
Réduit NPT Male/Femelle NPT Reducer Male NPT/Female NPT			
Style No.	T1	T2	
			
3109-04-02	1/4-18	1/8-27	
3109-06-02	3/8-18	1/8-27	
3109-06-04	3/8-18	1/4-18	
3109-08-02	1/2-14	1/8-27	
3109-08-04	1/2-14	1/4-18	
MP X FP	3109-08-06	1/2-14	3/8-18
	3109-12-02	3/4-14	1/8-18
	3109-12-04	3/4-14	1/4-18
	3109-12-06	3/4-14	3/8-18
	3109-12-08	3/4-14	1/2-14
	3109-16-04	1-11 1/2	1/4-18
	3109-16-06	1-11 1/2	3/8-18
	3109-16-08	1-11 1/2	1/2-14
	3109-16-12	1-11 1/2	3/4-14
	3109-20-04	1 1/4-11 1/2	1/4-18
	3109-20-06	1 1/4-11 1/2	3/8-18
	3109-20-08	1 1/4-11 1/2	1/2-14
	3109-20-12	1 1/4-11 1/2	3/4-14
	3109-20-16	1 1/4-11 1/2	1-11 1/2
	Continue / Cont'd		


Bouchon Male NPT Cle Allen Hollow Hex Plug NPT Male			
3169 (5406-HP)			
Style No.	T1		
			
3169-01	1/16-27		
3169-02	1/8-27		
3169-04	1/4-18		
3169-06	3/8-18		
3169-08	1/2-14		
3169-12	3/4-14		
3169-16	1-11 1/2		
3169-20	1 1/4-11 1/2		
3169-24	1 1/2-11 1/2		
3169-32	2-11 1/2		
HEX PLUG MP			


3179 (5406-SHP) Bouchon Tête Carré NPT Male Square Head Plug Male NPT			
	Style No.	T1	
	3179-02	1/8-27	
	3179-04	1/4-18	
	3179-06	3/8-18	
	3179-08	1/2-14	
	3179-12	3/4-14	
	SHP MP	3179-16	1-11 1/2
		3179-20	1 1/4-11 1/2
		3179-24	1 1/2-11 1/2


3209 (B5405)R Femelle NPT/Male NPT NPT Female/NPT Male				
	Style No.	T1	T2	
	3209-02-02	1/8-27	1/8-27	
	3209-02-04	1/8-27	1/4-18	
	3209-04-02	1/4-18	1/8-27	
	3209-04-04	1/4-18	1/4-18	
	3209-04-06	1/4-18	3/8-18	
	3209-06-02	3/8-18	1/8-27	
	3209-06-04	3/8-18	1/4-18	
	3209-06-06	3/8-18	3/8-18	
	FP X MP	3209-06-08	3/8-18	1/2-14
		3209-08-02	1/2-14	1/8-27
		3209-08-04	1/2-14	1/4-18
		3209-08-06	1/2-14	3/8-18
		3209-08-08	1/2-14	1/2-14
		3209-08-12	1/2-14	3/4-14
		3209-12-04	3/4-14	1/4-18
		3209-12-06	3/4-14	3/8-18
		3209-12-08	3/4-14	1/2-14
		3209-12-12	3/4-14	3/4-14
		3209-12-16	3/4-14	1-11 1/2
		3209-16-08	1-11 1/2	1/2-14
		3209-16-12	1-11 1/2	3/4-14
		3209-16-16	1-11 1/2	1-11 1/2
		3209-20-16	1 1/4-11 1/2	1-11 1/2
		3209-20-20	1 1/4-11 1/2	1 1/4-11 1/2
		3209-24-20	1 1/2-11 1/2	1 1/4-11 1/2
		3209-24-24	1 1/2-11 1/2	1 1/2-11 1/2
		3209-32-32	2-11 1/2	2-11 1/2

3218 (6410) Male "ORB"/Femelle "ORB" "ORB" Male/"ORB" Female				
	Style No.	T1	T2	
	3218-04-04	7/16-20	7/16-20	
	3218-04-06	7/16-20	9/16-18	
	3218-05-04	1/2-20	7/16-20	
	3218-05-06	1/2-20	9/16-18	
	3218-06-04	9/16-18	7/16-20	
	MB X FB	3218-06-06	9/16-18	9/16-18
		3218-06-08	9/16-18	3/4-16
Continue / Cont'd				


3218 (6410) Male "ORB"/Femelle "ORB" "ORB" Male/"ORB" Female			
	Style No.	T1	T2
	Continue / Cont'd		
	3218-08-04	3/4-16	7/16-20
	3218-08-06	3/4-16	9/16-18
	3218-08-08	3/4-16	3/4-16
	3218-08-10	3/4-16	7/8-14
	3218-08-12	3/4-16	1 1/16-12
	3218-10-04	7/8-14	7/16-20
	3218-10-06	7/8-14	9/16-18
	3218-10-08	7/8-14	3/4-16
	3218-10-12	7/8-14	1 1/16-12
	3218-12-04	1 1/16-12	7/16-20
	3218-12-06	1 1/16-12	9/16-18
	3218-12-08	1 1/16-12	3/4-16
	3218-12-10	1 1/16-12	7/8-14
	3218-12-12	1 1/16-12	1 1/16-12
	3218-12-16	1 1/16-12	1 5/16-12
	3218-14-12	1 3/16-12	1 1/16-12
	3218-16-08	1 5/16-12	3/4-16
	3218-16-10	1 5/16-12	7/8-14
	3218-16-12	1 5/16-12	1 1/16-12
	3218-20-08	1 5/8-12	3/4-16
	3218-20-12	1 5/8-12	1 1/16-12
	3218-20-16	1 5/8-12	1 5/16-12
	3218-24-12	1 7/8-12	1 1/16-12
	3218-24-16	1 7/8-12	1 5/16-12
	3218-24-20	1 7/8-12	1 5/8-12
	3218-32-20	2 1/2-12	1 5/8-12
3218-32-24	2 1/2-12	1 7/8-12	


3239 (6404) Femelle "ORB"/Male NPT "ORB" Female/NPT Male			
	Style No.	T1	T2
	3239-04-02	7/16-20	1/8-27
	3239-04-04	7/16-20	1/4-18
	3239-04-06	7/16-20	3/8-18
	3239-05-02	1/2-20	1/8-27
	3239-06-04	9/16-18	1/4-18
	3239-06-06	9/16-18	3/8-18
	3239-06-08	9/16-18	1/2-14
	3239-08-06	3/4-16	3/8-18
	3239-08-08	3/4-16	1/2-14
	3239-10-06	7/8-14	3/8-18
	3239-10-08	7/8-14	1/2-14
	3239-12-12	1 1/16-12	3/4-14
	3239-12-16	1 1/16-12	1-11 1/2
	3239-16-12	1 5/16-12	3/4-14
	3239-16-16	1 5/16-12	1-11 1/2
	3239-20-20	1 5/8-12	1 1/4-11 1/2
	3239-24-24	1 7/8-12	1 1/2-11 1/2

3249 (6401)			
Male "ORB"/Male NPT "ORB" Male/NPT Male			
Continue / Cont'd			
	Style No.	T1	T2
	3249-04-02	7/16-20	1/8-27
	3249-04-04	7/16-20	1/4-18
3249-04-08			
	3249-06-04	9/16-18	3/8-18
MB X MP			
	3249-06-06	9/16-18	3/8-18
3249-06-08			
	3249-06-12	9/16-18	1/2-14
3249-06-16			
	3249-08-04	3/4-16	1/4-18
	3249-08-06	3/4-16	3/8-18
	3249-08-08	3/4-16	1/2-14
	3249-08-12	3/4-16	3/4-14
	3249-10-06	7/8-14	3/8-18
	3249-10-08	7/8-14	1/2-14
	3249-10-12	7/8-14	3/4-14
	3249-12-08	1 1/16-12	1/2-14
	3249-12-12	1 1/16-12	3/4-14
	3249-12-16	1 1/16-12	1-11 1/2
3249-14-12			
	3249-16-12	1 3/16-12	3/4-14
	3249-16-16	1 5/16-12	3/4-14
	3249-16-16	1 5/16-12	1-11 1/2
	3249-20-20	1 5/8-12	1 1/4-11 1/2
	3249-24-24	1 7/8-12	1 1/2-11 1/2
	3249-32-32	2 1/2-12	2-11 1/2


3269 (6405)				
Male "ORB"/Femelle NPT "ORB" Male/NPT Female				
Style No.				
Continue / Cont'd				
	T1	T2		
	3269-12-06	1 1/16-12	3/8-18	
	3269-12-08	1 1/16-12	1/2-14	
	3269-12-12	1 1/16-12	3/4-14	
	3269-12-16	1 1/16-12	1-11 1/2	
	3269-14-12	1 3/16-12	3/4-14	
	3269-16-06	1 1/16-12	3/8-18	
	3269-16-08	1 1/16-12	1/2-14	
	3269-16-12	1 5/16-12	3/4-14	
	3269-16-16	1 5/16-12	1-11 1/2	
	3269-16-20	1 5/16-12	1 1/2-11 1/2	
	3269-20-12	1 5/8-12	3/4-14	
	3269-20-16	1 5/8-12	1-11 1/2	
	3269-20-20	1 5/8-12	1 1/4-11 1/2	
3269-20-24				
	3269-24-16	1 7/8-12	1-11 1/2	
	3269-24-20	1 7/8-12	1 1/4-11 1/2	
	3269-24-24	1 7/8-12	1 1/2-11 1/2	
	3269-32-32	2 1/2-12	2-11 1/2	


MB X FP


3269 (6405)				
Male "ORB"/Femelle NPT "ORB" Male/NPT Female				
Style No.				
	T1	T2		
	3269-02-02	5/16-24	1/8-27	
	3269-03-04	3/8-24	1/4-18	
	3269-04-02	7/16-20	1/8-27	
	3269-04-04	7/16-20	1/4-18	
MB X FP				
	3269-04-06	7/16-20	3/8-18	
	3269-05-02	1/2-20	1/8-27	
	3269-05-04	1/2-20	1/4-18	
	3269-06-02	9/16-18	1/8-27	
	3269-06-04	9/16-18	1/4-18	
	3269-06-06	9/16-18	3/8-18	
	3269-06-08	9/16-18	1/2-14	
3269-06-12				
	3269-06-16	9/16-18	3/4-14	
	3269-08-04	3/4-16	1/4-18	
	3269-08-06	3/4-16	3/8-18	
	3269-08-08	3/4-16	1/2-14	
	3269-10-04	7/8-14	1/4-18	
	3269-10-06	7/8-14	3/8-18	
	3269-10-08	7/8-14	1/2-14	
	3269-10-12	7/8-14	3/4-14	
Continue / Cont'd				


3309 (5000)				
Femelle NPT/Femelle NPT NPT Female/NPT Female				
Style No.				
	T1	T2		
	3309-02-02	1/8-27	1/8-27	
	3309-04-02	1/4-18	1/8-27	
	3309-04-04	1/4-18	1/4-18	
	3309-06-02	3/8-18	1/8-27	
	3309-06-04	3/8-18	1/4-18	
	3309-06-06	3/8-18	3/8-18	
	3309-08-04	1/2-14	1/4-18	
	3309-08-06	1/2-14	3/8-18	
	3309-08-08	1/2-14	1/2-14	
	3309-12-08	3/4-14	1/2-14	
	3309-12-12	3/4-14	3/4-14	
	3309-16-12	1-11 1/2	3/4-14	
	3309-16-16	1-11 1/2	1-11 1/2	
3309-20-16				
	3309-20-20	1 1/4-11 1/2	1-11 1/2	
	3309-24-24	1 1/2-11 1/2	1 1/2-11 1/2	
	3309-32-32	2-11 1/2	2-11 1/2	


FP X FP


3359 (5503)				45° Femelle NPT/Male NPT 45° NPT Female/NPT Male		
	Style No.	T1	T2			
	3359-02-02	1/8-27	1/8-27			
	3359-04-04	1/4-18	1/4-18			
	3359-06-06	3/8-18	3/8-18			
	3359-08-08	1/2-14	1/2-14			
	3359-12-12	3/4-14	3/4-14			
	3359-16-16	1-11 1/2	1-11 1/2			
	3359-20-20	1 1/4-11 1/2	1 1/4-11 1/2			
	3359-24-24	1 1/2-11 1/2	1 1/2-11 1/2			
	3359-32-32	2-11 1/2	2-11 1/2			
	FP X MP 45°					


3439 (5702)				90° Femelle NPT/Male NPT Tournant 90° NPT Female/NPT Male Swivel	
	Style No.	T1	T2		
	3439-04-04	1/4-18	1/4-18		
	3439-06-06	3/8-18	3/8-18		
	3439-08-08	1/2-14	1/2-14		
	3439-12-12	3/4-14	3/4-14		
MPS X FP 90°					


3369 (5501)				45° Male NPT/Male NPT 45° NPT Male/NPT Male		
	Style No.	T1	T2			
	3369-02-02	1/8-27	1/8-27			
	3369-04-04	1/4-18	1/4-18			
	3369-06-06	3/8-18	3/8-18			
	3369-08-08	1/2-14	1/2-14			
	3369-12-12	3/4-14	3/4-14			
	3369-16-16	1-11 1/2	1-11 1/2			
	3369-20-20	1 1/4-11 1/2	1 1/4-11 1/2			
	MP X MP 45°					


3449 (6806)				90° Male "ORB" Adjustable/Male NPT 90° "ORB" Male Adjustable/NPT Male		
	Style No.	T1	T2			
	3449-04-04	7/16-20	1/4-18			
	3449-06-04	9/16-18	1/4-18			
	3449-06-06	9/16-18	3/8-18			
	3449-08-06	3/4-16	3/8-18			
	3449-08-08	3/4-16	1/2-14			
	3449-10-08	7/8-14	1/2-14			
	3449-12-12	1 1/16-12	3/4-14			
	3449-16-16	1 5/16-12	1-11 1/2			
	3449-20-20	1 5/8-12	1 1/4-11 1/2			
	MB X MP 90°					


3409 (5502)R				90° Femelle NPT/Male NPT 90° NPT Female/NPT Male	
	Style No.	T1	T2		
	3409-02-02	1/8-27	1/8-27		
	3409-02-04	1/8-27	1/4-18		
	3409-04-02	1/4-18	1/8-27		
	3409-04-04	1/4-18	1/4-18		
	3409-04-06	1/4-18	3/8-18		
	3409-04-08	1/4-18	1/2-14		
	3409-06-04	3/8-18	1/4-18		
	3409-06-06	3/8-18	3/8-18		
	3409-06-08	3/8-18	1/2-14		
	3409-08-06	1/2-14	1/2-14		
	3409-08-08	1/2-14	3/4-14		
	3409-08-12	1/2-14	3/4-14		
	3409-12-08	3/4-14	1/2-14		
	3409-12-12	3/4-14	3/4-14		
	3409-12-16	3/4-14	1-11 1/2		
	3409-16-12	1-11 1/2	3/4-14		
	3409-16-16	1-11 1/2	1-11 1/2		
	3409-20-20	1 1/4-11 1/2	1 1/4-11 1/2		
	3409-24-24	1 1/2-11 1/2	1 1/2-11 1/2		
	3409-32-20	2-11 1/2	1 1/4-11 1/2		
	3409-32-32	2-11 1/2	2-11 1/2		
FP X MP 90°					


3459 (6805)				90° Male "ORB" Adjustable/Femelle NPT 90° "ORB" Male Adjustable/NPT Female	
	Style No.	T1	T2		
	3459-04-02	7/16-20	1/8-27		
	3459-04-04	7/16-20	1/4-18		
	3459-05-02	1/2-20	1/8-27		
	3459-06-04	9/16-18	1/4-18		
	3459-06-06	9/16-18	3/8-18		
	3459-08-06	3/4-16	3/8-18		
	3459-08-08	3/4-16	1/2-14		
	3459-10-08	7/8-14	1/2-14		
	3459-12-12	1 1/16-12	3/4-14		
	3459-16-16	1 5/16-12	1-11 1/2		
	3459-20-20	1 5/8-12	1 1/4-11 1/2		
MB X FP 90°					


3469 (6805LL)				90° Male "ORB" Adjustable/Femelle NPT-Long 90° "ORB" Male Adjustable/NPT Female-Long	
	Style No.	T1	T2		
	3469-08-06	3/4-16	3/8-18		
	3469-10-08	7/8-14	1/2-14		
	3469-12-12	1 1/16-12	3/4-14		
	3469-16-16	1 5/16-12	1-11 1/2		
MB X FP 90° LONG					


3509 (5504)			
90° Femelle NPT/Femelle NPT 90° NPT Female/NPT Female			
Style No.	T1	T2	
3509-02-02	1/8-27	1/8-27	
3509-04-02	1/4-18	1/8-27	
3509-04-04	1/4-18	1/4-18	
3509-06-04	3/8-18	1/4-18	
3509-06-06	3/8-18	3/8-18	
3509-08-06	1/2-14	3/8-18	
3509-08-08	1/2-14	1/2-14	
3509-12-08	3/4-14	1/2-14	
3509-12-12	3/4-14	3/4-14	
3509-16-12	1-11 1/2	3/4-14	
3509-16-16	1-11 1/2	1-11 1/2	
3509-20-20	1 1/4-11 1/2	1 1/4-11 1/2	
3509-24-24	1 1/2-11 1/2	1 1/2-11 1/2	
3509-32-32	2-11 1/2	2-11 1/2	


Te Femelle NPT/Male NPT Tee NPT Female/NPT Male			
Style No.	T1	T2	
3609-02	1/8-27	1/8-27	
3609-04	1/4-18	1/4-18	
3609-06	3/8-18	3/8-18	
3609-08	1/2-14	1/2-14	
3609-12	3/4-14	3/4-14	
3609-16	1- 11 1/2	1- 11 1/2	
3609-20	1 1/4-11 1/2	1 1/4-11 1/2	
3609-24	1 1/2- 11 1/2	1 1/2- 11 1/2	
3609-32	2-11 1/2	2-11 1/2	


Té Femelle NPT Tee NPT Female			
Style No.	T1		
3709-02	1/8-27		
3709-04	1/4-18		
3709-06	3/8-18		
3709-08	1/2-14		
3709-12	3/4-14		
3709-16	1-11 1/2		
3709-20	1 1/4-11 1/2		
3709-24	1 1/2-11 1/2		
3709-32	2-11 1/2		

3529 (5500)			
90° Male NPT/Male NPT 90° NPT Male/NPT Male			
Style No.	T1	T2	
3529-02-02	1/8-27	1/8-27	
3529-04-02	1/4-18	1/8-27	
3529-04-04	1/4-18	1/4-18	
3529-06-04	3/8-18	1/4-18	
3529-06-06	3/8-18	3/8-18	
3529-08-04	1/2-14	1/4-18	
3529-08-06	1/2-14	3/8-18	
3529-08-08	1/2-14	1/2-14	
3529-12-08	3/4-14	1/2-14	
3529-12-12	3/4-14	3/4-14	
3529-16-12	1-11 1/2	3/4-14	
3529-16-16	1-11 1/2	1-11 1/2	
3529-20-20	1 1/4-11 1/2	1 1/4-11 1/2	
3529-24-24	1 1/2-11 1/2	1 1/2-11 1/2	


Té Femelle NPT/Male NPT Tee NPT Female NPT/NPT Male			
Style No.	T1	T2	
3719-02	1/8-27	1/8-27	
3719-04	1/4-18	1/4-18	
3719-06	3/8-18	3/8-18	
3719-08	1/2-14	1/2-14	
3719-12	3/4-14	3/4-14	
3719-16	1- 11 1/2	1- 11 1/2	

3539 (5700)			
90° Male NPT Tournant/Male NPT 90° NPT Male Swivel/NPT Male			
Style No.	T1	T2	
3539-04-04	1/4-18	1/4-18	
3539-06-06	3/8-18	3/8-18	
3539-08-08	1/2-14	1/2-14	
3539-12-12	3/4-14	3/4-14	

Té Femelle NPT/Male NPT Tee NPT Female/NPT Male			
Style No.	T1	T2	
3749-02	1/8-27	1/8-27	
3749-04	1/4-18	1/4-18	
3749-06	3/8-18	3/8-18	
3749-08	1/2-14	1/2-14	
3749-12	3/4-14	3/4-14	
3749-16	1- 11 1/2	1- 11 1/2	
3749-20	1 1/4-11 1/2	1 1/4-11 1/2	
3749-24	1 1/2-11 1/2	1 1/2-11 1/2	

3559 (5505)			
45° Femelle NPT/Femelle NPT 45° NPT Female/NPT Female			
Style No.	T1	T2	
3559-04-04	1/4-18	1/4-18	
3559-06-06	3/8-18	3/8-18	
3559-08-08	1/2-14	1/2-14	
3559-12-12	3/4-14	3/4-14	
3559-16-16	1- 11 1/2	1- 11 1/2	
3559-20-20	1 1/4-11 1/2	1 1/4-11 1/2	


3759 Té Femelle NPT/Male NPT
(5602) Tee NPT Female/NPT Male



Style No.	T1	T2
3759-02	1/8-27	1/8-27
3759-04	1/4-18	1/4-18
3759-06	3/8-18	3/8-18
3759-08	1/2-14	1/2-14
3759-12	3/4-14	3/4-14
3759-16	1-11 1/2	1- 11 1/2
3759-20	1 1/4-11 1/2	1 1/4-11 1/2
3759-24	1 1/2-11 1/2	1 1/2-11 1/2

FP X FP X MP TEE


5100 Femelle JIC/Male JIC
(2406) JIC Female/JIC Male



Style No.	T1	T2
5100-02-04	5/16-24	7/16-20
5100-04-02	7/16-20	5/16-24
5100-04-03	7/16-20	3/8-24
5100-04-05	7/16-20	1/2-20
5100-04-06	7/16-20	9/16-18
5100-04-08	7/16-20	3/4-16
5100-05-04	1/2-20	7/16-20
5100-06-04	9/16-18	7/16-20
5100-06-05	9/16-18	1/2-20
5100-06-08	9/16-18	3/4-16
5100-08-04	3/4-16	7/16-20
5100-08-06	3/4-16	9/16-18
5100-08-08	3/4-16	3/4-16
5100-08-10	3/4-16	7/8-14
5100-08-12	3/4-16	1 1/16-12
5100-10-04	7/8-14	7/16-20
5100-10-06	7/8-14	9/16-18
5100-10-08	7/8-14	3/4-16
5100-10-10	7/8-14	7/8-14
5100-10-12	7/8-14	1 1/16-12
5100-12-04	1 1/16-12	7/16-20
5100-12-06	1 1/16-12	9/16-18
5100-12-08	1 1/16-12	3/4-16
5100-12-10	1 1/16-12	7/8-14
5100-12-12	1 1/16-12	1 1/16-12
5100-12-16	1 1/16-12	1 5/16-12
5100-14-06	1 3/16-12	9/16-18
5100-14-08	1 3/16-12	3/4-16
5100-14-10	1 3/16-12	7/8-14
5100-14-12	1 3/16-12	1 1/16-12
5100-16-04	1 5/16-12	7/16-20
5100-16-06	1 5/16-12	9/16-18
5100-16-08	1 5/16-12	3/4-16
5100-16-10	1 5/16-12	7/8-14
5100-16-12	1 5/16-12	1 1/16-12
5100-16-14	1 5/16-12	1 3/16-12
5100-16-20	1 5/16-12	1 5/8-12
5100-20-08	1 5/8-12	3/4-16
5100-20-12	1 5/8-12	1 1/16-12
5100-20-16	1 5/8-12	1 5/16-12
5100-20-24	1 5/8-12	1 7/8-12
5100-24-12	1 7/8-12	1 1/16-12
5100-24-16	1 7/8-12	1 5/16-12
5100-24-20	1 7/8-12	1 5/8-12
5100-24-32	1 7/8-12	2 1/2-14
5100-32-24	2 1/2-14	1 7/8-12

FJ X MJ


3809 Té Male NPT
(5600) Tee NPT Male



Style No.	T1
3809-04	1/4-18
3809-06	3/8-18
3809-08	1/2-14
3809-12	3/4-14
3809-16	1-11 1/2


MP X MP X MP TEE


3959 Croix Femelle NPT
(5652) Cross NPT Female





Style No.	T1
3959-02	1/8-27
3959-04	1/4-18
3959-06	3/8-18
3959-08	1/2-14
3959-12	3/4-14
3959-16	1-11 1/2
3959-20	1 1/4-11 1/2
3959-24	1 1/2-11 1/2

FP CROIX/CROSS

9100 (6505)R		Femelle JIC/Male NPT JIC Female/NPT Male		
Style No.		T1	T2	
	9100-04-02	7/16-20	1/8-27	
	9100-04-04	7/16-20	1/4-18	
	9100-04-06	7/16-20	3/8-18	
	9100-05-04	1/2-20	1/4-18	
	FJS X MP	9100-06-04	9/16-18	1/4-18
	9100-06-06	9/16-18	3/8-18	
	9100-06-08	9/16-18	1/2-14	
	9100-08-06	3/4-16	3/8-18	
	9100-08-08	3/4-16	1/2-14	
	9100-08-12	3/16-16	3/4-14	
	9100-10-06	7/8-14	3/8-18	
	9100-10-08	7/8-14	1/2-14	
	9100-12-08	1 1/16-12	1/2-14	
	9100-12-12	1 1/16-12	3/4-14	
	9100-12-16	1 1/16-12	1-11 1/2	
	9100-16-12	1 5/16-12	3/4-14	
	9100-16-16	1 5/16-12	1-11 1/2	
	9100-20-20	1 5/8-12	1 1/4-11 1/2	
	9100-24-24	1 7/8-12	1 1/2-11 1/2	
	9100-32-32	2 1/2-12	2-11 1/2	



9255 (1405)R		Femelle NPSM Tournant/Femelle NPT NPSM Female Swivel/ Female NPT	
Style No.		T1	T2
	9255-02-02	1/8-27	1/8-27
	9255-02-04	1/8-27	1/4-18
	9255-04-02	1/4-18	1/8-27
	9255-04-04	1/4-18	1/4-18
	9255-04-06	1/4-18	3/8-18
	9255-04-08	1/4-18	1/2-14
	9255-06-04	3/8-18	1/4-18
	9255-06-06	3/8-18	3/8-18
	9255-06-08	3/8-18	1/2-14
	9255-08-04	1/2-14	1/4-18
	9255-08-06	1/2-14	3/8-18
	9255-08-08	1/2-14	1/2-14
	9255-12-12	3/4-14	3/4-14
	9255-12-16	3/4-14	1-11 1/2
	9255-16-12	1-11 1/2	3/4-14
	9255-16-16	1-11 1/2	1-11 1/2
	9255-16-20	1-11 1/2	1-11 1/2
	9255-20-20	1-11 1/2	1-11 1/2
	9255-24-24	1 1/2-11 1/2	1 1/2-11 1/2
	9255-32-32	2-11 1/2	2-11 1/2

9205 (1404)R		Femelle NPSM Tournant/Male NPT NPSM Female Swivel/NPT Male		
Style No.		T1	T2	
	9205-02-02	1/8-27	1/8-27	
	9205-02-04	1/8-27	1/4-18	
	9205-04-02	1/4-18	1/8-27	
	9205-04-04	1/4-18	1/4-18	
	9205-04-06	1/4-18	3/8-18	
	FPS X MP	9205-04-08	1/4-18	1/2-14
	9205-06-04	3/8-18	1/4-18	
	9205-06-06	3/8-18	3/8-18	
	9205-06-08	3/8-18	1/2-14	
	9205-08-04	1/2-14	1/4-18	
	9205-08-06	1/2-14	3/8-18	
	9205-08-08	1/2-14	1/2-14	
	9205-08-12	1/2-14	1/2-14	
	9205-12-08	3/4-14	1/2-14	
	9205-12-12	1/2-14	1/2-14	
	9205-12-16	3/4-14	1-11 1/2	
	9205-16-12	1-11 1/2	1/2-14	
	9205-16-16	1-11 1/2	1-11 1/2	
	9205-16-20	1-11 1/2	1 1/4-11 1/2	
	9205-20-16	1 1/4-11 1/2	1-11 1/2	
9205-20-20	1 1/4-11 1/2	1 1/4-11 1/2		
9205-20-24	1 1/4-11 1/2	1 1/2-11 1/2		
9205-24-24	1 1/2-11 1/2	1 1/2-11 1/2		
9205-32-32	2-11 1/2	2-11 1/2		

9256 (6506)R		Femelle JIC Tournant/Femelle NPT JIC Female Swivel/NPT Male	
Style No.		T1	T2
	9256-04-02	7/16-20	1/8-27
	9256-04-04	7/16-20	1/4-18
	9256-06-04	9/16-18	1/4-18
	9256-06-06	9/16-18	3/8-18
	9256-06-08	9/16-18	1/2-14
	9256-08-06	3/4-16	3/8-18
	9256-08-08	3/4-16	1/2-14
	9256-10-06	7/8-14	3/8-18
	9256-10-08	7/8-14	1/2-14
	9256-12-08	1 1/16-12	1/2-14
	9256-12-12	1 1/16-12	3/4-14
	9256-16-16	1 5/16-12	1-11 1/2
	9256-20-20	1 5/8-12	1 1/4-11 1/2
	9256-24-24	1 7/8-12	1 1/2-11 1/2
	9256-32-32	2 1/2-12	2-11 1/2

9315
(6900)
Male "ORB"/Femelle NPSM Tournant
"ORB" Male/NPSM Female Swivel

45° Femelle NPSM Tournant/Male NPT
45° NPSM Female Swivel/NPT Male
9355
(1503)R



MB X FPS



FPS X MP 45°

Style No.	T1	T2
9315-04-02	7/16-20	1/8-27
9315-04-04	7/16-20	1/4-18
9315-04-06	7/16-20	3/8-18
9315-04-08	7/16-20	1/2-14
9315-05-04	1/2-20	1/4-18
9315-06-04	9/16-18	1/4-18
9315-06-06	9/16-18	3/8-18
9315-06-08	9/16-18	1/2-14
9315-08-04	3/4-16	1/4-18
9315-08-06	3/4-16	3/8-18
9315-08-08	3/4-16	1/2-14
9315-08-12	3/4-16	3/4-14
9315-10-04	7/8-14	1/4-18
9315-10-06	7/8-14	3/8-18
9315-10-08	7/8-14	1/2-14
9315-10-12	7/8-14	3/4-14
9315-12-06	1 1/16-12	3/8-18
9315-12-08	1 1/16-12	1/2-14
9315-12-12	1 1/16-12	3/4-14
9315-12-16	1 1/16-12	1-11 1/2
9315-14-12	1 3/16-12	3/4-14
9315-16-12	1 5/16-12	3/4-14
9315-16-16	1 5/16-12	1-11 1/2
9315-16-20	1 5/16-12	1 1/4-11 1/2
9315-20-16	1 5/8-12	1-11 1/2
9315-20-20	1 5/8-12	1 1/4-11 1/2
9315-24-24	1 7/8-12	1 1/2-11 1/2
9315-32-32	2 1/2-12	2-11 1/2

Style No.	T1	T2
9355-02-02	1/8-27	1/8-27
9355-04-02	1/4-18	1/8-27
9355-04-04	1/4-18	1/4-18
9355-04-06	1/4-18	3/8-18
9355-04-08	1/4-18	1/2-14
9355-06-04	3/8-18	1/4-18
9355-06-06	3/8-18	3/8-18
9355-06-08	3/8-18	1/2-14
9355-08-06	1/2-14	3/8-18
9355-08-08	1/2-14	1/2-14
9355-08-12	1/2-14	3/4-14
9355-12-08	3/4-14	1/2-14
9355-12-12	3/4-14	3/4-14
9355-12-16	3/4-14	1-11 1/2
9355-16-12	1-11 1/2	3/4-14
9355-16-16	1-11 1/2	1-11 1/2
9355-16-20	1-11 1/2	1 1/4-11 1/2
9355-20-20	1 1/4-11 1/2	1 1/4-11 1/2
9355-24-24	1 1/2-11 1/2	1 1/2-11 1/2
9355-32-32	2-11 1/2	2-11 1/2

9316
(6402)
Male "ORB"/Femelle JIC Tournant
"ORB" Male/JIC Female Swivel

45° Male "ORB" Ajust./Fem. NPSM Tourn.
45° "ORB" Male Adjust./NPT Fem. Swivel
9365
(6902)



MB X FJS



MB X FPS 45°

Style No.	T1	T2
9316-04-04	7/16-20	7/16-20
9316-04-06	7/16-20	7/16-20
9316-06-04	9/16-18	9/16-18
9316-06-06	9/16-18	9/16-18
9316-06-08	9/16-18	3/4-16
9316-06-12	9/16-18	1 1/16-12
9316-08-06	3/4-16	3/4-16
9316-08-08	3/4-16	3/4-16
9316-10-08	7/8-14	7/8-14
9316-10-10	7/8-14	7/8-14
9316-12-12	1 1/16-12	1 1/16-12
9316-12-16	1 1/16-12	1 1/16-12
9316-16-16	1 5/16-12	1 5/16-12
9316-20-20	1 5/8-12	1 5/8-12
9316-24-24	1 7/8-12	1 1/2-11 1/2

Style No.	T1	T2
9365-04-04	7/16-20	1/4-18
9365-04-06	7/16-20	3/8-18
9365-06-04	9/16-18	1/4-18
9365-06-06	9/16-18	3/8-18
9365-06-08	9/16-18	1/2-14
9365-08-06	3/4-16	3/8-18
9365-08-08	3/4-16	1/2-14
9365-08-12	3/4-16	3/4-14
9365-10-06	7/8-14	3/8-18
9365-10-08	7/8-14	1/2-14
9365-10-12	7/8-14	3/4-14
9365-12-08	1 1/16-12	1/2-14
9365-12-12	1 1/16-12	3/4-14
9365-16-12	1 5/16-12	3/4-14
9365-16-16	1 5/16-12	1-11 1/2
9365-20-20	1 5/8-12	1 1/4-11 1/2
9365-24-24	1 7/8-12	1 1/2-11 1/2

9385 45° Femelle NPSM Tournant/Femelle NPT
(1504)R 45° NPSM Female Swivel/NPT Female

9405 90° Femelle NPSM Tournant/Male NPT
(1501)R 90° NPSM Female Swivel/NPT Male



FPS X FP 45°



FPS X MP 90°

Style No.	T1	T2
9385-02-02	1/8-27	1/8-27
9385-02-04	1/8-27	1/4-18
9385-04-02	1/4-18	1/8-27
9385-04-04	1/4-18	1/4-18
9385-04-06	1/4-18	3/8-18
9385-06-06	3/8-18	3/8-18
9385-06-08	3/8-18	1/2-14
9385-08-08	1/2-14	1/2-14
9385-08-12	1/2-14	3/4-14
9385-12-12	3/4-14	3/4-14
9385-12-16	3/4-14	1-11 1/2
9385-16-16	1-11 1/2	1-11 1/2
9385-20-20	1 1/4-11 1/2	1 1/4-11 1/2
9385-24-24	1 1/2-11 1/2	1 1/2-11 1/2
9385-32-32	2-11 1/2	2-11 1/2

Style No.	T1	T2
9405-02-02	1/8-27	1/8-27
9405-02-04	1/8-27	1/4-18
9405-04-02	1/4-18	1/8-27
9405-04-04	1/4-18	1/4-18
9405-04-06	1/4-18	3/8-18
9405-04-08	1/4-18	1/2-14
9405-06-04	3/8-18	1/4-18
9405-06-06	3/8-18	3/8-18
9405-06-08	3/8-18	1/2-14
9405-06-12	3/8-18	3/4-14
9405-08-04	1/2-14	1/4-18
9405-08-06	1/2-14	3/8-18
9405-08-08	1/2-14	1/2-14
9405-08-12	1/2-14	3/4-14
9405-08-16	1/2-14	1-11 1/2
9405-12-08	3/4-14	1/2-14
9405-12-12	3/4-14	3/4-14
9405-12-16	3/4-14	1-11 1/2
9405-16-12	1-11 1/2	3/4-14
9405-16-16	1-11 1/2	1-11 1/2
9405-16-20	1-11 1/2	1 1/4-11 1/2
9405-20-16	1 1/4-11 1/2	1-11 1/2
9405-20-20	1 1/4-11 1/2	1 1/4-11 1/2
9405-24-24	1 1/2-11 1/2	1 1/2-11 1/2
9405-32-32	2-11 1/2	2-11 1/2

9400 90° Femelle JIC Tournant/Male NPT
(6501)R 90° JIC Female Swivel/NPT Male

9406 90° Femelle NPSM Tournant/Male NPT Long
(1501L)R 90° NPSM Female Swivel/NPT Male Long



FJS X MP 90°



FPS X MP 90° LONG

Style No.	T1	T2
9400-04-02	7/16-20	1/8-27
9400-04-04	7/16-20	1/4-18
9400-05-04	1/2-20	1/4-18
9400-06-04	9/16-18	1/4-18
9400-06-06	9/16-18	3/8-18
9400-06-08	9/16-18	1/2-14
9400-08-06	3/4-16	3/8-18
9400-08-08	3/4-16	1/2-14
9400-10-08	7/8-14	1/2-14
9400-12-12	1 1/16-12	3/4-14
9400-16-12	1 5/16-12	3/4-14
9400-16-16	1 5/16-12	1-11 1/2
9400-20-20	1 5/8-12	1 1/4-11 1/2
9400-24-24	1 1/2-11 1/2	1 1/2-11 1/2

Style No.	T1	T2
9406-04-04	1/4-18	1/4-18
9406-06-06	3/8-18	3/8-18
9406-08-08	1/2-14	1/2-14
9406-12-12	3/4-14	3/4-14
9406-16-16	1-11 1/2	1-11 1/2

9455 (1502)R 90° Femelle NPSM Tournant/Femelle NPT 90° NPSM Female Swivel/NPT Female			
Style No.	T1	T2	
9455-02-02	1/8-27	1/8-27	
9455-04-04	1/4-18	1/4-18	
9455-04-06	1/4-18	3/8-18	
9455-06-04	3/8-18	1/4-18	
9455-06-06	3/8-18	3/8-18	
9455-06-08	3/8-18	1/2-14	
9455-08-06	1/2-14	3/8-18	
9455-08-08	1/2-14	1/2-14	
9455-12-12	3/4-14	3/4-14	
9455-16-16	1-11 1/2	1-11 1/2	
9455-20-20	1 1/4-11 1/2	1 1/4-11 1/2	
9455-24-24	1 1/2-11 1/2	1 1/2-11 1/2	

9515 (6901) 90° Male "ORB"/Femelle NPSM Tournant 90° "ORB" Male/NPSM Female Swivel			
Style No.	T1	T2	
9515-04-04	7/16-20	1/4-18	
9515-04-06	7/16-20	3/8-18	
9515-06-04	9/16-18	1/4-18	
9515-06-06	9/16-18	3/8-18	
9515-06-08	9/16-18	1/2-14	
9515-08-04	3/4-16	1/4-18	
9515-08-05	3/4-16	1/2-20	
9515-08-06	3/4-16	3/8-18	
9515-08-08	3/4-16	1/2-14	
9515-08-12	3/4-16	3/4-14	
9515-10-04	7/8-14	1/4-18	
9515-10-06	7/8-14	3/8-18	
9515-10-08	7/8-14	1/2-14	
9515-10-12	7/8-14	3/4-14	
9515-12-08	1 1/16-12	1/2-14	
9515-12-12	1 1/16-12	3/4-14	
9515-12-16	1 1/16-12	1-11 1/2	
9515-14-12	1 3/16-12	3/4-14	
9515-16-12	1 5/16-12	3/4-14	
9515-16-16	1 5/16-12	1-11 1/2	
9515-20-20	1 5/8-12	1 1/4-11 1/2	
9515-24-24	1 7/8-12	1 1/2-11 1/2	
9515-32-32	2 1/2-12	2-11 1/2	



FPS X FP 90°

MB X FPS 90°

9456 (1602) Té Femelle NPSM Tournant/Femelle NPT Tee NPSM Female Swivel/NPT Female			
Style No.	T1	T2	
9456-02	1/8-27	1/8-27	
9456-04	1/4-18	1/4-18	
9456-06	3/8-18	3/8-18	
9456-08	1/2-14	1/2-14	
9456-12	3/4-14	3/4-14	
9456-16	1-11 1/2	1-11 1/2	
9456-20	1 1/4-11 1/2	1 1/4-11 1/2	

**FPS X FPS X FP TEE
(BRANCH)**


9457 (1601) Té Femelle NPSM Tournant/Male NPT Tee NPSM Female Swivel/NPT Male			
Style No.	T1	T2	
9457-02	1/8-27	1/8-27	
9457-04	1/4-18	1/4-18	
9457-06	3/8-18	3/8-18	
9457-08	1/2-14	1/2-14	
9457-12	3/4-14	3/4-14	
9457-16	1-11 1/2	1-11 1/2	
9457-20	1 1/4-11 1/2	1 1/4-11 1/2	

**FPS X FPS X MP TEE
(BRANCH)**

9458 (1603) Té Femelle NPSM Tournant Tee NPSM Female Swivel			
Style No.	T1	T2	
9458-02	1/8-27	1/8-27	
9458-04	1/4-18	1/4-18	
9458-06	3/8-18	3/8-18	
9458-08	1/2-14	1/2-14	
9458-12	3/4-14	3/4-14	
9458-16	1-11 1/2	1-11 1/2	
9458-20	1 1/4-11 1/2	1 1/4-11 1/2	

FPS X FPS X FPS TEE

9516 (6809) 90° Male "ORB"/Femelle JIC Tournant 90° "ORB" Male/JIC Female Swivel			
Style No.	T1	T2	
9516-04-04	7/16-20	7/16-20	
9516-06-06	9/16-18	9/16-18	
9516-08-06	3/4-16	3/4-16	
9516-08-08	3/4-16	3/4-16	
9516-10-08	7/8-14	7/8-14	
9516-10-10	7/8-14	7/8-14	
9516-12-12	1 1/16-12	1 1/16-12	
9516-16-16	1 5/16-12	1 5/16-12	



MB X FJS 90°