






<b>3179</b> (5406-SHP) <b>Bouchon Tête Carré NPT Male</b> <b>Square Head Plug Male NPT</b>			
	Style No.	T1	
	3179-02	1/8-27	
	3179-04	1/4-18	
	3179-06	3/8-18	
	3179-08	1/2-14	
	3179-12	3/4-14	
	<b>SHP MP</b>	3179-16	1-11 1/2
		3179-20	1 1/4-11 1/2
		<b>3179-24</b>	1 1/2-11 1/2

<b>3209</b> (B5405)R <b>Femelle NPT/Male NPT</b> <b>NPT Female/NPT Male</b>				
	Style No.	T1	T2	
	3209-02-02	1/8-27	1/8-27	
	3209-02-04	1/8-27	1/4-18	
	3209-04-02	1/4-18	1/8-27	
	3209-04-04	1/4-18	1/4-18	
	3209-04-06	1/4-18	3/8-18	
	3209-06-02	3/8-18	1/8-27	
	3209-06-04	3/8-18	1/4-18	
	3209-06-06	3/8-18	3/8-18	
	<b>FP X MP</b>	3209-06-08	3/8-18	1/2-14
		3209-08-02	1/2-14	1/8-27
		3209-08-04	1/2-14	1/4-18
		3209-08-06	1/2-14	3/8-18
		3209-08-08	1/2-14	1/2-14
		3209-08-12	1/2-14	3/4-14
		3209-12-04	3/4-14	1/4-18
		3209-12-06	3/4-14	3/8-18
		3209-12-08	3/4-14	1/2-14
		3209-12-12	3/4-14	3/4-14
		3209-12-16	3/4-14	1-11 1/2
		3209-16-08	1-11 1/2	1/2-14
		3209-16-12	1-11 1/2	3/4-14
		3209-16-16	1-11 1/2	1-11 1/2
		3209-20-16	1 1/4-11 1/2	1-11 1/2
		3209-20-20	1 1/4-11 1/2	1 1/4-11 1/2
	3209-24-20	1 1/2-11 1/2	1 1/4-11 1/2	
	3209-24-24	1 1/2-11 1/2	1 1/2-11 1/2	
	<b>3209-32-32</b>	2-11 1/2	2-11 1/2	


<b>3218</b> (6410) <b>Male "ORB"/Femelle "ORB"</b> <b>"ORB" Male/"ORB" Female</b>				
	Style No.	T1	T2	
	3218-04-04	7/16-20	7/16-20	
	3218-04-06	7/16-20	9/16-18	
	3218-05-04	1/2-20	7/16-20	
	3218-05-06	1/2-20	9/16-18	
	3218-06-04	9/16-18	7/16-20	
	<b>MB X FB</b>	3218-06-06	9/16-18	9/16-18
		3218-06-08	9/16-18	3/4-16


Continue / Cont'd


<b>3218</b> (6410) <b>Male "ORB"/Femelle "ORB"</b> <b>"ORB" Male/"ORB" Female</b>			
	Style No.	T1	T2
	<b>Continue / Cont'd</b>		
	3218-08-04	3/4-16	7/16-20
	3218-08-06	3/4-16	9/16-18
	3218-08-08	3/4-16	3/4-16
	3218-08-10	3/4-16	7/8-14
	3218-08-12	3/4-16	1 1/16-12
	3218-10-04	7/8-14	7/16-20
	3218-10-06	7/8-14	9/16-18
	3218-10-08	7/8-14	3/4-16
	3218-10-12	7/8-14	1 1/16-12
	3218-12-04	1 1/16-12	7/16-20
	3218-12-06	1 1/16-12	9/16-18
	3218-12-08	1 1/16-12	3/4-16
	3218-12-10	1 1/16-12	7/8-14
	3218-12-12	1 1/16-12	1 1/16-12
	3218-12-16	1 1/16-12	1 5/16-12
	3218-14-12	1 3/16-12	1 1/16-12
	3218-16-08	1 5/16-12	3/4-16
	3218-16-10	1 5/16-12	7/8-14
	3218-16-12	1 5/16-12	1 1/16-12
	<b>3218-20-08</b>	1 5/8-12	3/4-16
	3218-20-12	1 5/8-12	1 1/16-12
	3218-20-16	1 5/8-12	1 5/16-12
	<b>3218-24-12</b>	1 7/8-12	1 1/16-12
3218-24-16	1 7/8-12	1 5/16-12	
3218-24-20	1 7/8-12	1 5/8-12	
<b>3218-32-20</b>	2 1/2-12	1 5/8-12	
<b>3218-32-24</b>	2 1/2-12	1 7/8-12	


<b>3239</b> (6404) <b>Femelle "ORB"/Male NPT</b> <b>"ORB" Female/NPT Male</b>			
	Style No.	T1	T2
	3239-04-02	7/16-20	1/8-27
	3239-04-04	7/16-20	1/4-18
	3239-04-06	7/16-20	3/8-18
	3239-05-02	1/2-20	1/8-27
	3239-06-04	9/16-18	1/4-18
	3239-06-06	9/16-18	3/8-18
	3239-06-08	9/16-18	1/2-14
	3239-08-06	3/4-16	3/8-18
	3239-08-08	3/4-16	1/2-14
	3239-10-06	7/8-14	3/8-18
	3239-10-08	7/8-14	1/2-14
	3239-12-12	1 1/16-12	3/4-14
	<b>3239-12-16</b>	1 1/16-12	1-11 1/2
	3239-16-12	1 5/16-12	3/4-14
	3239-16-16	1 5/16-12	1-11 1/2
	<b>3239-20-20</b>	1 5/8-12	1 1/4-11 1/2
	<b>3239-24-24</b>	1 7/8-12	1 1/2-11 1/2

FB X MP

<b>3249</b> (6401)			
Male "ORB"/Male NPT "ORB" Male/NPT Male			
Continue / Cont'd			
	<b>Style No.</b>	T1	T2
	3249-04-02	7/16-20	1/8-27
	3249-04-04	7/16-20	1/4-18
<b>3249-04-08</b>			
	3249-06-04	9/16-18	3/8-18
<b>3249-06-06</b>			
	3249-06-06	9/16-18	3/8-18
<b>3249-06-08</b>			
	3249-06-12	9/16-18	1/2-14
<b>3249-06-16</b>			
	3249-08-04	3/4-16	1/4-18
	3249-08-06	3/4-16	3/8-18
	3249-08-08	3/4-16	1/2-14
	3249-08-12	3/4-16	3/4-14
	3249-10-06	7/8-14	3/8-18
	3249-10-08	7/8-14	1/2-14
	3249-10-12	7/8-14	3/4-14
	3249-12-08	1 1/16-12	1/2-14
	3249-12-12	1 1/16-12	3/4-14
	3249-12-16	1 1/16-12	1-11 1/2
<b>3249-14-12</b>			
	3249-16-12	1 3/16-12	3/4-14
	3249-16-16	1 5/16-12	3/4-14
	3249-16-16	1 5/16-12	1-11 1/2
	3249-20-20	1 5/8-12	1 1/4-11 1/2
	3249-24-24	1 7/8-12	1 1/2-11 1/2
	3249-32-32	2 1/2-12	2-11 1/2


<b>3269</b> (6405)				
Male "ORB"/Femelle NPT "ORB" Male/NPT Female				
Style No.				
Continue / Cont'd				
	T1	T2		
	3269-12-06	1 1/16-12	3/8-18	
	3269-12-08	1 1/16-12	1/2-14	
	3269-12-12	1 1/16-12	3/4-14	
	3269-12-16	1 1/16-12	1-11 1/2	
	3269-14-12	1 3/16-12	3/4-14	
	3269-16-06	1 1/16-12	3/8-18	
	3269-16-08	1 1/16-12	1/2-14	
	3269-16-12	1 5/16-12	3/4-14	
	3269-16-16	1 5/16-12	1-11 1/2	
	3269-16-20	1 5/16-12	1 1/2-11 1/2	
	3269-20-12	1 5/8-12	3/4-14	
	3269-20-16	1 5/8-12	1-11 1/2	
	3269-20-20	1 5/8-12	1 1/4-11 1/2	
<b>3269-20-24</b>				
	3269-24-16	1 7/8-12	1-11 1/2	
	3269-24-20	1 7/8-12	1 1/4-11 1/2	
	3269-24-24	1 7/8-12	1 1/2-11 1/2	
	3269-32-32	2 1/2-12	2-11 1/2	

<b>3269</b> (6405)				
Male "ORB"/Femelle NPT "ORB" Male/NPT Female				
Style No.				
	T1	T2		
	3269-02-02	5/16-24	1/8-27	
<b>3269-03-04</b>				
	3269-04-02	7/16-20	1/8-27	
	3269-04-04	7/16-20	1/4-18	
<b>3269-04-06</b>				
	3269-05-02	1/2-20	1/8-27	
	3269-05-04	1/2-20	1/4-18	
	3269-06-02	9/16-18	1/8-27	
	3269-06-04	9/16-18	1/4-18	
	3269-06-06	9/16-18	3/8-18	
	3269-06-08	9/16-18	1/2-14	
<b>3269-06-12</b>				
	3269-06-16	9/16-18	3/4-14	
	3269-08-04	3/4-16	1/4-18	
	3269-08-06	3/4-16	3/8-18	
	3269-08-08	3/4-16	1/2-14	
	3269-10-04	7/8-14	1/4-18	
	3269-10-06	7/8-14	3/8-18	
	3269-10-08	7/8-14	1/2-14	
	3269-10-12	7/8-14	3/4-14	
Continue / Cont'd				

<b>3309</b> (5000)				
Femelle NPT/Femelle NPT NPT Female/NPT Female				
Style No.				
	T1	T2		
	3309-02-02	1/8-27	1/8-27	
	3309-04-02	1/4-18	1/8-27	
	3309-04-04	1/4-18	1/4-18	
	3309-06-02	3/8-18	1/8-27	
	3309-06-04	3/8-18	1/4-18	
	3309-06-06	3/8-18	3/8-18	
	3309-08-04	1/2-14	1/4-18	
	3309-08-06	1/2-14	3/8-18	
	3309-08-08	1/2-14	1/2-14	
	3309-12-08	3/4-14	1/2-14	
	3309-12-12	3/4-14	3/4-14	
	3309-16-12	1-11 1/2	3/4-14	
	3309-16-16	1-11 1/2	1-11 1/2	
<b>3309-20-16</b>				
	3309-20-20	1 1/4-11 1/2	1-11 1/2	
	3309-24-24	1 1/2-11 1/2	1 1/2-11 1/2	
	3309-32-32	2-11 1/2	2-11 1/2	


<b>3359</b> (5503)			
45° Femelle NPT/Male NPT 45° NPT Female/NPT Male			
Style No.	T1	T2	
3359-02-02	1/8-27	1/8-27	
3359-04-04	1/4-18	1/4-18	
3359-06-06	3/8-18	3/8-18	
3359-08-08	1/2-14	1/2-14	
3359-12-12	3/4-14	3/4-14	
3359-16-16	1-11 1/2	1-11 1/2	
3359-20-20	1 1/4-11 1/2	1 1/4-11 1/2	
3359-24-24	1 1/2-11 1/2	1 1/2-11 1/2	
3359-32-32	2-11 1/2	2-11 1/2	

**FP X MP 45°**




<b>3439</b> (5702)			
90° Femelle NPT/Male NPT Tournant 90° NPT Female/NPT Male Swivel			
Style No.	T1	T2	
3439-04-04	1/4-18	1/4-18	
3439-06-06	3/8-18	3/8-18	
3439-08-08	1/2-14	1/2-14	
3439-12-12	3/4-14	3/4-14	

**MPS X FP 90°**




<b>3449</b> (6806)			
90° Male "ORB" Adjustable/Male NPT 90° "ORB" Male Adjustable/NPT Male			
Style No.	T1	T2	
3449-04-04	7/16-20	1/4-18	
3449-06-04	9/16-18	1/4-18	
3449-06-06	9/16-18	3/8-18	
3449-08-06	3/4-16	3/8-18	
3449-08-08	3/4-16	1/2-14	
3449-10-08	7/8-14	1/2-14	
3449-12-12	1 1/16-12	3/4-14	
3449-16-16	1 5/16-12	1-11 1/2	
<b>3449-20-20</b>	1 5/8-12	1 1/4-11 1/2	

**MB X MP 90°**




<b>3459</b> (6805)			
90° Male "ORB" Adjustable/Femelle NPT 90° "ORB" Male Adjustable/NPT Female			
Style No.	T1	T2	
3459-04-02	7/16-20	1/8-27	
3459-04-04	7/16-20	1/4-18	
3459-05-02	1/2-20	1/8-27	
3459-06-04	9/16-18	1/4-18	
3459-06-06	9/16-18	3/8-18	
3459-08-06	3/4-16	3/8-18	
3459-08-08	3/4-16	1/2-14	
3459-10-08	7/8-14	1/2-14	
3459-12-12	1 1/16-12	3/4-14	
3459-16-16	1 5/16-12	1-11 1/2	
3459-20-20	1 5/8-12	1 1/4-11 1/2	

**MB X FP 90°**




<b>3469</b> (6805LL)			
90° Male "ORB" Adjustable/Femelle NPT-Long 90° "ORB" Male Adjustable/NPT Female-Long			
Style No.	T1	T2	
3469-08-06	3/4-16	3/8-18	
3469-10-08	7/8-14	1/2-14	
3469-12-12	1 1/16-12	3/4-14	
3469-16-16	1 5/16-12	1-11 1/2	

**MB X FP 90° LONG**




<b>3369</b> (5501)			
45° Male NPT/Male NPT 45° NPT Male/NPT Male			
Style No.	T1	T2	
3369-02-02	1/8-27	1/8-27	
3369-04-04	1/4-18	1/4-18	
3369-06-06	3/8-18	3/8-18	
3369-08-08	1/2-14	1/2-14	
3369-12-12	3/4-14	3/4-14	
3369-16-16	1-11 1/2	1-11 1/2	
3369-20-20	1 1/4-11 1/2	1 1/4-11 1/2	

**MP X MP 45°**





<b>3409</b> (5502)R			
90° Femelle NPT/Male NPT 90° NPT Female/NPT Male			
Style No.	T1	T2	
3409-02-02	1/8-27	1/8-27	
3409-02-04	1/8-27	1/4-18	
3409-04-02	1/4-18	1/8-27	
3409-04-04	1/4-18	1/4-18	
3409-04-06	1/4-18	3/8-18	
<b>3409-04-08</b>	1/4-18	1/2-14	
3409-06-04	3/8-18	1/4-18	
3409-06-06	3/8-18	3/8-18	
3409-06-08	3/8-18	1/2-14	
3409-08-06	1/2-14	1/2-14	
3409-08-08	1/2-14	3/4-14	
3409-08-12	1/2-14	3/4-14	
3409-12-08	3/4-14	1/2-14	
3409-12-12	3/4-14	3/4-14	
3409-12-16	3/4-14	1-11 1/2	
3409-16-12	1-11 1/2	3/4-14	
3409-16-16	1-11 1/2	1-11 1/2	
3409-20-20	1 1/4-11 1/2	1 1/4-11 1/2	
3409-24-24	1 1/2-11 1/2	1 1/2-11 1/2	
<b>3409-32-20</b>	2-11 1/2	1 1/4-11 1/2	
3409-32-32	2-11 1/2	2-11 1/2	

**FP X MP 90°**



**9315**  
(6900) Male "ORB"/Femelle NPSM Tournant  
"ORB" Male/NPSM Female Swivel

**45° Femelle NPSM Tournant/Male NPT**  
**45° NPSM Female Swivel/NPT Male** **9355**  
(1503)R



**MB X FPS**


**FPS X MP 45°**

Style No.	T1	T2
9315-04-02	7/16-20	1/8-27
9315-04-04	7/16-20	1/4-18
9315-04-06	7/16-20	3/8-18
9315-04-08	7/16-20	1/2-14
9315-05-04	1/2-20	1/4-18
9315-06-04	9/16-18	1/4-18
9315-06-06	9/16-18	3/8-18
9315-06-08	9/16-18	1/2-14
9315-08-04	3/4-16	1/4-18
9315-08-06	3/4-16	3/8-18
9315-08-08	3/4-16	1/2-14
9315-08-12	3/4-16	3/4-14
9315-10-04	7/8-14	1/4-18
9315-10-06	7/8-14	3/8-18
9315-10-08	7/8-14	1/2-14
9315-10-12	7/8-14	3/4-14
9315-12-06	1 1/16-12	3/8-18
9315-12-08	1 1/16-12	1/2-14
9315-12-12	1 1/16-12	3/4-14
9315-12-16	1 1/16-12	1-11 1/2
9315-14-12	1 3/16-12	3/4-14
9315-16-12	1 5/16-12	3/4-14
9315-16-16	1 5/16-12	1-11 1/2
9315-16-20	1 5/16-12	1 1/4-11 1/2
9315-20-16	1 5/8-12	1-11 1/2
9315-20-20	1 5/8-12	1 1/4-11 1/2
9315-24-24	1 7/8-12	1 1/2-11 1/2
9315-32-32	2 1/2-12	2-11 1/2

Style No.	T1	T2
9355-02-02	1/8-27	1/8-27
9355-04-02	1/4-18	1/8-27
9355-04-04	1/4-18	1/4-18
9355-04-06	1/4-18	3/8-18
9355-04-08	1/4-18	1/2-14
9355-06-04	3/8-18	1/4-18
9355-06-06	3/8-18	3/8-18
9355-06-08	3/8-18	1/2-14
9355-08-06	1/2-14	3/8-18
9355-08-08	1/2-14	1/2-14
9355-08-12	1/2-14	3/4-14
9355-12-08	3/4-14	1/2-14
9355-12-12	3/4-14	3/4-14
9355-12-16	3/4-14	1-11 1/2
9355-16-12	1-11 1/2	3/4-14
9355-16-16	1-11 1/2	1-11 1/2
9355-16-20	1-11 1/2	1 1/4-11 1/2
9355-20-20	1 1/4-11 1/2	1 1/4-11 1/2
9355-24-24	1 1/2-11 1/2	1 1/2-11 1/2
9355-32-32	2-11 1/2	2-11 1/2

**9316**  
(6402) Male "ORB"/Femelle JIC Tournant  
"ORB" Male/JIC Female Swivel

**45° Male "ORB" Ajust./Fem. NPSM Tourn.**  
**45° "ORB" Male Adjust./NPT Fem. Swivel** **9365**  
(6902)





**MB X FJS**


**MB X FPS 45°**


Style No.	T1	T2
9316-04-04	7/16-20	7/16-20
9316-04-06	7/16-20	7/16-20
9316-06-04	9/16-18	9/16-18
9316-06-06	9/16-18	9/16-18
9316-06-08	9/16-18	3/4-16
9316-06-12	9/16-18	1 1/16-12
9316-08-06	3/4-16	3/4-16
9316-08-08	3/4-16	3/4-16
9316-10-08	7/8-14	7/8-14
9316-10-10	7/8-14	7/8-14
9316-12-12	1 1/16-12	1 1/16-12
9316-12-16	1 1/16-12	1 1/16-12
9316-16-16	1 5/16-12	1 5/16-12
9316-20-20	1 5/8-12	1 5/8-12
9316-24-24	1 7/8-12	1 1/2-11 1/2


Style No.	T1	T2
9365-04-04	7/16-20	1/4-18
9365-04-06	7/16-20	3/8-18
9365-06-04	9/16-18	1/4-18
9365-06-06	9/16-18	3/8-18
9365-06-08	9/16-18	1/2-14
9365-08-06	3/4-16	3/8-18
9365-08-08	3/4-16	1/2-14
9365-08-12	3/4-16	3/4-14
9365-10-06	7/8-14	3/8-18
9365-10-08	7/8-14	1/2-14
9365-10-12	7/8-14	3/4-14
9365-12-08	1 1/16-12	1/2-14
9365-12-12	1 1/16-12	3/4-14
9365-16-12	1 5/16-12	3/4-14
9365-16-16	1 5/16-12	1-11 1/2
9365-20-20	1 5/8-12	1 1/4-11 1/2
9365-24-24	1 7/8-12	1 1/2-11 1/2


<b>9455</b> (1502)R			
90° Femelle NPSM Tournant/Femelle NPT		90° NPSM Female Swivel/NPT Female	
	Style No.	T1	T2
	9455-02-02	1/8-27	1/8-27
	9455-04-04	1/4-18	1/4-18
	9455-04-06	1/4-18	3/8-18
	9455-06-04	3/8-18	1/4-18
	9455-06-06	3/8-18	3/8-18
	9455-06-08	3/8-18	1/2-14
	9455-08-06	1/2-14	3/8-18
	9455-08-08	1/2-14	1/2-14
	9455-12-12	3/4-14	3/4-14
	9455-16-16	1-11 1/2	1-11 1/2
	9455-20-20	1 1/4-11 1/2	1 1/4-11 1/2
	9455-24-24	1 1/2-11 1/2	1 1/2-11 1/2
	<b>FPS X FP 90°</b>		

<b>9515</b> (6901)			
90° Male "ORB"/Femelle NPSM Tournant		90° "ORB" Male/NPSM Female Swivel	
	Style No.	T1	T2
	9515-04-04	7/16-20	1/4-18
	9515-04-06	7/16-20	3/8-18
	9515-06-04	9/16-18	1/4-18
	9515-06-06	9/16-18	3/8-18
	9515-06-08	9/16-18	1/2-14
	9515-08-04	3/4-16	1/4-18
	9515-08-05	3/4-16	1/2-20
	9515-08-06	3/4-16	3/8-18
	9515-08-08	3/4-16	1/2-14
	9515-08-12	3/4-16	3/4-14
	9515-10-04	7/8-14	1/4-18
	9515-10-06	7/8-14	3/8-18
	9515-10-08	7/8-14	1/2-14
	9515-10-12	7/8-14	3/4-14
	9515-12-08	1 1/16-12	1/2-14
	9515-12-12	1 1/16-12	3/4-14
	9515-12-16	1 1/16-12	1-11 1/2
	9515-14-12	1 3/16-12	3/4-14
	9515-16-12	1 5/16-12	3/4-14
	9515-16-16	1 5/16-12	1-11 1/2
	9515-20-20	1 5/8-12	1 1/4-11 1/2
	9515-24-24	1 7/8-12	1 1/2-11 1/2
	9515-32-32	2 1/2-12	2-11 1/2
<b>MB X FPS 90°</b>			

<b>9456</b> (1602)				
Té Femelle NPSM Tournant/Femelle NPT		Tee NPSM Female Swivel/NPT Female		
	Style No.	T1	T2	
	9456-02	1/8-27	1/8-27	
	9456-04	1/4-18	1/4-18	
	9456-06	3/8-18	3/8-18	
	9456-08	1/2-14	1/2-14	
	9456-12	3/4-14	3/4-14	
	9456-16	1-11 1/2	1-11 1/2	
	9456-20	1 1/4-11 1/2	1 1/4-11 1/2	
	<b>FPS X FPS X FP TEE</b>			
	<b>(BRANCH)</b>			

<b>9457</b> (1601)				
Té Femelle NPSM Tournant/Male NPT		Tee NPSM Female Swivel/NPT Male		
	Style No.	T1	T2	
	9457-02	1/8-27	1/8-27	
	9457-04	1/4-18	1/4-18	
	9457-06	3/8-18	3/8-18	
	9457-08	1/2-14	1/2-14	
	9457-12	3/4-14	3/4-14	
	9457-16	1-11 1/2	1-11 1/2	
	9457-20	1 1/4-11 1/2	1 1/4-11 1/2	
	<b>FPS X FPS X MP TEE</b>			
	<b>(BRANCH)</b>			

<b>9458</b> (1603)				
Té Femelle NPSM Tournant		Tee NPSM Female Swivel		
	Style No.	T1	T2	
	9458-02	1/8-27	1/8-27	
	9458-04	1/4-18	1/4-18	
	9458-06	3/8-18	3/8-18	
	9458-08	1/2-14	1/2-14	
	9458-12	3/4-14	3/4-14	
	9458-16	1-11 1/2	1-11 1/2	
	9458-20	1 1/4-11 1/2	1 1/4-11 1/2	
	<b>FPS X FPS X FPS TEE</b>			

<b>9516</b> (6809)			
90° Male "ORB"/Femelle JIC Tournant		90° "ORB" Male/JIC Female Swivel	
	Style No.	T1	T2
	9516-04-04	7/16-20	7/16-20
	9516-06-06	9/16-18	9/16-18
	9516-08-06	3/4-16	3/4-16
	9516-08-08	3/4-16	3/4-16
	9516-10-08	7/8-14	7/8-14
	9516-10-10	7/8-14	7/8-14
	9516-12-12	1 1/16-12	1 1/16-12
	9516-16-16	1 5/16-12	1 5/16-12
	<b>MB X FJS 90°</b>		