






5315 (6400)			
Male JIC/Male "ORB" JIC Male/"ORB" Male			
Style No.	T1	T2	
			
5315-02-02	5/16-24	5/16-24	
5315-03-02	3/8-24	5/16-24	
5315-03-03	3/8-24	3/8-24	
5315-03-04	3/8-24	7/16-20	
5315-04-02	7/16-20	5/16-24	
MJ X MB	5315-04-03	7/16-20	3/8-24
	5315-04-04	7/16-20	7/16-20
	5315-04-05	7/16-20	1/2-20
	5315-04-06	7/16-20	9/16-18
	5315-04-08	7/16-20	3/4-16
	5315-04-10	7/16-20	7/8-14
	5315-05-03	1/2-20	3/8-24
	5315-05-04	1/2-20	7/16-20
	5315-05-05	1/2-20	1/2-20
	5315-05-06	1/2-20	9/16-18
	5315-05-08	1/2-20	3/4-16
	5315-06-04	9/16-18	7/16-20
	5315-06-05	9/16-18	1/2-20
	5315-06-06	9/16-18	9/16-18
	5315-06-08	9/16-18	3/4-16
	5315-06-10	9/16-18	7/8-14
	5315-06-12	9/16-18	1 1/16-12
	5315-08-04	3/4-16	7/16-20
	5315-08-05	3/4-16	1/2-20
	5315-08-06	3/4-16	9/16-18
	5315-08-08	3/4-16	3/4-16
	5315-08-10	3/4-16	7/8-14
	5315-08-12	3/4-16	1 1/16-12
	5315-08-16	3/4-16	1 5/16-12
	5315-08-20	3/4-16	1 5/8-12
	5315-10-04	7/8-14	7/16-20
	5315-10-06	7/8-14	9/16-18
	5315-10-08	7/8-14	3/4-16
	5315-10-10	7/8-14	7/8-14
	5315-10-12	7/8-14	1 1/16-12
	5315-10-16	7/8-14	1 5/16-12
	5315-12-06	1 1/16-12	9/16-18
	5315-12-08	1 1/16-12	3/4-16
	5315-12-10	1 1/16-12	7/8-14
	5315-12-12	1 1/16-12	1 1/16-12
	5315-12-14	1 1/16-12	1 3/16-12
	5315-12-16	1 1/16-12	1 5/16-12
	5315-12-20	1 1/16-12	1 5/8-12
	5315-14-12	1 3/16-12	1 1/16-12
	5315-14-14	1 3/16-12	1 3/16-12
	5315-14-16	1 3/16-12	1 5/16-12
	5315-16-06	1 5/16-12	9/16-18
	5315-16-08	1 5/16-12	3/4-16
Continue / Cont'd			

5315 (6400)			
Male JIC/Male "ORB" JIC Male/"ORB" Male			
Style No.	T1	T2	
			
Continue / Cont'd			
5315-16-10	1 5/16-12	7/8-14	
5315-16-12	1 5/16-12	1 1/16-12	
5315-16-14	1 5/16-12	1 3/16-12	
5315-16-16	1 5/16-12	1 5/16-12	
5315-16-20	1 5/16-12	1 5/8-12	
5315-16-24	1 5/16-12	1 7/8-12	
5315-20-12	1 5/8-12	1 1/16-12	
5315-20-16	1 5/8-12	1 5/16-12	
5315-20-20	1 5/8-12	1 5/8-12	
5315-20-24	1 5/8-12	1 7/8-12	
5315-24-16	1 7/8-12	1 5/16-12	
5315-24-20	1 7/8-12	1 5/8-12	
5315-24-24	1 7/8-12	1 7/8-12	
5315-24-32	1 7/8-12	2 1/2-12	
5315-32-24	2 1/2-12	2 1/2-12	
5315-32-32	2 1/2-12	2 1/2-12	
MJ X MB			

5316 (6400L)			
Male JIC/Male "ORB" - Long JIC Male/"ORB" Male - Long			
Style No.	T1	T2	
			
5316-04-04	7/16-20	7/16-20	
5316-06-06	9/16-18	9/16-18	
5316-06-08	9/16-18	3/4-16	
5316-08-08	3/4-16	3/4-16	
5316-10-10	7/8-14	7/8-14	
5316-12-12	1 1/16-12	1 1/16-12	
5316-16-16	1 5/16-12	1 5/16-12	
MJ X MB LONG			


5325 (2700)			
Male JIC/Cloison Male JIC JIC Male/JIC Male Bulkhead			
Style No.	T1	T2	
			
5325-04-04	7/16-20	7/16-20	
5325-05-05	1/2-20	1/2-20	
5325-06-06	9/16-18	9/16-18	
5325-08-08	3/4-16	3/4-16	
5325-10-10	7/8-14	7/8-14	
5325-12-12	1 1/16-12	1 1/16-12	
5325-14-14	1 3/16-12	1 3/16-12	
5325-16-16	1 5/16-12	1 5/16-12	
5325-20-20	1 5/8-12	1 5/8-12	
5325-24-24	1 7/8-12	1 7/8-12	
MJ X MJ BH			
Si l'écrou cloison est requise commandez sous 5325-LN-			
If Bulkhead Nut is needed, simply order as 5325-LN-			

5345 45° Male JIC/Male JIC
(2504) 45° JIC Male/JIC Male



Style No.	T1	T2
5345-04-04	7/16-20	7/16-20
5345-06-04	9/16-18	7/16-20
5345-06-06	9/16-18	9/16-18
5345-08-04	3/4-16	7/16-20
5345-08-06	3/4-16	9/16-18
5345-08-08	3/4-16	3/4-16
5345-10-10	7/8-14	7/8-14
MJ X MJ 45°	5345-12-12	1 1/16-12
	5345-16-16	1 5/16-12


45° Femelle JIC/Male JIC
45° JIC Female/JIC Male **5356**
(6502)



Style No.	T1	T2
5356-04-04	7/16-20	7/16-20
5356-05-05	1/2-20	1/2-20
5356-06-06	9/16-18	9/16-18
5356-08-08	3/4-16	3/4-16
5356-10-08	7/8-14	3/4-16
5356-10-10	7/8-14	7/8-14
5356-12-12	1 1/16-12	1 1/16-12
5356-14-14	1 3/16-12	1 3/16-12
5356-16-16	1 5/16-12	1 5/16-12
5356-20-20	1 5/8-12	1 5/8-12
5356-24-24	1 7/8-12	1 7/8-12
5356-32-32	2 1/2-12	2 1/2-12


FJ X MJ 45°

5355 45° Male JIC/Male NPT
(2503) 45° JIC Male/NPT Male



Style No.	T1	T2
5355-02-02	5/16-24	1/8-27
5355-03-02	3/8-24	1/8-27
5355-04-02	7/16-20	1/8-27
5355-04-04	7/16-20	1/4-18
5355-04-06	7/16-20	3/8-18
5355-05-02	1/2-20	1/8-27
5355-05-04	1/2-20	1/4-18
MJ X MP 45°	5355-06-02	9/16-18
	5355-06-04	9/16-18
	5355-06-06	9/16-18
	5355-06-08	9/16-18
	5355-06-08	9/16-18
	5355-06-08	9/16-18
	5355-08-04	3/4-16
	5355-08-06	3/4-16
	5355-08-08	3/4-16
	5355-08-12	3/4-16
	5355-10-06	7/8-14
	5355-10-08	7/8-14
	5355-10-12	7/8-14
	5355-12-08	1 1/16-12
	5355-12-12	1 1/16-12
	5355-12-16	1 1/16-12
	5355-14-12	1 3/16-12
	5355-16-12	1 5/16-12
	5355-16-16	1 5/16-12
	5355-16-20	1 5/16-12
	5355-20-16	1 5/8-12
	5355-20-20	1 5/8-12
	5355-20-20	1 5/8-12
	5355-24-24	1 7/8-12
	5355-32-32	2 1/2-12

45° Male JIC/Male "ORB" Adjustable
45° JIC Male/"ORB" Male Adjustable **5365**
(6802)




Style No.	T1	T2
5365-04-04	7/16-20	7/16-20
5365-04-06	7/16-20	9/16-18
5365-05-05	1/2-20	1/2-20
5365-06-04	9/16-18	7/16-20
5365-06-05	9/16-18	1/2-20
5365-06-06	9/16-18	9/16-18
5365-06-08	9/16-18	3/4-16
5365-06-10	9/16-18	7/8-14
5365-08-06	3/4-16	9/16-18
5365-08-08	3/4-16	3/4-16
5365-08-10	3/4-16	7/8-14
5365-08-12	3/4-16	1 1/16-12
5365-10-06	7/8-14	9/16-18
5365-10-08	7/8-14	3/4-16
5365-10-10	7/8-14	7/8-14
5365-10-12	7/8-14	1 1/16-12
5365-12-08	1 1/16-12	3/4-16
5365-12-10	1 1/16-12	7/8-14
5365-12-12	1 1/16-12	1 1/16-12
5365-12-16	1 1/16-12	1 5/16-12
5365-14-14	1 3/16-12	1 3/16-12
5365-16-12	1 5/16-12	1 1/16-12
5365-16-16	1 5/16-12	1 5/16-12
5365-16-20	1 5/16-12	1 5/8-12
5365-20-16	1 5/8-12	1 5/16-12
5365-20-20	1 5/8-12	1 5/8-12
5365-20-24	1 5/8-12	1 7/8-12
5365-24-24	1 7/8-12	1 7/8-12

MJ X MB 45°

5515
(6801)

90° Male JIC/Male "ORB" Ajustable
90° JIC Male/"ORB" Male Adjustable



MJ X MB 90°

Style No.	T1	T2
5515-02-02	5/16-24	5/16-24
5515-03-03	3/8-24	3/8-24
5515-04-02	7/16-20	5/16-24
5515-04-03	7/16-20	3/8-24
5515-04-04	7/16-20	7/16-20
5515-04-05	7/16-20	1/2-20
5515-04-06	7/16-20	9/16-18
5515-04-08	7/16-20	3/4-14
5515-04-10	7/16-20	7/8-14
5515-05-04	1/2-20	7/16-20
5515-05-05	1/2-20	1/2-20
5515-05-06	1/2-20	9/16-18
5515-05-08	1/2-20	3/4-16
5515-06-04	9/16-18	7/16-20
5515-06-05	9/16-18	1/2-20
5515-06-06	9/16-18	9/16-18
5515-06-08	9/16-18	3/4-16
5515-06-10	9/16-18	7/8-14
5515-06-12	9/16-18	1 1/16-12
5515-08-04	3/4-16	7/16-20
5515-08-05	3/4-16	1/2-20
5515-08-06	3/4-16	9/16-18
5515-08-08	3/4-16	3/4-16
5515-08-10	3/4-16	7/8-14
5515-08-12	3/4-16	1 1/16-12
5515-08-16	3/4-16	1 5/16-12
5515-10-06	7/8-14	9/16-18
5515-10-08	7/8-14	3/4-16
5515-10-10	7/8-14	7/8-14
5515-10-12	7/8-14	1 1/16-12
5515-10-16	7/8-14	1 5/16-12
5515-12-06	1 1/16-12	9/16-18
5515-12-08	1 1/16-12	3/4-16
5515-12-10	1 1/16-12	7/8-14
5515-12-12	1 1/16-12	1 1/16-12
5515-12-16	1 1/16-12	1 5/16-12
5515-12-20	1 1/16-12	1 5/8-12
5515-14-14	1 3/16-12	1 3/16-12
5515-14-16	1 3/16-12	1 5/16-12
5515-16-08	1 5/16-12	3/4-16
5515-16-10	1 5/16-12	7/8-14
5515-16-12	1 5/16-12	1 1/16-12
5515-16-14	1 5/16-12	1 3/16-12
5515-16-16	1 5/16-12	1 5/16-12
5515-16-20	1 5/16-12	1 5/8-12
5515-16-24	1 5/16-12	1 7/8-12
5515-20-16	1 5/8-12	1 5/16-12
5515-20-20	1 5/8-12	1 5/8-12


Continue / Cont'd

90° Male JIC/Male "ORB" Ajustable
90° JIC Male/"ORB" Male Adjustable

5515
(6801)

Continue / Cont'd

Style No.	T1	T2
5515-20-24	1 5/8-12	1 7/8-12
5515-24-20	1 7/8-12	1 5/8-12
5515-24-24	1 7/8-12	1 7/8-12
5515-32-32	2 1/2-12	2 1/2-12




MJ X MB 90°

90° Male JIC/Male "ORB" Ajustable EX-Long
90° JIC Male/"ORB" Male Adjustable EX-Long

5516
(6801LL)

Style No.	T1	T2
5516-04-04	7/16-20	7/16-20
5516-06-06	9/16-18	9/16-18
5516-08-08	3/4-16	3/4-16
5516-08-10	3/4-16	7/8-14
5516-10-10	7/8-14	7/8-14
5516-12-12	1 1/16-12	1 1/16-12
5516-16-12	1 5/16-12	1 1/16-12
5516-16-16	1 5/16-12	1 5/16-12
5516-20-20	1 5/8-12	1 5/8-12
5516-24-24	1 7/8-12	1 7/8-12




MJ X MB 90° LONG

90° Male JIC/Male JIC Cloison
90° JIC Male/JIC Male Bulkhead

5525
(2701)

Style No.	T1	T2
5525-04-04	7/16-20	7/16-20
5525-05-05	1/2-20	1/2-20
5525-06-06	9/16-18	9/16-18
5525-08-08	3/4-16	3/4-16
5525-10-10	7/8-14	7/8-14
5525-12-12	1 1/16-12	1 1/16-12
5525-16-16	1 5/16-12	1 5/16-12
5525-20-20	1 5/8-12	1 5/8-12
5525-24-24	1 7/8-12	1 7/8-12




MJ X MJ 90° BH

Si l'écrou cloison est requise commandez sous 5525-LN-
If Bulkhead Nut is needed, simply order as 5525-LN-

5708
(6606)

Té Femelle JIC
Tee JIC Female




Style No.	T1
5708-04	7/16-20
5708-05	1/2-20
5708-06	9/16-18
5708-08	3/4-16
5708-12	1 1/16-12
5708-16	1 5/16-12

FJS X FJS X FJS TEE

5725
(2703)

Té Male JIC/Cloison Male JIC
Tee JIC Male/JIC Male Bulkhead




Style No.	T1
5725-04	7/16-20
5725-05	1/2-20
5725-06	9/16-18
5725-08	3/4-16
5725-10	7/8-14
5725-12	1 1/16-12
5725-16	1 5/16-12
5725-20	1 5/8-12

MJ X MJ X MJ BH TEE
(BRANCH)

Si l'écrou cloison est requise commandez sous 5725-LN-
If Bulkhead Nut is needed, simply order as 5725-LN-

5715
(6803)

Té Male JIC/Male "ORB" Ajustable
Tee JIC Male/"ORB" Male Adjustable




Style No.	T1	T2
5715-04	7/16-20	7/16-20
5715-04-06	7/16-20	9/16-18
5715-05	1/2-20	1/2-20
5715-06	9/16-18	9/16-18
5715-08-06	3/4-16	9/16-18
5715-08	3/4-16	3/4-16
5715-08-10	3/4-16	7/8-14
5715-10	7/8-14	7/8-14
5715-10-08	7/8-14	3/4-16
5715-10	7/8-14	7/8-14
5715-12-08	1 1/16-12	3/4-16
5715-12-10	1 1/16-12	7/8-14
5715-12	1 1/16-12	1 1/16-12
5715-14	1 3/16-12	1 3/16-12
5715-16	1 5/16-12	1 5/16-12
5715-20	1 5/8-12	1 5/8-12
5715-24	1 7/8-12	1 7/8-12

MJ X MJ X MB TEE
(BRANCH)

5726
(2704)

Té Male JIC/Cloison Male JIC
Tee JIC Male/JIC Male Bulkhead




Style No.	T1
5726-06-06	9/16-18
5726-08-08	3/4-16
5726-10-10	7/8-14
5726-12-12	1 1/16-12
5726-16-16	1 5/16-12
5726-20-20	1 5/8-12

MJ X MJ X MJ BH TEE
(RUN)

Si l'écrou cloison est requise commandez sous 5726-LN-
If Bulkhead Nut is needed, simply order as 5726-LN-

5716
(6804)

Té Male JIC/Male "ORB" Ajustable
Tee JIC Male/"ORB" Male Adjustable




Style No.	T1	T2
5716-04	7/16-20	7/16-20
5716-04-06	7/16-20	9/16-18
5716-05	1/2-20	1/2-20
5716-06	9/16-18	9/16-18
5716-06-04	9/16-18	7/16-20
5716-08	3/4-16	3/4-16
5716-10	7/8-14	7/8-14
5716-10-08	7/8-14	3/4-16
5716-12	1 1/16-12	1 1/16-12
5716-14	1 3/16-12	1 3/16-12
5716-16	1 5/16-12	1 5/16-12
5716-20	1 5/8-12	1 5/8-12
5716-24	1 7/8-12	1 7/8-12

MJ X MJ X MB TEE
(RUN)

5755
(2605)

Té Male JIC/Male NPT
Tee JIC Male/NPT Male





Style No.	T1	T2
5755-04-02	7/16-20	1/8-27
5755-04-04	7/16-20	1/4-18
5755-04-06	7/16-20	3/8-18
5755-05-02	1/2-20	1/8-27
5755-05-04	1/2-20	1/4-18
5755-06-04	9/16-18	1/4-18
5755-06-04-04	9/16-18	1/4-18
5755-06-06	9/16-18	3/8-18
5755-06-08	9/16-18	1/2-14
5755-08-06	3/4-16	3/8-18
5755-08-08	3/4-16	1/2-14
5755-08-12	3/4-16	3/4-14
5755-10-08	7/8-14	1/2-14
5755-10-12	7/8-14	3/4-14
5755-12-08	1 1/16-12	1/2-14
5755-12-12	1 1/16-12	3/4-14
5755-14-12	1 3/16-12	3/4-14
5755-16-12	1 5/16-12	3/4-14
5755-16-16	1 5/16-12	1-11 1/2
5755-20-20	1 5/8-12	1 1/4-11 1/2
5755-24-24	1 7/8-12	1 1/2-11 1/2

MJ X MJ X MP TEE
(RUN)

9315
(6900)
Male "ORB"/Femelle NPSM Tournant
"ORB" Male/NPSM Female Swivel

45° Femelle NPSM Tournant/Male NPT
45° NPSM Female Swivel/NPT Male
9355
(1503)R



MB X FPS


FPS X MP 45°

Style No.	T1	T2
9315-04-02	7/16-20	1/8-27
9315-04-04	7/16-20	1/4-18
9315-04-06	7/16-20	3/8-18
9315-04-08	7/16-20	1/2-14
9315-05-04	1/2-20	1/4-18
9315-06-04	9/16-18	1/4-18
9315-06-06	9/16-18	3/8-18
9315-06-08	9/16-18	1/2-14
9315-08-04	3/4-16	1/4-18
9315-08-06	3/4-16	3/8-18
9315-08-08	3/4-16	1/2-14
9315-08-12	3/4-16	3/4-14
9315-10-04	7/8-14	1/4-18
9315-10-06	7/8-14	3/8-18
9315-10-08	7/8-14	1/2-14
9315-10-12	7/8-14	3/4-14
9315-12-06	1 1/16-12	3/8-18
9315-12-08	1 1/16-12	1/2-14
9315-12-12	1 1/16-12	3/4-14
9315-12-16	1 1/16-12	1-11 1/2
9315-14-12	1 3/16-12	3/4-14
9315-16-12	1 5/16-12	3/4-14
9315-16-16	1 5/16-12	1-11 1/2
9315-16-20	1 5/16-12	1 1/4-11 1/2
9315-20-16	1 5/8-12	1-11 1/2
9315-20-20	1 5/8-12	1 1/4-11 1/2
9315-24-24	1 7/8-12	1 1/2-11 1/2
9315-32-32	2 1/2-12	2-11 1/2

Style No.	T1	T2
9355-02-02	1/8-27	1/8-27
9355-04-02	1/4-18	1/8-27
9355-04-04	1/4-18	1/4-18
9355-04-06	1/4-18	3/8-18
9355-04-08	1/4-18	1/2-14
9355-06-04	3/8-18	1/4-18
9355-06-06	3/8-18	3/8-18
9355-06-08	3/8-18	1/2-14
9355-08-06	1/2-14	3/8-18
9355-08-08	1/2-14	1/2-14
9355-08-12	1/2-14	3/4-14
9355-12-08	3/4-14	1/2-14
9355-12-12	3/4-14	3/4-14
9355-12-16	3/4-14	1-11 1/2
9355-16-12	1-11 1/2	3/4-14
9355-16-16	1-11 1/2	1-11 1/2
9355-16-20	1-11 1/2	1 1/4-11 1/2
9355-20-20	1 1/4-11 1/2	1 1/4-11 1/2
9355-24-24	1 1/2-11 1/2	1 1/2-11 1/2
9355-32-32	2-11 1/2	2-11 1/2

9316
(6402)
Male "ORB"/Femelle JIC Tournant
"ORB" Male/JIC Female Swivel

45° Male "ORB" Ajust./Fem. NPSM Tourn.
45° "ORB" Male Adjust./NPT Fem. Swivel
9365
(6902)



MB X FJS



MB X FPS 45°

Style No.	T1	T2
9316-04-04	7/16-20	7/16-20
9316-04-06	7/16-20	7/16-20
9316-06-04	9/16-18	9/16-18
9316-06-06	9/16-18	9/16-18
9316-06-08	9/16-18	3/4-16
9316-06-12	9/16-18	1 1/16-12
9316-08-06	3/4-16	3/4-16
9316-08-08	3/4-16	3/4-16
9316-10-08	7/8-14	7/8-14
9316-10-10	7/8-14	7/8-14
9316-12-12	1 1/16-12	1 1/16-12
9316-12-16	1 1/16-12	1 1/16-12
9316-16-16	1 5/16-12	1 5/16-12
9316-20-20	1 5/8-12	1 5/8-12
9316-24-24	1 7/8-12	1 1/2-11 1/2

Style No.	T1	T2
9365-04-04	7/16-20	1/4-18
9365-04-06	7/16-20	3/8-18
9365-06-04	9/16-18	1/4-18
9365-06-06	9/16-18	3/8-18
9365-06-08	9/16-18	1/2-14
9365-08-06	3/4-16	3/8-18
9365-08-08	3/4-16	1/2-14
9365-08-12	3/4-16	3/4-14
9365-10-06	7/8-14	3/8-18
9365-10-08	7/8-14	1/2-14
9365-10-12	7/8-14	3/4-14
9365-12-08	1 1/16-12	1/2-14
9365-12-12	1 1/16-12	3/4-14
9365-16-12	1 5/16-12	3/4-14
9365-16-16	1 5/16-12	1-11 1/2
9365-20-20	1 5/8-12	1 1/4-11 1/2
9365-24-24	1 7/8-12	1 1/2-11 1/2

9455 (1502)R			
90° Femelle NPSM Tournant/Femelle NPT 90° NPSM Female Swivel/NPT Female			
Style No.	T1	T2	
9455-02-02	1/8-27	1/8-27	
9455-04-04	1/4-18	1/4-18	
9455-04-06	1/4-18	3/8-18	
9455-06-04	3/8-18	1/4-18	
9455-06-06	3/8-18	3/8-18	
9455-06-08	3/8-18	1/2-14	
9455-08-06	1/2-14	3/8-18	
9455-08-08	1/2-14	1/2-14	
9455-12-12	3/4-14	3/4-14	
9455-16-16	1-11 1/2	1-11 1/2	
9455-20-20	1 1/4-11 1/2	1 1/4-11 1/2	
9455-24-24	1 1/2-11 1/2	1 1/2-11 1/2	

9515 (6901)			
90° Male "ORB"/Femelle NPSM Tournant 90° "ORB" Male/NPSM Female Swivel			
Style No.	T1	T2	
9515-04-04	7/16-20	1/4-18	
9515-04-06	7/16-20	3/8-18	
9515-06-04	9/16-18	1/4-18	
9515-06-06	9/16-18	3/8-18	
9515-06-08	9/16-18	1/2-14	
9515-08-04	3/4-16	1/4-18	
9515-08-05	3/4-16	1/2-20	
9515-08-06	3/4-16	3/8-18	
9515-08-08	3/4-16	1/2-14	
9515-08-12	3/4-16	3/4-14	
9515-10-04	7/8-14	1/4-18	
9515-10-06	7/8-14	3/8-18	
9515-10-08	7/8-14	1/2-14	
9515-10-12	7/8-14	3/4-14	
9515-12-08	1 1/16-12	1/2-14	
9515-12-12	1 1/16-12	3/4-14	
9515-12-16	1 1/16-12	1-11 1/2	
9515-14-12	1 3/16-12	3/4-14	
9515-16-12	1 5/16-12	3/4-14	
9515-16-16	1 5/16-12	1-11 1/2	
9515-20-20	1 5/8-12	1 1/4-11 1/2	
9515-24-24	1 7/8-12	1 1/2-11 1/2	
9515-32-32	2 1/2-12	2-11 1/2	



FPS X FP 90°

MB X FPS 90°

9456 (1602)			
Té Femelle NPSM Tournant/Femelle NPT Tee NPSM Female Swivel/NPT Female			
Style No.	T1	T2	
9456-02	1/8-27	1/8-27	
9456-04	1/4-18	1/4-18	
9456-06	3/8-18	3/8-18	
9456-08	1/2-14	1/2-14	
9456-12	3/4-14	3/4-14	
9456-16	1-11 1/2	1-11 1/2	
9456-20	1 1/4-11 1/2	1 1/4-11 1/2	

**FPS X FPS X FP TEE
(BRANCH)**


9457 (1601)			
Té Femelle NPSM Tournant/Male NPT Tee NPSM Female Swivel/NPT Male			
Style No.	T1	T2	
9457-02	1/8-27	1/8-27	
9457-04	1/4-18	1/4-18	
9457-06	3/8-18	3/8-18	
9457-08	1/2-14	1/2-14	
9457-12	3/4-14	3/4-14	
9457-16	1-11 1/2	1-11 1/2	
9457-20	1 1/4-11 1/2	1 1/4-11 1/2	

**FPS X FPS X MP TEE
(BRANCH)**

9458 (1603)			
Té Femelle NPSM Tournant Tee NPSM Female Swivel			
Style No.	T1	T2	
9458-02	1/8-27	1/8-27	
9458-04	1/4-18	1/4-18	
9458-06	3/8-18	3/8-18	
9458-08	1/2-14	1/2-14	
9458-12	3/4-14	3/4-14	
9458-16	1-11 1/2	1-11 1/2	
9458-20	1 1/4-11 1/2	1 1/4-11 1/2	

FPS X FPS X FPS TEE

9516 (6809)			
90° Male "ORB"/Femelle JIC Tournant 90° "ORB" Male/JIC Female Swivel			
Style No.	T1	T2	
9516-04-04	7/16-20	7/16-20	
9516-06-06	9/16-18	9/16-18	
9516-08-06	3/4-16	3/4-16	
9516-08-08	3/4-16	3/4-16	
9516-10-08	7/8-14	7/8-14	
9516-10-10	7/8-14	7/8-14	
9516-12-12	1 1/16-12	1 1/16-12	
9516-16-16	1 5/16-12	1 5/16-12	



MB X FJS 90°