






3179 (5406-SHP) Bouchon Tête Carré NPT Male Square Head Plug Male NPT			
	Style No.	T1	
	3179-02	1/8-27	
	3179-04	1/4-18	
	3179-06	3/8-18	
	3179-08	1/2-14	
	3179-12	3/4-14	
	SHP MP	3179-16	1-11 1/2
		3179-20	1 1/4-11 1/2
		3179-24	1 1/2-11 1/2

3209 (B5405)R Femelle NPT/Male NPT NPT Female/NPT Male				
	Style No.	T1	T2	
	3209-02-02	1/8-27	1/8-27	
	3209-02-04	1/8-27	1/4-18	
	3209-04-02	1/4-18	1/8-27	
	3209-04-04	1/4-18	1/4-18	
	3209-04-06	1/4-18	3/8-18	
	3209-06-02	3/8-18	1/8-27	
	3209-06-04	3/8-18	1/4-18	
	3209-06-06	3/8-18	3/8-18	
	FP X MP	3209-06-08	3/8-18	1/2-14
		3209-08-02	1/2-14	1/8-27
		3209-08-04	1/2-14	1/4-18
		3209-08-06	1/2-14	3/8-18
		3209-08-08	1/2-14	1/2-14
		3209-08-12	1/2-14	3/4-14
		3209-12-04	3/4-14	1/4-18
		3209-12-06	3/4-14	3/8-18
		3209-12-08	3/4-14	1/2-14
		3209-12-12	3/4-14	3/4-14
		3209-12-16	3/4-14	1-11 1/2
		3209-16-08	1-11 1/2	1/2-14
		3209-16-12	1-11 1/2	3/4-14
		3209-16-16	1-11 1/2	1-11 1/2
		3209-20-16	1 1/4-11 1/2	1-11 1/2
		3209-20-20	1 1/4-11 1/2	1 1/4-11 1/2
		3209-24-20	1 1/2-11 1/2	1 1/4-11 1/2
		3209-24-24	1 1/2-11 1/2	1 1/2-11 1/2
		3209-32-32	2-11 1/2	2-11 1/2

3218 (6410) Male "ORB"/Femelle "ORB" "ORB" Male/"ORB" Female				
	Style No.	T1	T2	
	3218-04-04	7/16-20	7/16-20	
	3218-04-06	7/16-20	9/16-18	
	3218-05-04	1/2-20	7/16-20	
	3218-05-06	1/2-20	9/16-18	
	3218-06-04	9/16-18	7/16-20	
	MB X FB	3218-06-06	9/16-18	9/16-18
		3218-06-08	9/16-18	3/4-16


Continue / Cont'd

3218 (6410) Male "ORB"/Femelle "ORB" "ORB" Male/"ORB" Female			
	Style No.	T1	T2
	Continue / Cont'd		
	3218-08-04	3/4-16	7/16-20
	3218-08-06	3/4-16	9/16-18
	3218-08-08	3/4-16	3/4-16
	3218-08-10	3/4-16	7/8-14
	3218-08-12	3/4-16	1 1/16-12
	3218-10-04	7/8-14	7/16-20
	3218-10-06	7/8-14	9/16-18
	3218-10-08	7/8-14	3/4-16
	3218-10-12	7/8-14	1 1/16-12
	3218-12-04	1 1/16-12	7/16-20
	3218-12-06	1 1/16-12	9/16-18
	3218-12-08	1 1/16-12	3/4-16
	3218-12-10	1 1/16-12	7/8-14
	3218-12-12	1 1/16-12	1 1/16-12
	3218-12-16	1 1/16-12	1 5/16-12
	3218-14-12	1 3/16-12	1 1/16-12
	3218-16-08	1 5/16-12	3/4-16
	3218-16-10	1 5/16-12	7/8-14
	3218-16-12	1 5/16-12	1 1/16-12
	3218-20-08	1 5/8-12	3/4-16
	3218-20-12	1 5/8-12	1 1/16-12
	3218-20-16	1 5/8-12	1 5/16-12
	3218-24-12	1 7/8-12	1 1/16-12
	3218-24-16	1 7/8-12	1 5/16-12
	3218-24-20	1 7/8-12	1 5/8-12
	3218-32-20	2 1/2-12	1 5/8-12
3218-32-24	2 1/2-12	1 7/8-12	

3239 (6404) Femelle "ORB"/Male NPT "ORB" Female/NPT Male			
	Style No.	T1	T2
	3239-04-02	7/16-20	1/8-27
	3239-04-04	7/16-20	1/4-18
	3239-04-06	7/16-20	3/8-18
	3239-05-02	1/2-20	1/8-27
	3239-06-04	9/16-18	1/4-18
	3239-06-06	9/16-18	3/8-18
	3239-06-08	9/16-18	1/2-14
	3239-08-06	3/4-16	3/8-18
	3239-08-08	3/4-16	1/2-14
	3239-10-06	7/8-14	3/8-18
	3239-10-08	7/8-14	1/2-14
	3239-12-12	1 1/16-12	3/4-14
	3239-12-16	1 1/16-12	1-11 1/2
	3239-16-12	1 5/16-12	3/4-14
	3239-16-16	1 5/16-12	1-11 1/2
	3239-20-20	1 5/8-12	1 1/4-11 1/2
	3239-24-24	1 7/8-12	1 1/2-11 1/2


FB X MP

5205
(2404)
Male JIC/Male NPT
JIC Male/NPT Male



MJ X MP


Style No.	T1	T2
Continue / Cont'd		
5205-06-04	9/16-18	1/4-18
5205-06-06	9/16-18	3/8-18
5205-06-08	9/16-18	1/2-14
5205-06-12	9/16-18	3/4-14
5205-08-02	3/4-16	1/8-27
5205-08-04	3/4-16	1/4-18
5205-08-06	3/4-16	3/8-18
5205-08-08	3/4-16	1/2-14
5205-08-12	3/4-16	3/4-14
5205-08-16	3/4-16	1-11 1/2
5205-10-04	7/8-14	1/4-18
5205-10-06	7/8-14	3/8-18
5205-10-08	7/8-14	1/2-14
5205-10-12	7/8-14	3/4-14
5205-10-16	7/8-14	1-11 1/2
5205-12-06	1 1/16-12	3/8-18
5205-12-08	1 1/16-12	1/2-14
5205-12-12	1 1/16-12	3/4-14
5205-12-16	1 1/16-12	1-11 1/2
5205-12-20	1 1/16-12	1 1/4-11 1/2
5205-12-24	1 1/16-12	1 1/2-11 1/2
5205-14-12	1 3/16-12	3/4-14
5205-16-08	1 5/16-12	1/2-14
5205-16-12	1 5/16-12	3/4-14
5205-16-16	1 5/16-12	1-11 1/2
5205-16-20	1 5/16-12	1 1/4-11 1/2
5205-16-24	1 5/16-12	1 1/2-11 1/2
5205-20-12	1 5/8-12	3/4-14
5205-20-16	1 5/8-12	1-11 1/2
5205-20-20	1 5/8-12	1 1/4-11 1/2
5205-20-24	1 5/8-12	1 1/2-11 1/2
5205-20-32	1 5/8-12	2-11 1/2
5205-24-16	1 7/8-12	1-11 1/2
5205-24-20	1 7/8-12	1 1/4-11 1/2
5205-24-24	1 7/8-12	1 1/2-11 1/2
5205-24-32	1 7/8-12	2-11 1/2
5205-32-20	2 1/2-12	1 1/4-11 1/2
5205-32-24	2 1/2-12	1 1/2-11 1/2
5205-32-32	2 1/2-12	2-11 1/2



MJ X MP LONG

Style No.	T1	T2
5206-04-02	7/16-20	1/8-27
5206-04-04	7/16-20	1/4-18
5206-06-04	9/16-18	1/4-18
5206-06-06	9/16-18	3/8-18
5206-08-06	3/4-16	3/8-18
5206-12-12	1 1/16-12	3/4-14


5207
(2404LL)
Male JIC/Male NPT-XLong
JIC Male/NPT Male-XLong



MJ X MP X-LONG

Style No.	T1	T2
5207-04-02	7/16-20	1/4-18
5207-04-04	7/16-20	1/4-18
5207-06-06	9/16-18	3/8-18


5215
(6407)
Male "ORB" /Male "ORB"
"ORB" Male/ "ORB" Male



MB X MB

Style No.	T1	T2
5215-04-04	7/16/20	7/16/20
5215-06-06	9/16-18	9/16-18
5215-08-08	3/4-16	3/4-16
5215-10-10	7/8-14	7/8-14
5215-12-12	1 1/16-12	1 1/16-12
5215-16-12	1 5/16-12	1 1/16-12
5215-16-16	1 5/16-12	1 5/16-12
5215-20-20	1 5/8-12	1 5/8-12
5215-24-24	1 7/8-12	1 7/8-12


5225
(2706)R
Cloison Male JIC/Male NPT
JIC Male Bulkhead/NPT Male



MJ X MP BH


Style No.	T1	T2
5225-04-02	7/16-20	1/8-27
5225-04-04	7/16-20	1/4-18
5225-06-04	9/16-18	1/4-18
5225-06-06	9/16-18	3/8-18
5225-08-06	3/4-16	3/8-18
5225-08-08	3/4-16	1/2-14
5225-10-08	7/8-14	1/2-14
5225-12-12	1 1/16-12	3/4-14
5225-16-16	1 5/16-12	1-11 1/2
5225-20-20	1 5/8-12	1 1/4-11 1/2
5225-24-24	1 7/8-12	1 1/2-11 1/2


5229
(2408)
Bouchon Male JIC
JIC Male Plug




MJ PLUG


Style No.	T1
5229-02	5/16-24
5229-03	3/8-24
5229-04	7/16-20
5229-05	1/2-20
5229-06	9/16-18
5229-08	3/4-16
5229-10	7/8-14
5229-12	1 1/16-12
5229-14	1 3/16-12
5229-16	1 5/16-12
5229-20	1 5/8-12
5229-24	1 7/8-12
5229-32	2 1/2-12

5805 (2606)		Té Male JIC/Femelle NPT Tee JIC Male/Female NPT		
	Style No.	T1	T2	
	5805-04-02	7/16-20	1/8-27	
	5805-04-04	7/16-20	1/4-18	
	5805-06-04	9/16-18	1/4-18	
	5805-06-06	9/16-18	3/8-18	
	5805-08-06	3/4-16	3/8-18	
	5805-08-08	3/4-16	1/2-14	
	MJ X MJ X FP TEE (RUN)	5805-10-08	7/8-14	1/2-14
		5805-12-12	1 1/16-12	3/4-14
		5805-16-16	1 5/16-12	1-11 1/2
	5805-20-20	1 5/8-12	1 1/4-11 1/2	


Bouchon Male "ORB" "ORB" Male Plug		7237 (6408)
	Style No.	T1
	7237-02	5/16-24
	7237-03	3/8-24
	7237-04	7/16-20
	7237-05	1/2-20
	7237-06	9/16-18
	7237-08	3/4-16
	7237-10	7/8-14
	7237-12	1 1/16-12
	7237-14	1 3/16-12
	7237-16	1 5/16-12
	7237-20	1 5/8-12
	7237-24	1 7/8-12
	7237-32	2 1/2-12

HEX PLUG MB

5924 (0306)		Ecrou Cloison Bulkhead Nut	
	Style No.	T1	
	5924-04	7/16-20	
	5924-05	1/2-20	
	5924-06	9/16-18	
	5924-08	3/4-16	
	5924-10	7/8-14	
	5924-12	1 1/16-12	
	BH LOCK NUT/ ECROU	5924-14	1 3/16-12
		5924-16	1 5/16-12
		5924-20	1 5/8-12
	5924-24	1 7/8-12	
	5924-32	2 1/2-12	

Bouchon Male "ORB" Clé Allen "ORB" Male Hollow Hex Plug		7238 (6408H)
	Style No.	T1
	7238-02	5/16-24
	7238-03	3/8-24
	7238-04	7/16-20
	7238-05	1/2-20
	7238-06	9/16-18
	7238-08	3/4-16
	7238-10	7/8-14
	7238-12	1 1/16-12
	7238-14	1 3/16-12
	7238-16	1 5/16-12
	7238-20	1 5/8-12
7238-24	1 7/8-12	

H. HEX PLUG MB

5955 (2650)		Croix Femelle NPT Cross NPT Female	
	Style No.	T1	
	5955-04	7/16-20	
	5955-05	1/2-20	
	5955-06	9/16-18	
	5955-08	3/4-16	
	5955-10	7/8-14	
	5955-12	1 1/16-12	
	5955-14	1 3/16-12	
	MJ CROIX/CROSS	5955-16	1 5/16-12
		5955-20	1 5/8-12