














2010







2010

4005 (FS6403)				Mâle JIC / Mâle ORFS JIC Male / ORFS Male				Écrou ORFS ORFS Nut				4105 (FS0318)			
				Style No.				Style No.							
				T1		T2		T1							
				4005-04-04	7/16-20	9/16-18		4105-04	9/16-18						
				4005-06-06	9/16-18	11/16-16		4105-06	11/16-16						
				4005-08-08	3/4-16	13/16-16		4105-08	13/16-16						
				4005-10-10	7/8-14	1-14		4105-10	1-14						
				4005-12-12	1 1/16-12	1 3/16-12		4105-12	1 3/16-12						
MJ X MORFS				4005-16-16	1 5/16-12	1 7/16-12		4105-16	1 7/16-12						
				4005-20-20	1 5/8-12	1 11/16-12		4105-20	1 11/16-12						
								4105-24	2-12						
4100 (FS6504)				Femelle ORFS / Mâle JIC ORFS Female / JIC Male				Réduit Femelle ORFS / Mâle ORFS Reducer Female ORFS / Male 'ORFS				4109 (FS2406)			
				Style No.				Style No.							
				T1		T2		T1		T2					
				4100-04-04	9/16-18	7/16-20		4109-06-04	11/16-16	9/16-18					
				4100-06-06	11/16-16	9/16-18		4109-08-04	13/16-16	9/16-18					
				4100-08-08	13/16-16	3/4-16		4109-08-06	13/16-16	11/16-16					
				4100-10-10	1-14	7/8-14		4109-08-08	13/16-16	9/16-18					
				4100-12-08	1 3/16-12	3/4-16		4109-10-06	1-14	11/16-16					
FORS X MJ				4100-12-12	1 3/16-12	1 1/16-12		4109-10-08	1-14	13/16-16					
				4100-16-16	1 7/16-12	1 5/16-12		4109-12-06	1 3/16-12	11/16-16					
				4100-20-20	1 11/16-12	1 5/8-12		4109-12-08	1 3/16-12	13/16-16					
								4109-12-10	1 3/16-12	1-14					
								4109-16-08	1 7/16-12	13/16-16					
								4109-16-10	1 7/16-12	1-14					
								4109-16-12	1 7/16-12	1 3/16-12					
								4109-20-16	1 11/16-12	1 7/16-12					
								4109-20-24	1 11/16-12	2-12					
4101 (FS6402)				Femelle JIC / Mâle ORFS JIC Female / Male ORFS				Femelle ORFS / Mâle ORB ORFS Female / ORB Male				4115 (FS6412)			
				Style No.				Style No.							
				T1		T2		T1		T2					
				4101-04-04	7/16-20	9/16-18		4115-04-04	9/16-18	7/16-20					
				4101-06-06	9/16-18	11/16-16		4115-06-06	11/16-16	9/16-18					
				4101-08-08	3/4-16	13/16-16		4115-08-08	13/16-16	3/4-16					
				4101-10-10	7/8-14	1-14		4115-10-10	1-14	7/8-14					
				4101-12-12	1 1/16-12	1 3/16-12		4115-12-12	1 3/16-12	1 1/16-12					
FJ X MORS				4101-16-16	1 5/16-12	1 7/16-12		4115-16-16	1 7/16-12	1 5/16-12					
				4101-20-20	1 5/8-12	1 11/16-12		4115-20-20	1 11/16-12	1 5/8-12					
4102 (FS6505)				Femelle ORFS / Mâle NPT ORFS Female / NPT Male				Bouchon ORFS Femelle ORSF Female Cap				4129 (FS0304-C)			
				Style No.				Style No.							
				T1				T1							
				4102-04-04	9/16-18	1/4-18		4129-04	9/16-18						
				4102-06-06	11/16-16	3/8-18		4129-06	11/16-16						
				4102-08-06	13/16-16	3/8-18		4129-08	13/16-16						
				4102-08-08	13/16-16	1/2-14		4129-10	1-14						
				4102-10-08	1-14	1/2-14		4129-12	1 3/16-12						
FORS X MP				4102-12-12	1 3/16-12	3/4-14		4129-16	1 7/16-12						
				4102-12-16	1 3/16-12	1-11.5		4129-20	1 11/16-12						
				4102-16-16	1 7/16-12	1-11.5		4129-24	2-12						
				4102-20-20	1 11/16-12	1 1/4-11.5									

4165 (FS0319) Bague ORFS ORFS Sleeve				Mâle ORFS / Mâle ORFS ORFS Male / ORFS Male				4305 (FS2403)			
		Style No.	Tube	Style No.		T1	T2				
SLEEVE ORS (BRAZE)		4165-04	1/4	4305-04-04	9/16-18	9/16-18	MORS X MORS				
		4165-06	3/8	4305-06-04	11/16-16	9/16-18					
		4165-08	1/2	4305-06-06	11/16-16	11/16-16					
		4165-10	5/8	4305-08-06	13/16-16	11/16-16					
		4165-12	3/4	4305-08-08	13/16-16	13/16-16					
		4165-16	1	4305-10-08	1-14	13/16-16					
		4165-20	1 1/4	4305-10-10	1-14	1-14					
		4165-24	1 1/2	4305-12-08	1 3/16-12	13/16-16					
4205 (FS2404) Mâle ORFS / Mâle NPT ORFS Male / NPT Male				Mâle ORFS / Mâle ORB ORFS Male / ORB Male				4315 (FS6400)			
		Style No.	T1	T2	Style No.		T1	T2			
MORS X MP		4205-04-02	9/16-18	1/8-27	4315-04-04	9/16-18	7/16-20	MORS X MB			
		4205-04-04	9/16-18	1/4-18	4315-04-06	9/16-18	9/16-18				
		4205-04-06	9/16-18	3/8-18	4315-04-08	9/16-18	3/4-16				
		4205-04-08	9/16-18	1/2-14	4315-06-04	11/16-16	7/16-20				
		4205-06-04	11/16-16	1/4-18	4315-06-05	11/16-17	1/2-20				
		4205-06-06	11/16-16	3/8-18	4315-06-06	11/16-16	9/16-18				
		4205-06-08	11/16-16	1/2-14	4315-06-08	11/16-16	3/4-16				
		4205-08-04	13/16-16	1/4-18	4315-06-10	11/16-16	7/8-14				
		4205-08-06	13/16-16	3/8-18	4315-06-12	13/16-16	1 1/16-12				
		4205-08-08	13/16-16	1/2-14	4315-08-06	13/16-16	9/16-18				
		4205-08-12	13/16-16	3/4-14	4315-08-08	13/16-16	3/4-16				
		4205-10-08	1-14	1/2-14	4315-08-10	13/16-16	7/8-14				
		4205-10-12	1-14	3/4-14	4315-08-12	13/16-16	1 1/16-12				
		4205-12-08	1 3/16-12	1/2-14	4315-08-16	13/16-16	1 5/16-12				
		4205-12-12	1 3/16-12	3/4-14	4315-10-08	1-14	3/4-16				
		4205-12-16	1 3/16-12	1-11.5	4315-10-10	1-14	7/8-14				
		4205-16-12	1 7/16-12	3/4-14	4315-10-12	1-14	1 1/16-12				
		4205-16-16	1 7/16-12	1-11.5	4315-12-08	1 3/16-12	3/4-16				
4205-16-20	1 7/16-12	1 1/4-11.5	4315-12-10	1 3/16-12	7/8-14						
4205-20-16	1 11/16-12	1-11.5	4315-12-12	1 3/16-12	1 1/16-12						
4205-20-20	1 11/16-12	1 1/4-11.5	4315-12-14	1 3/16-12	1 3/16-12						
4205-24-24	2-12	1 1/2-11.5	4315-12-16	1 3/16-12	1 5/16-12						
4229 (FS2408) Bouchon Mâle ORFS Male Plug ORFS				Mâle ORFS / Mâle ORB ORFS Male / ORB Male				4315 (FS6400)			
		Style No.	T1	T2	Style No.		T1	T2			
PLUG ORS		4229-04	9/16-18		4315-16-12	1 7/16-12	1 1/16-12				
		4229-06	11/16-16		4315-16-16	1 7/16-12	1 5/16-12				
		4229-08	13/16-16		4315-16-20	1 7/16-12	1 5/8-12				
		4229-10	1-14		4315-20-16	1 11/16-12	1 5/16-12				
		4229-12	1 3/16-12		4315-20-20	1 11/16-12	1 5/8-12				
		4229-16	1 7/16-12		4315-20-24	1 11/16-12	1 7/8-12				
		4229-20	1 11/16-12		4315-24-20	2-12	1 5/8-12				
		4229-24	2-12		4315-24-24	2-12	1 7/8-12				









2010

2010

4316 (FS6400L)				Mâle ORFS / Mâle ORB - Long ORFS Male / ORB Male - Long				45° Mâle ORFS / Mâle ORB Adjustable 45° ORFS Male / ORB Male Adjustable				4365 (FS6802)									
				Style No.		T1		T2		Style No.				T1		T2					
MORS X MORB LONG				4316-04-04		9/16-18		7/16-20		4365-04-04				9/16-18		7/16-20		MORS X MB 45°			
				4316-06-06		11/16-16		9/16-18		4365-04-06				9/16-18		9/16-18					
				4316-08-08		13/16-16		3/4-16		4365-06-04				11/16-16		7/16-20					
				4316-10-10		1-14		7/8-14		4365-06-06				11/16-16		9/16-18					
				4316-12-12		1 3/16-12		1 1/16-12		4365-06-08				11/16-16		3/4-16					
				4316-16-16		1 7/16-12		1 5/16-12		4365-08-06				13/16-16		9/16-18					
										4365-08-08				13/16-16		3/4-16					
										4365-08-10				13/16-16		7/8-14					
										4365-10-08				1-14		3/4-16					
										4365-10-10				1-14		7/8-14					
										4365-10-12				1-14		3/4-16					
										4365-12-08				1 3/16-12		3/4-16					
										4365-12-10				1 3/16-12		7/8-14					
										4365-12-12				1 3/16-12		1 1/16-12					
										4365-12-16				1 3/16-12		1 5/16-12					
										4365-16-12				1 7/16-12		1 1/16-12					
										4365-16-16				1 7/16-12		1 5/16-12					
										4365-16-20				1 7/16-12		1 5/8-12					
										4365-20-20				1 11/16-12		1 5/8-12					
										4365-24-24				2-12		1 7/8-12					
4325 (FS2700)				Mâle ORFS / Mâle ORFS Cloison Male ORFS / Male ORFS Bulkhead				4375 (FS2503)				45° Mâle ORFS / Cloison Male ORFS 45° ORFS Male / ORFS Male Bulkhead				4375 (FS2702)					
				Style No.		T1		T2		Style No.				T1		T2					
MORS X MORS BH				4325-04-04		9/16-18		9/16-18		4375-04-04				9/16-18		9/16-18		MORS X MORS 45°			
				4325-06-06		11/16-16		11/16-16		4375-04-06				9/16-18		11/16-16					
				4325-08-08		13/16-16		13/16-16		4375-06-06				11/16-16		11/16-16					
				4325-10-10		1-14		1-14		4375-08-08				13/16-16		13/16-16					
				4325-12-12		1 3/16-12		1 3/16-12		4375-10-10				1-14		1-14					
				4325-16-16		1 7/16-12		1 7/16-12		4375-12-12				1 3/16-12		1 3/16-12					
				4325-20-20		1 11/16-12		1 11/16-12		4375-16-16				1 7/16-12		1 7/16-12					
				4325-24-24		2-12		2-12		4375-20-20				1 11/16-12		1 11/16-12					
										4375-24-24				2-12		2-12					
4355 (FS2503)				45° Mâle ORFS / Male NPT 45° ORFS Male / NPT Male				4403 (FS0403)				Mâle ORFS pour Souder Braze ORFS Male									
				Style No.		T1		T2		Style No.				T1		Tube					
MORS X MP 45°				4355-04-04		9/16-18		1/4-18		4403-04-04				9/16-18		1/4		BRAZE MORS			
				4355-06-04		11/16-16		1/4-18		4403-06-04				11/16-16		1/4					
				4355-06-06		11/16-16		3/8-18		4403-06-06				11/16-16		3/8					
				4355-08-08		13/16-16		1/2-14		4403-08-06				13/16-16		3/8					
				4355-10-08		1-14		1/2-14		4403-08-08				13/16-16		1/2					
				4355-12-12		1 3/16-12		3/4-14		4403-08-10				13/16-16		5/8					
				4355-16-16		1 7/16-12		1-11.5		4403-10-08				1-14		1/2					
										4403-10-10				1-14		5/8					
										4403-12-08				1 3/16-12		1/2					
										4403-12-10				1 3/16-12		5/8					
										4403-16-16				2-12		2-12					
										4403-20-20				2-12		2-12					
										4403-24-24				2-12		2-12					
FORS X MORS 45°										4403-24-24				2-12		2-12					

2010

2010

<p>4517 90° Femelle ORFS / Mâle ORB Ajustable (FS6809) 90° ORFS Female / ORB Male Adjustable</p>				<p>Té Mâle ORFS / Male ORFS Tee ORFS Male / ORFS Male</p>				<p>4705 (FS2603)</p>											
				<p>Style No. T1 T2</p>				<p>Style No. T1</p>											
<p>4517-04-04 9/16-18 9/16-18</p>				<p>4705-04 9/16-18</p>				<p>4705-06 11/16-16</p>				<p>4705-08 13/16-16</p>							
<p>4517-06-06 11/16-16 11/16-16</p>				<p>4705-10 1-14</p>				<p>4705-12 1 3/16-12</p>				<p>4705-16 1 7/16-12</p>							
<p>4517-08-08 13/16-16 13/16-16</p>				<p>4705-20 1 11/16-12</p>				<p>4705-24 2-12</p>				<p>MORS TEE</p>							
<p>4517-10-10 1-14 1-14</p>				<p>FORS X MB 90°</p>				<p>Té Male ORFS / Femelle ORFS Tournant Tee ORFS Male / ORFS Female Swivel</p>				<p>4706 (FS6602)</p>							
<p>4525 45° Male ORFS / Male ORFS Cloison (FS2701) 45° ORFS Male / ORFS Male Bulkhead</p>				<p>Style No. T1 T2</p>				<p>Style No. T1 T2</p>											
				<p>4525-04-04 9/16-18 9/16-18</p>				<p>4706-04 9/16-18 9/16-18</p>				<p>4706-06 11/16-16 11/16-16</p>							
<p>4525-06-06 11/16-16 11/16-16</p>				<p>4525-08-08 13/16-16 13/16-16</p>				<p>4706-08 13/16-16 13/16-16</p>				<p>4706-10 1-14 1-14</p>							
<p>4525-10-10 1-14 1-14</p>				<p>4525-12-12 1 3/16-12 1 3/16-12</p>				<p>4706-12 1 3/16-12 1 3/16-12</p>				<p>4706-16 1 7/16-12 1 7/16-12</p>							
<p>4525-16-16 1 7/16-12 1 7/16-12</p>				<p>4525-20-20 1 11/16-12 1 11/16-12</p>				<p>4706-20 1 11/16-12 1 11/16-12</p>				<p>4706-24 2-12 2-12</p>							
<p>4525-24-24 2-12 2-12</p>				<p>MORS X MORS 90° BH</p>				<p>MORS X MORS X FORS</p>				<p>RUN TEE</p>							
<p>4605 Té Male ORFS / Male NPT (FS2601) Tee ORFS Male / NPT Male</p>				<p>Style No. T1 T2</p>				<p>Style No. T1 T2</p>				<p>Té Male ORFS / Femelle ORFS Tournant Tee ORFS Male / ORFS Female Swivel</p>				<p>4707 (FS6600)</p>			
				<p>4605-06-04 11/16-16 1/4-18</p>				<p>4707-04 9/16-18 9/16-18</p>											
<p>4605-06-06 11/16-16 3/8-18</p>				<p>4605-08-06 13/16-16 3/8-18</p>				<p>4707-06 11/16-16 11/16-16</p>				<p>4707-08 13/16-16 13/16-16</p>							
<p>4605-08-08 13/16-16 1/2-14</p>				<p>4605-12-12 1 3/16-12 3/4-14</p>				<p>4707-10 1-14 1-14</p>				<p>4707-12 1 3/16-12 1 3/16-12</p>							
<p>MORS X MORS X MP TEE</p>				<p>BRANCH TEE</p>				<p>4707-16 1 7/16-12 1 7/16-12</p>				<p>4707-20 1 11/16-12 1 11/16-12</p>							
<p>4629 O'ring - Face Seal Face Seal O'ring</p>				<p>Style No. T1</p>				<p>Style No. T1 T2</p>				<p>Té Male ORFS / Male ORB Ajustable Tee ORFS Male / ORB Male Adjustable</p>				<p>4715 (FS6803)</p>			
				<p>4629-04 1/4</p>				<p>4715-04 9/16-18 7/16-20</p>											
<p>4629-06 3/8</p>				<p>4629-08 1/2</p>				<p>4715-06 11/16-16 9/16-18</p>				<p>4715-08 13/16-16 3/4-16</p>							
<p>4629-10 5/8</p>				<p>4629-12 3/4</p>				<p>4715-10 1-14 7/8-14</p>				<p>4715-12 1 3/16-12 1 1/16-12</p>							
<p>ORS O'ring</p>				<p>4629-16 1</p>				<p>4715-16 1 7/16-12 1 5/16-12</p>				<p>4715-20 1 11/16-12 1 5/8-12</p>							
<p>4629-20 1 1/4</p>				<p>4629-24 1 1/2</p>				<p>4715-24 2-12 1 7/8-12</p>				<p>MORS X MORS X MB</p>							
<p>BRANCH TEE</p>				<p>BRANCH TEE</p>				<p>BRANCH TEE</p>				<p>BRANCH TEE</p>							