




















2010

2010

<b>4005</b> (FS6403)				<b>Mâle JIC / Mâle ORFS</b> <b>JIC Male / ORFS Male</b>				<b>Écrou ORFS</b> <b>ORFS Nut</b>				<b>4105</b> (FS0318)			
				<b>Style No.</b>				<b>Style No.</b>							
				T1		T2		T1		T2					
				4005-04-04	7/16-20	9/16-18		4105-04	9/16-18						
				4005-06-06	9/16-18	11/16-16		4105-06	11/16-16						
				4005-08-08	3/4-16	13/16-16		4105-08	13/16-16						
				4005-10-10	7/8-14	1-14		4105-10	1-14						
				4005-12-12	1 1/16-12	1 3/16-12		4105-12	1 3/16-12						
				4005-16-16	1 5/16-12	1 7/16-12		4105-16	1 7/16-12						
<b>MJ X MORFS</b>				4005-20-20	1 5/8-12	1 11/16-12		4105-20	1 11/16-12			4105-24	2-12		
<b>4100</b> (FS6504)				<b>Femelle ORFS / Mâle JIC</b> <b>ORFS Female / JIC Male</b>				<b>Réduit Femelle ORFS / Mâle ORFS</b> <b>Reducer Female ORFS / Male 'ORFS</b>				<b>4109</b> (FS2406)			
				<b>Style No.</b>				<b>Style No.</b>							
				T1		T2		T1		T2					
				4100-04-04	9/16-18	7/16-20		4109-06-04	11/16-16	9/16-18					
				4100-06-06	11/16-16	9/16-18		4109-08-04	13/16-16	9/16-18					
				4100-08-08	13/16-16	3/4-16		4109-08-06	13/16-16	11/16-16					
				4100-10-10	1-14	7/8-14		4109-08-08	13/16-16	9/16-18					
				4100-12-08	1 3/16-12	3/4-16		4109-10-06	1-14	11/16-16					
				4100-12-12	1 3/16-12	1 1/16-12		4109-10-08	1-14	13/16-16					
<b>FORS X MJ</b>				4100-16-16	1 7/16-12	1 5/16-12		4109-10-10	1-14	11/16-16		4109-12-06	1 3/16-12	11/16-16	
				<b>Style No.</b>				<b>Style No.</b>							
				T1		T2		T1		T2					
				4101-04-04	7/16-20	9/16-18		4109-12-08	1 3/16-12	13/16-16					
				4101-06-06	9/16-18	11/16-16		4109-12-10	1 3/16-12	1-14					
				4101-08-08	3/4-16	13/16-16		4109-12-08	1 3/16-12	13/16-16					
				4101-10-10	7/8-14	1-14		4109-12-10	1 3/16-12	1-14					
				4101-12-12	1 1/16-12	1 3/16-12		4109-16-08	1 7/16-12	13/16-16					
				4101-16-16	1 5/16-12	1 7/16-12		4109-16-10	1 7/16-12	1-14					
<b>FJ X MORS</b>				4101-20-20	1 5/8-12	1 11/16-12		4109-16-12	1 7/16-12	1 3/16-12		4109-16-12	1 7/16-12	1 3/16-12	
<b>4101</b> (FS6402)				<b>Femelle JIC / Mâle ORFS</b> <b>JIC Female / Male ORFS</b>				<b>Femelle ORFS / Mâle ORB</b> <b>ORFS Female / ORB Male</b>				<b>4115</b> (FS6412)			
				<b>Style No.</b>				<b>Style No.</b>							
				T1		T2		T1		T2					
				4101-04-04	7/16-20	9/16-18		4115-04-04	9/16-18	7/16-20					
				4101-06-06	9/16-18	11/16-16		4115-06-06	11/16-16	9/16-18					
				4101-08-08	3/4-16	13/16-16		4115-08-08	13/16-16	3/4-16					
				4101-10-10	7/8-14	1-14		4115-10-10	1-14	7/8-14					
				4101-12-12	1 1/16-12	1 3/16-12		4115-12-12	1 3/16-12	1 1/16-12					
				4101-16-16	1 5/16-12	1 7/16-12		4115-16-16	1 7/16-12	1 5/16-12					
<b>FORS X MORS</b>				4101-20-20	1 5/8-12	1 11/16-12		4115-20-20	1 11/16-12	1 5/8-12					
<b>4102</b> (FS6505)				<b>Femelle ORFS / Mâle NPT</b> <b>ORFS Female / NPT Male</b>				<b>Bouchon ORFS Femelle</b> <b>ORFS Female Cap</b>				<b>4129</b> (FS0304-C)			
				<b>Style No.</b>				<b>Style No.</b>							
				T1		T1		T1		T1					
				4102-04-04	9/16-18	1/4-18		4129-04	9/16-18						
				4102-06-06	11/16-16	3/8-18		4129-06	11/16-16						
				4102-08-06	13/16-16	3/8-18		4129-08	13/16-16						
				4102-08-08	13/16-16	1/2-14		4129-10	1-14						
				4102-10-08	1-14	1/2-14		4129-12	1 3/16-12						
				4102-12-12	1 3/16-12	3/4-14		4129-16	1 7/16-12						
<b>FORS X MP</b>				4102-12-16	1 3/16-12	1-11.5		4129-20	1 11/16-12			4129-24	2-12		
				<b>Style No.</b>				<b>Style No.</b>							
				T1		T1		T1		T1					
				4102-16-16	1 7/16-12	1-11.5		4129-04	9/16-18						
				4102-20-20	1 11/16-12	1 1/4-11.5		4129-06	11/16-16						








2010

2010

<b>4165</b> (FS0319) Bague ORFS ORFS Sleeve				<b>Mâle ORFS / Mâle ORFS</b> ORFS Male / ORFS Male				<b>4305</b> (FS2403)					
<b>Style No.</b>		<b>Tube</b>		<b>Style No.</b>		<b>T1</b>	<b>T2</b>	<b>Style No.</b>		<b>T1</b>	<b>T2</b>		
		4165-04	1/4			4305-04-04	9/16-18	9/16-18					
		4165-06	3/8			4305-06-04	11/16-16	9/16-18					
		4165-08	1/2			4305-06-06	11/16-16	11/16-16					
		4165-10	5/8			4305-08-06	13/16-16	11/16-16					
		4165-12	3/4			4305-08-08	13/16-16	13/16-16					
		4165-16	1			4305-10-08	1-14	13/16-16					
		4165-20	1 1/4			4305-10-10	1-14	1-14					
<b>SLEEVE ORS (BRAZE)</b>		4165-24	1 1/2			4305-12-08	1 3/16-12	13/16-16					
				4305-12-10	1 3/16-12	1-14							
				4305-12-12	1 3/16-12	1 3/16-12							
				4305-16-12	1 7/16-12	1 3/16-12							
				4305-16-16	1 7/16-12	1 7/16-12							
				4305-20-16	1 11/16-12	1 7/16-12							
				4305-20-20	1 11/16-12	1 11/16-12							
				4305-24-24	2-12	2-12							
				<b>Mâle ORFS / Mâle ORB</b> ORFS Male / ORB Male			<b>4315</b> (FS6400)						
<b>Style No.</b>		<b>T1</b>	<b>T2</b>	<b>Style No.</b>		<b>T1</b>	<b>T2</b>	<b>Style No.</b>				<b>T1</b>	<b>T2</b>
		4205-04-02	9/16-18	1/8-27	4315-04-04	9/16-18	7/16-20						
		4205-04-04	9/16-18	1/4-18	4315-04-06	9/16-18	9/16-18						
		4205-04-06	9/16-18	3/8-18	4315-04-08	9/16-18	3/4-16						
		4205-04-08	9/16-18	1/2-14	4315-06-04	11/16-16	7/16-20						
		4205-06-04	11/16-16	1/4-18	4315-06-05	11/16-17	1/2-20						
		4205-06-06	11/16-16	3/8-18	4315-06-06	11/16-16	9/16-18						
		4205-06-08	11/16-16	1/2-14	4315-06-08	11/16-16	3/4-16						
		4205-08-04	13/16-16	1/4-18	4315-06-10	11/16-16	7/8-14						
		4205-08-06	13/16-16	3/8-18	4315-06-12	13/16-16	1 1/16-12						
		4205-08-08	13/16-16	1/2-14	4315-08-06	13/16-16	9/16-18						
		4205-08-12	13/16-16	3/4-14	4315-08-08	13/16-16	3/4-16						
		4205-10-08	1-14	1/2-14	4315-08-10	13/16-16	7/8-14						
		4205-10-12	1-14	3/4-14	4315-08-12	13/16-16	1 1/16-12						
		4205-12-08	1 3/16-12	1/2-14	4315-08-16	13/16-16	1 5/16-12						
		4205-12-12	1 3/16-12	3/4-14	4315-10-08	1-14	3/4-16						
		4205-12-16	1 3/16-12	1-11.5	4315-10-10	1-14	7/8-14						
		4205-16-12	1 7/16-12	3/4-14	4315-10-12	1-14	1 1/16-12						
4205-16-16	1 7/16-12	1-11.5	4315-12-08	1 3/16-12	3/4-16								
4205-16-20	1 7/16-12	1 1/4-11.5	4315-12-10	1 3/16-12	7/8-14								
4205-20-16	1 11/16-12	1-11.5	4315-12-12	1 3/16-12	1 1/16-12								
4205-20-20	1 11/16-12	1 1/4-11.5	4315-12-14	1 3/16-12	1 3/16-12								
4205-24-24	2-12	1 1/2-11.5	4315-12-16	1 3/16-12	1 5/16-12								
				4315-16-12	1 7/16-12	1 1/16-12							
				4315-16-16	1 7/16-12	1 5/16-12							
				4315-16-20	1 7/16-12	1 5/8-12							
				4315-20-16	1 11/16-12	1 5/16-12							
				4315-20-20	1 11/16-12	1 5/8-12							
				4315-20-24	1 11/16-12	1 7/8-12							
				4315-24-20	2-12	1 5/8-12							
				4315-24-24	2-12	1 7/8-12							
<b>4229</b> (FS2408) Bouchon Mâle ORFS Male Plug ORFS				<b>Mâle ORFS / Mâle ORB</b> ORFS Male / ORB Male				<b>4315</b> (FS6400)					
<b>Style No.</b>		<b>T1</b>	<b>T2</b>	<b>Style No.</b>		<b>T1</b>	<b>T2</b>	<b>Style No.</b>		<b>T1</b>	<b>T2</b>		
		4229-04	9/16-18		4315-12-16	1 3/16-12	1 5/16-12						
		4229-06	11/16-16		4315-16-12	1 7/16-12	1 1/16-12						
		4229-08	13/16-16		4315-16-16	1 7/16-12	1 5/16-12						
		4229-10	1-14		4315-16-20	1 7/16-12	1 5/8-12						
		4229-12	1 3/16-12		4315-20-16	1 11/16-12	1 5/16-12						
		4229-16	1 7/16-12		4315-20-20	1 11/16-12	1 5/8-12						
		4229-20	1 11/16-12		4315-20-24	1 11/16-12	1 7/8-12						
		4229-24	2-12		4315-24-20	2-12	1 5/8-12						
		<b>PLUG ORS</b>				4315-24-24	2-12					1 7/8-12	

2010







2010

<b>4316</b> (FS6400L)				Mâle ORFS / Mâle ORB - Long ORFS Male / ORB Male - Long				<b>45° Mâle ORFS / Mâle ORB Adjustable</b> 45° ORFS Male / ORB Male Adjustable				<b>4365</b> (FS6802)					
				<b>Style No.</b>		T1	T2	<b>Style No.</b>		T1	T2						
				4316-04-04		9/16-18	7/16-20	4365-04-04		9/16-18	7/16-20						
				4316-06-06		11/16-16	9/16-18	4365-04-06		9/16-18	9/16-18						
				4316-08-08		13/16-16	3/4-16	4365-06-04		11/16-16	7/16-20						
				4316-10-10		1-14	7/8-14	4365-06-06		11/16-16	9/16-18						
				4316-12-12		1 3/16-12	1 1/16-12	4365-06-08		11/16-16	3/4-16						
<b>MORS X MORB LONG</b>				4316-16-16		1 7/16-12	1 5/16-12	4365-08-06		13/16-16	9/16-18	<b>MORS X MB 45°</b>					
4365-08-08		13/16-16	3/4-16	4365-08-10		13/16-16	7/8-14										
4365-10-08		1-14	3/4-16	4365-10-10		1-14	7/8-14										
4365-10-10		1-14	3/4-16	4365-10-12		1-14	3/4-16										
4365-12-08		1 3/16-12	3/4-16	4365-12-08		1 3/16-12	3/4-16										
4365-12-10		1 3/16-12	7/8-14	4365-12-10		1 3/16-12	7/8-14										
<b>4325</b> (FS2700)				Mâle ORFS / Mâle ORFS Cloison Male ORFS / Male ORFS Bulkhead				4365-12-12 1 3/16-12 1 1/16-12 4365-12-16 1 3/16-12 1 5/16-12 4365-16-12 1 7/16-12 1 1/16-12 4365-16-16 1 7/16-12 1 5/16-12 4365-16-20 1 7/16-12 1 5/8-12 4365-20-20 1 11/16-12 1 5/8-12 4365-24-24 2-12 2-12									
				<b>Style No.</b>		T1	T2	<b>Style No.</b>		T1	T2						
				4325-04-04		9/16-18	9/16-18	4365-12-16		1 3/16-12	1 5/16-12						
				4325-06-06		11/16-16	11/16-16	4365-16-12		1 7/16-12	1 1/16-12						
				4325-08-08		13/16-16	13/16-16	4365-16-16		1 7/16-12	1 5/16-12						
				4325-10-10		1-14	1-14	4365-16-20		1 7/16-12	1 5/8-12						
				4325-12-12		1 3/16-12	1 3/16-12	4365-20-20		1 11/16-12	1 5/8-12						
<b>MORS X MORS BH</b>				4325-16-16		1 7/16-12	1 7/16-12	4365-24-24		2-12	2-12						
<b>4355</b> (FS2503)				45° Mâle ORFS / Male NPT 45° ORFS Male / NPT Male				<b>4375</b> (FS2702)									
				<b>Style No.</b>		T1	T2	<b>Style No.</b>		T1	T2						
				4355-04-04		9/16-18	1/4-18	4375-04-04		9/16-18	9/16-18						
				4355-06-04		11/16-16	1/4-18	4375-04-06		9/16-18	11/16-16						
				4355-06-06		11/16-16	3/8-18	4375-06-06		11/16-16	11/16-16						
				4355-08-08		13/16-16	1/2-14	4375-08-08		13/16-16	13/16-16						
				4355-10-08		1-14	1/2-14	4375-10-10		1-14	1-14						
<b>MORS X MP 45°</b>				4355-12-12		1 3/16-12	3/4-14	4375-12-12		1 3/16-12	1 3/16-12	<b>MORS X MORS 45°</b>					
4355-16-16		1 7/16-12	1-11.5	4375-16-16		1 7/16-12	1 7/16-12										
4375-20-20		1 11/16-12	1 11/16-12	4375-20-20		1 11/16-12	1 11/16-12										
4375-24-24		2-12	2-12	4375-24-24		2-12	2-12										
<b>4356</b> (FS6502)				45° Mâle ORFS / Femelle JIC 45° ORFS Male / JIC Female				<b>Mâle ORFS pour Souder</b> Braze ORFS Male						<b>4403</b> (FS0403)			
				<b>Style No.</b>		T1	T2	<b>Style No.</b>		T1	Tube						
				4356-04-04		9/16-18	9/16-18	4403-04-04		9/16-18	1/4						
				4356-06-06		11/16-16	11/16-16	4403-06-04		11/16-16	1/4						
				4356-08-08		13/16-16	13/16-16	4403-06-06		11/16-16	3/8						
				4356-10-10		1-14	1-14	4403-08-06		13/16-16	3/8						
				4356-12-12		1 3/16-12	1 3/16-12	4403-08-08		13/16-16	1/2						
<b>FORS X MORS 45°</b>				4356-16-16		1 7/16-12	1 7/16-12	4403-08-10		13/16-16	5/8	<b>BRAZE MORS</b>					
4403-10-08		1-14	1/2	4403-10-10		1-14	5/8										
4403-10-10		1-14	5/8	4403-12-08		1 3/16-12	1/2										
4403-12-08		1 3/16-12	1/2	4403-12-10		1 3/16-12	5/8										
4403-12-10		1 3/16-12	5/8														

Continue / Cont'd





<b>4716</b> (FS6804)				Té Male ORFS / Male ORB Ajustable Tee ORFS Male / ORB Male Adjustable				<b>Écrou Cloison ORFS</b> ORFS Bulkhead Nut				<b>4924</b> (FS0306)							
				<b>Style No.</b>				<b>Style No.</b>											
				T1		T2		T1											
				4716-04		9/16-18		9/16-18											
				4716-04-06		9/16-18		11/16-16											
				4716-06		11/16-16		11/16-16											
				4716-08		13/16-16		13/16-16											
				4716-08-06		13/16-16		11/16-16											
				4716-08-12		13/16-16		13/16-12											
				4716-10		1-14		1-14											
				4716-12		1 3/16-12		1 3/16-12											
<b>MORS X MORS X MB</b> <b>RUN TEE</b>				4716-16		1 7/16-12		1 7/16-12				<b>BH NUT</b>							
4716-16		1 7/16-12		1 7/16-12															
4716-20		1 11/16-12		1 11/16-12															
4716-24		2-12		2-12															
<b>4725</b> (FS2703)				Té Male ORFS / Cloison Male ORFS Tee ORFS Male / ORFS Male Bulkhead				<b>Croix Male ORFS</b> Cross ORFS Male				<b>4955</b> (FS2650)							
				<b>Style No.</b>				<b>Style No.</b>											
				T1		T2		T1											
				4725-06		11/16-16		11/16-16											
				4725-08		13/16-16		13/16-16											
				4725-10		1-14		1-14											
				4725-12		1 3/16-12		1 3/16-12											
<b>MORS BH</b> <b>BRANCH TEE</b>				4955-04		9/16-18						<b>MORS CROSS</b>							
4955-06		11/16-16		11/16-16															
4955-08		13/16-16		13/16-16															
4955-10		1-14		1-14															
4955-12		1 3/16-12		1 3/16-12															
4955-16		1 7/16-12		1 7/16-12															
4955-20		1 11/16-12		1 11/16-12															
4955-24		2-12		2-12															
<b>4726</b> (FS2704)				Té Male ORFS / Male ORFS Cloison Tee Male ORFS / ORFS Male Bulkhead				<b>Mâle ORFS / Bride Code 61 (Solide)</b> ORFS Male / Code 61 Flange (Solid)								<b>9714</b> (FS1700)			
				<b>Style No.</b>				<b>Style No.</b>											
				T1		T2		T1		FL									
				4726-04		9/16-18		9/16-18											
				4726-06		11/16-16		11/16-16											
				4726-08		13/16-16		13/16-16											
				4726-10		1-14		1-14											
				4726-12		1 3/16-12		1 3/16-12											
				4726-16		1 7/16-12		1 7/16-12											
				4726-20		1 11/16-12		1 11/16-12											
				4726-24		2-12		2-12											
<b>MORS BH</b> <b>RUN TEE</b>				9714-12-12		1 3/16-12		3/4				<b>MORFS X FL61</b>							
9714-12-16		1 3/16-12		1															
9714-16-12		1 7/16-12		3/4															
9714-16-16		1 7/16-12		1															
9714-16-20		1 7/16-12		1 1/4															
9714-20-16		1 11/16-12		1															
9714-20-20		1 11/16-12		1 1/4															
9714-20-24		1 11/16-12		1 1/2															
9714-24-20		2-12		1 1/4															
9714-24-24		2-12		1 1/2															
9714-24-32		2-12		2															