




312526	Swivel 3000 Male JIC x Femelle NPTF Swivel 3000 JIC Male x NPTF Female			
	FUTURE	BODY SIZE	1 JIC	2 NPTF
312526-06-04	3/8	9/16-18	1/4-18	
312526-06-06	3/8	9/16-18	3/8-18	
312526-08-06	3/8	3/4-16	3/8-18	
312526-10-08	1/2	7/8-14	1/2-14	
312526-12-12	1/2	1-1/16-12	3/4-14	
312526-16-16	1	1-5/16-12	1-11.5	
312526-20-20	1-1/4	1-5/8-12	1-1/4-11.5	
312526-24-24	1-1/2	1-7/8-12	1-1/2-11.5	
312526-32-32	2	2-1/2-12	2-11.5	




312529	Swivel 3000 Male JIC x Femelle JIC Swivel 3000 JIC Male x JIC Female			
	FUTURE	BODY SIZE	1 JIC	2 JIC
312529-06-06	3/8	9/16-18	9/16-18	
312529-08-08	3/8	3/4-16	3/4-16	
312529-10-10	1/2	7/8-14	7/8-14	
312529-12-12	1/2	1-1/16-12	1-1/16-12	
312529-14-14	7/8	1 3/16-12	1 3/16-12	
312529-16-16	1	1-5/16-12	1-5/16-12	
312529-20-20	1-1/4	1-5/8-12	1-5/8-12	
312529-24-24	1-1/2	1-7/8-12	1-7/8-12	
312529-32-32	2	2-1/2-12	2-1/2-12	



312626	Swivel 3000 Femelle NPTF x Femelle NPTF Swivel 3000 NPTF Female x NPTF Female			
	FUTURE	BODY SIZE	1 NPTF	2 NPTF
312626-04-04	3/8	1/4-18	1/4-18	
312626-06-06	3/8	3/8-18	3/8-18	
312626-08-08	1/2	1/2-14	1/2-14	
312626-12-12	1/2	3/4-14	3/4-14	
312626-16-16	1	1-11.5	1-11.5	
312626-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
312626-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	
312626-32-32	2	2-11.5	2-11.5	





312528	Swivel 3000 Male JIC x Male NPTF Swivel 3000 JIC Male x NPTF Male			
	FUTURE	BODY SIZE	1 JIC	2 NPTF
312528-06-04	3/8	9/16-18	1/4-18	
312528-06-06	3/8	9/16-18	3/8-18	
312528-08-06	3/8	3/4-16	3/8-18	
312528-10-08	1/2	7/8-14	1/2-14	
312528-12-12	1/2	1-1/16-12	3/4-14	
312528-16-16	1	1-5/16-12	1-11.5	
312528-20-20	1-1/4	1-5/8-12	1-1/4-11.5	
312528-24-24	1-1/2	1-7/8-12	1-1/2-11.5	
312528-32-32	2	2-1/2-12	2-11.5	





312628	Swivel 3000 Femelle NPTF x Male NPTF Swivel 3000 NPTF Female x NPTF Male			
	FUTURE	BODY SIZE	1 NPTF	2 NPTF
312628-04-04	3/8	1/4-18	1/4-18	
312628-06-06	3/8	3/8-18	3/8-18	
312628-08-08	1/2	1/2-14	1/2-14	
312628-12-12	1/2	3/4-14	3/4-14	
312628-16-16	1	1-11.5	1-11.5	
312628-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
312628-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	
312628-32-32	2	2-11.5	2-11.5	

STYLE 3000 PSI



392525	Swivel 3000 Male JIC x Male JIC 90° Swivel 3000 JIC Male x JIC Male 90°			
	FUTURE	BODY SIZE	1 JIC	2 JIC
392525-05-05	3/8	1/2-20	1/2-20	
392525-05-06	3/8	1/2-20	9/16-18	
392525-06-05	3/8	9/16-18	1/2-20	
392525-06-06	3/8	9/16-18	9/16-18	
392525-06-08	3/8	9/16-18	3/4-16	
392525-08-08	3/8	3/4-16	3/4-16	
392525-10-10	1/2	7/8-14	7/8-14	
392525-12-12	3/4	1-1/16-12	1-1/16-12	
392525-16-16	1	1-5/16-12	1-5/16-12	
392525-20-20	1-1/4	1-5/8-12	1-5/8-12	
392525-24-24	1-1/2	1-7/8-12	1-7/8-12	
392525-32-32	2	2-1/2-12	2-1/2-12	



392528	Swivel 3000 Male JIC x Male NPTF 90° Swivel 3000 JIC Male x NPTF Male 90°			
	FUTURE	BODY SIZE	1 JIC	2 NPTF
392528-05-04	3/8	1/2-20	1/4-18	
392528-05-06	3/8	1/2-20	3/8-18	
392528-06-04	3/8	9/16-18	1/4-18	
392528-06-06	3/8	9/16-18	3/8-18	
392528-08-06	3/8	3/4-16	3/8-18	
392528-08-08	1/2	3/4-16	1/2-14	
392528-10-08	1/2	7/8-14	1/2-14	
392528-12-12	3/4	1-1/16-12	3/4-14	
392528-16-16	1	1-5/16-12	1-11.5	
392528-20-20	1-1/4	1-5/8-12	1-1/4-11.5	
392528-24-24	1-1/2	1-7/8-12	1-1/2-11.5	
392528-32-32	2	2-1/2-12	2-11.5	



392526	Swivel 3000 Male JIC x Femelle NPTF 90° Swivel 3000 JIC Male x NPTF Female 90°			
	FUTURE	BODY SIZE	1 JIC	2 NPTF
392526-05-04	3/8	1/2-20	1/4-18	
392526-05-06	3/8	1/2-20	3/8-18	
392526-06-04	3/8	9/16-18	1/4-18	
392526-06-06	3/8	9/16-18	3/8-18	
392526-08-06	3/8	3/4-16	3/8-18	
392526-08-08	1/2	3/4-16	1/2-14	
392526-10-08	1/2	7/8-14	1/2-14	
392526-12-12	3/4	1-1/16-12	3/4-14	
392526-16-16	1	1-5/16-12	1-11.5	
392526-20-20	1-1/4	1-5/8-12	1-1/4-11.5	
392526-24-24	1-1/2	1-7/8-12	1-1/2-11.5	
392526-32-32	2	2-1/2-12	2-11.5	



392530	Swivel 3000 Male JIC x Male ORB 90° Swivel 3000 JIC Male x ORB Male 90°			
	FUTURE	BODY SIZE	1 JIC	2 ORB
392530-05-06	3/8	1/2-20	9/16-18	
392530-06-06	3/8	9/16-18	9/16-18	
392530-06-08	3/8	9/16-18	3/4-16	
392530-08-08	3/8	3/4-16	3/4-16	
392530-10-10	1/2	7/8-14	7/8-14	
392530-12-12	3/4	1-1/16-12	1-1/16-12	
392530-16-16	1	1-5/16-12	1-5/16-12	
392530-20-20	1-1/4	1-5/8-12	1-5/8-12	
392530-24-24	1-1/2	1-7/8-12	1-7/8-12	
392530-32-32	2	2-1/2-12	2-1/2-12	

STYLE 3000 PSI



392625		Swivel 3000 Femelle NPTF x Male JIC 90° Swivel 3000 NPTF Female x JIC Male 90°		
FUTURE	BODY SIZE	1 NPTF	2 JIC	
392625-04-05	3/8	1/4-18	1/2-20	
392625-04-06	3/8	1/4-18	9/16-18	
392625-06-05	3/8	3/8-18	1/2-20	
392625-06-06	3/8	3/8-18	9/16-18	
392625-06-08	3/8	3/8-18	3/4-16	
392625-08-10	1/2	1/2-14	7/8-14	
392625-12-12	3/4	3/4-14	1-1/16-12	
392625-16-16	1	1-11.5	1-5/16-12	
392625-20-20	1-1/4	1-1/4-11.5	1-5/8-12	
392625-24-24	1-1/2	1-1/2-11.5	1-7/8-12	
392625-32-32	2	2-11/2	2-1/2-12	



392628		Swivel 3000 Femelle NPTF x Male NPTF 90° Swivel 3000 NPTF Female x NPTF Male 90°		
FUTURE	BODY SIZE	1 NPTF	2 NPTF	
392628-04-04	3/8	1/4-18	1/4-27	
392628-04-06	3/8	1/4-18	3/8-18	
392628-06-04	3/8	3/8-18	1/4-27	
392628-06-06	3/8	3/8-18	3/8-18	
392628-08-08	1/2	1/2-14	1/2-14	
392628-12-12	3/4	3/4-14	3/4-14	
392628-16-16	1	1-11.5	1-11.5	
392628-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
392628-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	
392628-32-32	2	2-11/2	2-11.5	



392626		Swivel 3000 Femelle NPTF x Femelle NPTF 90° Swivel 3000 NPTF Female x NPTF Female 90°		
FUTURE	BODY SIZE	1 NPTF	2 NPTF	
392626-04-04	3/8	1/4-18	1/4-18	
392626-04-06	3/8	1/4-18	3/8-18	
392626-06-04	3/8	3/8-18	1/4-18	
392626-06-06	3/8	3/8-18	3/8-18	
392626-08-08	1/2	1/2-14	1/2-14	
392626-12-12	3/4	3/4-14	3/4-14	
392626-16-16	1	1-11.5	1-11.5	
392626-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
392626-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	
392626-32-32	2	2-11.5	2-11.5	


392630		Swivel 3000 Femelle NPTF x Male ORB 90° Swivel 3000 NPTF Female x ORB Male 90°		
FUTURE	BODY SIZE	1 NPTF	2 ORB	
392630-04-06	3/8	1/4-18	9/16-18	
392630-06-06	3/8	3/8-18	9/16-18	
392630-06-08	3/8	3/8-18	3/4-16	
392630-08-10	1/2	1/2-14	7/8-14	
392630-12-12	3/4	3/4-14	1-1/16-12	
392630-16-16	1	1-11.5	1-5/16-12	
392630-20-20	1-1/4	1-1/4-11.5	1-5/8-12	
392630-24-24	1-1/2	1-1/2-11.5	1-7/8-12	
392630-32-32	2	2-11.5	2-1/2-12	

STYLE 3000 PSI



392725				
Swivel 3000 Femelle NPSM x Male JIC 90° Swivel 3000 NPSM Female x JIC Male 90°				
FUTURE	BODY SIZE	1 NPSM	2 JIC	
392725-04-05	3/8	1/4-18	1/2-20	
392725-04-06	3/8	1/4-18	9/16-18	
392725-06-05	3/8	3/8-18	1/2-20	
392725-06-06	3/8	3/8-18	9/16-18	
392725-06-08	3/8	3/8-18	3/4-16	
392725-08-10	1/2	1/2-14	7/8-14	
392725-12-12	3/4	3/4-14	1-1/16-12	
392725-16-16	1	1-11.5	1-5/16-12	
392725-20-20	1-1/4	1-1/4-11.5	1-5/8-12	
392725-24-24	1-1/2	1-1/2-11.5	1-7/8-12	
392725-32-32	2	2-11.5	2-1/2-12	



392728				
Swivel 3000 Femelle NPSM x Male NPTF 90° Swivel 3000 NPSM Female x NPTF Male 90°				
FUTURE	BODY SIZE	1 NPSM	2 NPTF	
392728-04-04	3/8	1/4-18	1/4-18	
392728-04-06	3/8	1/4-18	3/8-18	
392728-06-04	3/8	3/8-18	1/4-18	
392728-06-06	3/8	3/8-18	3/8-18	
392728-08-08	1/2	1/2-14	1/2-14	
392728-12-12	3/4	3/4-14	3/4-14	
392728-16-16	1	1-11.5	1-11.5	
392728-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
392728-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	
392728-32-32	2	2-11.5	2-11.5	



392726				
Swivel 3000 Femelle NPSM x Femelle NPTF 90° Swivel 3000 NPSM Female x NPTF Female 90°				
FUTURE	BODY SIZE	1 NPSM	2 NPTF	
392726-04-04	3/8	1/4-18	1/4-18	
392726-04-06	3/8	1/4-18	3/8-18	
392726-06-04	3/8	3/8-18	1/4-18	
392726-06-06	3/8	3/8-18	3/8-18	
392726-08-08	1/2	1/2-14	1/2-14	
392726-12-12	3/4	3/4-14	3/4-14	
392726-16-16	1	1-11.5	1-11.5	
392726-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
392726-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	
392726-32-32	2	2-11.5	2-11.5	



392730				
Swivel 3000 Femelle NPSM x Male ORB 90° Swivel 3000 NPSM Female x ORB Male 90°				
FUTURE	BODY SIZE	1 NPSM	2 ORB	
392730-04-06	3/8	1/4-18	9/16-18	
392730-06-06	3/8	3/8-18	9/16-18	
392730-06-08	3/8	3/8-18	3/4-16	
392730-08-10	1/2	1/2-14	7/8-14	
392730-12-12	3/4	3/4-14	1-1/16-12	
392730-16-16	1	1-11.5	1-5/16-12	
392730-20-20	1-1/4	1-1/4-11.5	1-5/8-12	
392730-24-24	1-1/2	1-1/2-11.5	1-7/8-12	
392730-32-32	2	2-11.5	2-1/2-12	

STYLE 3000 PSI



392825	Swivel 3000 Male NPTF x Male JIC 90° Swivel 3000 NPTF Male x JIC Male 90°			
	FUTURE	BODY SIZE	1 NPTF	2 JIC
392825-04-05	3/8	1/4-18	1/2-20	
392825-04-06	3/8	1/4-18	9/16-18	
392825-06-05	3/8	3/8-18	1/2-20	
392825-06-06	3/8	3/8-18	9/16-18	
392825-08-10	1/2	1/2-14	7/8-14	
392825-12-12	3/4	3/4-14	1-1/16-12	
392825-16-16	1	1-11.5	1-5/16-12	
392825-20-20	1-1/4	1-1/4-11.5	1-5/8-12	
392825-24-24	1-1/2	1-1/2-11.5	1-7/8-12	
392825-32-32	2	2-11.5	2-1/2-12	



392828	Swivel 3000 Male NPTF x Male NPTF 90° Swivel 3000 NPTF Male x NPTF Male 90°			
	FUTURE	BODY SIZE	1 NPTF	2 NPTF
392828-04-04	3/8	1/4-18	1/4-18	
392828-04-06	3/8	1/4-18	3/8-18	
392828-06-04	3/8	3/8-18	1/4-18	
392828-06-06	3/8	3/8-18	3/8-18	
392828-08-08	1/2	1/2-14	1/2-14	
392828-12-12	3/4	3/4-14	3/4-14	
392828-16-16	1	1-11.5	1-11.5	
392828-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
392828-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	
392828-32-32	2	2-11.5	2-11.5	



392826	Swivel 3000 Male NPTF x Femelle NPTF 90° Swivel 3000 NPTF Male x NPTF Female 90°			
	FUTURE	BODY SIZE	1 NPTF	2 NPTF
392826-04-04	3/8	1/4-18	1/4-18	
392826-04-06	3/8	1/4-18	3/8-18	
392826-06-04	3/8	3/8-18	1/4-18	
392826-06-06	3/8	3/8-18	3/8-18	
392826-08-08	1/2	1/2-14	1/2-14	
392826-12-12	3/4	3/4-14	3/4-14	
392826-16-16	1	1-11.5	1-11.5	
392826-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
392826-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	
392826-32-32	2	2-11.5	2-11.5	

392830	Swivel 3000 Male NPTF x Male ORB 90° Swivel 3000 NPTF Male x ORB Male 90°			
	FUTURE	BODY SIZE	1 NPTF	2 ORB
392830-04-05	3/8	1/4-18	1/2-20	
392830-04-06	3/8	1/4-18	9/16-18	
392830-06-06	3/8	3/8-18	9/16-18	
392830-06-08	3/8	3/8-18	3/4-16	
392830-08-10	1/2	1/2-14	7/8-14	
392830-12-12	3/4	3/4-14	1-1/16-12	
392830-16-16	1	1-11.5	1-5/16-12	
392830-20-20	1-1/4	1-1/4-11.5	1-5/8-12	
392830-24-24	1-1/2	1-1/2-11.5	1-7/8-12	
392830-32-32	2	2-11.5	2-1/2-12	



STYLE 3000 PSI



3SS	Swivel 3000 SEAL KIT / DROIT		Swivel 3000 SEAL KIT / STRAIGHT	
	FUTURE	BODY SIZE		
3S 3/8	3/8			
3S 1/2	1/2			
3S 7/8	7/8			
3S 1	1			
3S 1.1/4	1-1/4			
3S 1.1/2	1-1/2			
3S 2	2			



3S9	Swivel 3000 SEAL KIT / 90°		Swivel 3000 SEAL KIT / 90°	
	FUTURE	BODY SIZE		
3S0690	3/8			
3S0890	1/2			
3S1290	3/4			
3S1690	1			
3S2090	1-1/4			
3S2490	1-1/2			
3S3290	2			

STYLE 5000 PSI





512424	Swivel 5000 Male ORS x Male ORS Swivel 5000 ORS Male x ORS Male			
	FUTURE	BODY SIZE	1 ORS	2 ORS
512424-06-06	1/4	11/16-16	11/16-16	
512424-08-08	1/2	13/16-16	13/16-16	
512424-10-10	1/2	1-14	1-14	
512424-12-12	3/4	1 3/16-12	1 3/16-12	
512424-16-16	1	1 7/16-12	1 7/16-12	
512424-20-20	1-1/4	1 11/16-12	1 11/16-12	
512424-24-24	1-1/2	2-12	2-12	

512530	Swivel 5000 Male JIC x Male ORB Swivel 5000 JIC Male x ORB Male			
	FUTURE	BODY SIZE	1 JIC	2 ORB
512530-06-06	1/4	9/16-18	9/16-18	
512530-08-08	1/2	3/4-16	3/4-16	
512530-08-10	1/2	3/4-16	7/8-14	
512530-10-08	1/2	7/8-14	3/4-16	
512530-10-10	1/2	7/8-14	7/8-14	
512530-12-12	3/4	1-1/16-12	1-1/16-12	
512530-16-16	1	1-5/16-12	1-5/16-12	
512530-20-20	1-1/4	1-5/8-12	1-5/8-12	
512530-24-24	1-1/2	1-7/8-12	1-7/8-12	



512525	Swivel 5000 Male JIC x Male JIC Swivel 5000 JIC Male x JIC Male			
	FUTURE	BODY SIZE	1 JIC	2 JIC
512525-04-04	1/4	9/16-18	9/16-18	
512525-06-06	1/4	9/16-18	9/16-18	
512525-08-08	1/2	3/4-16	3/4-16	
512525-10-10	1/2	7/8-14	7/8-14	
512525-12-12	3/4	1-1/16-12	1-1/16-12	
512525-16-16	1	1-5/16-12	1-5/16-12	
512525-20-20	1-1/4	1-5/8-12	1-5/8-12	



512532	Swivel 5000 Male JIC x Male JIC Bulkhead Swivel 5000 JIC Male x JIC Male Bulkhead			
	FUTURE	BODY SIZE	1 JIC	2 JIC
512532-08-08	1/2	3/4-16	3/4-16	
512532-10-10	1/2	7/8-14	7/8-14	
512532-12-12	3/4	1-1/16-12	1-1/16-12	
512532-16-16	1	1-5/16-12	1-5/16-12	
512532-20-20	1-1/4	1-5/8-12	1-5/8-12	



512528	Swivel 5000 Male JIC x Male NPTF Swivel 5000 JIC Male x NPTF Male			
	FUTURE	BODY SIZE	1 JIC	2 NPTF
512528-06-04	1/4	9/16-18	1/4-18	
512528-06-06	1/4	9/16-18	3/8-18	
512528-08-06	1/2	3/4-16	3/8-18	
512528-08-08	1/2	3/4-16	1/2-14	
512528-10-06	1/2	7/8-14	3/8-18	
512528-10-08	1/2	7/8-14	1/2-14	
512528-12-12	3/4	1-1/16-12	3/4-14	
512528-16-16	1	1-5/16-12	1-11.5	
512528-20-20	1-1/4	1-7/8-12	1-1/4-11.5	



512625	Swivel 5000 Femelle NPTF x Male JIC Swivel 5000 NPTF Female x JIC Male			
	FUTURE	BODY SIZE	1 NPTF	2 JIC
512625-04-06	1/4	1/4-18	9/16-18	
512625-06-08	1/2	3/8-18	3/4-16	
512625-08-08	1/2	1/2-14	3/4-16	
512625-08-10	1/2	1/2-14	7/8-14	
512625-12-12	3/4	3/4-14	1-1/16-12	
512625-16-16	1	1-11.5	1-5/16-12	
512625-20-20	1-1/4	1-1/4-11.5	1-5/8-12	
512625-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	

STYLE 5000 PSI



512626				
Swivel 5000 Femelle NPTF x Femelle NPTF				
Swivel 5000 NPTF Female x NPTF Female				
FUTURE	BODY SIZE	1 NPTF	2 NPTF	
512626-04-04	1/4	1/4-18	1/4-18	
512626-06-06	1/2	3/8-18	3/8-18	
512626-08-08	1/2	1/2-14	1/2-14	
512626-12-12	3/4	3/4-14	3/4-14	
512626-16-16	1	1-11.5	1-11.5	
512626-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
512626-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	
512626-32-32	2	2-11.5	2-11.5	



512630				
Swivel 5000 Femelle NPTF x Male ORB				
Swivel 5000 NPTF Female x ORB Male				
FUTURE	BODY SIZE	1 NPTF	2 ORB	
512630-04-06	1/4	1/4-18	9/16-18	
512630-06-08	1/2	3/8-18	3/4-16	
512630-06-10	1/2	3/8-18	7/8-14	
512630-08-08	1/2	1/2-14	3/4-16	
512630-08-10	1/2	1/2-14	7/8-14	
512630-12-12	3/4	3/4-14	1-1/16-12	
512630-16-16	1	1-11.5	1-5/16-12	
512630-20-20	1-1/4	1-1/4-11.5	1-5/8-12	
512630-24-24	1-1/2	1-1/2-11.5	1-7/8-12	



512628				
Swivel 5000 Femelle NPTF x Male NPTF				
Swivel 5000 NPTF Female x NPTF Male				
FUTURE	BODY SIZE	1 NPTF	2 NPTF	
512628-04-04	1/4	1/4-18	1/4-18	
512628-06-06	1/2	3/8-18	3/8-18	
512628-08-08	1/2	1/2-14	1/2-14	
512628-12-12	3/4	3/4-14	3/4-14	
512628-16-16	1	1-11.5	1-11.5	
512628-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
512628-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	
512628-32-32	2	2-11.5	2-11.5	


512925				
Swivel 5000 Femelle JIC x Male JIC				
Swivel 5000 JIC Female x JIC Male				
FUTURE	BODY SIZE	1 JIC	2 JIC	
512925-04-04	1/4	7/16-20	7/16-20	
512925-06-06	1/4	9/16-18	9/16-18	
512925-08-08	1/2	3/4-16	3/4-16	
512925-10-08	1/2	7/8-14	3/4-16	
512925-10-10	1/2	7/8-14	7/8-14	
512925-12-12	3/4	1-1/16-12	1-1/16-12	
512925-16-16	1	1-5/16-12	1-5/16-12	
512925-20-20	1-1/4	1-5/8-12	1-5/8-12	
512925-24-24	1-1/2	1-7/8-12	1-7/8-12	

STYLE 5000 PSI




512930	Swivel 5000 Femelle JIC x Male ORB Swivel 5000 JIC Female x ORB Male			
	FUTURE	BODY SIZE	1 JIC	2 ORB
512930-06-06	1/4	9/16-18	9/16-18	
512930-08-08	1/2	3/4-16	3/4-16	
512930-10-10	1/2	7/8-14	7/8-14	
512930-12-12	3/4	1-1/16-12	1-1/16-12	
512930-16-16	1	1-5/16-12	1-5/16-12	
512930-20-20	1-1/4	1-5/8-12	1-5/8-12	
512930-24-24	1-1/2	1-7/8-12	1-7/8-12	


522525	Swivel 5000 Male JIC x Male JIC "DOUBLE BEARING" Swivel 5000 JIC Male x JIC Male			
	FUTURE	BODY SIZE	1 JIC	2 JIC
522525-12-12	3/4	1-1/16-12	1-1/16-12	
522525-16-16	1	1-5/16-12	1 1/5-12	



522925	Swivel 5000 Femelle JIC x Male JIC "DOUBLE BEARING" Swivel 5000 JIC Female x JIC Male			
	FUTURE	BODY SIZE	1 JIC	2 JIC
522925-12-12	3/4	1-1/16-12	1-1/16-12	
522925-16-16	1	1-5/16-12	1-5/16-12	




512932	Swivel 5000 Femelle JIC x M. JIC Bulkhead Swivel 5000 JIC Female x JIC M. Bulkhead			
	FUTURE	BODY SIZE	1 JIC	2 JIC
512932-08-08	1/2	3/4-16	3/4-16	
512932-10-10	1/2	7/8-14	7/8-14	
512932-12-12	3/4	1-1/16-12	1-1/16-12	
512932-16-16	1	1-5/16-12	1-5/16-12	
512932-20-20	1-1/4	1-5/8-12	1-5/8-12	




525005	Swivel 5000 Femelle BSPP x Male BSPP Swivel 5000 BSPP Female x BSPP Male			
	FUTURE	BODY SIZE	1 BSPP	2 BSPP
525005-04-04	1/4	1/4-19	1/4-19	
525005-06-06	3/8	3/8-19	3/8-19	
525005-08-08	1/2	1/2-14	1/2-14	
525005-12-12	3/4	3/4-14	3/4-14	
525005-16-16	1	1-11	1-11	
525005-20-20	1-1/4	1-1/4-11	1-1/4-11	
525005-24-24	1-1/2	1-1/2-11	1-1/2-11	

STYLE 5000 PSI




New!




New!

525050 FUTURE	Swivel 5000 Femelle BSPP x Femelle. BSPP Swivel 5000 BSPP Female x BSPP Female.			
	BODY SIZE	1 BSPP	2 BSPP	
525050-04-04	1/4	1/4-19	1/4-19	
525050-06-06	3/8	3/8-19	3/8-19	
525050-08-08	1/2	1/2-14	1/2-14	
525050-12-12	3/4	3/4-14	3/4-14	
525050-16-16	1	1-11	1-11	
525050-20-20	1-1/4	1-1/4-11	1-1/4-11	
525050-24-24	1-1/2	1-1/2-11	1-1/2-11	

592525 FUTURE	Swivel 5000 Male JIC x Male JIC Swivel 5000 JIC Male x JIC Male.			
	BODY SIZE	1 JIC	2 JIC	
592525-06-06	1/4	9/16-18	9/16-18	
592525-08-08	1/2	3/4-16	3/4-16	
592525-10-10	1/2	7/8-14	7/8-14	
592525-12-12	3/4	1-1/16-12	1-1/16-12	
592525-16-16	1	1-5/16-12	1-5/16-12	
592525-20-20	1-1/4	1-5/8-12	1-5/8-12	
592525-24-24	1-1/2	1-7/8-12	1-7/8-12	



New!





New!

592430 FUTURE	Swivel 5000 Male ORFS x Male ORB Swivel 5000 ORFS Male x ORB Male			
	BODY SIZE	1 ORFS	2 ORB	
592430-06-06	1/4	11/16-16	9/16-18	
592430-06-08	1/2	11/16-16	3/4-16	
592430-08-08	1/2	13/16-16	3/4-16	
592430-10-08	1/2	1-14	3/4-16	
592430-08-10	1/2	13/16-16	7/8-14	
592430-10-10	1/2	1-14	7/8-14	
592430-12-12	3/4	1-3/16-12	1-1/16-12	
592430-16-16	1	1-7/16-12	1-5/16-12	
592430-20-20	1-1/4	1-11/16-12	1-5/8-12	
592430-24-24	1-1/2	2-12	1-7/8-12	



592526 FUTURE	Swivel 5000 Male JIC x Femelle NPTF Swivel 5000 JIC Male x NPTF Female.			
	BODY SIZE	1 JIC	2 NPT	
592526-06-04	1/4	9/16-18	1/4-18	
592526-08-06	1/2	3/4-16	3/8-18	
592526-08-08	1/2	3/4-16	1/2-14	
592526-10-08	1/2	7/8-14	1/2-14	
592526-12-12	3/4	1-1/16-12	3/4-14	
592526-16-16	1	1-5/16-12	1-11.5	
592526-20-20	1-1/4	1-5/8-12	1-1/4-11.5	
592526-24-24	1-1/2	1-7/8-12	1-1/2-11.5	

STYLE 5000 PSI



592528 Swivel 5000 Male JIC x Male NPTF Swivel 5000 JIC Male x NPTF Male.				
FUTURE	BODY SIZE	1 JIC	2 NPT	
592528-06-04	1/4	9/16-18	1/4-18	
592528-06-06	1/4	9/16-18	3/8-18	
592528-08-06	1/2	3/4-16	3/8-18	
592528-08-08	1/2	3/4-16	1/2-14	
592528-10-08	1/2	7/8-14	1/2-14	
592528-12-12	3/4	1-1/16-12	3/4-14	
592528-16-16	1	1-5/16-12	1-11.5	
592528-20-20	1-1/4	1-5/8-12	1-1/4-11.5	
592528-24-24	1-1/2	1-7/8-12	1-1/2-11.5	



592628 Swivel 5000 Femelle NPTF x Male NPTF 90° Swivel 5000 NPTF Female x NPTF Male 90°				
FUTURE	BODY SIZE	1 NPTF	2 NPTF	
592628-04-04	1/4	1/4-18	1/4-18	
592628-04-06	1/4	1/4-18	3/8-18	
592628-06-06	1/2	3/8-18	3/8-18	
592628-08-08	1/2	1/2-14	1/2-14	
592628-12-12	3/4	3/4-14	3/4-14	
592628-16-16	1	1-11.5	1-11.5	
592628-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
592628-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	
592628-32-32	2	2-11.5	2-11.5	



592626 Swivel 5000 Femelle NPTF x Femelle NPTF 90° Swivel 5000 NPTF Female x NPTF Female 90°				
FUTURE	BODY SIZE	1 NPTF	2 NPTF	
592626-04-04	1/4	1/4-18	1/4-18	
592626-06-06	1/2	3/8-18	3/8-18	
592626-08-08	1/2	1/2-14	1/2-14	
592626-12-12	3/4	3/4-14	3/4-14	
592626-16-16	1	1-11.5	1-11.5	
592626-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
592626-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	
592626-32-32	2	2-11.5	2-11.5	



592630 Swivel 5000 Femelle NPTF x Male ORB 90° Swivel 5000 NPTF Female x ORB Male 90°				
FUTURE	BODY SIZE	1 NPTF	2 ORB	
592630-04-06	1/4	1/4-18	9/16-18	
592630-06-08	1/2	3/8-18	3/4-16	
592630-06-10	1/2	3/8-18	7/8-14	
592630-08-08	1/2	1/2-14	3/4-16	
592630-08-10	1/2	1/2-14	7/8-14	
592630-12-12	3/4	3/4-14	1-1/16-12	
592630-16-16	1	1-11.5	1-5/16-12	
592630-20-20	1-1/4	1-1/4-11.5	1-5/8-12	
592630-24-24	1-1/2	1-1/2-11.5	1-7/8-12	

STYLE 5000 PSI



592632	Swivel 5000 Femelle NPTF x Male JIC 90° BH Swivel 5000 NPTF Female x JIC Male 90° BH			
	FUTURE	BODY SIZE	1 NPTF	2 JIC
592632-06-08	1/2	3/8-18	3/4-16	
592632-06-10	1/2	3/8-18	7/8-14	
592632-08-08	1/2	1/2-14	3/4-16	
592632-08-10	1/2	1/2-14	7/8-14	
592632-12-12	3/4	3/4-14	1-1/16-12	
592632-16-16	1	1-11.5	1-5/16-12	
592632-20-20	1-1/4	1-1/4-11.5	1/5/8-12	



592728	Swivel 5000 Femelle NPSM x Male NPTF 90° Swivel 5000 NPSM Female x NPTF Male 90°			
	FUTURE	BODY SIZE	1 NPTF(SW)	2 NPTF
592728-04-04	1/4	1/4-18	1/4-18	
592728-04-06	1/4	1/4-18	3/8-18	
592728-06-04	1/4	3/8-18	1/4-18	
592728-06-06	1/2	3/8-18	3/8-18	
592728-08-08	1/2	1/2-14	1/2-14	
592728-12-12	3/4	3/4-14	3/4-14	
592728-16-16	1	1-11.5	1-11.5	
592728-20-20	1-1/4	1 1/1-11.5	1-1/4-11.5	
592728-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	



592726	Swivel 5000 Femelle NPSM x Femelle NPTF 90° Swivel 5000 NPSM Female x NPTF Female 90°			
	FUTURE	BODY SIZE	1 NPTF(SW)	2 NPTF
592726-04-04	1/4	1/4-18	1/4-18	
592726-06-04	1/4	3/8-18	1/4-18	
592726-06-06	1/2	3/8-18	3/8-18	
592726-08-08	1/2	1/2-14	1/2-14	
592726-12-12	3/4	3/4-14	3/4-14	
592726-16-16	1	1-11.5	1-11.5	
592726-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
592726-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	



592730	Swivel 5000 Femelle NPSM x Femelle ORB 90° Swivel 5000 NPSM Female x ORB Female 90°			
	FUTURE	BODY SIZE	1 NPTF(SW)	2 ORB
592726-04-04	1/4	1/4-18	1/4-18	
592726-06-04	1/4	3/8-18	1/4-18	
592726-06-06	1/2	3/8-18	3/8-18	
592726-08-08	1/2	1/2-14	1/2-14	
592726-12-12	3/4	3/4-14	3/4-14	
592726-16-16	1	1-11.5	1-11.5	
592726-20-20	1-1/4	1-1/4-11.5	1-1/4-11.5	
592726-24-24	1-1/2	1-1/2-11.5	1-1/2-11.5	

STYLE 5000 PSI



593125	Swivel 5000 Femelle ORB x Male JIC 90° Swivel 5000 ORB Female x JIC Male 90°			
	FUTURE	BODY SIZE	1 ORB	2 JIC
593125-06-06	1/4	9/16-18	9/16-18	
593125-08-08	1/2	3/4-16	3/4-16	
593125-08-10	1/2	3/4-16	7/8-14	
593125-12-12	3/4	1-1/16-12	1-1/16-12	
593125-16-16	1	1-5/16-12	1-5/16-12	
593125-20-20	1-1/4	1-5/8-12	1-5/8-12	



593130	Swivel 5000 Femelle ORB x Male ORB 90° Swivel 5000 ORB Female x ORB Male 90°			
	FUTURE	BODY SIZE	1 ORB	2 ORB
593130-06-06	1/4	9/16-18	9/16-18	
593130-08-08	1/2	3/4-16	3/4-16	
593130-08-10	1/2	3/4-16	3/4-16	
593130-12-12	3/4	1-1/16-12	1-1/16-12	
593130-16-16	1	1-5/16-12	1-5/16-12	
593130-20-20	1-1/4	1-5/8-12	1-5/8-12	



593126	Swivel 5000 Femelle ORB x Femelle NPTF 90° Swivel 5000 ORB Female x NPTF Female 90°			
	FUTURE	BODY SIZE	1 ORB	2 NPTF
593126-06-04	1/4	9/16-18	1/4-18	
593126-08-06	1/2	3/4-16	3/8-18	
593126-08-08	1/2	3/4-16	1/2-14	
593126-12-12	3/4	1-1/16-12	3/4-14	
593126-16-16	1	1-5/16-12	1-11.5	
593126-20-20	1-1/4	1-5/8-12	1-1/4-11.5	


593132	Swivel 5000 Femelle ORB x Male JIC 90° BH Swivel 5000 ORB Female x JIC Male 90° BH			
	FUTURE	BODY SIZE	1 ORB	2 JIC
593132-06-06	1/4	9/16-18	9/16-18	
593132-08-08	1/2	3/4-16	3/4-16	
593132-08-10	1/2	3/4-16	7/8-14	
593132-12-12	3/4	1-1/16-12	1-1/16-12	
593132-16-16	1	1-5/16-12	1-5/16-12	
593132-20-20	1-1/4	1-5/8-12	1-5/8-12	

STYLE 5000 PSI



595005	Swivel 5000 Femelle BSPP x Male BSPP 90° Swivel 5000 BSPP Female x BSPP Male 90°			
	FUTURE	BODY SIZE	1 BSPP	2 BSPP
595005-04-04	1/4	1/4-19	1/4-19	
595005-06-06	3/8	3/8-19	3/8-19	
595005-08-08	1/2	1/2-14	1/2-14	
595005-12-12	3/4	3/4-14	3/4-14	
595005-16-16	1	1-11	1-11	
595005-20-20	1-1/4	1-1/4-11	1-1/4-11	
595005-24-24	1-1/2	1-1/2-11	1-1/2-11	

5SS	Swivel 5000 Seal Kit Swivel 5000 Seal Kit			
	FUTURE	BODY SIZE		
5SS-04	1/4			
5SS-06	3/8			
5SS-08	1/2			
5SS-12	3/4			
5SS-16	1			
5SS-20	1-1/4			
5SS-24	1-1/2			
5SS-32	2			



595050	Swivel 5000 Femelle BSPP x Male BSPP 90° Swivel 5000 BSPP Female x BSPP Male 90°			
	FUTURE	BODY SIZE	1 BSPP	2 BSPP
595050-04-04	1/4	1/4-19	1/4-19	
595050-06-06	3/8	3/8-19	3/8-19	
595050-08-08	1/2	1/2-14	1/2-14	
595050-12-12	3/4	3/4-14	3/4-14	
595050-16-16	1	1-11	1-11	
595050-20-20	1-1/4	1-1/4-11	1-1/4-11	
595050-24-24	1-1/2	1-1/2-11	1-1/2-11	