


Showing Belt Numbers with Corresponding Nominal Outside Lengths and Top Widths

IMPORTANT: Lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt. These lengths will not agree exactly with the size significant belt numbering system which is based on the effective length of the belt. Effective length ("engineered" length) cannot be measured in the field because special tools are required.

Automotive Top Widths are the standard sizes defined by the automotive belt industry (SAE J636). Due to manufacturing processes that create "Vertical Flats", the top width of XL and Truck/Bus series V-Belts will not agree with the printed top width dimensions. Top width on this page and on the belt sleeve refers to the pulley groove width and not the actual top width of these belts. A picture of a V-Belt with "Vertical Flats" is shown below. Actual top width of like belt sizes will also vary slightly depending on the manufacturer and belt style.



Competitive V-Belt



Our V-Belts with "Vertical Flats"

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)
TR20412	41 5/8	1057	19/32	15	TR22664	67	1703	19/32	15
TR20426	43	1092	19/32	15	TR22676	68	1728	19/32	15
TR20451	45 1/2	1155	19/32	15	TR22692	69 3/4	1773	19/32	15
TR20544	54 3/4	1390	19/32	15	TR22711	71 5/8	1819	19/32	15
TR20619	62 3/8	1585	19/32	15	TR22720	72 5/8	1844	19/32	15
TR22299	30 1/2	774	19/32	15	TR22752	75 3/4	1924	19/32	15
TR22322	32 3/4	833	19/32	15	TR22770	77 5/8	1971	19/32	15
TR22329	33 1/2	850	19/32	15	TR22792	79 5/8	2021	19/32	15
TR22336	34 1/8	868	19/32	15	TR24281	28 5/8	728	21/32	17
TR22344	34 7/8	886	19/32	15	TR24308	31 1/2	799	21/32	17
TR22350	35 5/8	906	19/32	15	TR24315	32	812	21/32	17
TR22358	36 1/2	926	19/32	15	TR24355	36 1/8	918	21/32	17
TR22363	36 7/8	937	19/32	15	TR24365	37 1/8	943	21/32	17
TR22373	38	964	19/32	15	TR24379	38 1/2	978	21/32	17
TR22380	38 5/8	980	19/32	15	TR24400	40 5/8	1032	21/32	17
TR22386	39 1/8	993	19/32	15	TR24403	40 3/4	1036	21/32	17
TR22392	39 3/4	1010	19/32	15	TR24407	41 1/4	1047	3/4	19
TR22397	40 1/4	1022	19/32	15	TR24414	42	1067	21/32	17
TR22401	40 5/8	1031	19/32	15	TR24424	42 7/8	1090	21/32	17
TR22405	41 1/8	1045	19/32	15	TR24438	44 3/8	1126	21/32	17
TR22410	41 5/8	1056	19/32	15	TR24449	45 5/8	1158	21/32	17
TR22416	42 1/4	1073	19/32	15	TR24457	46 1/4	1174	21/32	17
TR22425	43 1/8	1095	19/32	15	TR24461	46 5/8	1183	3/4	19
TR22434	44	1117	19/32	15	TR24465	47	1195	21/32	17
TR22443	44 7/8	1139	19/32	15	TR24476	48 1/4	1225	21/32	17
TR22448	45 3/8	1151	19/32	15	TR24489	49 3/8	1255	21/32	17
TR22455	46 1/8	1171	19/32	15	TR24500	50 5/8	1285	21/32	17
TR22461	46 5/8	1185	19/32	15	TR24515	52	1320	21/32	17
TR22474	47 7/8	1218	19/32	15	TR24530	53 5/8	1362	21/32	17
TR22485	49 1/8	1247	19/32	15	TR24538	54 3/8	1380	21/32	17
TR22495	50 1/8	1273	19/32	15	TR24562	56 5/8	1438	21/32	17
TR22508	51 3/8	1306	19/32	15	TR24578	58 1/4	1480	21/32	17
TR22514	52	1320	19/32	15	TR24597	60 1/4	1530	21/32	17
TR22517	52 1/2	1334	19/32	15	TR24607	61 3/8	1560	21/32	17
TR22525	53 1/8	1349	19/32	15	TR24619	62 1/2	1589	21/32	17
TR22534	53 7/8	1369	19/32	15	TR24638	64 1/4	1631	21/32	17
TR22545	55 1/8	1399	19/32	15	TR24647	65 1/4	1658	21/32	17
TR22553	55 7/8	1420	19/32	15	TR24664	67	1702	21/32	17
TR22570	57 5/8	1462	19/32	15	TR24688	69 1/4	1759	21/32	17
TR22578	58 1/4	1479	19/32	15	TR24709	71 1/4	1810	21/32	17
TR22588	59 3/8	1509	19/32	15	TR26341	34 5/8	879	23/32	18
TR22607	61 1/4	1556	19/32	15	TR26353	36	913	23/32	18
TR22625	63 1/8	1602	19/32	15	TR26366	37 1/8	945	25/32	20
TR22635	64 1/8	1627	19/32	15	TR28333	33 7/8	859	25/32	20
TR22648	65 1/4	1658	19/32	15	TR28346	35 1/8	892	25/32	20
TR22657	66 1/4	1682	19/32	15	TR28376	38 1/4	971	25/32	20

All Green Stripe® Truck and Bus V-Belts are Notched.

Green Stripe® Truck and Bus V-Belts - Listed by Number

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)
TR28386	39 1/4	996	25/32	20	TR28706	71 1/8	1807	25/32	20
TR28390	39 5/8	1007	25/32	20	TR28733	73 7/8	1875	25/32	20
TR28400	40 5/8	1032	25/32	20	TR28743	75	1905	25/32	20
TR28406	41 1/8	1046	25/32	20	TR28786	79 1/8	2009	25/32	20
TR28412	41 7/8	1062	25/32	20	TR30408	41 1/2	1054	7/8	22
TR28423	42 7/8	1088	25/32	20	TR30428	43 1/2	1104	7/8	22
TR28429	43 1/2	1105	25/32	20	TR30448	45 3/8	1152	7/8	22
TR28437	44 1/4	1125	25/32	20	TR30467	47 1/4	1201	7/8	22
TR28445	45 1/8	1145	25/32	20	TR30484	49	1244	7/8	22
TR28454	45 7/8	1166	25/32	20	TR30506	51 1/8	1299	7/8	22
TR28463	46 7/8	1190	25/32	20	TR30537	54 1/8	1375	7/8	22
TR28473	47 7/8	1216	25/32	20	TR30543	54 7/8	1393	7/8	22
TR28480	48 5/8	1235	25/32	20	TR30589	59 1/2	1510	7/8	22
TR28483	48 7/8	1240	25/32	20	TR30624	62 7/8	1599	7/8	22
TR28492	49 7/8	1267	25/32	20	TR30652	65 3/4	1671	7/8	22
TR28498	50 1/4	1277	25/32	20	TR30672	67 3/4	1721	7/8	22
TR28501	50 7/8	1291	25/32	20	TR30698	70 3/8	1788	7/8	22
TR28510	51 5/8	1311	25/32	20	TR30710	71 5/8	1818	7/8	22
TR28514	52	1320	25/32	20	TR30722	72 3/4	1849	7/8	22
TR28522	52 7/8	1342	25/32	20	TR30754	75 3/4	1925	7/8	22
TR28545	55 1/8	1401	25/32	20	TR30770	77	1955	7/8	22
TR28550	55 5/8	1413	25/32	20	TR30808	81 1/4	2065	7/8	22
TR28557	56 1/4	1430	25/32	20	TR32491	49 3/4	1265	29/32	23
TR28565	57 1/8	1451	25/32	20	TR32513	51 7/8	1317	29/32	23
TR28570	57 5/8	1464	25/32	20	TR32571	57 5/8	1465	29/32	23
TR28575	58 1/8	1477	25/32	20	TR34435	43 7/8	1115	1	25
TR28583	58 7/8	1495	25/32	20	TR34456	46 1/8	1172	1	25
TR28596	60 1/4	1530	25/32	20	TR34467	47 1/4	1199	1	25
TR28616	62 1/4	1580	25/32	20	TR34495	49 7/8	1265	1	25
TR28628	63 3/8	1609	25/32	20	TR34506	51 1/8	1300	1	25
TR28649	65 1/2	1663	25/32	20	TR34545	55	1395	1	25
TR28657	66 1/4	1684	25/32	20	TR34604	61 1/8	1553	1	25
TR28666	67 1/4	1710	25/32	20	TR34700	70 5/8	1793	1	25
TR28680	68 5/8	1744	25/32	20	TR34711	71 5/8	1820	1	25
TR28693	69 7/8	1775	25/32	20	TR34771	77 3/4	1975	1	25

All Green Stripe® Truck and Bus V-Belts are Notched.


Showing Nominal Belt Top Widths and Outside Lengths with Our Corresponding Belt Numbers

IMPORTANT: Lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt. These lengths will not agree exactly with the size significant belt numbering system which is based on the effective length of the belt. Effective length ("engineered" length) cannot be measured in the field because special tools are required.

Automotive Top Widths are the standard sizes defined by the automotive belt industry (SAE J636). Due to manufacturing processes that create "Vertical Flats", the top width of XL and Truck/Bus series V-Belts will not agree with the printed top width dimensions. Top width on this page and on the belt sleeve refers to the pulley groove width and not the actual top width of these belts. A picture of a V-Belt with "Vertical Flats" is shown below. Actual top width of like belt sizes will also vary slightly depending on the manufacturer and belt style.



Competitive V-Belt



Our V-Belts with "Vertical Flats"

Length (in)	Length (mm)	Belt No.	Length (in)	Length (mm)	Belt No.	Length (in)	Length (mm)	Belt No.
19/32" (15mm) Top Width			19/32" (15mm) Top Width			3/4" (19mm) Top Width		
30 1/2	774	TR22299	- Continued			41 1/4	1047	TR24407
32 3/4	833	TR22322	69 3/4	1773	TR22692	46 5/8	1183	TR24461
33 1/2	850	TR22329	71 5/8	1819	TR22711	25/32" (20mm) Top Width		
34 1/8	868	TR22336	72 5/8	1844	TR22720	33 7/8	859	TR28333
34 7/8	886	TR22344	75 3/4	1924	TR22752	35 1/8	892	TR28346
35 5/8	906	TR22350	77 5/8	1971	TR22770	37 1/8	945	TR26366
36 1/2	926	TR22358	79 5/8	2021	TR22792	38 1/4	971	TR28376
36 7/8	937	TR22363	21/32" (17mm) Top Width			39 1/4	996	TR28386
38	964	TR22373	28 5/8	728	TR24281	39 5/8	1007	TR28390
38 5/8	980	TR22380	31 1/2	799	TR24308	40 5/8	1032	TR28400
39 1/8	993	TR22386	32	812	TR24315	41 1/8	1046	TR28406
39 3/4	1010	TR22392	36 1/8	918	TR24355	41 7/8	1062	TR28412
40 1/4	1022	TR22397	37 1/8	943	TR24365	42 7/8	1088	TR28423
40 5/8	1031	TR22401	38 1/2	978	TR24379	43 1/2	1105	TR28429
41 1/8	1045	TR22405	40 5/8	1032	TR24400	44 1/4	1125	TR28437
41 5/8	1056	TR22410	40 3/4	1036	TR24403	45 1/8	1145	TR28445
41 5/8	1057	TR20412	42	1067	TR24414	45 7/8	1166	TR28454
42 1/4	1073	TR22416	42 7/8	1090	TR24424	46 7/8	1190	TR28463
43	1092	TR20426	44 3/8	1126	TR24438	47 7/8	1216	TR28473
43 1/8	1095	TR22425	45 5/8	1158	TR24449	48 5/8	1235	TR28480
44	1117	TR22434	46 1/4	1174	TR24457	48 7/8	1240	TR28483
44 7/8	1139	TR22443	47	1195	TR24465	49 7/8	1267	TR28492
45 3/8	1151	TR22448	48 1/4	1225	TR24476	50 1/4	1277	TR28498
45 1/2	1155	TR20451	49 3/8	1255	TR24489	50 7/8	1291	TR28501
46 1/8	1171	TR22455	50 5/8	1285	TR24500	51 5/8	1311	TR28510
46 5/8	1185	TR22461	52	1320	TR24515	52	1320	TR28514
47 7/8	1218	TR22474	53 5/8	1362	TR24530	52 7/8	1342	TR28522
49 1/8	1247	TR22485	54 3/8	1380	TR24538	55 1/8	1401	TR28545
50 1/8	1273	TR22495	56 5/8	1438	TR24562	55 5/8	1413	TR28550
51 3/8	1306	TR22508	58 1/4	1480	TR24578	56 1/4	1430	TR28557
52	1320	TR22514	60 1/4	1530	TR24597	57 1/8	1451	TR28565
52 1/2	1334	TR22517	61 3/8	1560	TR24607	57 5/8	1464	TR28570
53 1/8	1349	TR22525	62 1/2	1589	TR24619	58 1/8	1477	TR28575
53 7/8	1369	TR22534	64 1/4	1631	TR24638	58 7/8	1495	TR28583
54 3/4	1390	TR20544	65 1/4	1658	TR24647	60 1/4	1530	TR28596
55 1/8	1399	TR22545	67	1702	TR24664	62 1/4	1580	TR28616
55 7/8	1420	TR22553	69 1/4	1759	TR24688	63 3/8	1609	TR28628
57 5/8	1462	TR22570	71 1/4	1810	TR24709	65 1/2	1663	TR28649
58 1/4	1479	TR22578	23/32" (18mm) Top Width			66 1/4	1684	TR28657
59 3/8	1509	TR22588	34 5/8	879	TR26341	67 1/4	1710	TR28666
61 1/4	1556	TR22607	36	913	TR26353	68 5/8	1744	TR28680
62 3/8	1585	TR20619				69 7/8	1775	TR28693
63 1/8	1602	TR22625				71 1/8	1807	TR28706
64 1/8	1627	TR22635				73 7/8	1875	TR28733
65 1/4	1658	TR22648				75	1905	TR28743
66 1/4	1682	TR22657				79 1/8	2009	TR28786
67	1703	TR22664						
68	1728	TR22676						

Size Lists

All Green Stripe® Truck and Bus V-Belts are Notched.

