

# GLADHANDS

## MANUFACTURING & DISTRIBUTING THE INDUSTRY'S LARGEST SELECTION OF GLADHANDS

Tramec Sloan designs & manufactures gladhands in the USA at our facilities in Holland, Michigan and Lola, Kansas. We provide wide variety of feature combinations to meet your specific needs, including numerous body styles, materials, coatings, seal types and more!

Our gladhands meet DOT and SAE Specs every time.



MANUFACTURING  
IN THE U.S.A.



MEETS DOT & SAE  
STANDARDS



CORROSION  
RESISTANCE



HIGH QUALITY  
COMPONENTS

## FIGHT CORROSION WITH ANODIZED GLADHANDS

Tramec Sloan's Anodized Gladhands Resist the Corrosion Caused by Magnesium Chloride, Chemicals, and Road Salt.



### STANDARD GLADHANDS - ANODIZED

- Stainless Steel Wear Plate
- Wrap-Around, Powder-Coated Clamp Plate Provides Easy Identification and Security

P/N	TYPE	SEAL	FILTER
36101	Service	Rubber	-
36201	Emergency	Rubber	-
36301	Universal	Rubber	-
F36101	Service	Rubber	✓
F36201	Emergency	Rubber	✓
F36301	Universal	Rubber	✓
36101U	Service	Polyurethane	-
36201U	Emergency	Polyurethane	-
36301U	Universal	Polyurethane	-
F36101U	Service	Polyurethane	✓
F36201U	Emergency	Polyurethane	✓
F36301U	Universal	Polyurethane	✓



### 38° BRACKET MOUNT GLADHANDS - ANODIZED

- Two 3/8" Pipe Thread Ports (One Plug Furnished)
- Mounting Holes: Two .34" Diameter (1" Vertical and 1/4" Offset)
- Wrap-Around, Powder-Coated Clamp Plate Provides Easy Identification and Security
- Stainless Steel Wear Plate
- Back Port is Furnished with Plug


P/N	TYPE	SEAL	FILTER
36161	Service	Rubber	-
36261	Emergency	Rubber	-
F36161	Service	Rubber	✓
F36261	Emergency	Rubber	✓
36161U	Service	Polyurethane	-
36261U	Emergency	Polyurethane	-
F36161U	Service	Polyurethane	✓
F36261U	Emergency	Polyurethane	✓

## CORROSION RESISTANT



## KNOB-STYLE SHUTOFF GLADHANDS - ANODIZED

- Ideal for Tandem/Double Trailers
- Anodized Knob & Body Resist the Corrosion Caused by Magnesium Chloride, Road Salt & Other Common Chemicals
- Our Spring Detent Knob Design Prevents Valve Rotation Due to Vibration
- Includes 1"-14 Brass Mounting Stud Terminating in a Nylon Tubing Compression Fitting or 3/8" Internal Pipe Thread
- Emergency Gladhand has 1/4" NPT Port for Pintle Hook
- Stainless Steel Ball Valve
- **Knob Replacement Kit P/N: 36159**



P/N	TYPE	SEAL	FILTER	NYLON TUBE
36153	Service	Rubber	–	3/8" O.D.
36253	Emergency	Rubber	–	3/8" O.D.
36154	Service	Rubber	–	1/2" O.D.
36254	Emergency	Rubber	–	1/2" O.D.
36156	Service	Rubber	–	3/8"-18 NPTF
36256	Emergency	Rubber	–	3/8"-18 NPTF
F36153	Service	Rubber	✓	3/8" O.D.
F36253	Emergency	Rubber	✓	3/8" O.D.
F36154	Service	Rubber	✓	1/2" O.D.
F36254	Emergency	Rubber	✓	1/2" O.D.
F36156	Service	Rubber	✓	3/8"-18 NPTF
F36256	Emergency	Rubber	✓	3/8"-18 NPTF
36153U	Service	Full-Face Polyurethane	–	3/8" O.D.
36253U	Emergency	Full-Face Polyurethane	–	3/8" O.D.
36154U	Service	Full-Face Polyurethane	–	1/2" O.D.
36254U	Emergency	Full-Face Polyurethane	–	1/2" O.D.
36156U	Service	Full-Face Polyurethane	–	3/8"-18 NPTF
36256U	Emergency	Full-Face Polyurethane	–	3/8"-18 NPTF
F36153U	Service	Full-Face Polyurethane	✓	3/8" O.D.
F36253U	Emergency	Full-Face Polyurethane	✓	3/8" O.D.
F36154U	Service	Full-Face Polyurethane	✓	1/2" O.D.
F36254U	Emergency	Full-Face Polyurethane	✓	1/2" O.D.
F36156U	Service	Full-Face Polyurethane	✓	3/8"-18 NPTF
F36256U	Emergency	Full-Face Polyurethane	✓	3/8"-18 NPTF


### A TRAMEC SLOAN ORIGINAL

Tramec Sloan developed **the first Knob-Style Shutoff Gladhands** in 1986 as a unique solution to a customer's need. Our design reduces material & installation costs and eliminates the hardware required by other solutions. Years later, these gladhands have become an industry standard!



## 45° AND 90° SWIVEL GLADHANDS - ANODIZED

- Reduces Stress on the Tractor Air Lines by Swiveling when the Tractor Turns
- Extends Only 2.5" Out from the Mounting Surface Compared to 4" or More for Bracket or Straight Style Gladhands
- Bracket and Steel Mount are Zinc-Plated with Yellow Dichromate
- When Used in Recessed Mounting the Swivel Can Make the Gladhand Nearly Flush when Disconnected
- Spring Made with 302 Stainless Steel for Long Life and Excellent Coil Retention
- Anodized Body Resists the Corrosion Caused by Magnesium Chloride, Road Salt, and Other Common Chemicals



P/N	ANGLE	TYPE	SEAL	FILTER
36181	45°	Service	Rubber	-
36281	45°	Emergency	Rubber	-
36191	90°	Service	Rubber	-
36291	90°	Emergency	Rubber	-
F36181	45°	Service	Rubber	✓
F36281	45°	Emergency	Rubber	✓
F36191	90°	Service	Rubber	✓
F36291	90°	Emergency	Rubber	✓
36181U	45°	Service	Full-Face Polyurethane	-
36281U	45°	Emergency	Full-Face Polyurethane	-
36191U	90°	Service	Full-Face Polyurethane	-
36291U	90°	Emergency	Full-Face Polyurethane	-
F36181U	45°	Service	Full-Face Polyurethane	✓
F36281U	45°	Emergency	Full-Face Polyurethane	✓
F36191U	90°	Service	Full-Face Polyurethane	✓
F36291U	90°	Emergency	Full-Face Polyurethane	✓



### A TRAMEC SLOAN ORIGINAL


Tramec Sloan developed **the first 45° & 90° Swing-Away Gladhands** in 1991 to provide a unique solution for a couple of large trailer manufacturers who needed a more economical swivel design. Years later, these gladhands have become an industry standard design!

## RAPID-RELEASE™ SERVICE GLADHANDS - ANODIZED

- Releases Trailer Brakes up to 50% Faster than Standard Methods
- Reduces Wear on Drums, Resulting in Maintenance Savings
- Designed to be Used with Both ABS and Non-ABS Brake Systems
- Prevents In-City Trailer Bounce
- Meets SAE J318 Specifications
- Includes Polyurethane Seal with or without Filter
- For Use on Trailers Only
- Rapid-Release Service Kit Includes: Gasket, Snap Ring & Diaphragm



P/N	DESCRIPTION	STYLE	SEAL	FILTER
441175	Rapid-Release Gladhand	Standard	Blue Polyurethane	✓
441176	Rapid-Release Gladhand	Standard	Blue Polyurethane	-
441177	Rapid-Release Gladhand	37.5° Bracket Mount	Blue Polyurethane	✓
441178	Rapid-Release Gladhand	37.5° Bracket Mount	Blue Polyurethane	-
441233	Rapid-Release Gladhand	Swing-Away with Stopper	Blue Polyurethane	✓
451715	Service Kit	-	-	-



## STANDARD GLADHANDS With Cast-In Stainless Steel Wear Plate

- Die Cast Aluminum Finish
- Powder-Coated Clamp Plate for Easy Identification
- Available with Body Powder-Coating for Easy Identification & Additional Corrosion Resistance
- Available with Stainless Steel Filters for Added Air Line Protection from Debris & Insects
- Available with Rubber, Polyurethane or Polyurethane+Filter Combo Seals



P/N	BODY	TYPE	SEAL	FILTER
441015•	Die-Cast Aluminum	Service	Rubber	–
441016•	Die-Cast Aluminum	Emergency	Rubber	–
441017•	Die-Cast Aluminum	Universal	Rubber	–
441050•	Die-Cast Aluminum	Emergency	Rubber	✓
441051•	Die-Cast Aluminum	Service	Rubber	✓
441052	Die-Cast Aluminum	Universal	Rubber	✓
441056•	Die-Cast Aluminum	Service	Blue Polyurethane	–
441057•	Die-Cast Aluminum	Emergency	Red Polyurethane	–
441058•	Die-Cast Aluminum	Service	Black Polyurethane	–
441059•	Die-Cast Aluminum	Emergency	Black Polyurethane	–
441060•	Die-Cast Aluminum	Universal	Black Polyurethane	–
441145*	Die-Cast Aluminum	Universal	Rubber	–
441114	Die-Cast Aluminum	Service	Blue Polyurethane	✓
441115	Die-Cast Aluminum	Emergency	Red Polyurethane	✓
441261	Die-Cast Aluminum	Universal	Black Polyurethane	✓
441252	Die-Cast Aluminum	Service	Blue Polyurethane	✓
441253	Die-Cast Aluminum	Emergency	Red Polyurethane	✓
441209	Die-Cast Aluminum	Service	Black Poly Protect-o Seal	–
441210	Die-Cast Aluminum	Emergency	Black Poly Protect-o Seal	–
441211	Die-Cast Aluminum	Universal	Black Poly Protect-o Seal	–
441078•	Powder-Coated Aluminum	Service	Blue Polyurethane	–
441079•	Powder-Coated Aluminum	Emergency	Red Polyurethane	–
441093•	Powder-Coated Aluminum	Service	Black Polyurethane	–
441094•	Powder-Coated Aluminum	Emergency	Black Polyurethane	–
441141	Powder-Coated Aluminum	Service	Blue Polyurethane	✓
441142	Powder-Coated Aluminum	Emergency	Red Polyurethane	✓

\* Reducer Fitting with 1/4" Main Port

• Items Available in Quantity of 100. Order with Suffix "-100"

## STANDARD GLADHANDS

*With Riveted Stainless Steel Wear Plate*

- Burnished Aluminum Finish
- Wrap-Around, Powder-Coated Clamp Plate Provides Easy Identification and Security

P/N	TYPE	SEAL	FILTER
56101	Service	Rubber	-
56201	Emergency	Rubber	-
56301	Universal	Rubber	-
F56101	Service	Rubber	✓
F56201	Emergency	Rubber	✓
F56301	Universal	Rubber	✓
56101U	Service	Polyurethane	-
56201U	Emergency	Polyurethane	-
56301U	Universal	Polyurethane	-
F56101U	Service	Polyurethane	✓
F56201U	Emergency	Polyurethane	✓
F56301U	Universal	Polyurethane	✓



## TS TECH TIPS:

### Gladhand Maintenance & Inspection:

- Dried out or cracked seals won't create a proper seal, causing air leaks. Aim to replace gladhand seals every 6 months.
- Have you noticed that your gladhands aren't forming a firm connection anymore? This is a sure sign it's time for replacement!
- Rusted clamps and wear plates contribute to loose connections and pose a risk for debris in your lines.



## CAST-IRON STANDARD GLADHANDS

- Constructed of Die-Cast Malleable Iron
- Zinc & Yellow Dichromate Plated for Added Corrosion Resistance
- Comes Standard with Long-Lasting Polyurethane Seal
- Available with Powder-Coating for Easy Identification and Additional Corrosion Resistance



P/N	BODY	TYPE	SEAL	FILTER
441088•	2-Piece	Emergency	Red Polyurethane	–
441089•	2-Piece	Emergency	Black Polyurethane	–
441090•	2-Piece	Service	Blue Polyurethane	–
441091•	2-Piece	Service	Black Polyurethane	–
441092•	2-Piece	Universal	Black Polyurethane	–
441131•	1-Piece	Service	Blue Polyurethane	–
441132•	1-Piece	Emergency	Red Polyurethane	–
441133•	1-Piece	Universal	Black Polyurethane	–
441818	2-Piece Powder-Coated	Emergency	Red Polyurethane	–
441819	2-Piece Powder-Coated	Service	Blue Polyurethane	–
441820	1-Piece Powder-Coated	Service	Blue Polyurethane	–
441821	1-Piece Powder-Coated	Emergency	Red Polyurethane	–
441203	2-Piece	Emergency	Red Polyurethane	✓
441089F	2-Piece	Emergency	Black Polyurethane	✓
441204	2-Piece	Service	Blue Polyurethane	✓
441091F	2-Piece	Service	Black Polyurethane	✓
441262	2-Piece	Universal	Black Polyurethane	✓
F56121	1-Piece	Service	Black Polyurethane	✓
F56221	1-Piece	Emergency	Black Polyurethane	✓
F56321	1-Piece	Universal	Black Polyurethane	✓
441263	2-Piece Powder-Coated	Emergency	Red Polyurethane	✓
441264	2-Piece Powder-Coated	Service	Blue Polyurethane	✓
F56121P	1-Piece Powder-Coated	Service	Black Polyurethane	✓
F56221P	2-Piece Powder-Coated	Emergency	Black Polyurethane	✓

• Items Available in Quantity of 40. Order with Suffix "-40"

## SWING-AWAY GLADHANDS

45° & 90° with Optional Stopper Arm

- Reduces Stress on the Tractor Air Lines by Swiveling when the Tractor Turns
- Swing-Away Gladhands Rotate 180° for Easy Air Line Coupling
- Extends Only 2.5" Out from the Mounting Surface Compared to 4" or More for Bracket or Straight-Style Gladhands
- When Used in Recessed Mounting the Swivel Can Make the Gladhand Nearly Flush when Disconnected
- Spring Made with 302 Stainless Steel for Long Life & Excellent Coil Retention
- Bracket and Steel Mount are Zinc-Plated with Yellow Dichromate



### TRAMEC SLOAN ORIGINAL

Tramec Sloan Designed the First 45° & 90° Swing-Away Gladhands as a Unique Solution to a Customer's Problem. Years later, the Gladhands have Become Industry Standards!


### 45° AND 90° STOPPER ARMS

- Prevent Debris from Entering Your Air Lines!
- Stopper Arms Provide a Neoprene Cover for the Gladhand Seal when the Trailer is Parked
- Arm Shares Bolts with the Swivel Mount



36181P

P/N	DESCRIPTION
36385	Arm for 45° Swivel Mount
36395	Arm for 90° Swivel Mount



56291

### 45° AND 90° SWIVEL MOUNTS

Use with Your Own Gladhand to Create a Custom Swing-Away!



F36292

P/N	DESCRIPTION
36380	45° Swivel Mount
36390	90° Swivel Mount

## 45° AND 90° SWING-AWAY GLADHANDS with *Optional Stopper Arm*

P/N	BODY	ANGLE	TYPE	SEAL	FILTER
56181	Aluminum	45°	Service	Rubber	–
56281	Aluminum	45°	Emergency	Rubber	–
56191	Aluminum	90°	Service	Rubber	–
56291	Aluminum	90°	Emergency	Rubber	–
F56181	Aluminum	45°	Service	Rubber	✓
F56281	Aluminum	45°	Emergency	Rubber	✓
F56191	Aluminum	90°	Service	Rubber	✓
F56291	Aluminum	90°	Emergency	Rubber	✓
56181U	Aluminum	45°	Service	Full-Face Polyurethane	–
56281U	Aluminum	45°	Emergency	Full-Face Polyurethane	–
56191U	Aluminum	90°	Service	Full-Face Polyurethane	–
56291U	Aluminum	90°	Emergency	Full-Face Polyurethane	–
F56181U	Aluminum	45°	Service	Full-Face Polyurethane	✓
F56281U	Aluminum	45°	Emergency	Full-Face Polyurethane	✓
F56191U	Aluminum	90°	Service	Full-Face Polyurethane	✓
F56291U	Aluminum	90°	Emergency	Full-Face Polyurethane	✓
36181P	Powder-Coated Aluminum	45°	Service	Rubber	–
36281P	Powder-Coated Aluminum	45°	Emergency	Rubber	–
36191P	Powder-Coated Aluminum	90°	Service	Rubber	–
36291P	Powder-Coated Aluminum	90°	Emergency	Rubber	–
F36181P	Powder-Coated Aluminum	45°	Service	Rubber	✓
36281P	Powder-Coated Aluminum	45°	Emergency	Rubber	✓
F36191P	Powder-Coated Aluminum	90°	Service	Rubber	✓
F36291P	Powder-Coated Aluminum	90°	Emergency	Rubber	✓
36181UP	Powder-Coated Aluminum	45°	Service	Full-Face Polyurethane	–
36281UP	Powder-Coated Aluminum	45°	Emergency	Full-Face Polyurethane	–
36191UP	Powder-Coated Aluminum	90°	Service	Full-Face Polyurethane	–
36291UP	Powder-Coated Aluminum	90°	Emergency	Full-Face Polyurethane	–
F36181UP	Powder-Coated Aluminum	45°	Service	Full-Face Polyurethane	✓
F36281UP	Powder-Coated Aluminum	45°	Emergency	Full-Face Polyurethane	✓
F36191UP	Powder-Coated Aluminum	90°	Service	Full-Face Polyurethane	✓
F36291UP	Powder-Coated Aluminum	90°	Emergency	Full-Face Polyurethane	✓
36182	Cast Iron	45°	Service	Blue Polyurethane	–
36282	Cast Iron	45°	Emergency	Red Polyurethane	–
36192	Cast Iron	90°	Service	Blue Polyurethane	–
36292	Cast Iron	90°	Emergency	Red Polyurethane	–
F36182	Cast Iron	45°	Service	Blue Polyurethane	✓
F36282	Cast Iron	45°	Emergency	Red Polyurethane	✓
F36192	Cast Iron	90°	Service	Blue Polyurethane	✓
F36292	Cast Iron	90°	Emergency	Red Polyurethane	✓

## HEAVY BRASS NIPPLE

*For Use with Swivel Mounts to Connect a Gladhand.*

P/N	DESCRIPTION
3638005	1.5" Heavy Brass Nipple
3638006	1.12" Heavy Brass Nipple



## SWIVEL TUBING ADAPTERS

Brass swivel adapters convert 3/8" NPTF to nylon air brake connectors for both 3/8" and 1/2" O.D. to prevent twisting the tubing.

P/N	DESCRIPTION	TUBE O.D.
55243	Straight Swivel Fitting	3/8"
55244	Straight Swivel Fitting	1/2"
55286	45° Swivel Fitting	3/8"
55287	45° Swivel Fitting	1/2"
55290	90° Swivel Fitting	3/8"
55291	90° Swivel Fitting	1/2"



## SWIVEL GLADHANDS

- Ideal for Intermodals
- Cast Iron Bodies are Zinc-Plated with Yellow Dichromate for Corrosion Resistance
- Mounting Holes: Two .34" Diameter (1" Vertical and 1/4" Offset)
- Stainless Steel Return Spring



P/N	BODY	TYPE	SEAL	FILTER
36131	Cast Iron	Service	Rubber	-
36231	Cast Iron	Emergency	Rubber	-
36131P	Powder-Coated Cast Iron	Service	Rubber	-
36231P	Powder-Coated Cast Iron	Emergency	Rubber	-
F36131	Cast Iron	Service	Rubber	✓
F36231	Cast Iron	Emergency	Rubber	✓
F36131P	Powder-Coated Cast Iron	Service	Rubber	✓
F36231P	Powder-Coated Cast Iron	Emergency	Rubber	✓
36131U	Cast Iron	Service	Full-Face Polyurethane	-
36231U	Cast Iron	Emergency	Full-Face Polyurethane	-
36131UP	Powder-Coated Cast Iron	Service	Full-Face Polyurethane	-
36231UP	Powder-Coated Cast Iron	Emergency	Full-Face Polyurethane	-
F36131U	Cast Iron	Service	Full-Face Polyurethane	✓
F36231U	Cast Iron	Emergency	Full-Face Polyurethane	✓
F36131UP	Powder-Coated Cast Iron	Service	Full-Face Polyurethane	✓
F36231UP	Powder-Coated Cast Iron	Emergency	Full-Face Polyurethane	✓


## FILTER FOR CAST IRON SWIVEL

P/N	DESCRIPTION
3600024	Filter for Iron Swivel

## SWING-AWAY GLADHANDS

45° & 90° with Built-In Stopper Arm

- Reduces Stress on the Tractor Air Lines by Swiveling when Turning
- Swing-Away Gladhands Rotate 180° for Easy Air Line Coupling
- Extends Only 2.5" Out from the Mounting Surface Compared to 4" or More for Bracket or Straight-Style Gladhands
- When Used in Recessed Mounting the Swivel Can Make the Gladhand Nearly Flush when Disconnected
- Built-In Stopper Prevents Foreign Particles & Insects from Entering Air Lines While Trailer is Not in Use
- Bottom Port Does Not Swivel which allows for the Use of a Direct Nylon Tubing Connection
- Air Line Entry from Either the Bottom or Back Port
- Both Ports are 3/8"-18 NPTF



P/N	BODY	ANGLE	TYPE	SEAL	OPEN PORT
441062	Aluminum	45°	Service	Black Polyurethane	Bottom
441063	Aluminum	45°	Emergency	Black Polyurethane	Bottom
441064	Aluminum	45°	Universal	Black Polyurethane	Bottom
441069	Aluminum	45°	Emergency	Red Polyurethane	Bottom
441070	Aluminum	45°	Service	Blue Polyurethane	Bottom
441102	Aluminum	45°	Service	Black Polyurethane	Back
441103	Aluminum	45°	Emergency	Black Polyurethane	Back
441104	Aluminum	45°	Universal	Black Polyurethane	Back
441105	Aluminum	45°	Emergency	Red Polyurethane	Back
441106	Aluminum	45°	Service	Blue Polyurethane	Back
441150	Cast Iron	45°	Service	Blue Polyurethane	Bottom
441151	Cast Iron	45°	Emergency	Red Polyurethane	Bottom
441152	Cast Iron	45°	Service	Blue Polyurethane	Back
441153	Cast Iron	45°	Emergency	Red Polyurethane	Back
441154	Cast Iron	45°	Service	Blue Polyurethane	Both
441155	Cast Iron	45°	Emergency	Red Polyurethane	Both
441248	Aluminum	90°	Service	Blue Polyurethane	Bottom
441249	Aluminum	90°	Emergency	Red Polyurethane	Bottom
441265	Aluminum	90°	Service	Blue Polyurethane	Back
441266	Aluminum	90°	Emergency	Red Polyurethane	Back
441250	Anodized Aluminum	45°	Service	Blue Polyurethane	Bottom
441251	Anodized Aluminum	45°	Emergency	Red Polyurethane	Bottom
441766					

Replacement Dust Cover for Built-In Stopper Arm

## 38° BRACKET-MOUNT GLADHANDS with Cast-In Stainless Steel Wear Plate

- Two 3/8" Pipe Thread Ports (One Plug Furnished)
- Available with Stainless Steel Filters for Added Air Line Protection from Debris & Insects
- Available with Rubber, Polyurethane or Polyurethane+Filter Combo Seals



P/N	BODY	TYPE	SEAL	FILTER	OPEN PORT
441018•	Aluminum	Emergency	Rubber	✓	Bottom
441019•	Aluminum	Emergency	Rubber	-	Bottom
441022•	Aluminum	Service	Rubber	✓	Bottom
441023•	Aluminum	Service	Rubber	-	Bottom
441024	Aluminum	Emergency	Rubber	✓	Back
441025	Aluminum	Emergency	Rubber	-	Back
441026	Aluminum	Service	Rubber	✓	Back
441027	Aluminum	Emergency	Rubber	-	Back
441065•	Aluminum	Service	Red Polyurethane	-	Bottom
441066•	Aluminum	Emergency	Blue Polyurethane	-	Bottom
441067•	Powder-Coated Aluminum	Service	Blue Polyurethane	-	Bottom
441068•	Powder-Coated Aluminum	Emergency	Red Polyurethane	-	Bottom
441074•	Aluminum	Service	Red Polyurethane	✓	Bottom
441075•	Aluminum	Emergency	Blue Polyurethane	✓	Bottom
441098••	Powder-Coated Aluminum	Service	Blue Polyurethane	✓	Bottom
441099••	Powder-Coated Aluminum	Emergency	Red Polyurethane	✓	Bottom
441214	Aluminum	Service	Blue Polyurethane	✓	Back
441215	Aluminum	Emergency	Red Polyurethane	✓	Back

• Items Available in Quantity of 80. Order with Suffix "-80"

•• Items Available in Quantity of 63. Order with Suffix "-63"



## 38° BRACKET-MOUNT GLADHANDS with Riveted Stainless Steel Wear Plate

- Two 3/8" Pipe Thread Ports: Back Plug Furnished
- Mounting Holes: Two .34" Diameter (1" Vertical and 1/4" Offset)
- Available with Stainless Steel Filters for Added Air Line Protection from Debris & Insects
- Available with Rubber, Polyurethane or Polyurethane+Filter Combo Seals




P/N	BODY	TYPE	SEAL	FILTER
56161	Aluminum	Service	Rubber	-
56261	Aluminum	Emergency	Rubber	-
36161P	Powder-Coated Aluminum	Service	Rubber	-
36261P	Powder-Coated Aluminum	Emergency	Rubber	-
F56161	Aluminum	Service	Rubber	✓
F56261	Aluminum	Emergency	Rubber	✓
F36161P	Powder-Coated Aluminum	Service	Rubber	✓
F36261P	Powder-Coated Aluminum	Emergency	Rubber	✓
56161U	Aluminum	Service	Full-Face Polyurethane	-
56261U	Aluminum	Emergency	Full-Face Polyurethane	-
36161UP	Powder-Coated Aluminum	Service	Full-Face Polyurethane	-
36261UP	Powder-Coated Aluminum	Emergency	Full-Face Polyurethane	-
F56161U	Aluminum	Service	Full-Face Polyurethane	✓
F56261U	Aluminum	Emergency	Full-Face Polyurethane	✓
F36161UP	Powder-Coated Aluminum	Service	Full-Face Polyurethane	✓
F36261UP	Powder-Coated Aluminum	Emergency	Full-Face Polyurethane	✓



## SWING-AWAY SHUT-OFF GLADHANDS

*45° with Stopper Arm*

- Shut-Off Valve Prevents Contaminants from Entering the System
- Eliminates the Need for a Dummy Coupler
- Decreases Plumbing Hardware and Speeds Installation Time
- Stopper Arm Provides A Neoprene Cover for the Face of the Gladhand Seal when not in Use.



P/N	BODY	TYPE	SEAL	FILTER
441169	Cast Iron	Service	Blue Polyurethane	-
441170	Cast Iron	Emergency	Red Polyurethane	-
441171	Aluminum	Service	Black Polyurethane	-
441172	Aluminum	Emergency	Black Polyurethane	-
441199	Cast Iron	Service	Blue Polyurethane	✓
441200	Cast Iron	Emergency	Red Polyurethane	✓
441267	Aluminum	Service	Black Polyurethane	✓
441268	Aluminum	Emergency	Black Polyurethane	✓

## BULKHEAD LEVER STYLE SHUT-OFF GLADHANDS

- Constructed of Die Cast Aluminum with Stainless Steel Wear Plates
- Emergency Gladhands have 1/4" Port for Pintle Hook



P/N	TYPE	SEAL	FEATURES
441148	Service	Rubber	3/8" Nylon Tube Fitting
441149	Emergency	Rubber	3/8" Nylon Tube Fitting
441161	Service	Rubber	1/2" Nylon Tube Fitting
441161L	Service	Rubber	1/2" Nylon Tube Fitting & Long Handle
441162	Emergency	Rubber	1/2" Nylon Tube Fitting
441162L	Emergency	Rubber	1/2" Nylon Tube Fitting & Long Handle
441164	Service	Rubber	3/8" NPTF Port
441164L	Service	Rubber	3/8" NPTF Port & Long Handle
441165	Emergency	Rubber	3/8" NPTF Port & Long Handle
441165L	Emergency	Rubber	3/8" NPTF Port & Long Handle
441212	Service	Rubber	3/8" NPTF Port & 3/8" Nylon Tube Fitting with Long Handle
441234	Emergency	Rubber	3/8" NPTF Port & 3/8" Nylon Tube Fitting with Long Handle
441213	Service	Rubber	3/8" NPTF Port & 1/2" Nylon Tube Fitting with Long Handle
441235	Emergency	Rubber	3/8" NPTF Port & 1/2" Nylon Tube Fitting with Long Handle

## LEVER STYLE SHUT-OFF GLADHANDS

- Ideal for Tandem/Double Trailer
- Constructed of Aluminum with Cast-In Stainless Steel Wear Plates or Ultra- Lightweight Composite Material with Riveted Stainless Steel Wear Plates
- Metal Inner Ball Valve
- Emergency Gladhands have 1/4" Port for Pintle Hook



### TRAMEC SLOAN ORIGINAL

Years Ago, Tramec Sloan Designed **the First Shut-Off Gladhand** as a Unique Solution to a Customer's Problem. Years later, the Gladhands have Become Industry Standards!



P/N	BODY	TYPE	SEAL	PLUG	Fitting
441000	Aluminum	Service	Rubber	Not Required	3/8" Copper
441001•	Aluminum	Service	Rubber	Not Required	3/8" Nylon
441003•	Aluminum	Service	Rubber	Not Required	1/2" Nylon
441004•	Aluminum	Service	Rubber	Not Required	None
441005•	Aluminum	Emergency	Rubber	Yes	3/8" Copper
441007•	Aluminum	Emergency	Rubber	No	3/8" Copper
441008•	Aluminum	Emergency	Rubber	No	3/8" Nylon
441012•	Aluminum	Emergency	Rubber	No	1/2" Nylon
441014•	Aluminum	Emergency	Rubber	No	None
441071	Aluminum	Emergency	Red Polyurethane	Not Required	3/8"-18 Port
441072	Aluminum	Service	Blue Polyurethane	Not Required	3/8"-18 Port
441080	Aluminum	Emergency	Black Polyurethane	Not Required	3/8"-18 Port
441081	Aluminum	Service	Black Polyurethane	Not Required	3/8"-18 Port
441205	Aluminum	Service	Rubber Protect-o, No Filter	Not Required	1/2" Nylon
441206	Aluminum	Emergency	Rubber Protect-o, No Filter	Not Required	1/2" Nylon
441207	Aluminum	Service	Rubber Protect-o	No	None
441208	Aluminum	Emergency	Rubber Protect-o	No	None
441224	Aluminum	Service	Poly Protect-o with Filter	Not Required	None
441225	Aluminum	Emergency	Poly Protect-o with Filter	Not Required	None
GH1004	Composite	Service	Blue Poly	Not Required	None
GH1014	Composite	Emergency	Red Poly	No	None

• Items Available in Quantity of 50. Order with Suffix "-50"

## REPLACEMENT SHUT-OFF HANDLE

P/N	DESCRIPTION
441750	Replacement Handle for Shut-Off Style Gladhands



## THE MAXXGRIP™

Tramec Sloan's Innovative Gladhand for Safer & More Complete Connections

- Provides Easier Coupling & Uncoupling with Added Leverage
- Ergonomic Grip Reduces the Chance of Kinking Airlines & Extends Their Life
- Integrated Hex at the Base Provides for Easy Installation
- Eliminates the Potential Leak Point Between Gladhand & Grip



### 1. POWDER-COATED ALUMINUM

Provides Instant Line Identification & Added Protection Against Corrosion

### 2. ALUMINUM

Light-Weight & Durable with Cast-In Stainless Steel Wear Plates

### 3. ANODIZED ALUMINUM

Features *Superior* Corrosion & Salt Spray Resistance for Harsh Winter Conditions

### 4. POWDER-COATED CAST IRON

1-Piece, Solid-Body Design & a Long-Lasting Polyurethane Seal

## MAXXGRIP™ GLADHANDS

P/N	TYPE	MATERIAL	WEAR PLATE
441222	Emergency	Die-Cast Aluminum	Cast-In Stainless Steel
441223	Service	Die-Cast Aluminum	Cast-In Stainless Steel
441226	Service	Blue Powder-Coated Aluminum	Cast-In Stainless Steel
441227	Emergency	Red Powder-Coated Aluminum	Cast-In Stainless Steel
441240	Service	Blue Powder-Coated Cast Iron	Cast Iron
441241	Emergency	Red Powder-Coated Cast Iron	Cast Iron
441242	Service	Anodized Aluminum	Stainless Steel*
441243	Emergency	Anodized Aluminum	Stainless Steel*

\* Secured with Nickel-Plated Screws

*"Awesome Product. Really Helps Eliminate the Chances of Kinking."*

*"We Really Like that there's Only One Air Connection Instead of Two."*



## MAXXGRIP™ RETAIL COMBO PACKS

P/N	DESCRIPTION
441228	Aluminum MAXXGrip Retail Combo Pack - 1 Service & 1 Emergency Gladhand
441229	Powder-Coated MAXXGrip Retail Combo Pack - 1 Service & 1 Emergency Gladhand
441228-10	Display Refill: 10 Aluminum MAXXGrip Retail Combo Packs
441229-10	Display Refill: 10 Powder-Coated MAXXGrip Retail Combo Packs

## MAXXGRIP™ RETAIL DISPLAYS

- Put them on the counter and they sell themselves. Once they're seen, they're sold!
- Display rack holds 10 packs and features a tethered MAXXGrip™ for your customers to try out.


P/N	DESCRIPTION
441244	MAXXGrip Display Rack with Stock: 10 Aluminum Combo Packs 441228
441245	MAXXGrip Display Rack with Stock: 10 Powder-Coated Combo Packs 441229
441246	MAXXGrip Display Rack w/ Mixed Stock: 5 Aluminum & 5 Powder-Coated Combo Packs
441247	MAXXGrip Display Rack without Stock

### LOOKING FOR MORE MAXXGRIP?

You Can Also Find MAXXGrips on Our 3-in-1 and 4-in-1 Wraps and on Our Tractor-to-Trailer Hose Assemblies!

**3-in-1 & 4-in-1 Wraps:** Pages 6-13

**Tractor-to-Trailer Hoses:** Pages 14-18



## DURA-GRIP™ HANDLES

- Provides Leverage to Prevent Airlines from Kinking at the Gladhand Connection
- Color-Coded Red & Blue Plastic Handles Resist Cracking in Subzero Temperatures
- Includes Mounting Hardware
- Installs in Minutes Between the Gladhand and Air Line with Standard Tools
- Pre-Applied Thread Sealant on Fittings Prevents Air Leaks
- Packaged in a Retail Friendly Display Pack
- 1/2" Male Threads on Gladhand End
- 1/2" Female Threads on Air Line End
- **Display Rack:** Holds 12 Dura-Grip Packs and Can Sit on a Countertop or be Wall-Mounted



P/N	DESCRIPTION
441751	Dura-Grip Handle Set
441751-12	Bulk Dura-Grip Handles, 12 Sets
441129	Dura-Grip Display Rack without Stock
441130	Dura-Grip Display Rack with Stock

## ALUMINUM DURA-GRIP™ HANDLES

- Durable and Attractive with a Textured Surface to Provide Extra Grip
- Red & Blue Protective Finish Helps You Quickly Identify Your Lines
- Easy to Install
- 1/2" Male Threads on Gladhand End
- 1/2" Female Threads on Air Line End



P/N	DESCRIPTION
441799	Aluminum Dura-Grip Handle Set
441799-12	Aluminum Dura-Grip Handles, 12 Sets



## GLADHAND PACIFIER

- Keeps Airlines and Exposed Gladhands Free from Dirt, Insects and Moisture
- 2-piece Nylon Strap Keeps Pacifier Handy when the Airline System is Connected or Disconnected
- Can be Used on Any Gladhand



P/N	DESCRIPTION
441721	Gladhand Pacifier



## GLADHAND LOCKS

Place the Lock onto the Emergency Side Gladhand to Prevent Unwanted Trailer Connections.

- Fits Most Makes of Gladhands
- Supplied with Two Keys
- Not Intended as an Anti-Theft Device

P/N	DESCRIPTION
441752-01	Gladhand Lock Key #1, Retail Package
441752-03	Gladhand Lock Key #3, Retail Package
59001-MA141	Gladhand Lock Keyed #141
59001-MA145	Gladhand Lock Keyed #145
59001-MA150	Gladhand Lock Keyed #150
59001-MA160	Gladhand Lock Keyed #160



## KING PIN LOCK

- Prevents Unwanted Trailer Connections
- Supplied with Two Keys
- Keyed Alike

P/N	DESCRIPTION
451101	King Pin Lock

## DUMMY GLADHANDS

- Ideal for Tandem/Double Trailers when Shut Off Gladhands are Not Used
- Cables are Nylon Coated Galvanized Steel



36401



36406



36413



36416




441047



441822

P/N	DESCRIPTION
36401	Closed Universal Gladhand With Handle
36406	Vented Stamped Dummy Gladhand with 9.34" Chain
36407	Non-Vented Stamped Dummy Gladhand with 9.34" Chain
36413	Closed Universal Gladhand With Handle (36401) with 18" x 1/8" O.D. Cable
36416	Solid Cast Aluminum Universal Gladhand with Handle (36420) with 18" x 1/8" O.D. Cable
36420	Solid Cast Aluminum Universal Gladhand with Handle
441047•	Closed Universal Gladhand with Handle and 18" Cable
441822•	Solid Dummy Gladhand with 16" Cable
441824	"Stop Do Not Hook" Sign with Dummy Gladhand (441822)



441824

• Items Available in Quantity of 50. Order with Suffix "-50"

## FULL-FACE GLADHAND SEALS

The Wide Diameter of these Seals Provide Maximum Coverage on the Face of Your Gladhand



P/N	DESCRIPTION
441749•	<b>Black</b> Full-Face Rubber Gladhand Seal
36010	<b>Gray</b> Full-Face Poly Gladhand Seal
36011	<b>Blue</b> Full-Face Poly Gladhand Seal
36012	<b>Red</b> Full-Face Poly Gladhand Seal

• Items Available in Quantity of 100. Order with Suffix "-100"

## PROTECT-O SEALS

Molded-In Center Flaps Prevent Dust and Debris from Entering Your Airlines



P/N	DESCRIPTION
441736•	<b>Black</b> Rubber Protect-O Seal
441790	<b>Black</b> Polyurethane Protect-O Seal
441843•	<b>Blue</b> Polyurethane Protect-O Seal
441844•	<b>Red</b> Polyurethane Protect-O Seal

• Items Available in Quantity of 100. Order with Suffix "-100"

## POLYURETHANE GLADHAND SEALS

- Polyurethane Seals Will Not Crack, Tear, or Dry Out Like Rubber Seals
- Seals Remain Pliable in All Weather Conditions
- Reverse-Taper Design Prevents the Seal Lip from Folding Over
- Built-In Filter Helps Keep Out Contaminants

P/N	DESCRIPTION
441737•	<b>Red</b> Polyurethane Gladhand Seal
441738•	<b>Blue</b> Polyurethane Gladhand Seal
441739•	<b>Black</b> Polyurethane Gladhand Seal
GH5500	<b>Blue</b> Poly Gladhand Seal with Filter
GH6600	<b>Red</b> Poly Gladhand Seal with Filter
GH7700	<b>Black</b> Poly Gladhand Seal with Filter

• Items Available in Quantity of 100. Order with Suffix "-100"



## GLADHAND SEAL FILTERS

Keeps Insects & Other Debris Out of Your Air Lines



P/N	DESCRIPTION
36002	Stainless Steel Filter

## GLADHAND SEAL TOOL

Designed to Provide a Safe and Easier Way of Removing and Inserting Gladhand Seals.



P/N	DESCRIPTION
441823	Gladhand Seal Tool

## GLADHAND SEAL COUNTERTOP DISPLAYS

- Display Rack: 12"W x 18"H
- Buckets: 6"W x 5.5"H

P/N	DISPLAY	INCLUDES
441095	Stand-Up Display Rack	24 <b>Red</b> & <b>Blue</b> Polyurethane Seal 4-Packs
441095D	Stand-Up Display Rack	Display Only, No Stock
441828	Display Bucket	100 <b>Blue</b> Poly Seals with Built-In Filter
441829	Display Bucket	100 <b>Red</b> Poly Seals with Built-In Filter
441830	Display Bucket	100 <b>Black</b> Poly Seals with Built-In Filter
441831	Display Bucket	100 <b>Black</b> Rubber Seals
441832	Display Bucket	100 <b>Red</b> Polyurethane Seals
441833	Display Bucket	100 <b>Blue</b> Polyurethane Seals
441834	Display Bucket	100 <b>Black</b> Polyurethane Seals
441835	Display Bucket	50 <b>Red</b> & 50 <b>Blue</b> Polyurethane Seals

## GLADHAND SEAL 4-PACKS

P/N	DESCRIPTION
441095P	4-Pack <b>Red</b> & <b>Blue</b> Poly Seals - 24 Refill Packs for Display 441095
441841	4-Pack <b>Red</b> & <b>Blue</b> Poly Seals with Built-In Filter

