


Single Spring Operator Packaged Sets With 1.00" Track

FEATURES

- Single spring with quick, easy counterbalance adjustment
- Includes 1.00" R.H. and L.H. vertical track, 1.00" R.H. and L.H. horizontal track and operator assembly
- Large die cast cable drums are grooved to prevent cables from binding or wearing prematurely
- Optional 52" horizontal track available upon request



SPECIFICATIONS (J-STYLE)

part no.	weight (lbs.)	vertical track length (in.)	horizontal track length (in.)	operator shaft length (in.)	fits door sizes	package	pkg qty
027-80090	79.00	96.50	107.00	96.00	72.00-90.00 high	packaged set	1
027-80100	84.32	106.50	120.00	96.00	91.00-100.00 high	packaged set	1
027-80114	89.00	120.00	120.00	96.00	101.00-114.00 high	packaged set	1



SPECIFICATIONS (RIGHT ANGLE STYLE)

027-81090	74.22	96.50	107.00	96.00	72.00-90.00 high	packaged set	1
027-81100	79.02	106.50	120.00	96.00	91.00-100.00 high	packaged set	1
027-81114	83.04	120.00	120.00	96.00	101.00-114.00 high	packaged set	1

1.00" Vertical Track and Angle Assembly (J Style)

FEATURES

- Galvanized steel 14 gauge construction
- Includes J-style channel mounting angle with track and operator bracket



Roadside shown


SPECIFICATIONS

part no.	weight (lbs.)	description	length (in.)	fits door sizes	package	pkg qty	cross reference
028-00290	16.00	left (roadside)	96.50	72.00-90.00 high	packaged set	1	T #49014-2, W #4045
028-00190	16.00	right (curbside)	96.50	72.00-90.00 high	packaged set	1	T #49014-1, W #4046
028-00101	17.66	left (roadside)	106.50	91.00-100.00 high	packaged set	1	T #49014-2, W #4045
028-01101	17.66	right (curbside)	106.50	91.00-100.00 high	packaged set	1	T #49014-1, W #4046
028-00114	20.00	left (roadside)	120.00	101.00-114.00 high	packaged set	1	T #49014-2, W #4045
028-01114	20.00	right (curbside)	120.00	101.00-114.00 high	packaged set	1	T #49014-1, W #4046

1.00" Vertical Track and Right Angle Assembly

FEATURES

- Galvanized steel 14 gauge construction
- Includes right angle frame, 1" track and operator bracket



Curbside shown

SPECIFICATIONS

part no.	weight (lbs.)	description	length (in.)	fits door sizes	package	pkg qty
028-03090	13.97	right (curbside)	96.50	72.00-90.00 high	packaged set	1
028-03190	13.95	left (roadside)	96.50	72.00-90.00 high	packaged set	1
028-03101	15.16	right (curbside)	106.50	91.00-100.00 high	packaged set	1
028-03201	15.15	left (roadside)	106.50	91.00-100.00 high	packaged set	1
028-03114	21.50	right (curbside)	120.00	101.00-114.00 high	packaged set	1
028-03214	21.50	left (roadside)	120.00	101.00-114.00 high	packaged set	1


1.00" Vertical Track

APPLICATION

- For use with 1.00" rollers

FEATURES

- Galvanized steel
- 14 gauge construction



SPECIFICATIONS

part no.	weight (lbs.)	length (in.)	package	pkg qty
028-30012	5.14	93.50	single	1
028-30014	5.82	107.00	single	1



1.00" Vertical Track with Holes

APPLICATION

- For use with 1.00" rollers

FEATURES

- Galvanized steel
- 14 gauge construction
- Holes drilled to allow for faster plug weld installation to frame



SPECIFICATIONS

part no.	weight (lbs.)	length (in.)	package	pkg qty
028-30015	5.14	93.50	single	1
028-30017	5.82	107.00	single	1



1.00" Split Radius Track

APPLICATION

- For use with 1.00" rollers

FEATURES

- Galvanized steel 14 gauge construction
- 6.00" radius for smooth door operation
- Track coupler used for proper alignment at track joints



SPECIFICATIONS

part no.	weight (lbs.)	description	length (in.)	package	pkg qty
028-33035	16.95	subassembly for left (roadside)	96.50	single	1
028-33036	16.95	subassembly for right (curbside)	96.50	single	1
028-33037	18.68	subassembly for left (roadside)	106.50	single	1
028-33038	18.68	subassembly for right (curbside)	106.50	single	1
028-33039	21.01	subassembly for left (roadside)	120.00	single	1
028-33040	21.01	subassembly for right (curbside)	120.00	single	1
028-33041	6.39	track - left (roadside)	107.00	single	1
028-33042	6.39	track - right (curbside)	107.00	single	1
028-33043	7.06	track - left (roadside)	120.00	single	1
028-33044	7.06	track - right (curbside)	120.00	single	1


52° Horizontal 1.00" Track

APPLICATION

- For use with 1.00" rollers

FEATURES

- Galvanized steel 14 gauge construction
- For use with in-header mounted operators, and allows greater door clearance when opening
- Track coupler used for proper alignment at track joints



SPECIFICATIONS

part no.	weight (lbs.)	description	length (in.)	fits door sizes	package	pkg qty	cross reference
028-30050	7.00	right (curbside)	107.00	less than 96.00 high	single	1	T #49702-1, W #4053
028-30051	7.00	left (roadside)	107.00	less than 96.00 high	single	1	T #49702-2, W #4052
028-30060	8.00	right (curbside)	120.00	greater than 96.00 high	single	1	T #49702-1, W #4053
028-30061	8.00	left (roadside)	120.00	greater than 96.00 high	single	1	T #49702-2, W #4052


6.00" Radius Horizontal 1.00" Track

APPLICATION

- For use with 1.00" rollers

FEATURES

- Galvanized steel 14 gauge construction
- 6.00" radius for smooth door operation
- Track coupler used for proper alignment at track joints



SPECIFICATIONS

part no.	weight (lbs.)	description	length (in.)	fits door sizes	package	pkg qty
028-30070	7.00	right (curbside)	107.00	less than 96.00 high	single	1
028-30071	7.00	left (roadside)	107.00	less than 96.00 high	single	1
028-30080	8.00	right (curbside)	120.00	greater than 96.00 high	single	1
028-30081	8.00	left (roadside)	120.00	greater than 96.00 high	single	1

Dual Spring Operator Packaged Sets With 2.00" Track

FEATURES

- Includes 2.00" R.H. and L.H. vertical track, 2.00" R.H. and L.H. horizontal track, operator assembly balancer brackets, cotter pins, and side seals




SPECIFICATIONS

part no.	weight (lbs.)	vert. track length (in.)	horiz. track length (in.)	operator shaft length (in.)	spring length (in.)	fits door sizes	package	pkg qty
027-82096	82.00	96.50	107.00	93.00	33.00	72.00-90.00 high	packaged set	1
027-82106	89.00	106.50	120.00	93.00	35.00	91.00-100.00 high	packaged set	1
027-82114	94.00	120.00	120.00	93.00	33.00	101.00-114.00 high	packaged set	1

2.00" Vertical Track

APPLICATION

- For use with 2.00" dia. steel or nylon rollers



FEATURES

- Galvanized steel 14 gauge construction
- Tabbed at both ends for proper alignment at track joints and to allow universal fit for both left hand and right hand frame sides



SPECIFICATIONS

part no.	weight (lbs.)	length (in.)	package	pkg qty
028-32083	6.96	95.00	single	1
028-32084	7.94	108.00	single	1

2.00" Vertical Track with Holes

APPLICATION

- For use with 2.00" dia. steel or nylon rollers



FEATURES

- Galvanized steel 14 gauge construction
- Tabbed at both ends for proper alignment at track joints and to allow universal fit for both left hand and right hand frame sides
- Holes drilled to allow for faster plug weld installation to frame


SPECIFICATIONS

part no.	weight (lbs.)	length (in.)	package	pkg qty
028-32085	6.96	95.00	single	1
028-32086	7.94	108.00	single	1

2.00" Vertical Track and Right Angle Assembly

FEATURES

- Tongue and groove for proper alignment at joints
- Galvanized steel 14 gauge construction
- Includes right angle mounting track, vertical track, and operator bracket



SPECIFICATIONS

part no.	weight (lbs.)	description	length (in.)	spacing	fits door sizes	package	pkg qty	cross reference
028-02090	17.04	left (roadside)	96.50	.31	72.00-90.00 high	packaged set	1	W #2275-2
028-02290	17.04	right (curbside)	96.50	.31	72.00-90.00 high	packaged set	1	W #2275-1
028-02091	16.38	left (roadside)	96.50	.50	72.00-90.00 high	packaged set	1	W #2275-2
028-02291	16.38	right (curbside)	96.50	.50	72.00-90.00 high	packaged set	1	W #2275-1
028-02101	18.90	left (roadside)	106.50	.31	91.00-100.00 high	packaged set	1	W #2275-2
028-02201	18.90	right (curbside)	106.50	.31	91.00-100.00 high	packaged set	1	W #2275-1
028-02102	18.24	left (roadside)	106.50	.50	91.00-100.00 high	packaged set	1	W #2275-2
028-02202	18.24	right (curbside)	106.50	.50	91.00-100.00 high	packaged set	1	W #2275-1
028-02114	21.50	left (roadside)	120.00	.31	101.00-114.00 high	packaged set	1	W #2275-2
028-02214	21.50	right (curbside)	120.00	.31	101.00-114.00 high	packaged set	1	W #2275-1
028-02115	20.84	left (roadside)	120.00	.50	101.00-114.00 high	packaged set	1	W #2275-2
028-02215	21.50	right (curbside)	120.00	.50	101.00-114.00 high	packaged set	1	W #2275-1


8.00" Radius Horizontal 2.00" Track

APPLICATION

- For use with 2.00" dia. steel or nylon rollers

FEATURES

- Galvanized steel 14 gauge construction
- Tongue and groove for proper alignment at joints
- 8.00" radius



SPECIFICATIONS

part no.	weight (lbs.)	description	length (in.)	fits door sizes	package	pkg qty	cross reference
028-32071	7.60	left (roadside)	107.00	up to 96.00 high	single	1	W #11-3
028-32072	7.60	right (curbside)	107.00	up to 96.00 high	single	1	W #11-2
028-32081	9.00	left (roadside)	120.00	greater than 96.00 high	single	1	W #11-3
028-32082	9.00	right (curbside)	120.00	greater than 96.00 high	single	1	W #11-2