

Ball End L-Wrenches


- ColorGuard™ Finish -

- Color-coded tools can be distinguished at a glance
- Superior rust protection finish
- Sizes are stamped on the tool
- Ball End inserts into screw at a 25° angle
- Extra long length available

ColorGuard™ finish.
Color-coded for easy
identification.



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	69637	BLX13XLCG	13	Extra Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	69699	BLX9MXLCG	9	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	69499	BLX9MCG	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	



- Assembled from our most popular sets
- Multiple sets per package
- Tip selections include Ball End, TORX®, Hex End, ProHold® Tip Ball End, and MaxTorque™ Ball End

Inch
Metric
TORX®

ProGuard™ Ball End



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
20196	BLX21	21	10936 (.050-5/16") + 10999 (1.5-10mm)	1	
20199	BLX22	22	10937 (.050-3/8") + 10999 (1.5-10mm)	1	
20699	BLX22XL	22	16037 (.050-3/8") + 16099 (1.5-10mm)	1	



20199

ProGuard™ Ball End Stubby



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
20599	SBLX22	22	16537 (.050-3/8") + 16599 (1.5-10mm)	1	
27098	SDBLX22XL	22	67037 (.050-3/8") + 67099 (1.5-10mm) STUBBY DOUBLE BALL END	1	



20599

ProGuard™ ProHold® Tip Ball End




PART#	MODEL#	PCS	CONTENTS	QTY	LIST
20499	PBLX22	22	74937 (.050-3/8") + 74999 (1.5-10mm)	1	



20499

ProGuard™ Hex End



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
22199	HLX22	22	12137 (.050-3/8") + 12199 (1.5-10mm)	1	
22138	HLX20	20	12138 (1/16-1/4" Long) + 12238 (1/16-1/4" Short)	1	



22199

ProGuard™ Ball End and TORX® Tip




PART#	MODEL#	PCS	CONTENTS	QTY	LIST
14132	BLF30TS	30	10937 (.050-3/8") + 10999 (1.5-10mm) + 12632 (TORX® Fold Up T6-T25)	1	
14138	BLF30T	30	10937 (.050-3/8") + 10999 (1.5-10mm) + 12634 (TORX® Fold Up T9-T40)	1	
14126	BLF17S	17	10999 (1.5-10mm) + 12632 (TORX® Fold Up T6-T25)	1	
14128	BLF17	17	10999 (1.5-10mm) + 12634 (TORX® Fold Up T9-T40)	1	




14132

ProGuard™ Ball End and Hex End GorillaGrip® Fold Ups



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
14130	BLF34	34	10937 (.050-3/8") + 10999 (1.5-10mm) + 12550 (Hex Fold Up 5/64-5/32", 1.5-5mm)	1	
14187	BLF16M	16	10999 (1.5-10mm) + 12587 (Hex Fold Up 2-8mm)	1	
14189	BLF22	22	10937 (.050-3/8") + 12589 (Hex Fold Up 5/64-1/4")	1	



14187



- Assembled from our most popular sets
- Multiple sets per package
- Tip selections include Ball End, TORX®, Hex End, ProHold® Tip Ball End, and MaxTorque™ Ball End



BriteGuard™ Ball End and ProGuard™ GorillaGrip® Fold Ups



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
14170	BLF16MB	16	16999 (1.5-10mm) + 12587 (Hex Fold Up 2-8mm)	1	



14170

ColorGuard™ Ball End



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
69600	BLX22XLCG	22	69637 (.050-3/8") + 69699 (1.5-10mm)	1	



69600

BriteGuard™ Ball End



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
26999	BLX22B	22	16937 (.050-3/8") + 16999 (1.5-10mm)	1	



26999

BriteGuard™ and GoldGuard™ Ball End



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
20399	BLX22GB	22	26937 (.050-3/8") + 38099 (1.5-10mm)	1	



20399

GoldGuard™ Ball End



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
20899	BLX22G	22	37937 (.050-3/8") + 38099 (1.5-10mm)	1	



20899

Stubby Double Ball End L-Wrenches




MaxTorque™ Ball End
15° angle

- Exclusive MaxTorque™ ball end on short arm allows access to screw heads located in tight spaces straight-in or at an angle
- Exclusive MaxTorque™ ball end delivers 50% more torque than conventional ball ends
- Exclusive MaxTorque™ ball end inserts into screw and works at a 15° angle
- Standard Bondhus ball end on long arm inserts into screw and works at a 25° angle
- Extra long length provides for greater torque

Color-Coded

- Inch
- Metric




MaxTorque™ Ball End

Exclusive MaxTorque™ ball end on short arm delivers two times the torque of competitor ball ends, at up to a 15° angle


Standard Ball End
25° angle

Stubby Double Ball End L-Wrench compared to our standard Stubby L-Wrench




Exclusive MaxTorque™ ball end on short arm delivers two times the torque of competitor ball ends, at up to a 15° angle.

MaxTorque™ Ball End



Stubby tools fit in tight spaces where there is not enough overhead clearance for a standard hex key.

Long Arm Ball End



25° working angle on long arm allows tool to work in hard-to-reach places.

Stubby Double Ball End L-Wrenches

L-Wrenches

- Exclusive MaxTorque™ Ball End
 - on short arm allows access to screw heads located in tight spaces straight-in or at an angle
 - delivers 50% more torque than conventional ball ends
 - inserts into screw and works at a 15° angle
- Standard Bondhus ball end on long arm inserts into screw and works at a 25° angle
- Extra long length provides for greater torque

ProGuard™ finish delivers superior corrosion protection



67099



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
------	-------	--------	-----	--------	----------	-----	------

Inch	67037	SDBLX13XL	13	Extra Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
-------------	-------	-----------	----	------------	--	---	--

Metric	67099	SDBLX9MXL	9	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
---------------	-------	-----------	---	------------	----------------------------------	---	--




77037



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
------	-------	--------	-----	--------	----------	-----	------

Inch	77037	SDBLX13XL	13	Extra Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
-------------	-------	-----------	----	------------	--	---	--

Metric	77099	SDBLX9MXL	9	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
---------------	-------	-----------	---	------------	----------------------------------	---	--




TAGGED/BARCODED

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA
---------	------	------	----	------	----	-------	-----	------	----

LONG Inch	.050	3.1	79	0.25	6	67002	5		
	1/16	3.3	84	0.24	6	67003	5		
	5/64	3.6	91	0.32	8	67004	5		
	3/32	3.9	98	0.36	9	67005	5		
	7/64	4.1	104	0.36	9	67006	5		
	1/8	4.4	113	0.37	9	67007	5		
	9/64	4.8	121	0.37	9	67008	5		
	5/32	5.1	130	0.38	10	67009	5		
	3/16	5.3	134	0.44	11	67010	5		
	7/32	5.7	144	0.48	12	67011	2		
	1/4	6.5	164	0.49	12	67012	2		
	5/16	7.1	180	0.61	15	67013	2		
	3/8	7.8	199	0.84	21	67014	2		

LONG Metric	1.5	3.5	89	0.24	6	67050	5		
	2.0	3.9	100	0.32	8	67052	5		
	2.5	4.4	111	0.35	9	67054	5		
	3.0	4.9	125	0.37	9	67056	5		
	4.0	5.6	143	0.38	10	67060	5		
	5.0	6.4	161	0.43	11	67064	5		
	6	6.8	173	0.50	13	67068	5		
	8	7.7	194	0.60	15	67072	2		
	10	8.4	214	0.82	21	67076	2		



TAGGED/BARCODED

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA
---------	------	------	----	------	----	-------	-----	------	----

LONG Inch	.050	3.1	79	0.25	4	77002	5		
	1/16	3.3	84	0.24	4	77003	5		
	5/64	3.6	91	0.32	7	77004	5		
	3/32	3.9	98	0.36	7	77005	5		
	7/64	4.1	104	0.36	8	77006	5		
	1/8	4.4	113	0.37	8	77007	5		
	9/64	4.8	121	0.37	8	77008	5		
	5/32	5.1	130	0.38	9	77009	5		
	3/16	5.3	134	0.44	10	77010	5		
	7/32	5.7	144	0.48	12	77011	2		
	1/4	6.5	164	0.49	12	77012	2		
	5/16	7.1	180	0.61	14	77013	2		
	3/8	7.8	199	0.84	18	77014	2		

LONG Metric	1.5	3.5	89	0.24	6	77050	5		
	2.0	3.9	100	0.32	8	77052	5		
	2.5	4.4	111	0.35	9	77054	5		
	3.0	4.9	125	0.37	9	77056	5		
	4.0	5.6	143	0.38	10	77060	5		
	5.0	6.4	161	0.43	11	77064	5		
	6	6.8	173	0.50	13	77068	5		
	8	7.7	194	0.61	15	77072	2		
	10	8.4	214	0.82	21	77076	2		

Ball End L-Wrenches

- ProGuard™ Finish -

L-Wrenches

- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- 25° angle allows natural hand and wrist movement
- Superior Ball End strength and working angle
- Works in hard to reach places



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	10945	BLX7	7	Long	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	
	10932	BLX8	8	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1	
	10938	BLX10	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	10936	BLX12	12	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	
	10937	BLX13	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	10935	BLX15	15	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2" (in vinyl roll up pouch)	1	
	10933	MBLX13	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" (in metal box)	1	
	16037	BLX13XL	13	Extra Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	



Singles	SIZE	INCH		MM		PACKAGED			SINGLE PACKAGING			TAGGED/BARCODED		
		INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA	PART#	QTY	LIST EA
LONG Inch	.050	2.8	72	0.53	13	10902	10		12902	100		15702	10	
	1/16	3.0	76	0.56	14	10903	10		12903	100		15703	10	
	5/64	3.2	81	0.61	15	10904	10		12904	100		15704	10	
	3/32	3.4	86	0.65	16	10905	10		12905	100		15705	10	
	7/64	3.6	90	0.70	18	10906	10		12906	100		15706	10	
	1/8	3.8	95	0.75	19	10907	10		12907	100		15707	10	
	9/64	4.0	101	0.80	20	10908	10		12908	100		15708	10	
	5/32	4.2	107	0.84	21	10909	10		12909	100		15709	10	
	3/16	4.5	114	0.94	24	10910	10		12910	100		15710	10	
	7/32	4.9	124	1.03	26	10911	5		12911	50		15711	5	
	1/4	5.6	141	1.13	29	10912	5		12912	50		15712	5	
	5/16	6.0	152	1.25	32	10913	5		12913	50		15713	5	
	3/8	6.8	171	1.38	35	10914	5		12914	50		15714	5	
	7/16	7.5	191	1.50	38	10915	1		12915	25		15715	1	
	1/2	7.8	198	1.63	41	10916	1		12916	25		15716	1	
	9/16	9.0	229	1.75	44	10917	1		12917	10		15717	1	
	5/8	9.8	248	1.88	48	10918	1		12918	10		15718	1	
	3/4	11.3	286	2.13	54	10919	1		12919	5		15719	1	
	7/8	12.8	325	2.37	60	10920	1		-	-		-	-	
	1	14.2	362	2.62	67	10921	1		-	-		-	-	

Singles	SIZE	INCH		MM		PACKAGED			SINGLE PACKAGING		
		INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
EXTRA LONG Inch	.050	3.1	77	0.53	13	16002	10				
	1/16	3.3	85	0.56	14	16003	10				
	5/64	3.6	92	0.61	15	16004	10				
	3/32	3.9	99	0.65	16	16005	10				
	7/64	4.1	105	0.70	18	16006	10				
	1/8	4.5	114	0.75	19	16007	10				
	9/64	4.8	122	0.80	20	16008	10				
	5/32	5.1	131	0.84	21	16009	10				
	3/16	5.2	132	0.94	24	16010	10				
	7/32	5.6	143	1.03	26	16011	5				
	1/4	6.5	164	1.13	29	16012	5				
	5/16	7.1	180	1.25	32	16013	5				
	3/8	7.8	199	1.38	35	16014	5				

Did you know...?

Bondhus Ball End tips are designed to be the perfect balance between angle and strength. Ball End strength is maximized, while still providing a consistent full 25° working angle.

Ball End L-Wrenches

- ProGuard™ Finish -

- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- 25° angle allows natural hand and wrist movement
- Superior Ball End strength and working angle
- Works in hard to reach places



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Metric	10946	BLX6M	6	Long	1.5, 2, 2.5, 3, 4, 5mm	1	
	10992	BLX7M	7	Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	10999	BLX9M	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	10990	BLX10M	10	Long	1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10mm (INCLUDES 7mm)	1	
	10995	BLX15M	15	Long	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm	1	
	10989	MBLX13	13	Long	1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 17mm (in metal box)	1	
	16099	BLX9MXL	9	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	



Singles	SIZE	INCH		MM		PACKAGED			BULK			TAGGED/BARCODED		
		INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA	PART#	QTY	LIST EA
LONG Metric	1.27	2.8	72	0.53	13	10949	10		12949	100		15749	10	
	1.5	3.0	77	0.53	14	10950	10		12950	100		15750	10	
	2.0	3.2	82	0.61	16	10952	10		12952	100		15752	10	
	2.5	3.5	88	0.69	17	10954	10		12954	100		15754	10	
	3.0	3.9	98	0.75	19	10956	10		12956	100		15756	10	
	3.5	3.9	100	0.85	21	10958	1		12958	100		15758	1	
	4.0	4.3	110	0.87	22	10960	10		12960	100		15760	10	
	4.5	4.5	114	1.00	25	10962	1		12962	100		15762	1	
	5.0	4.7	119	1.06	27	10964	5		12964	100		15764	5	
	5.5	4.9	124	1.14	29	10966	1		12966	50		15766	1	
	6	5.5	139	1.22	31	10968	5		12968	50		15768	5	
	7	5.5	140	1.30	33	10970	1		12970	50		15770	1	
	8	6.0	152	1.38	35	10972	5		12972	50		15772	5	
	9	6.2	159	1.46	37	10974	1		12974	50		15774	1	
	10	6.7	171	1.54	39	10976	5		12976	50		15776	5	
	11	7.9	200	1.63	42	10978	1		12978	25		15778	1	
	12	8.7	220	1.73	44	10980	1		12980	25		15780	1	
	13	9.4	240	1.88	48	10982	1		12982	10		15782	1	
	14	10.2	260	2.15	55	10984	1		12984	10		15784	1	
	17	11.0	280	2.42	61	10986	1		12986	10		15786	1	
	19	11.6	295	2.70	69	10988	1		12988	5		15788	1	
	22	13.0	330	3.07	78	10991	1		-	-		-	-	
	24	14.5	370	3.47	88	10993	1		-	-		-	-	

Singles	SIZE	INCH		MM		PACKAGED		
		INCH	MM	INCH	MM	PART#	QTY	LIST EA
EXTRA LONG Metric	1.5	3.5	90	0.53	14	16050	10	
	2.0	3.9	100	0.61	16	16052	10	
	2.5	4.4	112	0.69	17	16054	10	
	3.0	5.0	126	0.75	19	16056	10	
	4.0	5.6	142	0.87	22	16060	10	
	5.0	6.3	160	1.06	27	16064	5	
	6	6.8	172	1.22	31	16068	5	
	8	7.7	195	1.38	35	16072	5	
	10	8.4	213	1.54	39	16076	5	

Did you know...?

Bondhus' extremely precise manufacturing methods create Ball End tools that work very well, even in sizes as small as .050", 1.27mm, and T6 (BallStar™ Tip).

ProHold® Tip Ball End L-Wrenches

- ProGuard™ Finish -

- Holds screw tight on the tool EVERY TIME
- Button is non-magnetic
- Super smooth rotational action, with no interference from the ProHold® button
- Tool strength is not compromised by the ProHold® button

ProGuard™ finish delivers superior corrosion protection



Yellow=Inch
Red=Metric



ProHold® Tip holds screws securely

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	74938	PBLX10	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	74937	PBLX13	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	74992	PBLX7M	7	Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	74999	PBLX9M	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	



74999



Singles	SIZE	INCH	MM	INCH	MM	SINGLE PACKAGING			TAGGED/BARCODED		
						PART#	QTY	LIST EA	PART#	QTY	LIST EA
LONG Inch	.050	2.8	72	0.53	13	75902	25		75702	5	
	1/16	3.0	76	0.56	14	75903	25		75703	5	
	5/64	3.2	81	0.61	15	75904	25		75704	5	
	3/32	3.4	86	0.65	16	75905	25		75705	5	
	7/64	3.6	90	0.70	18	75906	25		75706	5	
	1/8	3.8	95	0.75	19	75907	25		75707	5	
	9/64	4.0	101	0.80	20	75908	25		75708	5	
	5/32	4.2	107	0.84	21	75909	25		75709	5	
	3/16	4.5	114	0.94	24	75910	25		75710	5	
	7/32	4.9	124	1.03	26	75911	10		75711	2	
	1/4	5.6	141	1.13	29	75912	10		75712	2	
	5/16	6.0	152	1.25	32	75913	10		75713	2	
	3/8	6.8	171	1.38	35	75914	10		75714	2	
LONG Metric	1.27	2.8	72	0.53	13	75949	25		75749	5	
	1.5	3.0	77	0.53	14	75950	25		75750	5	
	2.0	3.2	82	0.61	16	75952	25		75752	5	
	2.5	3.5	88	0.69	17	75954	25		75754	5	
	3.0	3.9	98	0.75	19	75956	25		75756	5	
	4.0	4.3	110	0.87	22	75960	25		75760	5	
	5.0	4.7	119	1.06	27	75964	25		75764	2	
	6	5.5	139	1.22	31	75968	10		75768	2	
	8	6.0	152	1.38	35	75972	10		75772	2	
	10	6.7	171	1.54	39	75976	10		75776	2	

Did you know...?

ProHold® buttons are non-magnetic and work on all fasteners. They are safe to use on sensitive equipment. They will not rust and will hold non-magnetic screws (aluminum, stainless and plastic).



ProHold® button holds screw tight on the tool EVERY TIME



ProHold® buttons are non-magnetic and safe for use in electronic applications

Stubby Ball End L-Wrenches

- ProGuard™ Finish -



- Fits into tight spaces standard hex keys cannot
- Eliminates the need to trim and file the short arm
- Tighter inside radius means full smooth entry into screw head
- Chamfered short arm eliminates burrs
- Ball End inserts into a screw at a 25° angle



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	16538	SBLX10	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	16537	SBLX13	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	16592	SBLX7M	7	Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	16599	SBLX9M	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	



Singles	SIZE	INCH	MM	INCH	MM	SINGLE PACKAGING			BULK		
						PART#	QTY	LIST EA	PART#	QTY	LIST EA
LONG Inch	.050	2.8	72	0.14	4	26502	50		16502	5	
	1/16	3.0	76	0.16	4	26503	50		16503	5	
	5/64	3.2	81	0.27	7	26504	50		16504	5	
	3/32	3.4	86	0.29	7	26505	50		16505	5	
	7/64	3.6	90	0.30	8	26506	50		16506	5	
	1/8	3.8	95	0.32	8	26507	50		16507	5	
	9/64	4.0	101	0.33	8	26508	50		16508	5	
	5/32	4.2	107	0.35	9	26509	50		16509	5	
	3/16	4.5	114	0.39	10	26510	50		16510	5	
	7/32	4.9	124	0.46	12	26511	25		16511	2	
	1/4	5.6	141	0.46	12	26512	25		16512	2	
	5/16	6.0	152	0.57	14	26513	25		16513	2	
	3/8	6.8	171	0.71	18	26514	25		16514	2	
	LONG Metric	1.27	2.8	72	0.14	4	26549	50		16549	5
1.5		3.0	77	0.19	5	26550	50		16550	5	
2.0		3.2	82	0.27	7	26552	50		16552	5	
2.5		3.5	88	0.28	7	26554	50		16554	5	
3.0		3.9	98	0.32	8	26556	50		16556	5	
4.0		4.3	110	0.35	9	26560	50		16560	5	
5.0		4.7	119	0.40	10	26564	25		16564	2	
6		5.5	139	0.47	12	26568	25		16568	2	
8		6.0	152	0.57	14	26572	25		16572	2	
10		6.7	171	0.78	20	26576	25		16576	2	



Stubby tools fit in tight spaces where there is not enough overhead clearance for a standard hex key

Hex End L-Wrenches

- ProGuard™ Finish -


- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit

ProGuard™ finish delivers superior corrosion protection



Yellow=Inch

Red=Metric



Hex End Tips

Long

Short

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	12145	HLX7	7	Long	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	
	12132	HLX8	8	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1	
	12138	HLX10	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	12136	HLX12	12	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	
	12137	HLX13	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	12245	HLX7S	7	Short	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	
	12232	HLX8S	8	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1	
	12238	HLX10S	10	Short	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	12236	HLX12S	12	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	
	12237	HLX13S	13	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	

In Metal Box

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	12344	MHLX15S	15	Short	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	12339	MHLX18S	18	Short	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8"	1	



12344

In Plastic Box

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	12342	MHLX13	13	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2"	1	



12342

In Pouch

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	12335	PHLX9	9	Long	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	12333	PHLX11	11	Long	.050, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	12351	PHLX15	15	Long	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8, 3/4"	1	
	12345	PHLX7S	7	Short	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"	1	
	12338	PHLX10S	10	Short	.035, .050, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 "	1	
	12341	PHLX11SS	11	Short	.050, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	12343	PHLX11S	11	Short	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16"	1	
	12347	PHLX15S	15	Short	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	22789	PHLX9-6	9	6" Long Arm	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	25445	PHLX7-12	7	12" Long Arm	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"	1	




12347

SINGLE PACKAGING



PACKAGED



PACKAGED

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
6" LONG ARM Inch	5/64	5.9	150	0.61	15	22704	5	
	3/32	5.9	150	0.65	16	22705	5	
	7/64	5.9	150	0.70	18	22706	5	
	1/8	5.9	149	0.75	19	22707	5	
	9/64	5.9	149	0.80	20	22708	5	
	5/32	5.8	148	0.84	21	22709	5	
	3/16	5.8	148	0.94	24	22710	5	
	7/32	5.8	147	1.03	26	22711	5	
	1/4	5.8	146	1.13	29	22712	5	
	5/16	5.7	144	1.25	32	22713	5	
3/8	5.6	143	1.38	35	22714	5		

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
12" LONG ARM Inch	5/64	11.9	303	0.61	15	25404	5	
	3/32	11.9	302	0.65	16	25405	5	
	7/64	11.9	302	0.70	18	25406	5	
	1/8	11.9	302	0.75	19	25407	5	
	9/64	11.9	301	0.80	20	25408	5	
	5/32	11.8	301	0.84	21	25409	5	
	3/16	11.8	300	0.94	24	25410	5	
	7/32	11.8	299	1.03	26	25411	5	
	1/4	11.8	298	1.13	29	25412	5	

For more individual sizes available packaged, in bulk, or singles see page 15

Hex End L-Wrench Singles

- ProGuard™ Finish -

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit

ProGuard™ finish delivers superior corrosion protection



L-Wrenches



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA	PART#	QTY	LIST EA
LONG Inch	.028	2.6	66	0.22	6	12100	10		13900	100		15900	10	
	.035	2.7	68	0.34	9	12101	10		13901	100		15901	10	
	.050	2.8	72	0.53	13	12102	10		13902	100		15902	10	
	1/16	3.0	76	0.56	14	12103	10		13903	100		15903	10	
	5/64	3.2	81	0.61	15	12104	10		13904	100		15904	10	
	3/32	3.4	86	0.65	16	12105	10		13905	100		15905	10	
	7/64	3.6	90	0.70	18	12106	10		13906	100		15906	10	
	1/8	3.8	95	0.75	19	12107	10		13907	100		15907	10	
	9/64	4.0	101	0.80	20	12108	10		13908	100		15908	10	
	5/32	4.2	107	0.84	21	12109	10		13909	100		15909	10	
	3/16	4.5	114	0.94	24	12110	10		13910	100		15910	10	
	7/32	4.9	124	1.03	26	12111	5		13911	50		15911	5	
	1/4	5.3	133	1.13	29	12112	5		13912	50		15912	5	
	5/16	6.0	152	1.25	32	12113	5		13913	50		15913	5	
	3/8	6.8	171	1.38	35	12114	5		13914	50		15914	5	
	7/16	7.5	191	1.50	38	12115	1		13915	25		15915	1	
	1/2	7.8	198	1.63	41	12116	1		13916	25		15916	1	
	9/16	9.0	229	1.75	44	12117	1		13917	10		15917	1	
	5/8	9.8	248	1.88	48	12118	1		13918	10		15918	1	
	3/4	11.3	286	2.13	54	12119	1		13919	5		15919	1	
7/8	12.7	322	2.37	60	12120	1		-	-		-	-		
1	14.1	359	2.62	67	12121	1		-	-		-	-		
1 1/4	17.0	432	3.00	76	12125	1		-	-		-	-		
1 1/2	20.3	514	3.50	89	12129	1		-	-		-	-		



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA	PART#	QTY	LIST EA
SHORT Inch	.028	1.2	31	0.22	6	12200	10		13800	100		15800	10	
	.035	1.2	31	0.34	9	12201	10		13801	100		15801	10	
	.050	1.6	42	0.53	13	12202	10		13802	100		15802	10	
	1/16	1.8	45	0.56	14	12203	10		13803	100		15803	10	
	5/64	1.9	48	0.61	15	12204	10		13804	100		15804	10	
	3/32	2.0	51	0.65	16	12205	10		13805	100		15805	10	
	7/64	2.1	54	0.70	18	12206	10		13806	100		15806	10	
	1/8	2.3	58	0.75	19	12207	10		13807	100		15807	10	
	9/64	2.4	61	0.80	20	12208	10		13808	100		15808	10	
	5/32	2.5	64	0.84	21	12209	10		13809	100		15809	10	
	3/16	2.8	70	0.94	24	12210	10		13810	100		15810	10	
	7/32	3.0	77	1.03	26	12211	5		13811	50		15811	5	
	1/4	3.3	83	1.13	29	12212	5		13812	50		15812	5	
	5/16	3.8	96	1.25	32	12213	5		13813	50		15813	5	
	3/8	4.3	108	1.38	35	12214	5		13814	50		15814	5	
	7/16	4.8	121	1.50	38	12215	1		13815	50		15815	1	
	1/2	5.3	133	1.63	41	12216	1		13816	50		15816	1	
	9/16	5.8	146	1.75	44	12217	1		13817	25		15817	1	
	5/8	6.3	159	1.88	48	12218	1		13818	20		15818	1	
	3/4	7.3	184	2.13	54	12219	1		13819	15		15819	1	
7/8	8.2	207	2.37	60	12220	1		-	-		-	-		
1	9.2	232	2.62	67	12221	1		-	-		-	-		
1 1/4	11.0	279	3.00	76	12225	1		-	-		-	-		
1 1/2	13.0	330	3.50	89	12229	1		-	-		-	-		
1 3/4	13.3	337	4.00	102	12231	1		-	-		-	-		
2	15.0	381	4.50	114	12233	1		-	-		-	-		


For sets and 6" and 12" Long Arm singles see page 14

Hex End L-Wrenches

- ProGuard™ Finish -

L-Wrenches

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Metric	12146	HLX6M	6	Long	1.5, 2, 2.5, 3, 4, 5mm	1	
	12192	HLX7M	7	Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	12199	HLX9M	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	12195	HLX15M	15	Long	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm	1	
	12246	HLX6MS	6	Short	1.5, 2, 2.5, 3, 4, 5mm	1	
	12292	HLX7MS	7	Short	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	12299	HLX9MS	9	Short	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	

In Metal Box

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Metric	12396	MHLX10M	10	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12mm	1	
	12393	MHLX12MS	12	Short	.71, .89, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	12394	MHLX15MS	15	Short	.71, .89, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 17mm	1	



12394

In Pouch

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Metric	12349	PHLX15M	15	Long	.89, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 17, 19mm	1	
	12392	PHLX7MS	7	Short	2, 2.5, 3, 4, 5, 6, 8mm	1	
	12399	PHLX9MS	9	Short	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	12391	PHLX11MS	11	Short	2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 12mm	1	
	12397	PHLX14MS	14	Short	2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 17, 19mm	1	



12397

Did you know...?

Bondhus tools are harder and more ductile than competitors' tools. They wear longer, generate greater torque and resist breakage and shattering.

For individual sizes available packaged, in bulk, or singles
see page 17

Hex End L-Wrench Singles


- ProGuard™ Finish -

ProGuard™ finish delivers superior corrosion protection



L-Wrenches

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit



Hex End Tips



SINGLE PACKAGING
PACKAGED

BULK



TAGGED/BARCODED

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA	PART#	QTY	LIST EA
LONG Metric	0.71	2.6	66	0.22	6	12147	10		13947	100		15947	10	
	0.89	2.7	68	0.34	9	12148	10		13948	100		15948	10	
	1.27	2.8	72	0.53	13	12149	10		13949	100		15949	10	
	1.5	3.0	77	0.53	14	12150	10		13950	100		15950	10	
	2.0	3.2	82	0.61	16	12152	10		13952	100		15952	10	
	2.5	3.5	88	0.69	17	12154	10		13954	100		15954	10	
	3.0	3.9	98	0.75	19	12156	10		13956	100		15956	10	
	3.5	3.9	100	0.85	21	12158	1		13958	100		15958	1	
	4.0	4.3	110	0.87	22	12160	10		13960	100		15960	10	
	4.5	4.5	114	1.00	25	12162	1		13962	100		15962	1	
	5.0	4.7	119	1.06	27	12164	5		13964	100		15964	5	
	5.5	4.9	124	1.14	29	12166	1		13966	50		15966	1	
	6	5.5	139	1.22	31	12168	5		13968	50		15968	5	
	7	5.5	140	1.30	33	12170	1		13970	50		15970	1	
	8	6.0	152	1.38	35	12172	5		13972	50		15972	5	
	9	6.2	159	1.46	37	12174	1		13974	50		15974	1	
	10	6.7	171	1.54	39	12176	5		13976	50		15976	5	
	11	7.9	200	1.63	42	12178	1		13978	25		15978	1	
	12	8.7	220	1.73	44	12180	1		13980	25		15980	1	
	13	9.4	240	1.88	48	12182	1		13982	10		15982	1	
14	10.2	260	2.15	55	12184	1		13984	10		15984	1		
17	11.0	280	2.42	61	12186	1		13986	10		15986	1		
19	11.6	295	2.70	69	12188	1		13988	5		15988	1		
22	12.8	325	3.07	78	12191	1		-	-		-	-		
24	14.3	364	3.47	88	12193	1		-	-		-	-		
32	17.0	432	4.80	122	12196	1		-	-		-	-		
36	20.3	516	5.37	137	12198	1		-	-		-	-		



SINGLE PACKAGING
PACKAGED

BULK



TAGGED/BARCODED

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA	PART#	QTY	LIST EA
SHORT Metric	0.71	1.2	31	0.22	6	12247	10		13847	100		15847	10	
	0.89	1.2	31	0.34	9	12248	10		13848	100		15848	10	
	1.27	1.6	42	0.53	13	12249	10		13849	100		15849	10	
	1.5	1.7	44	0.53	14	12250	10		13850	100		15850	10	
	2.0	1.9	49	0.61	16	12252	10		13852	100		15852	10	
	2.5	2.1	54	0.69	17	12254	10		13854	100		15854	10	
	3.0	2.4	61	0.75	19	12256	10		13856	100		15856	10	
	3.5	2.6	65	0.85	21	12258	1		13858	100		15858	1	
	4.0	2.7	68	0.87	22	12260	10		13860	100		15860	10	
	4.5	2.9	73	1.00	25	12262	1		13862	100		15862	1	
	5.0	3.1	78	1.06	27	12264	5		13864	100		15864	5	
	5.5	3.3	83	1.14	29	12266	1		13866	50		15866	1	
	6	3.5	88	1.22	31	12268	5		13868	50		15868	5	
	7	3.7	93	1.30	33	12270	1		13870	50		15870	1	
	8	3.9	98	1.38	35	12272	5		13872	50		15872	5	
	9	4.0	102	1.46	37	12274	1		13874	50		15874	1	
	10	4.3	109	1.54	39	12276	5		13876	50		15876	5	
	11	4.5	115	1.63	42	12278	1		13878	50		15878	1	
	12	4.8	122	1.73	44	12280	1		13880	50		15880	1	
	13	5.1	129	1.88	48	12282	1		13882	25		15882	1	
14	5.4	136	2.15	55	12284	1		13884	25		15884	1		
17	6.1	156	2.42	61	12286	1		13886	20		15886	1		
19	6.9	175	2.72	69	12288	1		13888	15		15888	1		
22	7.5	190	3.07	78	12291	1		-	-		-	-		
24	8.4	213	3.47	88	12293	1		-	-		-	-		
27	9.4	238	3.84	98	12295	1		-	-		-	-		
32	11.8	300	4.80	122	12296	1		-	-		-	-		
36	13.3	338	5.37	137	12298	1		-	-		-	-		

For sets see page 16

Made in the U.S.A.



All Bondhus® tools are made with Protanium® High Torque Steel.

Tamper Resistant Hex End L-Wrenches

- ProGuard™ Finish -

- Fits all tamper resistant hex screws
- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit

ProGuard™ finish delivers superior corrosion protection




Tamper Resistant Hex Tips



Tamper Resistant Hex Tips

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	48332	HTR8	8	Long	3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	48386	HTR6M	6	Long	2.5, 3, 4, 5, 6, 8mm	1	



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
LONG Inch	3/32	3.4	86	0.65	16	48305	5	
	1/8	3.8	95	0.75	19	48307	5	
	5/32	4.2	107	0.84	21	48309	5	
	3/16	4.5	114	0.94	24	48310	5	
	7/32	4.9	124	1.03	26	48311	5	
	1/4	5.3	133	1.13	29	48312	5	
	5/16	6.0	152	1.25	32	48313	5	
	3/8	6.8	171	1.38	35	48314	2	
LONG Metric	2.5	3.5	88	0.69	17	48354	5	
	3.0	3.9	98	0.75	19	48356	5	
	4.0	4.3	110	0.87	22	48360	5	
	5.0	4.7	119	1.06	27	48364	5	
	6	5.5	139	1.22	31	48368	5	
	8	6.0	152	1.38	35	48372	5	
	10	6.7	171	1.54	39	48376	2	



48332

Tamper Resistant TORX® L-Wrenches

- ProGuard™ Finish -


- Fits all TORX® and Star tamper resistant screws
- Burr free tool tips help tools seat fully in screw head
- Precision machined tips transfer more torque to the screw and reduces stripping

ProGuard™ finish delivers superior corrosion protection



Tools are in color coded cases for easy recognition
Green=TORX®

Tamper Resistant TORX® Tips



Tamper Resistant TORX® Tips

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
TORX®	32432	TR-TL8S	8	Long	TR6, TR7, TR8, TR9, TR10, TR15, TR20, TR25	1	
	32434	TR-TL8	8	Long	TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40	1	



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
LONG TORX®	TR6	2.1	55	0.65	16	33406	25		32406	2	
	TR7	2.4	61	0.65	16	33407	25		32407	2	
	TR8	2.6	67	0.65	16	33408	25		32408	2	
	TR9	2.9	74	0.65	16	33409	25		32409	2	
	TR10	3.2	80	0.73	19	33410	25		32410	2	
	TR15	3.3	84	0.78	20	33415	25		32415	2	
	TR20	3.6	91	0.78	20	33420	25		32420	2	
	TR25	3.8	98	0.88	22	33425	25		32425	2	
	TR27	4.2	106	0.95	24	33427	25		32427	2	
	TR30	4.6	116	1.03	26	33430	25		32430	2	
	TR40	4.9	125	1.11	28	33440	25		32440	2	

Did you know...?
ProGuard™ Dry Surface Technology is the world's best corrosion protection. The tool user does not have to work with rusty tools. ProGuard™ protection delivers up to 5 times the corrosion resistance of any other Hex or TORX® tool finish.

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC.

Ball End L-Wrenches

- BriteGuard™ Finish -

L-Wrenches

- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- 25° angle allows natural hand and wrist movement
- Superior Ball End strength and working angle
- Works in hard to reach places



BriteGuard™ finish delivers superior corrosion protection




Yellow=Inch

Red=Metric



Ball End Tips



25° Working angle


Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	16938	BLX10B	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	16936	BLX12B	12	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	
	16937	BLX13B	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	17046	BLX6MB	6	Extra Long	1.5, 2, 2.5, 3, 4, 5mm	1	
	17092	BLX7MB	7	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	17099	BLX9MB	9	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	17095	BLX15MB	15	Extra Long	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm	1	
	16999	BLX9MLB	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	



17099



Singles	SIZE	INCH		MM		SINGLE PACKAGING			TAGGED/BARCODED		
		INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
LONG Inch	.050	2.8	72	0.53	13	26902	50		16902	10	
	1/16	3.0	76	0.56	14	26903	50		16903	10	
	5/64	3.2	81	0.61	15	26904	50		16904	10	
	3/32	3.4	86	0.65	16	26905	50		16905	10	
	7/64	3.6	90	0.70	18	26906	50		16906	10	
	1/8	3.8	95	0.75	19	26907	50		16907	10	
	9/64	4.0	101	0.80	20	26908	50		16908	10	
	5/32	4.2	107	0.84	21	26909	50		16909	10	
	3/16	4.5	114	0.94	24	26910	50		16910	10	
	7/32	4.9	124	1.03	26	26911	25		16911	5	
	1/4	5.6	141	1.13	29	26912	25		16912	5	
	5/16	6.0	152	1.25	32	26913	25		16913	5	
	3/8	6.8	171	1.38	35	26914	25		16914	5	
	7/16	7.5	191	1.50	38	-	-		16915	1	
	1/2	7.8	198	1.63	41	-	-		16916	1	
	9/16	9.0	229	1.75	44	-	-		16917	1	
5/8	9.8	248	1.88	48	-	-		16918	1		
3/4	11.3	286	2.13	54	-	-		16919	1		



EXTRA LONG Metric	1.27	2.8	72	0.53	13	27049	50		17049	10	
	1.5	3.5	90	0.53	14	27050	50		17050	10	
	2.0	3.9	100	0.61	16	27052	50		17052	10	
	2.5	4.4	112	0.69	17	27054	50		17054	10	
	3.0	5.0	126	0.75	19	27056	50		17056	10	
	3.5	5.2	133	0.85	21	27058	50		17058	1	
	4.0	5.6	142	0.87	22	27060	50		17060	10	
	4.5	5.9	151	1.00	25	27062	50		17062	1	
	5.0	6.3	160	1.06	27	27064	50		17064	5	
	5.5	6.8	172	1.14	29	27066	25		17066	1	
	6	6.8	172	1.22	31	27068	25		17068	5	
	7	7.2	184	1.30	33	27070	25		17070	1	
	8	7.7	195	1.38	35	27072	25		17072	5	
	9	8.0	202	1.46	37	27074	25		17074	1	
	10	8.4	213	1.54	39	27076	10		17076	5	
	11	7.9	200	1.63	42	27078	10		17078	1	
	12	8.7	220	1.73	44	27080	10		17080	1	
	14	10.2	260	2.15	55	-	-		17084	1	
	17	11.0	280	2.42	61	-	-		17086	1	
19	11.6	295	2.70	69	-	-		17088	1		

Did you know...?


Bondhus Ball End tools feature a consistent 25° working angle. The Ball End feature saves time and tool users can absolutely count on every Bondhus Ball End tool to provide a 25° working angle. Period!

Stubby Ball End L-Wrenches

- BriteGuard™ Finish -

- Fits into tight spaces standard hex keys cannot
- Eliminates the need to trim and file the short arm
- Tighter inside radius means full smooth entry into screw head
- Chamfered short arm eliminates burrs
- Ball End inserts into a screw at a 25° angle

BriteGuard™ finish delivers superior corrosion protection




Ball End Tips



Yellow=Inch

Red=Metric



Stubby fits where others cannot

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	16738	SBLX10B	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	16737	SBLX13B	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	16792	SBLX7MB	7	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	16799	SBLX9MB	9	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	



16799

SINGLE PACKAGING




BULK



TAGGED/BARCODED

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
LONG Inch	.050	2.8	72	0.14	4	26702	50		16702	5	
	1/16	3.0	76	0.16	4	26703	50		16703	5	
	5/64	3.2	81	0.27	7	26704	50		16704	5	
	3/32	3.4	86	0.29	7	26705	50		16705	5	
	7/64	3.6	90	0.30	8	26706	50		16706	5	
	1/8	3.8	95	0.32	8	26707	50		16707	5	
	9/64	4.0	101	0.33	8	26708	50		16708	5	
	5/32	4.2	107	0.35	9	26709	50		16709	5	
	3/16	4.5	114	0.39	10	26710	50		16710	5	
	7/32	4.9	124	0.46	12	26711	25		16711	2	
	1/4	5.6	141	0.46	12	26712	25		16712	2	
	5/16	6.0	152	0.57	14	26713	25		16713	2	
	3/8	6.8	171	0.71	18	26714	25		16714	2	
EXTRA LONG Metric	1.27	2.7	69	0.14	4	26749	50		16749	5	
	1.5	3.5	90	0.19	5	26750	50		16750	5	
	2.0	3.9	100	0.27	7	26752	50		16752	5	
	2.5	4.4	112	0.28	7	26754	50		16754	5	
	3.0	5.0	126	0.32	8	26756	50		16756	5	
	4.0	5.6	142	0.35	9	26760	50		16760	5	
	5.0	6.3	160	0.40	10	26764	25		16764	2	
	6	6.8	172	0.47	12	26768	25		16768	2	
8	7.7	195	0.57	14	26772	25		16772	2		
10	8.4	213	0.78	20	26776	25		16776	2		

Did you know...?
Stubby tools have a tighter inside radius than standard hex keys, which saves time because the tight radius design reaches screws that even a hex key with a cut down short arm cannot.



Bondhus:
Precision machined

Competitor:
Poorly machined

.050" Ball End Comparison

Hex End L-Wrenches

- BriteGuard™ Finish -

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit

BriteGuard™ finish delivers superior corrosion protection



Yellow=Inch
Red=Metric

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	16138	HLX10B	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	16136	HLX12B	12	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	
	16137	HLX13B	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	16238	HLX10SB	10	Short	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	16236	HLX12SB	12	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	
16237	HLX13SB	13	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1		
Metric	17146	HLX6MB	6	Extra Long	1.5, 2, 2.5, 3, 4, 5mm	1	
	17192	HLX7MB	7	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	17199	HLX9MB	9	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	17195	HLX15MB	15	Extra Long	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm	1	
	16246	HLX6MSB	6	Short	1.5, 2, 2.5, 3, 4, 5mm	1	
	16292	HLX7MSB	7	Short	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	16299	HLX9MSB	9	Short	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	



	SINGLE PACKAGING				BULK				TAGGED/BARCODED				
	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA	PART#	QTY	LIST	EA
Inch	Long												
	.028	2.6	66	0.22	6	26100	50			16100	10		
	.035	2.7	68	0.34	9	26101	50			16101	10		
	.050	2.8	72	0.53	13	26102	50			16102	10		
	1/16	3.0	76	0.56	14	26103	50			16103	10		
	5/64	3.2	81	0.61	15	26104	50			16104	10		
	3/32	3.4	86	0.65	16	26105	50			16105	10		
	7/64	3.6	90	0.70	18	26106	50			16106	10		
	1/8	3.8	95	0.75	19	26107	50			16107	10		
	9/64	4.0	101	0.80	20	26108	50			16108	10		
	5/32	4.2	107	0.84	21	26109	50			16109	10		
	3/16	4.5	114	0.94	24	26110	50			16110	10		
	7/32	4.9	124	1.03	26	26111	25			16111	5		
	1/4	5.3	133	1.13	29	26112	25			16112	5		
	5/16	6.0	152	1.25	32	26113	25			16113	5		
	3/8	6.8	171	1.38	35	26114	25			16114	5		
	7/16	7.5	191	1.50	38	-	-			16115	1		
1/2	7.8	198	1.63	41	-	-			16116	1			
9/16	9.0	229	1.75	44	-	-			16117	1			
5/8	9.8	248	1.88	48	-	-			16118	1			
3/4	11.3	286	2.13	54	-	-			16119	1			
Metric	Extra Long												
	.71	2.6	66	0.22	6	27147	50			17147	10		
	.89	2.7	68	0.34	9	27148	50			17148	10		
	1.27	2.8	72	0.53	13	27149	50			17149	10		
	1.5	3.5	90	0.53	14	27150	50			17150	10		
	2.0	3.9	100	0.61	16	27152	50			17152	10		
	2.5	4.4	112	0.69	17	27154	50			17154	10		
	3.0	5.0	126	0.75	19	27156	50			17156	10		
	3.5	5.2	133	0.85	21	27158	50			17158	1		
	4.0	5.6	142	0.87	22	27160	50			17160	10		
	4.5	5.9	151	1.00	25	27162	50			17162	1		
	5.0	6.3	160	1.06	27	27164	50			17164	5		
	5.5	6.8	172	1.14	29	27166	25			17166	1		
	6	6.8	172	1.22	31	27168	25			17168	5		
	7	7.2	184	1.30	33	27170	25			17170	1		
	8	7.7	195	1.38	35	27172	25			17172	5		
	9	8.0	202	1.46	37	27174	25			17174	1		
	10	8.4	213	1.54	39	27176	10			17176	5		
	11	7.9	200	1.63	42	27178	10			17178	1		
12	8.7	220	1.73	44	27180	10			17180	1			
14	10.2	260	2.15	55	-	-			17184	1			
17	11.0	280	2.42	61	-	-			17186	1			
19	11.6	295	2.70	69	-	-			17188	1			
Inch	Short												
	.028	1.2	31	0.22	6	26200	50			16200	10		
	.035	1.2	31	0.34	9	26201	50			16201	10		
	.050	1.6	42	0.53	13	26202	50			16202	10		
	1/16	1.8	45	0.56	14	26203	50			16203	10		
	5/64	1.9	48	0.61	15	26204	50			16204	10		
	3/32	2.0	51	0.65	16	26205	50			16205	10		
	7/64	2.1	54	0.70	18	26206	50			16206	10		
	1/8	2.3	58	0.75	19	26207	50			16207	10		
	9/64	2.4	61	0.80	20	26208	50			16208	10		
	5/32	2.5	64	0.84	21	26209	50			16209	10		
	3/16	2.8	70	0.94	24	26210	50			16210	10		
	7/32	3.0	77	1.03	26	26211	25			16211	5		
	1/4	3.3	83	1.13	29	26212	25			16212	5		
	5/16	3.8	96	1.25	32	26213	25			16213	5		
	3/8	4.3	108	1.38	35	26214	25			16214	5		
	7/16	4.8	121	1.50	38	-	-			16215	1		
1/2	5.3	133	1.63	41	-	-			16216	1			
9/16	5.8	146	1.75	44	-	-			16217	1			
5/8	6.3	159	1.88	48	-	-			16218	1			
3/4	7.3	184	2.13	54	-	-			16219	1			
Metric	Short												
	.71	1.2	31	0.22	6	26247	50			16247	10		
	.89	1.2	31	0.34	9	26248	50			16248	10		
	1.27	1.6	42	0.53	13	26249	50			16249	10		
	1.5	1.7	44	0.53	14	26250	50			16250	10		
	2.0	1.9	49	0.61	16	26252	50			16252	10		
	2.5	2.1	54	0.69	17	26254	50			16254	10		
	3.0	2.4	61	0.75	19	26256	50			16256	10		
	3.5	2.6	65	0.85	21	26258	50			16258	1		
	4.0	2.7	68	0.87	22	26260	50			16260	10		
	4.5	2.9	73	1.00	25	26262	50			16262	1		
	5.0	3.1	78	1.06	27	26264	50			16264	5		
	5.5	3.3	83	1.14	29	26266	25			16266	1		
	6	3.5	88	1.22	31	26268	25			16268	5		
	7	3.7	93	1.30	33	26270	25			16270	1		
	8	3.9	98	1.38	35	26272	25			16272	5		
	9	4.0	102	1.46	37	26274	25			16274	1		
	10	4.3	109	1.54	39	26276	10			16276	5		
	11	4.5	115	1.63	42	26278	10			16278	1		
12	4.8	122	1.73	44	26280	10			16280	1			
14	5.4	136	2.15	55	-	-			16284	1			
17	6.1	156	2.42	61	-	-			16286	1			
19	6.9	175	2.72	69	-	-			16288	1			

Ball End L-Wrenches

- GoldGuard™ Finish -

- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- 25° angle allows natural hand and wrist movement
- Superior Ball End strength and working angle
- Works in hard to reach places

GoldGuard™ finish.
Real 14 karat Gold



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	37938	BLX10G	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	37936	BLX12G	12	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	
	37937	BLX13G	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	38046	BLX6MG	6	Long	1.5, 2, 2.5, 3, 4, 5mm	1	
	38092	BLX7MG	7	Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	38099	BLX9MG	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	38095	BLX15MG	15	Long	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm	1	



Singles	SIZE	INCH		MM		PART#	QTY	LIST	EA	PART#	QTY	LIST	EA
		INCH	MM	INCH	MM								
LONG Inch	.050	2.8	72	0.53	13	27902	50			37902	10		
	1/16	3.0	76	0.56	14	27903	50			37903	10		
	5/64	3.2	81	0.61	15	27904	50			37904	10		
	3/32	3.4	86	0.65	16	27905	50			37905	10		
	7/64	3.6	90	0.70	18	27906	50			37906	10		
	1/8	3.8	95	0.75	19	27907	50			37907	10		
	9/64	4.0	101	0.80	20	27908	50			37908	10		
	5/32	4.2	107	0.84	21	27909	50			37909	10		
	3/16	4.5	114	0.94	24	27910	50			37910	10		
	7/32	4.9	124	1.03	26	27911	25			37911	5		
	1/4	5.6	141	1.13	29	27912	25			37912	5		
	5/16	6.0	152	1.25	32	27913	25			37913	5		
	3/8	6.8	171	1.38	35	27914	25			37914	5		
	7/16	7.5	191	1.50	38	-	-			37915	1		
	1/2	7.8	198	1.63	41	-	-			37916	1		
	9/16	9.0	229	1.75	44	-	-			37917	1		
5/8	9.8	248	1.88	48	-	-			37918	1			
3/4	11.3	286	2.13	54	-	-			37919	1			
LONG Metric	1.27	2.8	72	0.53	13	28049	50			38049	10		
	1.5	3.0	77	0.53	14	28050	50			38050	10		
	2.0	3.2	82	0.61	16	28052	50			38052	10		
	2.5	3.5	88	0.69	17	28054	50			38054	10		
	3.0	3.9	98	0.75	19	28056	50			38056	10		
	3.5	3.9	100	0.85	21	28058	50			38058	1		
	4.0	4.3	110	0.87	22	28060	50			38060	10		
	4.5	4.5	114	1.00	25	28062	50			38062	1		
	5.0	4.7	119	1.06	27	28064	50			38064	5		
	5.5	4.9	124	1.14	29	28066	25			38066	1		
	6	5.5	139	1.22	31	28068	25			38068	5		
	7	5.5	140	1.30	33	28070	25			38070	1		
	8	6.0	152	1.38	35	28072	25			38072	5		
	9	6.2	159	1.46	37	28074	25			38074	1		
	10	6.7	171	1.54	39	28076	10			38076	5		
	11	7.9	200	1.63	42	28078	10			38078	1		
	12	8.7	220	1.73	44	28080	10			38080	1		
	14	10.2	260	2.15	55	-	-			38084	1		
	17	11.0	280	2.42	61	-	-			38086	1		
19	11.6	295	2.70	69	-	-			38088	1			

Did you know...?


Protanium® Steel tools are up to 20% stronger than competitor tools made from standard grades of steel.

Hex End L-Wrenches

- GoldGuard™ Finish -

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit

GoldGuard™ finish.
Real 14 karat Gold



Hex End Tips




L-Wrenches

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	38138	HLX10G	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	38136	HLX12G	12	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	
	38137	HLX13G	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	38238	HLX10SG	10	Short	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	38236	HLX12SG	12	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	
	38237	HLX13SG	13	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	39146	HLX6MG	6	Long	1.5, 2, 2.5, 3, 4, 5mm	1	
	39192	HLX7MG	7	Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	39199	HLX9MG	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	39195	HLX15MG	15	Long	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm	1	
	38246	HLX6MSG	6	Short	1.5, 2, 2.5, 3, 4, 5mm	1	
	38292	HLX7MSG	7	Short	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	38299	HLX9MSG	9	Short	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	

	SINGLE PACKAGING				SINGLE PACKAGING			
	SIZE INCH	MM	INCH	MM	SIZE INCH	MM	INCH	MM
Singles	BULK				BULK			
	TAGGED / BARCODED				TAGGED / BARCODED			
	PART#	QTY	LIST	EA	PART#	QTY	LIST	EA
Inch	Long				Short			
.028	2.6	66	0.22	6	28100	50		
.035	2.7	68	0.34	9	28101	50		
.050	2.8	72	0.53	13	28102	50		
1/16	3.0	76	0.56	14	28103	50		
5/64	3.2	81	0.61	15	28104	50		
3/32	3.4	86	0.65	16	28105	50		
7/64	3.6	90	0.70	18	28106	50		
1/8	3.8	95	0.75	19	28107	50		
9/64	4.0	101	0.80	20	28108	50		
5/32	4.2	107	0.84	21	28109	50		
3/16	4.5	114	0.94	24	28110	50		
7/32	4.9	124	1.03	26	28111	25		
1/4	5.3	133	1.13	29	28112	25		
5/16	6.0	152	1.25	32	28113	25		
3/8	6.8	171	1.38	35	28114	25		
7/16	7.5	191	1.50	38	-	-		
1/2	7.8	198	1.63	41	-	-		
9/16	9.0	229	1.75	44	-	-		
5/8	9.8	248	1.88	48	-	-		
3/4	11.3	286	2.13	54	-	-		
Metric	Long				Short			
.71	2.6	66	0.22	6	29147	50		
.89	2.7	68	0.34	9	29148	50		
1.27	2.8	72	0.53	13	29149	50		
1.5	3.0	77	0.53	14	29150	50		
2.0	3.2	82	0.61	16	29152	50		
2.5	3.5	88	0.69	17	29154	50		
3.0	3.9	98	0.75	19	29156	50		
3.5	3.9	100	0.85	21	29158	50		
4.0	4.3	110	0.87	22	29160	50		
4.5	4.5	114	1.00	25	29162	50		
5.0	4.7	119	1.06	27	29164	50		
5.5	4.9	124	1.14	29	29166	25		
6	5.5	139	1.22	31	29168	25		
7	5.5	140	1.30	33	29170	25		
8	6.0	152	1.38	35	29172	25		
9	6.2	159	1.46	37	29174	25		
10	6.7	171	1.54	39	29176	10		
11	7.9	200	1.63	42	29178	10		
12	8.7	220	1.73	44	29180	10		
14	10.2	260	2.15	55	-	-		
17	11.0	280	2.42	61	-	-		
19	11.6	295	2.70	69	-	-		

TORX® Tip Tools



- Fits in both TORX® and TORX PLUS® fasteners
- Fits in Star and Star Plus fasteners
- A full range of tip sizes from T5 to T100
- The only TORX® tools made with Protanium® steel




Color-Coded
 TORX®



Bondhus TORX® Tip Tools

Bondhus TORX® Tip tools are made to the same high standards as every tool we make. Our TORX® Tip tools are precision machined, available in several handle and tip types, and are the only TORX® tools made from Protanium® High Torque Steel. Bondhus TORX® and TORX PLUS® Tip tools fit TORX®, Star and Star Plus screws.



L-Wrenches 27-28

Wing and Flag Tools 29

Fold Ups 31-33

T-Handles 41

Screwdrivers 46-47

Socket Bits 55



High Torque Steel:

Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.

FINISH OPTIONS:



Corrosion-resistant finish:

Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC.

TORX® L-Wrenches

- ProGuard™ Finish -

- Fits all TORX® and Star screws
- Broad contact surface provides deep lobe engagement
- Straight, vertical sidewalls increase tool engagement and virtually eliminates camout

ProGuard™ finish delivers superior corrosion protection



L-Wrenches

Tools are in color coded cases for easy recognition
Green=TORX®



TORX® Tips

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
TORX®	31832	TLX8S	8	Long	T6, T7, T8, T9, T10, T15, T20, T25	1	
	31834	TLX8	8	Long	T9, T10, T15, T20, T25, T27, T30, T40	1	
	31732	TLXS8S	8	Short	T6, T7, T8, T9, T10, T15, T20, T25	1	
	31734	TLXS8	8	Short	T9, T10, T15, T20, T25, T27, T30, T40	1	
	12699	TLX9S	9	Short	T10, T15, T20, T25, T27, T30, T40, T45, T50 (in pouch)	1	
	31737	TLX13S	13	Short	T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55 (in pouch)	1	

Singles	LONG				SHORT				LONG				SHORT											
	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA	PART#	QTY	LIST	EA	PART#	QTY	LIST	EA							
TORX®	T6	2.1	55	0.65	16	32806	25			31806	5			T5	0.9	23	0.65	16	32705	25			31705	5
	T7	2.4	61	0.65	16	32807	25			31807	5			T6	1.1	29	0.65	16	32706	25			31706	5
	T8	2.6	67	0.65	16	32808	25			31808	5			T7	1.4	35	0.65	16	32707	25			31707	5
	T9	2.9	74	0.65	16	32809	25			31809	5			T8	1.6	42	0.65	16	32708	25			31708	5
	T10	3.2	80	0.73	19	32810	25			31810	5			T9	1.9	48	0.65	16	32709	25			31709	5
	T15	3.3	84	0.78	20	32815	25			31815	5			T10	2.2	55	0.73	19	32710	25			31710	5
	T20	3.6	91	0.78	20	32820	25			31820	5			T15	2.3	59	0.78	20	32715	25			31715	5
	T25	3.8	98	0.88	22	32825	25			31825	5			T20	2.6	66	0.78	20	32720	25			31720	5
	T27	4.2	106	0.95	24	32827	25			31827	5			T25	2.8	72	0.88	22	32725	25			31725	5
	T30	4.6	116	1.03	26	32830	25			31830	5			T27	3.2	81	0.95	24	32727	25			31727	5
	T40	4.9	125	1.11	28	32840	25			31840	5			T30	3.6	90	1.03	26	32730	25			31730	5
	T45	5.4	138	1.20	30	32845	10			31845	2			T40	3.9	99	1.11	28	32740	25			31740	5
	T50	6.2	156	1.25	32	32850	10			31850	2			T45	3.9	98	1.20	30	32745	10			31745	2
	T55	6.7	171	1.36	34	32855	10			31855	2			T50	3.8	97	1.25	32	32750	10			31750	2
	T60	7.2	182	1.75	44	32860	10			31860	2			T55	3.8	95	1.36	34	32755	10			31755	2
														T60	3.7	93	1.75	44	32760	10			31760	2

ProHold® TORX® L-Wrenches

- ProGuard™ Finish -

- Fits all TORX® and Star screws
- Holds screw tight on the tool EVERY TIME
- Button is non-magnetic
- Broad contact surface provides deep lobe engagement

ProGuard™ finish delivers superior corrosion protection



Tools are in color coded cases for easy recognition
Green=TORX®



The ProHold® TORX® Tip holds screw securely

Set	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
TORX®	71834	PHTX8	8	Long	T9, T10, T15, T20, T25, T27, T30, T40	1	

Singles	LONG				SHORT								
	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA	PART#	QTY	LIST	EA
LONG TORX®	T9	2.9	74	0.65	16	72809	25			71809	5		
	T10	3.2	80	0.73	19	72810	25			71810	5		
	T15	3.3	84	0.78	20	72815	25			71815	5		
	T20	3.6	91	0.78	20	72820	25			71820	5		
	T25	3.8	98	0.88	22	72825	25			71825	5		
	T27	4.2	106	0.95	24	72827	25			71827	5		
	T30	4.6	116	1.03	26	72830	25			71830	5		
	T40	4.9	125	1.11	28	72840	25			71840	5		
	T45	5.4	138	1.20	30	72845	10			71845	2		
	T50	6.2	156	1.25	32	72850	10			71850	2		
	T55	6.7	171	1.36	34	72855	10			71855	2		
T60	7.2	182	1.75	44	72860	10			71860	2			

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC.




BallStar™ Tip L-Wrenches

- ProGuard™ Finish -

- Fits all TORX® and Star screws
- Ball End inserts into screws at a 20° angle
- Ball End saves time by quickly funneling tool into screw
- Superior Ball End strength and working angle
- Works in hard to reach places



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
BALL STAR™	11346	LTX6	6	Long	T6, T7, T8, T9, T10, T15	1	
	11331	LTX8S	8	Long	T6, T7, T8, T9, T10, T15, T20, T25	1	
	11332	LTX8	8	Long	T9, T10, T15, T20, T25, T27, T30, T40	1	




Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
BALL STAR™	T6	2.1	55	0.65	16	11706	5	
	T7	2.4	61	0.65	16	11707	5	
	T8	2.6	67	0.65	16	11708	5	
	T9	2.9	74	0.65	16	11709	5	
	T10	3.2	80	0.73	19	11710	5	
	T15	3.3	84	0.78	20	11715	5	
	T20	3.6	91	0.78	20	11720	5	
	T25	3.8	98	0.88	22	11725	5	
	T27	4.2	106	0.95	24	11727	5	
	T30	4.6	116	1.03	26	11730	5	
	T40	4.9	125	1.11	28	11740	5	
	T45	5.4	138	1.20	30	11745	1	
	T50	6.2	156	1.25	32	11750	1	
	T55	6.7	171	1.36	34	11755	1	

Did you know...?
BallStar™ tools work at a 20° angle; screws can be turned continuously without constantly taking the tool out of the screw, repositioning it and reinserting it, even at angles up to 20°.


Tamper Resistant TORX® L-Wrenches

- ProGuard™ Finish -

- Fits all TORX® and Star tamper resistant screws
- Broad contact surface provides deep lobe engagement
- Straight, vertical sidewalls increase tool engagement and virtually eliminates camout



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
TORX®	32432	TR-TL8S	8	Long	TR6, TR7, TR8, TR9, TR10, TR15, TR20, TR25	1	
	32434	TR-TL8	8	Long	TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40	1	



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
LONG TORX®	TR6	2.1	55	0.65	16	33406	25		32406	2	
	TR7	2.4	61	0.65	16	33407	25		32407	2	
	TR8	2.6	67	0.65	16	33408	25		32408	2	
	TR9	2.9	74	0.65	16	33409	25		32409	2	
	TR10	3.2	80	0.73	19	33410	25		32410	2	
	TR15	3.3	84	0.78	20	33415	25		32415	2	
	TR20	3.6	91	0.78	20	33420	25		32420	2	
	TR25	3.8	98	0.88	22	33425	25		32425	2	
	TR27	4.2	106	0.95	24	33427	25		32427	2	
	TR30	4.6	116	1.03	26	33430	25		32430	2	
	TR40	4.9	125	1.11	28	33440	25		32440	2	

Did you know...?
ProGuard® protection is a permanent solution that does not wipe off like common oil and black oxide finishes; tools remain in good condition with up to 5 times the resistance to rust and corrosion.

TORX® Wing Tools

- ProGuard™ Finish -

- Fits all TORX® and TORX PLUS® screws
- Fits all Star and Star Plus screws
- ComfortGrip Handles – soft rubber outer coating for maximum comfort and grip
- Broad contact surface provides deep lobe engagement
- Straight, vertical sidewalls increase tool engagement and virtually eliminates camout

ProGuard™ finish delivers superior corrosion protection



Sets	PART#	MODEL#	PCS	TIP	CONTENTS	QTY	LIST
TORX®	34745	TWX7	7	TORX®	T6, T7, T8, T9, T10, T15, T20	1	
	33945	TPWX7	7	TORX PLUS®	IP 6, IP 7, IP 8, IP 9, IP 10, IP 15, IP 20	1	



33945



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
TORX®						
	T6	1.5	39	34706	2	
	T7	1.5	39	34707	2	
	T8	1.5	39	34708	2	
	T9	1.5	39	34709	2	
	T10	1.5	39	34710	2	
	T15	1.5	39	34715	2	
	T20	1.5	39	34720	2	



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
TORX PLUS®						
	6 IP	2.0	52	33906	2	
	7 IP	2.0	52	33907	2	
	8 IP	2.0	52	33908	2	
	9 IP	2.0	52	33909	2	
	10 IP	2.0	52	33910	2	
	15 IP	2.0	52	33915	2	
	20 IP	2.0	52	33920	2	

TORX® Flag Tools

- ProGuard™ Finish -

- Fits all TORX® and TORX PLUS® screws
- Fits all Star and Star Plus screws
- ComfortGrip Handles – soft rubber outer coating for maximum comfort and grip
- Broad contact surface provides deep lobe engagement
- Straight, vertical sidewalls increase tool engagement and virtually eliminates camout

ProGuard™ finish delivers superior corrosion protection



Sets	PART#	MODEL#	PCS	TIP	CONTENTS	QTY	LIST
TORX®	34445	TFX7	7	TORX®	T6, T7, T8, T9, T10, T15, T20	1	
	35045	TPFX7	7	TORX PLUS®	IP 6, IP 7, IP 8, IP 9, IP 10, IP 15, IP 20	1	



34445



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
TORX®						
	T5	1.5	39	34405	2	
	T6	1.5	39	34406	2	
	T7	1.5	39	34407	2	
	T8	1.5	39	34408	2	
	T9	1.5	39	34409	2	
	T10	1.5	39	34410	2	
	T15	1.5	39	34415	2	
	T20	1.5	39	34420	2	



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
TORX PLUS®						
	-	-	-	-	-	
	6 IP	2.0	52	35006	2	
	7 IP	2.0	52	35007	2	
	8 IP	2.0	52	35008	2	
	9 IP	2.0	52	35009	2	
	10 IP	2.0	52	35010	2	
	15 IP	2.0	52	35015	2	
	20 IP	2.0	52	35020	2	









All Bondhus® tools are made with ProTanium® High Torque Steel. TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC.

Fold Ups



- Patented handle design makes every job faster and easier
- Durable GorillaGrip® handle is stronger than steel handles
- Tool user can adjust tool tension


Color-Coded

-  Inch
-  Metric
-  TORX®
-  Inch/Metric
-  Motorcycle
-  Utility



Designed with the Tool User in mind

A Bondhus Fold Up is a tool for life. When designing the GorillaGrip® Fold Up, Bondhus engineers eliminated the problems of the average folding tool. GorillaGrip® Fold Up tools are stronger, more comfortable and easier to use.



Patented Flutes allow for easy selection of one tool at a time.



Blades are accessed from both the top and bottom, eliminating the constant 'unstacking' of blades.



Turn & Flip Feature eliminates constant removal and repositioning in screw head when working against obstructions.



90° stop converts the tool into a non-stop, time saving, speed wrench.

TORX® and TORX PLUS® are trademarks of Acument Intellectual Properties, LLC



High Torque Steel:

Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.

FINISH OPTIONS:



Corrosion-resistant finish:

Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.



Next generation chrome finish:

Traditional plated tool look with superior protection and durability.



Real 14 karat gold finish:

Superior protection and durability over traditional chrome and the look and shine of real gold.


GorillaGrip® Fold Up Multi Packs

- ProGuard™ Finish -

Fold Ups



- Assembled from our most popular Fold Up sets
- Multiple Fold Up sets per package
- Tip selections include Hex End and TORX® Tip



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
12522	HF16	16	12589 (5/64-1/4") + 12587 (2-8mm)	1	
12544	HF15	15	12587 (2-8mm) + 12634 (T9-T40)	1	
12533	HF24	24	12589 (5/64-1/4") + 12587 (2-8mm) + 12634 (T9-T40)	1	

12522

Hex End GorillaGrip® Fold Ups

- ProGuard™ Finish -


- Chamfered tool tips eliminate burrs and help tools seat in screws
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop
- Patented spacers between tools



ProGuard™ finish delivers superior corrosion protection

Yellow=Inch
Red=Metric
Orange=Inch/Metric

Hex End Tips



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
Inch	12591	HF9S	9	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	
	12589	HF9	9	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	12585	HF5	5	3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	12592	HF7MS	7	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	12587	HF7M	7	2, 2.5, 3, 4, 5, 6, 8mm	1	
	12595	HF6M	6	3, 4, 5, 6, 8, 10mm	1	
Inch/Metric	12550	HF12	12	5/64, 3/32, 7/64, 1/8, 9/64, 5/32" 1.5, 2, 2.5, 3, 4, 5mm	1	



Ball End GorillaGrip® Fold Ups

- ProGuard™ Finish -

- Ball End inserts into a screw at a 25° angle
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop
- Patented spacers between tools



ProGuard™ finish delivers superior corrosion protection

Yellow=Inch
Red=Metric

Ball End Tips



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
Inch	12894	BF5	5	3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	12897	BF5M	5	5, 6, 7, 8, 10mm	1	



12894

Made in the U.S.A.




All Bondhus® tools are made with ProTanium® High Torque Steel. TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC.

TORX® GorillaGrip® Fold Ups

- ProGuard™ Finish -

- Fits all TORX® and Star screws
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop
- Patented spacers between tools




Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
TORX®	12632	TF8S	8	T6, T7, T8, T9, T10, T15, T20, T25	1	
	12634	TF8	8	T9, T10, T15, T20, T25, T27, T30, T40	1	

Tamper Resistant TORX® GorillaGrip® Fold Ups

- ProGuard™ Finish -

- Fits all TORX® and Star tamper resistant screws
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop
- Patented spacers between tools



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
TORX®	12636	TR-TF7S	7	TR7, TR8, TR9, TR10, TR15, TR20, TR25	1	
	12638	TR-TF8	8	TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40	1	

Utility GorillaGrip® Fold Ups

- ProGuard™ Finish -

- Wide selection of tool tips
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop
- Patented spacers between tools



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
Utility	12540	HFU5	5	PH #1; Slotted 3/16"; Hex 4, 5, 6mm	1	
	12543	RFU5	5	PH #1, #2; Slotted 3/16"; Square #1, #2	1	
	12545	AFU5	5	PH #1, #2; Slotted 1/8, 3/16"; Awl	1	
	12547	FU5	5	PH #1, #2; Slotted 1/8, 3/16, 1/4"	1	

Hawg Buddy GorillaGrip® Motorcycle Fold Up

- BriteGuard™ Finish -

- Designed for making all common adjustments to Harley Davidson®* motorcycles
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop



*Harley Davidson® is a Registered Trademark of Harley Davidson Motorcycles

Set	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
	12531	FUHB7	7	PH #2; T27, T40; Hex 5/32, 3/16, 1/4, 5/16"	1	

Cycle Buddy GorillaGrip® Motorcycle Fold Up

- GoldGuard™ Finish -

- Designed for making all common adjustments to Japanese/European motorcycles
- Fits most ATVs
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop




Set	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
	12594	FUCB6	6	PH #2; Hex 3, 4, 5, 6, 8mm	1	

Metal Fold Ups


- ProGuard™ Finish -

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer torque to screw more efficiently and reduce stripping
- Precision machined for ease of use and superior fit






Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
Inch	14590	MHF8	8	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1	
	14591	MHF9S	9	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	
	14589	MHF9	9	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	14585	MHF5	5	3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	14592	MHF7MS	7	1.5, 2, 2.5, 3, 4, 5, 6mm	1	
	14587	MHF7M	7	2, 2.5, 3, 4, 5, 6, 8mm	1	
	14595	MHF6M	6	3, 4, 5, 6, 8, 10mm	1	
TORX®	14532	MTF8S	8	T6, T7, T8, T9, T10, T15, T20, T25	1	
	14534	MTF8	8	T9, T10, T15, T20, T25, T27, T30, T40	1	

T-Handles



- Cushioned, curved handle increases comfort and reduces fatigue
- Handle is welded directly to blade for a tool that will last a lifetime
- Handles are designed to match torque capacity of blade

Color-Coded

-  Inch
-  Metric
-  TORX®



High Torque Steel:

Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.

FINISH OPTIONS:




Corrosion-resistant finish:

Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.

A Better T-Handle

Bondhus T-Handles are built to be comfortable, strong and durable. The welded handle and blade joint guarantees a permanent connection. The form-fitting handle fits the curve of the user's hand.



The Bondhus solid steel handle is heavy duty and generates a flywheel effect for super fast insertion and removal of screws.



The Bondhus T-Handle is curved to match the shape of the hand. This design is ergonomically superior to old fashioned straight handles.



Handle and blade are securely welded and will never loosen or slip.



Bondhus is the only company to engineer our handles to match the blade's torque capacity. Tool user's can always feel confident in their tool's strength.

TORX® and TORX PLUS® are trademarks of Acument Intellectual Properties, LLC.

Ball End T-Handles


- ProGuard™ Finish -

- Solid steel handles
- Welded handle/blade connection
- Ergonomic handle design
- Flywheel effect saves time
- Smooth, non-porous handle coating
- Handle coating extends along blade



Sets	PART#	MODEL#	PCS	LENGTH	W/STAND	CONTENTS	QTY	LIST
Inch	13146	BTX60	6	Graduated		5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	13189*	BTX10/S	10	Graduated	✓	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	13138*	BTX10	10	Graduated		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	13148	BTX50M	5	Graduated		4, 5, 6, 8, 10mm	1	
	13189*	BTX80M/S	8	Graduated	✓	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	13187*	BTX80M	8	Graduated		2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
Inch/Metric	13199*	BTX9IN/MM	9	Graduated		1/8, 5/32, 3/16, 1/4, 5/16" & 3, 4, 5, 6mm	1	

*The 3/32, 7/64, 1/8, and 9/64 inch blades, and the 2, 2.5 and 3mm blades are straight hex blades to prevent breakage.
 ✓ Comes with stand



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
Inch	3/32	6.1	154	3.0	76	13205 Hex*	2		53205 Hex*	2	
	7/64	6.8	173	3.0	76	13206 Hex*	2		53206 Hex*	2	
	1/8	7.6	192	3.0	76	13207 Hex*	2		53207 Hex*	2	
	9/64	8.3	211	3.0	76	13208 Hex*	2		53208 Hex*	2	
	5/32	9.1	231	3.0	76	13109	2		53109	2	
	3/16	9.8	250	4.0	102	13110	2		53110	2	
	7/32	10.3	262	4.0	102	13111	2		53111	2	
	1/4	10.8	275	4.0	102	13112	2		53112	2	
	5/16	11.4	289	5.0	127	13113	2		53113	2	
	3/8	11.8	300	5.0	127	13114	2		53114	2	
Metric	2.0	5.9	150	3.0	76	13252 Hex*	2		53252 Hex*	2	
	2.5	6.8	172	3.0	76	13254 Hex*	2		53254 Hex*	2	
	3.0	7.7	196	3.0	76	13256 Hex*	2		53256 Hex*	2	
	4.0	8.7	220	3.0	76	13160	2		53160	2	
	5.0	9.7	246	4.0	102	13164	2		53164	2	
	6	10.5	266	4.0	102	13168	2		53168	2	
	8	11.2	285	5.0	127	13172	2		53172	2	
	10	12.1	307	5.0	127	13176	2		53176	2	

*The 3/32, 7/64, 1/8, and 9/64 inch blades, and the 2, 2.5 and 3mm blades are straight hex blades to prevent breakage.



Molded T-Handle Stands

- Extremely durable design
- Can be used free standing or wall mounted
- Sizes are clearly marked on stand
- Available in Inch, Metric, or TORX® configurations

PART#	DESCRIPTION	QTY	LIST EA
17936	Inch Stand	1	
17935	Metric Stand	1	
17934	TORX® Stand	1	



Set stand on bench or mount on wall.


Did you know...?
 Welded T-Handle handle/blade connection increases strength and provides greater resistance to breakage. The tool user will never be stabbed in the hand by a blade that has broken free and pushed through the handle.

ProHold® Tip Ball End T-Handles

- ProGuard™ Finish -

T-Handles

- Holds screw tight on the tool EVERY TIME
- Button is non-magnetic
- Super smooth rotational action, with no interference from the ProHold® button
- Tool strength is not compromised by the ProHold® button
- Solid steel handles
- Welded handle/blade connection



Sets	PART#	MODEL#	PCS	LENGTH	W/STAND	CONTENTS	QTY	LIST
Inch	75146	PBTX60	6	Graduated		5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	75148	PBTX50M	5	Graduated		4, 5, 6, 8, 10mm	1	

Singles	SIZE	INCH		MM		PART#	QTY	LIST EA
		INCH	MM	INCH	MM			
Inch	5/32	9.1	231	3.0	76	75109	2	
	3/16	9.8	250	4.0	102	75110	2	
	7/32	10.3	262	4.0	102	75111	2	
	1/4	10.8	275	4.0	102	75112	2	
	5/16	11.4	289	5.0	127	75113	2	
	3/8	11.8	300	5.0	127	75114	2	
Metric	4.0	8.7	220	3.0	76	75160	2	
	5.0	9.7	246	4.0	102	75164	2	
	6	10.5	266	4.0	102	75168	2	
	8	11.2	285	5.0	127	75172	2	
	10	12.1	307	5.0	127	75176	2	



75148



ProHold® button holds screw tight on the tool EVERY TIME



ProHold® buttons are non-magnetic and safe for use in electronic applications

Hex End T-Handle Sets

- ProGuard™ Finish -

- Solid steel handles
- Welded handle/blade connection
- Ergonomic handle design
- Flywheel effect saves time
- Smooth, non-porous handle coating
- Handle coating extends along blade



Sets	PART#	MODEL#	PCS	LENGTH	W/STAND	CONTENTS	QTY	LIST
Inch	13332	HTX80	8	Graduated		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	15232	HTX80-6	8	6 inch		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	15332	HTX80-9	8	9 inch		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	13390	HTX10/S	10	Graduated	✓	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	13338	HTX10	10	Graduated		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	15290	HTX10/S-6	10	6 inch	✓	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	15238	HTX10-6	10	6 inch		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	15390	HTX10/S-9	10	9 inch	✓	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	15338	HTX10-9	10	9 inch		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	13348	HTX60M	6	Graduated		2, 2.5, 3, 4, 5, 6mm	1	
	15248	HTX60M-6	6	6 inch		2, 2.5, 3, 4, 5, 6mm	1	
	15348	HTX60M-9	6	9 inch		2, 2.5, 3, 4, 5, 6mm	1	
	13389	HTX80M/S	8	Graduated	✓	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	13387	HTX80M	8	Graduated		2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	15289	HTX80M/S-6	8	6 inch	✓	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	15287	HTX80M-6	8	6 inch		2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	15389	HTX80M/S-9	8	9 inch	✓	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	15387	HTX80M-9	8	9 inch		2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
Inch/Metric	15299	HTX9-6IN/MM	9	6 inch		1/8, 5/32, 3/16, 1/4, 5/16" & 3, 4, 5, 6mm	1	

✓ Comes with stand 17936 Inch or 17935 Metric



13389



13390



13348

Bondhus

Competitor



Bondhus handles are permanently welded. There is no chance the blades will ever loosen. The tool user is in no danger of the blade pushing through the top of the handle and stabbing into the palm of the hand.



The friction fit blades in competitors' T-Handles are not welded. They can loosen, slip, and even fall out or punch through the top of the handle.



For singles see page 38


Hex End T-Handle Singles

- ProGuard™ Finish -

- Solid steel handles
- Welded handle/blade connection
- Ergonomic handle design
- Flywheel effect saves time
- Smooth, non-porous handle coating
- Handle coating extends along blade




ProGuard™ finish delivers superior corrosion protection




Chamfered Hex Tips fit tighter and eliminate burrs

Handles are color coded for easy recognition


- Yellow=Inch
- Red=Metric




Singles		SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
6" Length												
Inch	5/64	6.0	152	3.0	76	15204	2			45204	2	
	3/32	6.0	152	3.0	76	15205	2			45205	2	
	7/64	6.0	152	3.0	76	15206	2			45206	2	
	1/8	6.0	152	3.0	76	15207	2			45207	2	
	9/64	6.0	152	3.0	76	15208	2			45208	2	
	5/32	6.0	152	3.0	76	15209	2			45209	2	
	3/16	6.0	152	4.0	102	15210	2			45210	2	
	7/32	6.0	152	4.0	102	15211	2			45211	2	
	1/4	6.0	152	4.0	102	15212	2			45212	2	
	5/16	6.0	152	5.0	127	15213	2			45213	2	
	3/8	6.0	152	5.0	127	15214	2			45214	2	
	1/2	6.0	152	5.0	127	15216	1			45216	1	



Singles		SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
6" Length												
Metric	2.0	6.0	152	3.0	76	15252	2			45252	2	
	2.5	6.0	152	3.0	76	15254	2			45254	2	
	3.0	6.0	152	3.0	76	15256	2			45256	2	
	4.0	6.0	152	3.0	76	15260	2			45260	2	
	5.0	6.0	152	4.0	102	15264	2			45264	2	
	6	6.0	152	4.0	102	15268	2			45268	2	
	7	6.0	152	4.0	102	15270	2			-	-	
	8	6.0	152	5.0	127	15272	2			45272	2	
	9	6.0	152	5.0	127	15274	2			-	-	
	10	6.0	152	5.0	127	15276	2			45276	2	



Singles		SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
9" Length												
Inch	5/64	9.0	229	3.0	76	15304	2					
	3/32	9.0	229	3.0	76	15305	2					
	7/64	9.0	229	3.0	76	15306	2					
	1/8	9.0	229	3.0	76	15307	2					
	9/64	9.0	229	3.0	76	15308	2					
	5/32	9.0	229	3.0	76	15309	2					
	3/16	9.0	229	4.0	102	15310	2					
	7/32	9.0	229	4.0	102	15311	2					
	1/4	9.0	229	4.0	102	15312	2					
	5/16	9.0	229	5.0	127	15313	2					
	3/8	9.0	229	5.0	127	15314	2					
	1/2	9.0	229	5.0	127	15316	1					
Graduated Length												
	3/32	4.2	105	3.0	76	13305	2					
	7/64	4.4	112	3.0	76	13306	2					
	1/8	4.6	118	3.0	76	13307	2					
	9/64	4.9	124	3.0	76	13308	2					
	5/32	5.2	132	3.0	76	13309	2					
	3/16	5.6	141	4.0	102	13310	2					
	7/32	6.1	154	4.0	102	13311	2					
	1/4	6.5	165	4.0	102	13312	2					
	5/16	7.4	189	5.0	127	13313	2					
	3/8	8.3	211	5.0	127	13314	2					



Singles		SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
9" Length												
Metric	2.0	9.0	229	3.0	76	15352	2					
	2.5	9.0	229	3.0	76	15354	2					
	3.0	9.0	229	3.0	76	15356	2					
	4.0	9.0	229	3.0	76	15360	2					
	5.0	9.0	229	4.0	102	15364	2					
	6	9.0	229	4.0	102	15368	2					
	8	9.0	229	5.0	127	15372	2					
	10	9.0	229	5.0	127	15376	2					
	14" Length											
	3.0	14	356	3.0	76	16456	1					
	4.0	14	356	3.0	76	16460	1					
	5.0	14	356	4.0	102	16464	1					
	6	14	356	4.0	102	16468	1					
	8	14	356	5.0	127	16472	1					
Graduated Length												
	2.0	4.0	100	3.0	76	13352	2					
	2.5	4.3	110	3.0	76	13354	2					
	3.0	4.7	120	3.0	76	13356	2					
	4.0	5.3	136	3.0	76	13360	2					
	5.0	5.9	150	4.0	102	13364	2					
	6	6.8	173	4.0	102	13368	2					
	8	7.9	202	5.0	127	13372	2					
	10	9.1	232	5.0	127	13376	2					

For sets see page 37


Loop T-Handles

- ProGuard™ Finish -

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit




ProGuard™ finish delivers superior corrosion protection



Chamfered Hex Tips fit tighter and eliminate burrs



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	15432	LTX80P-6	8	6 inch	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	15438	LTX10P-6	10	6 inch	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	15532	LTX80P-9	8	9 inch	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	15538	LTX10P-9	10	9 inch	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	15448	LTX50P-6	5	6 inch	2.5, 3, 4, 5, 6mm	1	
	15487	LTX80MP-6	8	6 inch	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	15548	LTX50P-9	5	9 inch	2.5, 3, 4, 5, 6mm	1	
	15587	LTX80MP-9	8	9 inch	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	




Singles SIZE INCH MM INCH MM PART# QTY LIST EA

3" Blade Length							
Inch	3/32	3.6	90	2.8	70	15605	2
	7/64	3.6	91	2.8	70	15606	2
	1/8	3.6	92	3.0	76	15607	2
	9/64	3.7	93	3.0	76	15608	2
	5/32	3.7	94	3.0	76	15609	2
	3/16	3.8	95	4.0	102	15610	2
	7/32	3.8	97	4.0	102	15611	2
	1/4	3.9	98	4.0	102	15612	2
	5/16	4.4	111	6.0	152	15613	2
	3/8	4.5	114	6.0	152	15614	2

6" Blade Length							
Inch	3/32	6.6	167	2.8	70	15405	2
	7/64	6.6	167	2.8	70	15406	2
	1/8	6.6	168	3.0	76	15407	2
	9/64	6.7	169	3.0	76	15408	2
	5/32	6.7	170	3.0	76	15409	2
	3/16	6.8	171	4.0	102	15410	2
	7/32	6.8	173	4.0	102	15411	2
	1/4	6.9	175	4.0	102	15412	2
	5/16	7.4	187	6.0	152	15413	2
	3/8	7.5	191	6.0	152	15414	2

9" Blade Length							
Inch	3/32	9.6	243	2.8	70	15505	2
	7/64	9.6	244	2.8	70	15506	2
	1/8	9.6	244	3.0	76	15507	2
	9/64	9.7	245	3.0	76	15508	2
	5/32	9.7	246	3.0	76	15509	2
	3/16	9.8	248	4.0	102	15510	2
	7/32	9.8	249	4.0	102	15511	2
	1/4	9.9	251	4.0	102	15512	2
	5/16	10.4	264	6.0	152	15513	2
	3/8	10.5	267	6.0	152	15514	2



Singles SIZE INCH MM INCH MM PART# QTY LIST EA

6" Blade Length							
Inch	2.0	6.5	166	2.7	70	15452	2
	2.5	6.6	167	2.7	70	15454	2
	3	6.6	168	3.0	76	15456	2
	4	6.7	170	3.0	76	15460	2
	5	6.8	172	4.0	102	15464	2
	6	6.8	174	4.0	102	15468	2
	8	7.4	187	6.0	152	15472	2
	10	7.5	191	6.0	152	15476	2


9" Blade Length							
Inch	2.0	9.5	242	2.8	70	15552	2
	2.5	9.6	243	2.8	70	15554	2
	3	9.6	244	3.0	76	15556	2
	4	9.7	246	3.0	76	15560	2
	5	9.8	248	4.0	102	15564	2
	6	9.8	250	4.0	102	15568	2
	8	10.4	264	6.0	152	15572	2
	10	10.5	268	6.0	152	15576	2




Cushion Grip Loop T-Handles

- ProGuard™ Finish -

- Coated handles for user comfort
- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit




Sets	PART#	MODEL#	PCS	LENGTH	W/STAND	CONTENTS	QTY	LIST
Inch	46432	CTHX80-6	8	6 inch		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	46532	CTHX80-9	8	9 inch		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	
	46490	CTHX10/S-6	10	6 inch	✓	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	46438	CTHX10-6	10	6 inch		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	46590	CTHX10/S-9	10	9 inch	✓	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
	46538	CTHX10-9	10	9 inch		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	
Metric	46448	CTHX60M-6	6	6 inch		2, 2.5, 3, 4, 5, 6mm	1	
	46548	CTHX60M-9	6	9 inch		2, 2.5, 3, 4, 5, 6mm	1	
	46489	CTHX80M/S-6	8	6 inch	✓	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	46487	CTHX80M-6	8	6 inch		2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	46589	CTHX80M/S-9	8	9 inch	✓	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	
	46587	CTHX80M-9	8	9 inch		2, 2.5, 3, 4, 5, 6, 8, 10mm	1	



Singles

SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA
6" Blade Length								
Inch	5/64	6.6	167	2.8	70	46404	2	
	3/32	6.6	167	2.8	70	46405	2	
	7/64	6.6	167	2.8	70	46406	2	
	1/8	6.6	168	3.0	76	46407	2	
	9/64	6.7	169	3.0	76	46408	2	
	5/32	6.7	170	3.0	76	46409	2	
	3/16	6.8	171	4.0	102	46410	2	
	7/32	6.8	173	4.0	102	46411	2	
	1/4	6.9	175	4.0	102	46412	2	
	5/16	7.4	187	6.0	152	46413	2	
	3/8	7.5	191	6.0	152	46414	2	

SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA
9" Blade Length								
Inch	5/64	9.6	243	2.8	70	46504	2	
	3/32	9.6	243	2.8	70	46505	2	
	7/64	9.6	244	2.8	70	46506	2	
	1/8	9.6	244	3.0	76	46507	2	
	9/64	9.7	245	3.0	76	46508	2	
	5/32	9.7	246	3.0	76	46509	2	
	3/16	9.8	248	4.0	102	46510	2	
	7/32	9.8	249	4.0	102	46511	2	
	1/4	9.9	251	4.0	102	46512	2	
	5/16	10.4	264	6.0	152	46513	2	
	3/8	10.5	267	6.0	152	46514	2	



Singles

SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA
6" Blade Length								
Metric	2.0	6.5	166	2.7	70	46452	2	
	2.5	6.6	167	2.7	70	46454	2	
	3	6.6	168	3.0	76	46456	2	
	4	6.7	170	3.0	76	46460	2	
	5	6.8	172	4.0	102	46464	2	
	6	6.8	174	4.0	102	46468	2	
	8	7.4	187	6.0	152	46472	2	
	10	7.5	191	6.0	152	46476	2	


SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA
9" Blade Length								
Metric	2.0	9.5	242	2.8	70	46552	2	
	2.5	9.6	243	2.8	70	46554	2	
	3	9.6	244	3.0	76	46556	2	
	4	9.7	246	3.0	76	46560	2	
	5	9.8	248	4.0	102	46564	2	
	6	9.8	250	4.0	102	46568	2	
	8	10.4	264	6.0	152	46572	2	
	10	10.5	268	6.0	152	46576	2	

TORX® T-Handles

- ProGuard™ Finish -

- Fits all TORX® and Star screws
- Solid steel handles
- Welded handle/blade connection
- Ergonomic handle design
- Flywheel effect saves time
- Smooth, non-porous handle coating

ProGuard™ finish delivers superior corrosion protection




Handles are color coded for easy recognition

Green=TORX®



Set	PART#	MODEL#	PCS	LENGTH	W/STAND	CONTENTS	QTY	LIST
TORX®	33034	TTHX8	8	Graduated	✓	T9, T10, T15, T20, T25, T27, T30, T40	1	
✓ Comes with stand 17934								




Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
TORX®	T9	6.1	155	3.0	76	33009	2	
	T10	6.4	161	3.0	76	33010	2	
	T15	6.6	168	3.0	76	33015	2	
	T20	6.9	174	3.0	76	33020	2	
	T25	7.1	180	3.0	76	33025	2	
	T27	7.4	187	4.0	102	33027	2	
	T30	7.6	193	4.0	102	33030	2	
	T40	7.9	199	4.0	102	33040	2	
	T45	8.1	206	5.0	127	33045	2	
	T50	8.4	212	5.0	127	33050	2	
T55	8.6	218	5.0	127	33055	2		

ProHold® TORX® T-Handles

- ProGuard™ Finish -

- Fits all TORX® and Star screws
- Holds screw tight on the tool EVERY TIME
- Button is non-magnetic
- Welded handle/blade connection

ProGuard™ finish delivers superior corrosion protection




Handles are color coded for easy recognition

Green=TORX®



Set	PART#	MODEL#	PCS	LENGTH	W/STAND	CONTENTS	QTY	LIST
TORX®	74034	PHTTHX8	8	Graduated	✓	T9, T10, T15, T20, T25, T27, T30, T40	1	
✓ Comes with stand 17934								



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
TORX®	T9	6.1	155	3.0	76	74009	2	
	T10	6.4	161	3.0	76	74010	2	
	T15	6.6	168	3.0	76	74015	2	
	T20	6.9	174	3.0	76	74020	2	
	T25	7.1	180	3.0	76	74025	2	
	T27	7.4	187	4.0	102	74027	2	
	T30	7.6	193	4.0	102	74030	2	
	T40	7.9	199	4.0	102	74040	2	
	T45	8.1	206	5.0	127	74045	2	
	T50	8.4	212	5.0	127	74050	2	
T55	8.6	218	5.0	127	74055	2		

Did you know...?
Bondhus T-Handle tools feature an ergonomic handle design to increase user comfort and decrease hand fatigue.