

### 9 Pc. 1/4" and 3/8" Drive Triple Square Bit Driver Set

- Short overall length provides better access in tight spaces
- S2 steel for strength and durability
- Hard stamped size markings
- Satin finish for corrosion protection and simple cleaning
- Compact design provides additional access compared to standard bit sockets
- Includes socket rail for storage and organization



Cat. No.	Included Storage	Product Weight
81100	Socket Rail	0.72 lb



Cat. No.	Description	Cat. No.	Description
81090	1/4" Drive Stubby Triple Square Bit Metric Driver Socket 4mm	81095	3/8" Drive Stubby Triple Square Bit Metric Driver Socket 12mm
81091	1/4" Drive Stubby Triple Square Bit Metric Driver Socket 5mm	81096	3/8" Drive Stubby Triple Square Bit Metric Driver Socket 14mm
81092	1/4" Drive Stubby Triple Square Bit Metric Driver Socket 6mm	81097	3/8" Drive Stubby Triple Square Bit Metric Driver Socket 16mm
81093	3/8" Drive Stubby Triple Square Bit Metric Driver Socket 8mm	81098	3/8" Drive Stubby Triple Square Bit Metric Driver Socket 18mm
81094	3/8" Drive Stubby Triple Square Bit Metric Driver Socket 10mm		

### 10 Pc. 1/4" and 3/8" Drive 6 Point 10MM Socket Set

- 5 different styles of sockets ensure you can reach any fastener quickly and easily
- Set includes flex, deep, mid-length, standard and magnetic sockets of the same size
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Magnetic sockets are chrome molybdenum with manganese phosphate coating to resist corrosion
- Includes socket rail for storage and organization



Cat. No.	Included Storage	Product Weight
80319	Socket Rail	0.985 lb



Cat. No.	Description	Cat. No.	Description
80333	3/8" Drive 6 Point Metric Flex Socket 10mm	80256	1/4" Drive 6 Point Standard Metric Flex Socket 10mm
80392	3/8" Drive 6 Point Deep Metric Socket 10mm	80145	1/4" Drive 6 Point Deep Metric Socket 10mm
80392S	3/8" Drive 6 Point Mid Length Metric Socket 10mm	80145S	1/4" Drive 6 Point Mid Length Metric Socket 10mm
80378	3/8" Drive 6 Point Standard Metric Socket 10mm	80132	1/4" Drive 6 Point Standard Metric Socket 10mm
-	1/4" Drive 6 Point Magnetic Standard Impact Socket 10mm	-	1/4" Drive 6 Point Magnetic Standard Impact Socket 10mm

### 10 Pc. 1/4" and 3/8" Drive 6 Point 12MM Socket Set

- 5 different styles of sockets ensure you can reach any fastener quickly and easily
- Set includes flex, deep, mid-length, standard and magnetic sockets of the same size
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Magnetic sockets are chrome molybdenum with manganese phosphate coating to resist corrosion
- Includes socket rail for storage and organization



Cat. No.	Included Storage	Product Weight
80576	Socket Rail	1.190 lb



Cat. No.	Description	Cat. No.	Description
80134	1/4" Drive 6 Point Standard Metric Socket 12mm	80380	3/8" Drive 6 Point Standard Metric Socket 12mm
80147S	1/4" Drive 6 Point Mid Length Metric Socket 12mm	80394S	3/8" Drive 6 Point Mid Length Metric Socket 12mm
80147	1/4" Drive 6 Point Deep Metric Socket 12mm	80394D	3/8" Drive 6 Point Deep Metric Socket 12mm
80258	1/4" Drive 6 Point Standard Metric Flex Socket 12mm	80335	3/8" Drive 6 Point Metric Flex Socket 12mm
-	1/4" Drive 6 Point Magnetic Standard Impact Socket 12mm	-	1/4" Drive 6 Point Magnetic Standard Impact Socket 12mm

### 3 Pc. 1/4", 3/8" and 1/2" Drive 120XP™ Full Polish Ratchet Set



- 120XP ratchets have two double stacked 60-tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Highly visible markings on the head
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81206P	Tray	3.20 lb

Cat. No.	Description
81011P	1/4" Drive 120XP™ Teardrop Ratchet 5"
81211P	3/8" Drive 120XP™ Teardrop Ratchet 8-1/4"
81304P	1/2" Drive 120XP™ Teardrop Ratchet 11"

### 2 Pc. 1/4" and 3/8" Drive 120XP™ Extra Long Handle Full Polish Teardrop Ratchet Set

- 120XP™ ratchets have two double stacked 60-tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Extra-long handles for additional access, 9-inch 1/4" drive and 18-inch 3/8" drive
- Highly visible markings on the head
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes tray for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81271	Tray	4.620 lb

Cat. No.	Description
81034	1/4" Drive 120XP™ Extra Long Handle Teardrop Ratchet 9"
81269	3/8" Drive 120XP™ Extra Long Handle Teardrop Ratchet 18"

### 4 Pc. 1/4", 3/8", and 1/2" Drive 120XP™ Full Polish Flex Handle Ratchet Set

- 120XP™ ratchets have two double stacked 60-tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Flexible head provides access for hard to reach fasteners
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Highly visible markings on the head
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes tray for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81230P	Tray	4.83 lb

Cat. No.	Description	Cat. No.	Description
81012P	1/4" Drive 120XP™ Flex Head Teardrop Ratchet 6-3/4"	81215P	3/8" Drive 120XP™ Flex Head Teardrop Ratchet 11-1/2"
81212P	3/8" Drive 120XP™ Stubby Flex Head Teardrop Ratchet 5"	81306P	1/2" Drive 120XP™ Flex Head Teardrop Ratchet 17"

### 2 Pc. 1/4" and 3/8" Drive 120XP™ Dual Material Flex Handle Ratchet Set

- 120XP™ ratchets have two double stacked 60-tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Flexible head provides access for hard to reach fasteners
- Enclosed head design for extreme resistance to dirt infiltration
- Highly visible markings on the head
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material comfort grip handle
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81204P	Tray	1.76 lb

Cat. No.	Description
81009P	1/4" Drive 120XP™ Dual Material Flex Head Teardrop Ratchet 8"
81210P	3/8" Drive 120XP™ Dual Material Flex Head Teardrop Ratchet 13-1/2"

### 3 Pc. 1/4", 3/8", and 1/2" Drive Full Polish Teardrop 84 Tooth Ratchet Set

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes tray for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81206F	Tray	2.646 lb

Cat. No.	Description
81011F	1/4" Drive 84 Tooth Teardrop Ratchet 5"
81211F	3/8" Drive 84 Tooth Teardrop Ratchet 8-1/4"
81304F	1/2" Drive 84 Tooth Teardrop Ratchet 11"

### 2 Pc. 1/4" and 3/8" Drive Full Polish Long Handle 84 Tooth Teardrop Ratchet Set

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes tray for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81268	Tray	1.34 lb

Cat. No.	Description
81028	1/4" Drive 84 Tooth Long Handle Teardrop Ratchet 6-3/4"
81264	3/8" Drive 84 Tooth Long Handle Teardrop Ratchet 11"

### 3 Pc. 1/4", 3/8", and 1/2" Drive Dual Material Teardrop 84 Tooth Ratchet Set

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material comfort grip handle
- Includes tray for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81207F	Tray	2.87 lb

Cat. No.	Description
81007F	1/4" Drive 84 Tooth Dual Material Teardrop Ratchet 6-1/4"
81208F	3/8" Drive 84 Tooth Dual Material Teardrop Ratchet 9"
81303F	1/2" Drive 84 Tooth Dual Material Teardrop Ratchet 11-1/2"

### 3 Pc. 1/4" and 3/8" Drive Dual Material Flex 84 Tooth Ratchet Set

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material comfort grip handle
- Includes tray for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81203F	Tray	2.22 lb

Cat. No.	Description
81007F	1/4" Drive 84 Tooth Dual Material Teardrop Ratchet 6-1/4"
81208F	3/8" Drive 84 Tooth Dual Material Teardrop Ratchet 9"
81210F	3/8" Drive 84 Tooth Dual Material Flex Head Teardrop Ratchet 13"

### 4 Pc. 1/4", 3/8", and 1/2" Drive Full Polish Flex Handle 84 Tooth Ratchet Set

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes tray for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81230F	Tray	3.121 lb

Cat. No.	Description	Cat. No.	Description
81012F	1/4" Drive 84 Tooth Flex Head Teardrop Ratchet 7"	81215F	3/8" Drive 84 Tooth Flex Head Teardrop Ratchet 11-1/2"
81212F	3/8" Drive 84 Tooth Stubby Flex Head Teardrop Ratchet 5"	81306F	1/2" Drive 84 Tooth Flex Head Teardrop Ratchet 17"

### 2 Pc. 1/4" and 3/8" Drive Full Polish Flex Handle 84 Tooth Ratchet Set

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Flexible head provides access for hard to reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81216F	None	2.184 lb

Cat. No.	Description
81012F	1/4" Drive 84 Tooth Flex Head Teardrop Ratchet 7"
81215F	3/8" Drive 84 Tooth Flex Head Teardrop Ratchet 11-1/2"

### 2 Pc. 1/4" and 3/8" Drive Dual Material Flex 84 Tooth Ratchet Set

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material comfort grip handle
- Includes tray for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81204F	Tray	1.763 lb

Cat. No.	Description
81009F	1/4" Drive 84 Tooth Dual Material Flex Head Teardrop Ratchet 7-3/4"
81210F	3/8" Drive 84 Tooth Dual Material Flex Head Teardrop Ratchet 13"

### 3 Pc. 1/4", 3/8" and 1/2" Drive Full Polish Locking Flex Handle 84 Tooth Ratchet Set

- 84 tooth gear offers a 4.3° swing arc for easy access
- Locking flex head with 9 locked and unlocked positions for adjustable access angle
- Teardrop, low-profile head and flush-mounted on/off switch allow even more access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes tray for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81276	Tray	3.08 lb

Cat. No.	Description
81015	1/4" Drive 84 Tooth Locking Flex Head Teardrop Ratchet 7"
81266	3/8" Drive 84 Tooth Locking Flex Head Teardrop Ratchet 11-1/2"
81362	1/2" Drive 84 Tooth Locking Flex Head Teardrop Ratchet 17"

### 2 Pc. 1/4" and 3/8" Drive Full Polish Locking Flex Handle 84 Tooth Ratchet Set

- 84 tooth gear offers a 4.3° swing arc for easy access
- Locking flex head with 9 locked and unlocked positions for adjustable access angle
- Teardrop, low-profile head and flush-mounted on/off switch allow even more access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes tray for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81274	Tray	1.76 lb

Cat. No.	Description
81015	1/4" Drive 84 Tooth Locking Flex Head Teardrop Ratchet 7"
81266	3/8" Drive 84 Tooth Locking Flex Head Teardrop Ratchet 11-1/2"

### 2 Pc. 1/4" and 3/8" Drive Dual Material Locking Flex Handle 84 Tooth Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Locking flex head with 9 locked and unlocked positions for adjustable access angle
- Teardrop, low-profile head and flush-mounted on/off switch allow even more access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material comfort grip handle
- Includes tray for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81275	Tray	1.76 lb

Cat. No.	Description
81016	1/4" Drive 84 Tooth Dual Material Locking Flex Head Teardrop Ratchet 8-1/4"
81267	3/8" Drive 84 Tooth Dual Material Locking Flex Head Teardrop Ratchet 13-1/2"

### 2 Pc. 1/4" and 3/8" Drive Dual Material Roto Ratchet Set

- 360° rotating head for maximum speed and access
- 72 tooth ratchet turns fasteners with a 5° swing arc
- Round shaped head works well around obstacles
- Dual material comfort grip handle for a non-clip grip
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81223	None	1.26 lb

Cat. No.	Description
81224	1/4" Drive 72 Tooth Dual Material Roto Ratchet 6-3/4"
81225	3/8" Drive 72 Tooth Dual Material Roto Ratchet 9-3/4"

### 3 Pc. 1/4", 3/8", and 1/2" Drive Quick-Release Teardrop Ratchet Set

- 45 tooth teardrop shaped head with on/off switch allow even more access in tight spaces
- Quick release design allows for rapid socket removal
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81310	None	2.73 lb

Cat. No.	Description
81014	1/4" Drive 45 Tooth Quick Release Teardrop Ratchet 5-1/2"
81218	3/8" Drive 45 Tooth Quick Release Teardrop Ratchet 7-3/4"
81309	1/2" Drive 45 Tooth Quick Release Teardrop Ratchet 9-1/2"

### 2 Pc. 1/4" and 3/8" Drive Thumbwheel Ratchet Set

- 72 tooth gear for 5° ratchet angle
- Easy to adjust reversing lever for improved functionality
- Contoured handle offers maximum grip force



Cat. No.	Included Storage	Product Weight
81222	None	0.40 lb

Cat. No.	Description
81008	1/4" Drive 72 Tooth Thumbwheel Ratchet
81226	3/8" Drive 72 Tooth Thumbwheel Ratchet

### 9 Pc. 1/4" Drive Metric Stubby Hex Bit Driver Set

- Short overall length provides better access in tight spaces
- S2 steel for strength and durability
- Hard stamped size markings
- Satin finish for corrosion protection and simple cleaning
- Compact design provides additional access compared to standard bit sockets
- Includes socket rail for storage and organization



Cat. No.	Included Storage	Product Weight
81160	Socket Rail	0.33 lb



Cat. No.	Description	Cat. No.	Description
81150	1/4" Drive Stubby Hex Bit Metric Driver Socket 2mm	81155	1/4" Drive Stubby Hex Bit Metric Driver Socket 7mm
81151	1/4" Drive Stubby Hex Bit Metric Driver Socket 3mm	81156	1/4" Drive Stubby Hex Bit Metric Driver Socket 8mm
81152	1/4" Drive Stubby Hex Bit Metric Driver Socket 4mm	81157	1/4" Drive Stubby Hex Bit Metric Driver Socket 9mm
81153	1/4" Drive Stubby Hex Bit Metric Driver Socket 5mm	81158	1/4" Drive Stubby Hex Bit Metric Driver Socket 10mm
81154	1/4" Drive Stubby Hex Bit Metric Driver Socket 6mm		

### 10 Pc. 1/4" Drive Bit Driver Set

- Short overall length provides better access in tight spaces
- S2 steel for strength and durability
- Hard stamped size markings
- Satin finish for corrosion protection and simple cleaning
- Compact design provides additional access compared to standard bit sockets
- Includes socket rail for storage and organization



Cat. No.	Included Storage	Product Weight
81180	Socket Rail	0.370 lb



Cat. No.	Description	Cat. No.	Description
81176	1/4" Drive Stubby Phillips® Bit Driver Socket #1	81165	1/4" Drive Stubby Slotted Metric Bit Driver Socket 4mm
81177	1/4" Drive Stubby Phillips® Bit Driver Socket #2	81166	1/4" Drive Stubby Slotted Metric Bit Driver Socket 5.5mm
81178	1/4" Drive Stubby Phillips® Bit Driver Socket #3	81167	1/4" Drive Stubby Slotted Metric Bit Driver Socket 8mm
81179	1/4" Drive Stubby Phillips® Bit Driver Socket #4	81168	1/4" Drive Stubby Slotted Metric Bit Driver Socket 10mm
81164	1/4" Drive Stubby Slotted Metric Bit Driver Socket 3.5mm	81169	1/4" Drive Stubby Slotted Metric Bit Driver Socket 12mm

### 6 Pc. 1/4" Drive External Torx® Deep Socket Set

- Heat treated for maximum durability
- Bits made of S2 steel for strength and durability
- Hard stamped size markings
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes socket rail for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80322	Socket Rail	0.46 lb



Cat. No.	Description	Cat. No.	Description
80191	1/4" Drive Deep External Torx® Socket E4	80194	1/4" Drive Deep External Torx® Socket E7
80192	1/4" Drive Deep External Torx® Socket E5	80195	1/4" Drive Deep External Torx® Socket E8
80193	1/4" Drive Deep External Torx® Socket E6	80196	1/4" Drive Deep External Torx® Socket E10

### 1/4" Drive 120XP™ Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Highly visible on/off markings on the head for fast size identification
- Enclosed head design for extreme resistance to dirt infiltration
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81011P	5.118 in	0.94 in	0.36 in	120XP	81099P	0.29 lb

### 1/4" Drive 120XP™ Extra Long Handle Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- 9-inch extra-long handle for additional access
- Low-profile teardrop head and flush-mounted on/off switch for better access in tight spaces
- Enclosed head design with extreme resistance to dirt infiltration
- Highly visible on/off markings on the head for fast size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



**120XP**

Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81034	9 in	.98 in	.39 in	120XP	81099P	0.765 lb

### 1/4" Drive 120XP™ Flex Head Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Flexible head provides access for hard to reach fasteners
- Highly visible on/off markings on the head for fast size identification
- Enclosed head design for extreme resistance to dirt infiltration
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



**120XP**

Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	No. of Positions	Repair Kit	Product Weight
81012P	6.85 in	1.02 in	0.41 in	120XP	6	81099P	0.33 lb

### 1/4" Drive 120XP™ Dual Material Flex Head Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Flexible head provides access for hard to reach fasteners
- Highly visible on/off markings on the head for fast size identification
- Enclosed head design for extreme resistance to dirt infiltration
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Longer reach handle to access hard-to-reach fasteners
- Dual material comfort grip handle
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



**120XP**

Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	No. of Positions	Repair Kit	Product Weight
81009P	8.18 in	1.01 in	0.41 in	120XP	6	81099P	0.33 lb

### 1/4" Drive 84 Tooth Teardrop Ratchet

- 84 tooth teardrop ratchets, with flush-mounted on/off levers and a full polish chrome finish
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81011F	5.130 in	0.98 in	0.35 in	84	81099F	0.27 lb

### 1/4" Drive 84 Tooth Dual Material Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material comfort grip handle
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81007F	6.42 in	0.98 in	0.35 in	84	81099F	0.34 lb

### 1/4" Drive 84 Tooth Long Handle Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Flush mounted on/off lever
- Teardrop shaped head for improved access
- Long, full polish chrome handle for increased access
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81028	6.87 in	0.96 in	0.35 in	84	81099F	0.28 lb

### 1/4" Drive 84 Tooth Long Handle Dual Material Teardrop Ratchet

- 84 tooth teardrop ratchets, with flush-mounted on/off levers and a full polish chrome finish
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Long, dual material comfort handle for increased access
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81029	8.18 in	0.98 in	0.35 in	84	81099F	0.28 lb

### 1/4" Drive 84 Tooth Flex Head Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81012F	6.970 in	0.98 in	0.35 in	84	81099F	0.32 lb

### 1/4" Drive 84 Tooth Dual Material Flex Head Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material comfort grip handle
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81009F	7.76 in	0.98 in	0.35 in	84	81099F	0.39 lb

### 1/4" Drive 84 Tooth Locking Flex Head Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Locking flex head with 9-locked and unlocked positions for adjustable access angle
- Teardrop, low-profile head and flush-mounted on/off switch allow even more access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	No. of Positions	Repair Kit	Product Weight
81015	6.97 in	0.98 in	0.35 in	84	9	81099F	0.33 lb

### 1/4" Drive 84 Tooth Dual Material Locking Flex Head Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Locking flex head with 9-locked and unlocked positions for adjustable access angle
- Teardrop, low-profile head and flush-mounted on/off switch allow even more access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material comfort grip handle
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	No. of Positions	Repair Kit	Product Weight
81016	8.23 in	0.98 in	0.35 in	84	9	81099F	0.33 lb

### 1/4" Drive 72 Tooth Dual Material Roto Ratchet

- 360° rotating head for maximum speed and access
- 72 tooth ratchet turns fasteners with a 5° swing arc
- Round shaped head works well around obstacles
- Dual material comfort grip handle for a non-clip grip
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Product Weight
81224	6.75 in	1.25 in	0.59 in	72	0.36 lb

### 1/4" Drive 72 Tooth Quick Release Locking Flex Slim Head Ratchets

- Multi-functional adaptor head converts between bit driver and 1/4" drive ratchet
- Locking flex-head has 9 positions for maximum access
- Includes 6 & 12 inch slim head ratchets for access to a wider variety of fasteners
- Slim line head design - 0.73" wide, 0.49" thick - for improved access
- Flush-mounted forward/reverse lever
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	No. of Positions	Repair Kit	Product Weight
81025	6 in	.73 in	.49 in	72	9	81022 81038	0.315 lb
81030	12 in	.73 in	.49 in	72	9	81022 81038	0.455 lb

### 1/4" Drive 45 Tooth Quick Release Teardrop Ratchet

- 45 tooth teardrop shaped head with on/off switch allow even more access in tight spaces
- Quick release design allows for rapid socket removal
- Bright chrome finish wipes clean easily and resists rust or corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Product Weight
81014	5.630 in	1.00 in	0.47 in	45	0.30 lb

### 1/4" Drive 72 Tooth Gimbal Ratchet

- Gimbal design allows ratchet to pivot in two directions for easier access
- 72 tooth ratcheting mechanism with a 5° swing arc
- Anodized aluminum finish
- Easy to use forward/reverse lever
- Meets or exceeds ASME specifications



Cat. No.	Tooth Count	Product Weight
81027	72	0.20 lb

### 1/4" Drive 72 Tooth Thumbwheel Ratchet

- 72 tooth gear for 5° ratchet angle
- Easy to adjust reversing lever for improved functionality
- Contoured handle offers maximum grip force



Cat. No.	Tooth Count	Product Weight
81008	72	0.31 lb

### 1/4" Drive Ratchet Repair Kits

- For non-quick release and non-roto ratchets



Cat. No.	Description	Fits Product Number	Tooth Count	Product Weight
81099F	1/4" Drive Non-Quick Release Ratchet Repair Kit 84 Tooth	81011 81012 81007 81009 81011F 81012F 81007F 81009F	84	0.04 lb
81099P	1/4" Drive 120XP™ Non-Quick Release Dual Pawl Ratchet Repair Kit	81009P 81011P 81012P	120XP	0.06 lb

### 1/4" Drive Slim Head Ratchet Repair Parts

- For GEARWRENCH slim head ratchets 81025, 81030 and 81032



Cat. No.	Description	Fits Product Number	Tooth Count	Product Weight
81022	1/4" Drive 72 Tooth Slim Head Ratchet Repair Kit	81025 81030	72	0.085 lb
81038	1/4" Drive Slim Head Ratchet Tang Adapters	81025 81030	-	0.050 lb

### 1/4" Drive Spinner Handle

- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material handles offers a more comfortable grip



Cat. No.	Overall Length	Product Weight
81128	7.75 in	0.30 lb

### 1/4" Drive Flex Handle/Breaker Bar

- 180° flex tang for greater access
- Ball detent for secure socket retention
- 5-1/4" overall length
- Ergonomic handle for reduced user fatigue
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Product Weight
81013	5.4 in	0.26 lb

### 1/4" Drive Universal Joint

- Universal joint allows for greater access
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion



Cat. No.	Overall Length	Product Weight
80100	1.375 in	0.04 lb

### 1/4" Drive Adapter

- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion



Cat. No.	Overall Length	Female Drive Size	Male Drive Size	Product Weight
81127	1 in	1/4"	3/8"	0.04 lb

### 5 Pc. 1/4" Drive Extension Set

- Ball detent for secure socket retention
- Knurled grip provides a nonslip surface
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes tray for storage and organization



Cat. No.	Included Storage	Product Weight
81002D	Tray	0.99 lb

Cat. No.	Description	Cat. No.	Description
81101	1/4" Drive Extension 2"	81116	1/4" Drive Extension 6"
81113D	1/4" Drive Extension 3"	81118	1/4" Drive Extension 14"
81114D	1/4" Drive Extension 4"		

### 7 Pc. 3/8" Drive Bit Socket Set

- Heat treated for maximum durability
- Bits made of S2 steel for strength and durability
- Hard stamped size markings
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes socket rail for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80577	Socket Rail	0.70 lb

Cat. No.	Description	Cat. No.	Description
80467	3/8" Drive Phillips® Bit Socket #1	80464	3/8" Drive Slotted Bit Socket 4mm
80468	3/8" Drive Phillips® Bit Socket #2	80465	3/8" Drive Slotted Bit Socket 5mm
80469	3/8" Drive Phillips® Bit Socket #3	80466	3/8" Drive Slotted Bit Socket 6mm
80470	3/8" Drive Pozidriv® Bit Socket #2		

### 9 Pc. 3/8" Drive Universal External Torx® Socket Set

- Universal joint allows for greater access
- Hard stamped size markings
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes socket rail for storage and organization



Cat. No.	Included Storage	Product Weight
80985	Socket Rail	1.34 lb

Cat. No.	Description	Cat. No.	Description
80976	3/8" Drive Universal External Torx® Sockets E4	80981	3/8" Drive Universal External Torx® Sockets E10
80977	3/8" Drive Universal External Torx® Sockets E5	80982	3/8" Drive Universal External Torx® Sockets E12
80978	3/8" Drive Universal External Torx® Sockets E6	80983	3/8" Drive Universal External Torx® Sockets E14
80979	3/8" Drive Universal External Torx® Sockets E7	80984	3/8" Drive Universal External Torx® Sockets E16
80980	3/8" Drive Universal External Torx® Sockets E8		

### 18 Pc. 3/8" Drive Ratchet and Drive Tool Set

- 84 tooth ratchets need as little as 4.3° to move fasteners for tighter turns
- Manufactured from alloy steel for better strength and longer tool life
- Bright, full polish chrome finish wipes easily clean to resist rust and corrosion
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81254	None	7.710 lb

Cat. No.	Description	Cat. No.	Description
81211F	3/8" Drive 84 Tooth Teardrop Ratchet 8-1/4"	81243	3/8" Drive Extension 10"
81209F	3/8" Drive 84 Tooth Stubby Teardrop Ratchet 4-3/4"	81244	3/8" Drive Extension 12"
81264	3/8" Drive 84 Tooth Long Handle Teardrop Ratchet 11"	81245	3/8" Drive Wobble Extension 1.5"
81215F	3/8" Drive 84 Tooth Flex Head Teardrop Ratchet 11-1/2"	81246	3/8" Drive Wobble Extension 3"
81221	3/8" Drive Breaker Bar 12"	81247	3/8" Drive Wobble Extension 6"
80549	3/8" Drive Universal Joint	81250	3/8" Drive Locking Extension 3"
81240	3/8" Drive Extension 1-1/2"	81251	3/8" Drive Locking Extension 6"
81241	3/8" Drive Extension 3"	81277	3/8" Drive 3/8" F x 1/4" M Adapter
81242	3/8" Drive Extension 6"	81278	3/8" Drive 3/8" F x 1/2" M Adapter

### 3/8" Drive 120XP™ Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Highly visible on/off markings on the head for fast size identification
- Enclosed head design for extreme resistance to dirt infiltration
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81211P	8.386 in	1.22 in	0.55 in	120XP	81227P	0.79 lb

### 3/8" Drive 120XP™ Extra Long Handle Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- 18-inch extra-long handle for additional access
- Low-profile teardrop head and flush-mounted on/off switch for better access in tight spaces
- Enclosed head design with extreme resistance to dirt infiltration
- Highly visible on/off markings on the head
- Bright, full polish chrome finish easily wipes clean and resists corrosion



**120XP**

Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81269	18 in	1.25 in	.55 in	120XP	81227P	1.080 lb

### 3/8" Drive 120XP™ Flex Head Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Flexible head provides access for hard to reach fasteners
- Highly visible on/off markings on the head for fast size identification
- Enclosed head design for extreme resistance to dirt infiltration
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



**120XP**

Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81215P	11.47 in	1.30 in	0.55 in	120XP	81227P	1.10 lb

### 3/8" 120XP™ Dual Material Flex Head Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Highly visible on/off markings on the head for fast size identification
- Enclosed head design for extreme resistance to dirt infiltration
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



**120XP**

Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81210P	13.58 in	1.3 in	0.55 in	120XP	81227P	0.99 lb

### 3/8" Drive 120XP™ Stubby Flex Head Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Flexible head provides access for hard to reach fasteners
- Highly visible on/off markings on the head for fast size identification
- Enclosed head design for extreme resistance to dirt infiltration
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



**120XP**

Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81212P	5 in	1.30 in	0.55 in	120XP	81227P	0.55 lb

### 3/8" Drive 84 Tooth Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81211F	8.39 in	1.25 in	0.47 in	84	81227F	0.68 lb

### 3/8" Drive 84 Tooth Dual Material Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material comfort grip handle
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81208F	9.02 in	1.25 in	0.47 in	84	81227F	0.64 lb

### 3/8" Drive 84 Tooth Long Handle Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Flush mounted on/off lever
- Teardrop shaped head for improved access
- Long, full polish chrome handle for increased access
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81264	11 in	1.25 in	0.47 in	84	81227F	0.81 lb

### 3/8" Drive 84 Tooth Long Handle Dual Material Teardrop Ratchet

- Flush mounted on/off lever
- Teardrop shaped head for improved access
- Full polish chrome finish wipes clean easily
- Long, dual material comfort handle for increased access
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81265	13 in	1.25 in	0.47 in	84	81227F	0.77 lb

### 3/8" Drive 84 Tooth Stubby Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81209F	4.72 in	1.25 in	0.47 in	84	81227F	0.41 lb

### 3/8" Drive 84 Tooth Flex Head Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop shaped head and flush-mounted on/off lever allow better access in hard-to-reach places
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Flexible head provides access for hard to reach fasteners
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81215F	11-1/2 in	1.25 in	0.47 in	84	81227F	0.85 lb

### 3/8" Drive 84 Tooth Dual Material Flex Head Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material comfort grip handle
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81210F	13.13 in	1.25 in	0.47 in	84	81227F	0.94 lb

### 3/8" Drive 84 Tooth Stubby Flex Head Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81212F	5.02 in	1.25 in	0.47 in	84	81227F	0.52 lb

### 3/8" Drive 84 Tooth Locking Flex Head Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Locking flex head with 9 locked and unlocked positions for adjustable access angle
- Teardrop, low-profile head and flush-mounted on/off switch allow even more access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes tray for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81266	11.47 in	1.25 in	0.47 in	84	81227F	0.93 lb

### 3/8" Drive 84 Tooth Dual Material Locking Flex Head Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Locking flex head with 9-locked and unlocked positions for adjustable access angle
- Teardrop, low-profile head and flush-mounted on/off switch allow even more access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Dual material comfort grip handle
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81267	13.63 in	1.25 in	0.47 in	84	81227F	0.94 lb

### 3/8" Drive 45 Tooth Quick Release Teardrop Ratchet

- 45 tooth teardrop shaped head with on/off switch allow even more access in tight spaces
- Quick release design allows for rapid socket removal
- Bright chrome finish wipes clean easily and resists rust or corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Product Weight
81218	7.87 in	1.25 in	0.57 in	45	0.85 lb

### 3/8" Drive 45 Tooth Quick Release Flex Head Teardrop Ratchet

- 45 tooth teardrop shaped head with on/off switch allow even more access in tight spaces
- Quick release design allows for rapid socket removal
- Bright chrome finish wipes clean easily and resists rust or corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Product Weight
81219	10.3 in	1.22 in	0.57 in	45	1.10 lb

### 3 Pc. 3/8" Drive Spark Plug Set

- 84 tooth gear offers a 4.3° swing arc for easy access
- Offset angled handle design for better access
- Dual material comfort grip handle
- Flexible head provides access for hard to reach fasteners
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Magnetic swivel sparkplug sockets
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
81229	None	2.20 lb

Cat. No.	Description
81213F	3/8" Drive 84 Tooth Dual Material Offset Flex Head Teardrop Ratchet 12-1/4"
3928D	3/8" Drive 6 Point 6" Magnetic Swivel Spark Plug Socket 5/8"
3930D	3/8" Drive 6 Point 6" Magnetic Swivel Spark Plug Socket 13/16"

### 3/8" Drive 84 Tooth Offset Flex Head Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81214F	11 in	1.25 in	0.47 in	84	81227F	0.90 lb

### 3/8" Drive 84 Tooth Dual Material Offset Flex Head Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Offset angled handle design for better access
- Dual material comfort grip handle
- Flexible head provides access for hard to reach fasteners
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81213F	12.26 in	1.25 in	0.48 in	84	81227F	0.99 lb

### 3/8" Drive 72 Tooth Dual Material Roto Ratchet

- 360° rotating head for maximum speed and access
- 72 tooth ratchet turns fasteners with a 5° swing arc
- Round shaped head works well around obstacles
- Dual material comfort grip handle for a non-clip grip
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Product Weight
81225	9.84 in	1.72 in	0.71 in	72	0.85 lb

### 3/8" Drive 72 Tooth Indexible Head Ratchet

- 72 tooth ratcheting mechanism offers a 5° swing arc
- 11 locking head positions for maximum safety during multi-angle, multi-application use regardless of load
- Strip-proof locking mechanism engages with 18 pins for maximum strength
- Locking mechanism is easy to operate – push button, set and release
- Ergonomic "hour glass" handle design is comfortable in-hand and reduces fatigue
- Greater strength and durability from high alloy steel body and heat-treated manufacturing
- Made in the USA



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Product Weight
11-996G	10 in	1.188 in	1 in	72	1.75 lb

### 3/8" Drive 72 Tooth Gimbal Ratchet

- Gimbal design allows ratchet to pivot in two directions for easier access
- 72 tooth ratcheting mechanism with a 5° swing arc
- Anodized aluminum finish
- Easy to use forward/reverse lever
- Meets or exceeds ASME specifications



Cat. No.	Tooth Count	Product Weight
81270	72	0.21 lb

### 3/8" Drive 72 Tooth Thumbwheel Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Locking flex head with 9-locked and unlocked positions for adjustable access angle
- Teardrop, low-profile head and flush-mounted on/off switch allow even more access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Tooth Count	Product Weight
81226	72	0.25 lb

### 3/8" Drive Non-Quick Release Ratchet Repair Kits

- For non-quick release and non-roto ratchets



Cat. No.	Description	Fits Product Number	Tooth Count	Positions	Product Weight
81227	3/8" Drive Non-Quick Release Ratchet Repair Kit	81229, 81211, 81215, 81209, 81212, 81214	60	-	0.08 lb
81227F	3/8" Drive Non-Quick Release Ratchet Repair Kit	81211, 81215, 81209, 81212, 81214, 81210F, 81211F, 81215F, 81209F, 81212F, 81214F	84	-	0.08 lb
81227P	3/8" Drive 120XP™ Non-Quick Release Dual Pawl Ratchet Repair Kit	81210P, 81211P, 81212P, 81215P	120XP	120	0.12 lb

### 3/8" Drive Full Polish Flex Handle/Breaker Bars

- 180° flex tang for greater access
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Ergonomic handle for reduced user fatigue
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Product Weight
81221	12 in	0.85 lb
87802	18 in	1.310 lb

### 3/8" Drive Speeder Handle

- Free rotating top handle grip delivers ultra-fast action for tightening and removing fasteners
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion



Cat. No.	Overall Length	Product Weight
81239	16.75 in	1.55 lb

### 3/8" Drive Universal Joint

- Universal joint allows for greater access
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion



Cat. No.	Overall Length	Product Weight
80549	2 in	0.15 lb

### 7 Pc. 1/2" Drive Metric Hex Bit Socket Set

- Heat treated for maximum durability
- Bits made of S2 steel for strength and durability
- Hard stamped size markings
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Includes socket rail for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80720	Socket Rail	2.30 lb

Cat. No.	Description	Cat. No.	Description
80658	1/2" Drive Hex Bit Metric Socket 6mm	80662	1/2" Drive Hex Bit Metric Socket 14mm
80659	1/2" Drive Hex Bit Metric Socket 8mm	80663	1/2" Drive Hex Bit Metric Socket 17mm
80660	1/2" Drive Hex Bit Metric Socket 10mm	80664	1/2" Drive Hex Bit Metric Socket 19mm
80661	1/2" Drive Hex Bit Metric Socket 12mm		



### 1/2" Drive 120XP™ Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Highly visible on/off markings on the head for fast size identification
- Enclosed head design for extreme resistance to dirt infiltration
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81304P	11 in	1.73 in	0.74 in	120XP	81339P	1.87 lb

### 1/2" Drive 120XP™ Extra Long Handle Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60-tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls engage a 60 tooth gear, with strength that exceeds ASME specifications
- 24 inch extra long handle for additional access
- Low profile teardrop head and flush-mounted on/off switch for better access in tight spaces
- Enclosed head design with extreme resistance to dirt infiltration
- Highly visible on/off markings on the head
- Bright, full polish chrome finish easily wipes clean and resists corrosion



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81364	24 in	1.72 in	.75 in	120XP	81339P	2.855 lb

### 1/2" Drive 120XP™ Flex Head Teardrop Ratchet

- 120XP™ ratchets have two double stacked 60 tooth pawls (120 positions) providing a 3° swing arc so you can turn fasteners in tighter confines
- Double-stacked pawls alternately engage the 60 tooth gear, providing exceptional strength
- Flexible head provides access for hard to reach fasteners
- Highly visible on/off markings on the head for fast size identification
- Enclosed head design for extreme resistance to dirt infiltration
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Longer reach handle to access hard-to-reach fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	No. of Positions	Repair Kit	Product Weight
81306P	16.9 in	1.77 in	0.75 in	120XP	6	81339P	2.44 lb

### 1/2" Drive 84 Tooth Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81304F	11 in	1.72 in	0.64 in	84	81339F	1.85 lb

### 1/2" Drive 84 Tooth Dual Material Teardrop Ratchet

- 84 tooth teardrop shaped head with on/off switch allow even more access in tight spaces
- Quick release design allows for rapid socket removal
- Bright chrome finish wipes clean easily and resists rust or corrosion
- Dual material comfort grip handle
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81303F	11.61 in	1.69 in	0.64 in	84	81339F	1.30 lb

### 1/2" Drive 84 Tooth Long Handle Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Flush mounted on/off lever
- Teardrop shaped head for improved access
- Long, full polish chrome handle for increased access
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81360	15 in	1.72 in	0.64 in	84	81339F	1.97 lb

### 1/2" Drive 84 Tooth Long Handle Dual Material Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Flush mounted on/off lever
- Teardrop shaped head for improved access
- Long, dual material comfort handle for increased access
- Dual material comfort grip handle
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81361	16.5 in	1.72 in	0.64 in	84	81339F	1.991 lb

### 1/2" Drive 84 Tooth Flex Head Teardrop Ratchet

- 84 tooth gear offers a 4.3° swing arc for easy access
- Teardrop shaped head and flush-mounted on/off switch allow even more access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81306F	16.98 in	1.72 in	0.64 in	84	81339F	2.05 lb

### 1/2" Drive 84 Tooth Locking Flex Head Teardrop Ratchets

- 84 tooth gear offers a 4.3° swing arc for easy access
- Locking flex head with 9-locked and unlocked positions for adjustable access angle
- Teardrop, low-profile head and flush-mounted on/off switch allow even more access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	No. of Positions	Repair Kit	Product Weight
81362	16.93 in	1.72 in	0.64 in	84	9	81339F	2.30 lb
81363	24 in	1.72 in	0.64 in	84	9	81339F	2.79 lb

### 1/2" Drive Quick-Release Teardrop Ratchet

- 45 tooth teardrop shaped head with on/off switch allow even more access in tight spaces
- Quick release design allows for rapid socket removal
- Bright chrome finish wipes clean easily and resists rust or corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Product Weight
81309	9.6 in	1.69 in	0.72 in	45	1.45 lb

### 1/2" Drive Non-Quick Release Ratchet Repair Kits

- For non-quick release and non-roto ratchets



Cat. No.	Description	Fits Product Number	Tooth Count
81339P	1/2" Drive 120XP™ Non-Quick Release Dual Pawl Ratchet Repair Kit	81304P 81306P	120XP
81339F	1/2" Drive Non Quick Release Ratchet Repair Kit	81304 81306 81303 81304F 81306F 81303F	84
81339	1/2" Drive Non Quick Release Ratchet Repair Kit	81304 81306 81303	60

### 1/2" Drive Full Polish Flex Handle/Breaker Bars

- Ergonomic handle for reduced user fatigue
- 180° flex tang for greater access
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Ball detent for secure socket retention
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Product Weight
81307	15 in	1.54 lb
81308D	24 in	2.75 lb

### 1/2" Drive Extendable Flex Handle/Breaker Bar

- 180° flex tang provides greater access
- Extendable handle increase overall length from 18" up to 24"
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Ergonomic handle for reduced user fatigue



Cat. No.	Overall Length	Product Weight
87852	24 in	2.030 lb

### 1/2" Drive Speeder Handle

- Free rotating top handle grip delivers ultra-fast action for tightening and removing fasteners
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion



Cat. No.	Overall Length	Product Weight
81312	19 in	2.45 lb

### 1/2" Drive Sliding T-Handle

- T-Handle slides for optimum position and leverage
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Handle length for improved leverage and torque
- Ball detent for secure socket retention



Cat. No.	Overall Length	Product Weight
81311	12 in	0.95 lb

### 27 Pc. 3/4" Drive 12 Point SAE Mechanics Tool Set

- 24 tooth full polish chrome quick-release ratchet
- Full polish chrome sockets with large hard-stamped size markings
- Knurled full polish chrome extensions
- Sockets feature off-corner loading design to reduce fastener rounding
- Includes metal box for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80880	Metal Box	26.40 lb

Cat. No.	Description	Cat. No.	Description
81400	3/4" Drive 24 Tooth Quick Release Teardrop Ratchet 19-3/4"	80841	3/4" Drive 12 Point Standard SAE Socket 1-3/8"
81404	3/4" Drive Breaker Bar 19"	80852	3/4" Drive 12 Point Standard SAE Socket 1-7/16"
81401	3/4" Drive Sliding T Handle 18"	80854	3/4" Drive 12 Point Standard SAE Socket 1-1/2"
81411	3/4" Drive Extension 5"	80855D	3/4" Drive 12 Point Standard SAE Socket 1-5/8"
81412	3/4" Drive Extension 8"	80856	3/4" Drive 12 Point Standard SAE Socket 1-11/16"
81413	3/4" Drive Extension 16"	80857	3/4" Drive 12 Point Standard SAE Socket 1-3/4"
80830	3/4" Drive 12 Point Standard SAE Socket 7/8"	80859	3/4" Drive 12 Point Standard SAE Socket 1-13/16"
80831	3/4" Drive 12 Point Standard SAE Socket 15/16"	80860	3/4" Drive 12 Point Standard SAE Socket 1-7/8"
80833	3/4" Drive 12 Point Standard SAE Socket 1"	80861	3/4" Drive 12 Point Standard SAE Socket 2"
80834	3/4" Drive 12 Point Standard SAE Socket 1-1/16"	80862	3/4" Drive 12 Point Standard SAE Socket 2-1/8"
80835D	3/4" Drive 12 Point Standard SAE Socket 1-1/8"	80863	3/4" Drive 12 Point Standard SAE Socket 2-3/16"
80838	3/4" Drive 12 Point Standard SAE Socket 1-3/16"	80864	3/4" Drive 12 Point Standard SAE Socket 2-1/4"
80839	3/4" Drive 12 Point Standard SAE Socket 1-1/4"	80865	3/4" Drive 12 Point Standard SAE Socket 2-3/8"
80840	3/4" Drive 12 Point Standard SAE Socket 1-5/16"		

### 13 Pc. 3/4" Drive 12 Point SAE Mechanics Tool Set

- 24 tooth full polish chrome quick-release ratchet
- Full polish chrome sockets with large hard-stamped size markings
- Knurled full polish chrome extensions
- Sockets feature off-corner loading design to reduce fastener rounding
- Includes metal box for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
80879	Metal Box	18.8 lb

Cat. No.	Description	Cat. No.	Description
81400	3/4" Drive 24 Tooth Quick Release Teardrop Ratchet 19-3/4"	80838	3/4" Drive 12 Point Standard SAE Socket 1-3/16"
81412	3/4" Drive Extension 8"	80839	3/4" Drive 12 Point Standard SAE Socket 1-1/4"
80830	3/4" Drive 12 Point Standard SAE Socket 7/8"	80840	3/4" Drive 12 Point Standard SAE Socket 1-5/16"
80831	3/4" Drive 12 Point Standard SAE Socket 15/16"	80841	3/4" Drive 12 Point Standard SAE Socket 1-3/8"
80833	3/4" Drive 12 Point Standard SAE Socket 1"	80852	3/4" Drive 12 Point Standard SAE Socket 1-7/16"
80834	3/4" Drive 12 Point Standard SAE Socket 1-1/16"	80854	3/4" Drive 12 Point Standard SAE Socket 1-1/2"
80835D	3/4" Drive 12 Point Standard SAE Socket 1-1/8"		

### 3/4" Drive 24 Tooth Quick Release Teardrop Ratchet

- 24 tooth teardrop shaped head with on/off switch allow even more access in tight spaces
- Quick release design allows for rapid socket removal
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight
81400	19.75 in	2.5 in	1.34 in	24	81499	5.20 lb

### 3/4" Drive 24 Tooth Quick Release Replacement Head

- 24 tooth teardrop shaped head with on/off switch allow even more access in tight spaces
- Quick release design allows for rapid socket removal
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Fits Product Number	Tooth Count	Repair Kit	Product Weight
81402	6.1 in	2.5 in	1.34 in	81403	24	81499	2.74 lb

### 3/4" Drive Knurled Chrome Replacement Handle

- For use with 81402, 3/4" drive ratchet head
- Detent pin secures handle to ratchet head
- Knurled handle for improved grip
- Bright, full polish chrome finish easily wipes clean and resists corrosion



Cat. No.	Overall Length	Fits Product Number	Product Weight
81403	36 in	81400 81402	6 lb

### 3/4" Drive 43 Tooth Round Head Ratchet

- 43 tooth reversing gear
- 20" long handle for improved reach, leverage and torque
- Drop-forged, single-piece design
- Features a knurled grip, providing a non slip surface
- Round-shaped head
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Ball detent for secure socket retention
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Product Weight
88800	19.685 in	2.717 in	2.283 in	43	4.980 lb

### 3/4" Drive Quick Release Ratchet Repair Kit

- For non-quick release and non-roto ratchets



Cat. No.	Description	Fits Product Number	Tooth Count	Product Weight
81499	3/4" Drive Ratchet Repair Kit	81400 81402	24	1.075 lb

### 3/4" Drive Flex Handle/Breaker Bar

- Ergonomic handle for reduced user fatigue
- 180° flex tang for greater access
- Ball detent for secure socket retention
- 19" overall length
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Product Weight
81404	19 in	4.07 lb

### 3/4" Drive Sliding T-Handle

- Fixed stop on one end, pin detent on the opposite end
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Product Weight
81401	18 in	3.07 lb

### 21 Pc. 3/8" Drive 6 Point SAE/Metric Pass-Thru™ Mechanics Tool Set

- Up to 50% thinner head profile than conventional ratchet systems
- 5° ratcheting arc
- Built up to 40% stronger than traditional ratchets by eliminating the drive tang
- Dual material comfort grip handle
- Pass-Thru™ ratchet and socket system eliminates the need for deep sockets
- Includes blow mold case for storage and organization
- Meets or exceeds ASME specifications



Cat. No.	Included Storage	Product Weight
8921	Blow Mold Case	3.300 lb



Cat. No.	Description	Cat. No.	Description
235080GR	3/8" Drive Pass-Thru™ 72 Tooth Ratchet 8"	532100GR	3/8" Drive Pass-Thru™ 6 Point Standard Metric Socket 10mm
231060GR	3/8" Drive Pass-Thru™ Extension 3"	532110GR	3/8" Drive Pass-Thru™ 6 Point Standard Metric Socket 11mm
231062GR	3/8" Drive Pass-Thru™ Quick-Release Adapter	532120GR	3/8" Drive Pass-Thru™ 6 Point Standard Metric Socket 12mm
-	3/8" - 1/4" Drive Pass-Thru™ Quick-Release Adapter	532130GR	3/8" Drive Pass-Thru™ 6 Point Standard Metric Socket 13mm
132120GR	3/8" Drive Pass-Thru™ 6 Point Standard SAE Socket 3/8"	532140GR	3/8" Drive Pass-Thru™ 6 Point Standard Metric Socket 14mm
132140GR	3/8" Drive Pass-Thru™ 6 Point Standard SAE Socket 7/16"	532150GR	3/8" Drive Pass-Thru™ 6 Point Standard Metric Socket 15mm
132160GR	3/8" Drive Pass-Thru™ 6 Point Standard SAE Socket 1/2"	532160GR	3/8" Drive Pass-Thru™ 6 Point Standard Metric Socket 16mm
132180GR	3/8" Drive Pass-Thru™ 6 Point Standard SAE Socket 9/16"	532170GR	3/8" Drive Pass-Thru™ 6 Point Standard Metric Socket 17mm
132200GR	3/8" Drive Pass-Thru™ 6 Point Standard SAE Socket 5/8"	532180GR	3/8" Drive Pass-Thru™ 6 Point Standard Metric Socket 18mm
132220GR	3/8" Drive Pass-Thru™ 6 Point Standard SAE Socket 11/16"	532190GR	3/8" Drive Pass-Thru™ 6 Point Standard Metric Socket 19mm
132240GR	3/8" Drive Pass-Thru™ 6 Point Standard SAE Socket 3/4"		

### 1/4" Drive Pass-Thru™ 72 Tooth XL Locking Flex Head Ratchet

- Up to 50% thinner head profile than conventional ratchet systems
- 5° ratcheting arc
- Built up to 40% stronger than traditional ratchets by eliminating the drive tang
- Pass-Thru™ ratchet and socket system eliminates the need for deep sockets
- 11 locking head positions
- Dual material comfort grip handle
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Thickness	Tooth Count	Product Weight
891400	6.5 in	0.335 in	72	0.28 lb

### 1/4" Drive Pass-Thru™ Extensions

- Pass-Thru™ system eliminates the need for deep sockets
- Works with Pass-Thru™ gear ratchet
- Bright, full polish chrome finish easily wipes clean and resists corrosion



Cat. No.	Overall Length	Wobble	Product Weight
221060GR	3 in	No	0.08 lb
221080GR	6 in	No	0.16 lb

### 1/4" Drive Pass-Thru™ Quick Release Adapters

- Adapts Pass-Thru™ system for use with standard sockets
- Adapter features push-button for quick-release
- Bright, full polish chrome finish easily wipes clean and resists corrosion



Cat. No.	Overall Length	Male Drive Size	Product Weight
231061GR	0.89 in	1/4"	0.10 lb
231063GR	-	-	-

### 3/8" Drive Pass-Thru™ 72 Tooth XL Locking Flex Head Ratchet

- Up to 50% thinner head profile than conventional ratchet systems
- 5° ratcheting arc
- Built up to 40% stronger than traditional ratchets by eliminating the drive tang
- Pass-Thru™ ratchet and socket system eliminates the need for deep sockets
- 11 locking head positions
- Dual material comfort grip handle
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Thickness	Tooth Count	Product Weight
893800	12 in	0.453 in	72	0.93 lb

### 3/8" Drive Pass-Thru™ 72 Tooth Ratchet

- Up to 50% thinner head profile than conventional ratchet systems
- 5° ratcheting arc
- Built up to 40% stronger than traditional ratchets by eliminating the drive tang
- Dual material comfort grip handle
- Pass-Thru™ ratchet and socket system eliminates the need for deep sockets
- Meets or exceeds ASME specifications



Cat. No.	Overall Length	Head Width	Head Thickness	Tooth Count	Product Weight
235080GR	8 in	1.5 in	.453 in	72	0.551 lb

### 3/8" Drive Pass-Thru™ Extensions

- Pass-Thru™ system eliminates the need for deep sockets
- Works with Pass-Thru™ GearRatchet™ system
- Bright, full polish chrome finish easily wipes clean and resists corrosion



Cat. No.	Overall Length	Wobble	Product Weight
231060GR	3 in	No	0.25 lb
231080GR	6 in	No	0.36 lb

### 3/8" Drive Pass-Thru™ Quick Release Adapter

- Adapter converts Pass-Thru™ ratchet into a standard ratchet for use with all standard sockets
- Adapter has push button quick release
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Enables a 3/8" Pass-Thru™ ratchet to use standard 3/8" sockets



Cat. No.	Overall Length	Male Drive Size	Product Weight
231062GR	1.17 in	3/8"	0.10 lb

### 3/8" Drive 6 Point Pass-Thru™ Sockets

- Socket system features the Pass-Thru™ drive system that links drive tools and sockets
- Pass-Thru™ socket system eliminates the need for deep sockets
- Reach fasteners in tight spaces with ease
- Hard stamped size markings



Cat. No.	SAE/Metric	Drive Type	Fastener Size	Dim. A: Drive End	Dim. B: Nose Diameter	Dim. C: Overall Length	Product Weight
132120GR	SAE	6 Point	3/8 in	0.768 in	0.528 in	1.26 in	0.055 lb
132140GR	SAE	6 Point	7/16 in	0.768 in	0.606 in	1.26 in	0.055 lb
132160GR	SAE	6 Point	1/2 in	0.768 in	0.685 in	1.26 in	0.055 lb
132180GR	SAE	6 Point	9/16 in	0.768 in	0.756 in	1.26 in	0.066 lb
132200GR	SAE	6 Point	5/8 in	0.768 in	0.831 in	1.26 in	0.066 lb
132220GR	SAE	6 Point	11/16 in	0.768 in	0.902 in	1.26 in	0.066 lb
132240GR	SAE	6 Point	3/4 in	0.768 in	0.976 in	1.30 in	0.077 lb
132260GR	SAE	6 Point	13/16 in	0.768 in	1.085 in	1.38 in	0.088 lb
132280GR	SAE	6 Point	7/8 in	0.768 in	1.175 in	1.38 in	0.088 lb
532100GR	Metric	6 Point	10 mm	0.768 in	0.587 in	1.26 in	0.055 lb
532110GR	Metric	6 Point	11 mm	0.768 in	0.606 in	1.26 in	0.055 lb
532120GR	Metric	6 Point	12 mm	0.768 in	0.654 in	1.26 in	0.055 lb
532130GR	Metric	6 Point	13 mm	0.768 in	0.697 in	1.26 in	0.055 lb
532140GR	Metric	6 Point	14 mm	0.768 in	0.744 in	1.26 in	0.059 lb
532150GR	Metric	6 Point	15 mm	0.768 in	0.791 in	1.26 in	0.059 lb
532160GR	Metric	6 Point	16 mm	0.768 in	0.835 in	1.26 in	0.066 lb
532170GR	Metric	6 Point	17 mm	0.768 in	0.882 in	1.26 in	0.066 lb
532180GR	Metric	6 Point	18 mm	0.768 in	0.929 in	1.26 in	0.07 lb
532190GR	Metric	6 Point	19 mm	0.768 in	0.976 in	1.3 in	0.077 lb