

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
556-33-8-335	3B14-450 	ASA-92-028 	ASA-92-6-013 	AUTOMANN ABSP3B32RA-7845 FIRESTONE W013587845
556-33-8-335	3B14-451 	ASA-92-8-100 	ASA-92-6-015 	AUTOMANN ABSP3B32RA-7846 CONTI 64582 FT 530-35 456 FIRESTONE 7846 W013587846 HENDRICKSON S-7853 TRIANGLE 4456
556-33-8-335	3B14-452 	ASA-92-8-174 	ASA-92-6-056 	AUTOMANN ABSP3B32RA-7850 CONTI 64580 FT 530-35 441 FIRESTONE 7850 W013587850 HISTEER 10301 SUSPENSIONS INC. 200177 TRIANGLE 4441 WATSON & CHALIN AS-0086
556-33-8-335	3B14-453 	ASA-92-8-028 	ASA-92-6-013 	AUTOMANN ABSP3B32RA-7838 CONTI 64576 FT 530-35 436 FIRESTONE 7838 W013587838
556-33-8-335	3B14-455 OBSOLETE 	ASA-92-8-031 	ASA-92-6-113 	

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
556-33-8-335	3B14-456 	ASA-92-8-031 	ASA-92-6-015 	AUTOMANN ABSP3B32RA-7839 FIRESTONE 7839
556-33-8-335	3B14-457 	ASA-92-8-100 	ASA-92-6-015 	AUTOMANN ABSP3B32RA-7843 CONTI 64581 FT 530-35 455 FIRESTONE 7843 W013587843
556-33-8-335	3B14-459 	ASA-92-8-100 	ASA-92-6-050 	AUTOMANN ABSP3B32RA-7847 CONTI 64583 FT 530-35 457 FIRESTONE 7847 W013587847
556-33-8-335	3B14-462 	ASA-92-8-031 	ASA-92-6-013 	AUTOMANN ABSP3B32RA-7855 FIRESTONE 7855
556-33-8-335	3B14-463 	ASA-92-8-174 	ASA-92-6-013 	AUTOMANN ABSP3B32RA-7859 FIRESTONE 7859

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
556-33-8-335	3B14-464 	ASA-92-8-100 	ASA-92-6-013 	AUTOMANN ABSP3B32RA-7862 CONTI 64587 FT 530-35 534 FIRESTONE 7862 W013587862 TRP AS78620
578-23-8-329	2B14-469 	ASA-92-8-352 	ASA-92-6-016 	NEWAY 905-57-257
578-91-3-301	1B12-301 	ASA-92-8-002 	ASA-92-6-002 	AUTOMANN ABSP1B22A-7009 CONTI 64595 FS 330-11 468 FIRESTONE 7009 W013587009 NEWAY 905-57-002 TRIANGLE 4468 TRP AS70090
578-91-3-301	1B12-305 	ASA-92-8-006 	ASA-92-6-002 	AUTOMANN ABSP2B22RA-7443 FIRESTONE 6920 7043 W013586920 W013587043
578-91-3-301	1B12-306 	ASA-92-8-002 	ASA-92-6-002 	

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF
















AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-91-3-301	1B12-313 	ASA-92-8-002 	ASA-92-6-002 	AUTOMANN ABSP1B22A-7008 CONTI 64596 FS 330-11 474 FIRESTONE W013587008
578-91-3-301	1B12-322 	ASB-92-8-164 	ASA-92-6-002 	AUTOMANN ABSP1B22A-6994 CONTI 64594 FS 330-11 467
578-91-3-310	2B12-305 	ASA-92-8-026 	ASA-92-6-002 	AUTOMANN ABSP2B22RA-7443 CONTI 64531 FD 330-22 323 DAYTON 354-7443 FIRESTONE 7443 W013587443 GRANNING 1218 1589 INT'L/NAVISTAR 554786C1 LOAD GUARD SC2026 RIDEWELL 1003587443C S-2683-C TRIANGLE 4323 TRP AS74430 WATSON & CHALIN AS-0027
578-91-3-310	2B12-317 	ASA-92-8-004 	ASA-92-6-004 	AUTOMANN ABSP2B22RA-7499 CONTI 64539 FD 330-30 502 FIRESTONE 7499 W013587499 SUSPENSIONS INC. 201602 TRIANGLE 4502
578-91-3-310	2B12-324 	ASA-92-8-017 	ASA-92-6-002 	AUTOMANN ABSP2B22RA-7447 ABSP2B22RA-7790 CONTI 64532 FD 330-30 340 DAYTON 354-7447 E-Z RIDE 8030150 FIRESTONE 7447 7790 FIRESTONE CONTI W013587447 W013587790 HENDRICKSON 1475 8-6242 INT'L/NAVISTAR 554790C1 LOAD GUARD SC2028 TRIANGLE 4340 4513













- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-91-3-351	1B14-350 	ASA-92-8-028 	ASA-92-6-013 	AUTOMANN ABSP1B34A-7103 CONTI 64523 FS 530-14 442 FIRESTONE 7103 W013587103 PEERLESS 0550-00015 TRIANGLE 4442 TRP AS71030
578-91-3-351	1B14-351 	ASA-92-8-028 	ASA-92-6-013 	AMERICAN CARRIER 8003007 AUTOMANN ABSP1B34A-7104 CONTI 64525 FS 530-14 447 FIRESTONE 7105 W013587104 W013587105 TRIANGLE 4447 TRP AS71050
578-91-3-351	1B14-373 	ASA-92-8-174 	ASA-92-6-056 	
578-91-3-352	1B14-358 	ASA-92-8-031 	ASA-92-6-015 	AUTOMANN ABSP1B34A-7112 CONTI 64521 FS 530-14 339 DAYTON 354-7112 FIRESTONE 7112 W013587112 INT'L/NAVISTAR 554782C1 LOAD GUARD SC2012 NEWAY 905-57-026 905-57-028 905-57-041 AR-1834 RIDEWELL 1003587112C S-3364-C TRIANGLE 4339
578-92-3-202	2B9-200 	ASA-92-8-016 	ASA-92-6-010 	AUTOMANN ABSP2B12R-6910 CONTI 64267 FD 200-19 320 DAYTON 354-6910 DINA A-8127-19 FIRESTONE 6910 W013586910 GRANNING 1371 HDA PMA86-6910B HENDRICKSON 45843-3 B-8768 INT'L/NAVISTAR 554783C1 LOAD GUARD SC2011 MASA 227138412 PREVOST 63-0173 R&S TRUCK & BODY 1027405 RIDEWELL 1003586910C S-4512-C SPRINGRIDE 289-492 TAURUS AS218-6910 TRIANGLE 4320 TRP AS69100 WATSON & CHALIN AS-0001

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-202	2B9-201 	ASA-92-8-016 	ASA-92-6-010 	AUTOMANN ABSP2B12R-6935 CONTI 64515 FD 200-19 499 DAYTON 354-6902 FIRESTONE 6935 W013586935 FLEETRITE 2B9-491 FREIGHTLINER 16-14318-000 GRANNING 4848 HDA PMA86-6902B HENDRICKSON B-2630 INT'L/NAVISTAR 55478C1 LOAD GUARD SC2010 MASA 227004001 R&S TRUCK & BODY 1027505 RIDEWELL S-1728-C SAUR AXLES P50-733A (LIFT) SPRINGRIDE 289-493 SUSPENSIONS INC. 200042 TAURUS AS218-6902 TRIANGLE 4310 4499 TRP AS69350
578-92-3-202	2B9-206 	ASA-92-8-040 	ASA-92-6-010 	AUTOMANN ABSP2B12R-6905 CONTI 64510 FD 200-19 315 DAYTON 354-6905 E-Z RIDE 8030120 FIRESTONE 6905 W013586905 HENDRICKSON 45843-1 B-3518 B-5270 INT'L/NAVISTAR 1685175C1 LOAD GUARD SC2071 RIDEWELL 1003586905C S-2845-C TAURUS AS218-6905 TRIANGLE 4315 TRP AS69050 WATSON & CHALIN AS-0020
578-92-3-202	2B9-210 	ASA-92-8-040 	ASA-92-6-010 	AUTOMANN ABSP2B12R-6908 CONTI 64511 FD 200-19 362 FIRESTONE 6908 W013586908 TRIANGLE 4362 TRP AS69080 WATSON & CHALIN AS-0035
578-92-3-202	2B9-216 	ASA-92-8-060 	ASA-92-6-010 	DINA AZ-8127-19 PREVOST 63-0174 TRAILERS DE MONTERREY 73312B

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-202	2B9-225 	ASA-92-8-117 	ASA-92-6-004 	FIRESTONE 6928 W013586928 TTX 1999408
578-92-3-202	2B9-230 	ASA-92-8-113 	ASA-92-6-044 	AUTOMANN ABSP2B12R-6940 CONTI 64513 FD 200-19 450 FIRESTONE 6940 W013586940 TRIANGLE 4450 TRP AS69400
578-92-3-202	2B9-240 	ASB-92-9-151 	ASB-92-9-151 	FIRESTONE 7119 W013587119 MCI 12C-1-36 PREVOST 63-0166
578-92-3-202	2B9-244 	ASA-92-8-172 	ASA-92-6-044 	
578-92-3-202	2B9-245 	ASA-92-8-113 	ASA-92-6-108 	AUTOMANN ABSP2B12R-7788 CONTI 64519 FD 200-19 510 FIRESTONE 7788 W013587788 TRIANGLE 4510 WATSON & CHALIN AS-0088

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-206	2B9-218 	ASA-92-8-113 	ASA-92-6-010 	AUTOMANN ABSP2B12RA-6927 CONTI 64553 FD 200-25 453 FIRESTONE 6927 W013586927 INT'L/NAVISTAR 1685176C1 LOAD GUARD SC2072
578-92-3-206	2B9-250 	ASA-92-8-040 	ASA-92-6-010 	AUTOMANN ABSP2B12RA-6943 CONTI 64549 FD 200-25 426 FIRESTONE 6943 W013586943 LOAD GUARD SC2122 NEWAY 905-57-237
578-92-3-206	2B9-251 	ASA-92-8-040 	ASA-92-6-010 	AUTOMANN ABSP2B12RA-6948 CONTI 64552 FD 200-25 429 FIRESTONE 6948 W013586948 LOAD GUARD SC2123
578-92-3-206	2B9-252 	ASA-92-8-172 	ASA-92-6-044 	AUTOMANN ABSP2B12RA-6944 CONTI 64512 64554 FD 200-19 448 FD 200-25 454 FIRESTONE 6944 W013586944 HISTEER 10302
578-92-3-206	2B9-253 	ASA-92-8-040 	ASA-92-6-010 	AUTOMANN ABSP2B12RA-6945 CONTI 64550 FD 200-25 427 FIRESTONE 6945 W013586945 LOAD GUARD SC2125

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-206	2B9-254 	ASA-92-8-172 	ASA-92-6-010 	AUTOMANN RIDEWELL ABSP2B12RA-6946 1003586946C CONTI SUSPENSIONS 64555 FD 200-25 463 200180 FIRESTONE TRIANGLE 6946 W013586946 4463 LOAD GUARD TRP SC2126 AS69460
578-92-3-206	2B9-255 	ASA-92-8-016 	ASA-92-6-010 	AUTOMANN HENDRICKSON ABSP2B12RA-6947 B-8701 CONTI LOAD 64551 FD 200-25 428 GUARD DAYTON SC2127 354-6947 RIDEWELL 1003586947C FIRESTONE TRIANGLE 6947 4428 W013586947 TRP AS69470
578-92-3-206	2B9-265 	ASA-92-8-270 	ASA-92-6-044 	AUTOMANN ABSP2B12R-6941 CONTI 64512 FD 200-19 448 FIRESTONE W013586941 TRP AS69410
578-92-3-206	2B9-270 	ASA-92-8-298 	ASA-92-6-010 	RIDEWELL 1002809270G
578-92-3-208	2B9-266 	ASA-92-8-292 	ASA-92-6-044 	CONTI TRIANGLE 64554 4454 FD 200-25 454 TRP FIRESTONE AS69440 W013586944 HISTEER 10307

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-208	2B9-607 	ASA-92-8-270 	ASA-92-6-010 	
578-92-3-211	2B9-229 	ASA-92-8-113 	ASA-92-6-077 	AUTOMANN SPRINGRIDE ABSP2B12R-6897 2B9-494 CONTI TRIANGLE 64517 FD 200-19 505 4505 FIRESTONE TRP 6897 AS68860 W013586897 AS68970 FLEETRITE WATSON 2B9-490 AS-0058
578-92-3-211	2B9-239 	ASA-92-8-016 	ASA-92-010 	AUTOMANN TRP ABSP2B12R-6902 AS69020 CONTI WATSON 64509 FD 200-19 310 & CHALIN FIRESTONE AS-0002 6902 W013586902 RIDEWELL 1003586902C
578-92-3-211	2B9-246 	ASA-92-8-172 	ASA-92-6-108 	AUTOMANN TRIANGLE ABSP2B12R-6932 4452 CONTI TRP 64514 FD 200-19 452 AS69320 FIRESTONE 6932 W013586932 RIDEWELL 1003586932C
578-92-3-211	2B9-280 	ASA-92-8-172 	ASA-92-6-044 	CONTI TRIANGLE 64512 4428 FD 200-19 448 4448 FIRESTONE TRP 6941 W013586941 AS69410 HISTEER 10302

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-211	2B9-288 	ASA-92-8-016 	ASA-92-6-010 	AUTOMANN ABSP2B12R-6926 CONTI 64516 FD 200-19 504 FIRESTONE 6926 W013586926 TRP AS69260
578-92-3-211	2B9-296 	ASA-92-8-113 	ASA-92-6-125 	
578-92-3-211	2B9-606 	ASA-92-8-040 	ASA-92-6-010 	
578-92-3-211	2B9-611 	ASA-92-8-270 	ASA-92-6-134 	
578-92-3-211	2B9-614 	ASA-92-8-270 	ASA-92-6-134 	

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-217	2B9-495 	ASA-92-8-113 	ASA-92-6-010 	AUTOMANN ABSP2B12R-7897 FIRESTONE W01-358-7897 HENDRICKSON S23114
578-92-3-250	2B10-226 	ASA-92-8-113 	ASA-92-6-010 	AUTOMANN ABSP2B12R-7795 CONTI 67705 FD 200-19 713 FIRESTONE 7795 W013587795 HENDRICKSON B-14486
578-92-3-309	2B12-300 	ASA-92-8-003 	ASA-92-6-001 	AUTOMANN ABSP2B22R-7424 CONTI 64283 FD 330-22 327 DAYTON 354-7424 FIRESTONE 7424 W013587424 HDA PMABG-7424B INT'L/NAVISTAR 554785C1 LOAD GUARD SC2024
578-92-3-309	2B12-304 	ASA-92-8-005 	ASA-92-6-006 	AUTOMANN ABSP2B22R-7344 CONTI 64501 FD 330-22 500 FIRESTONE 7344 W013587344

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-309	2B12-307 	ASA-92-8-017 	ASA-92-6-002 	AUTOMANN ABSP2B22R-7403 CONTI 64488 FD 330-22 318 DAYTON 354-7403 FIRESTONE 7403 W013587403 GRANNING 2725 HDA PMABG-7403B HENDRICKSON B-1159 B-2883 INT'L/NAVISTAR 554787C1 R&S TRUCK & BODY 1040201 1090201 RIDEWELL S-4302-C SUSPENSIONS INC. 200448 TRIANGLE 4318 TRP AS74030 WATSON & CHALIN AS-0007
578-92-3-309	2B12-309 	ASA-92-8-002 	ASA-92-6-002 	AUTOMANN ABSP2B22R-7400 CONTI 64270 FD 330-22 313 DAYTON 354-7400 FAB TEK 40080 FIRESTONE 7400 W013587400 FREIGHTLINER 16-10769-000 GMC 693230 GRANNING 2726 HDA PMABG-7400B HENDRICK-SON C-1013 INT'L/NAVISTAR 554788C1 LOAD GUARD SC2020 MASA 227002002 NEWAY 905-57-016 TC-144-4 R&S TRUCK & BODY 1027519 RIDEWELL 1003587400C S-788-C TAURUS AS214-7400 TRIANGLE 4313 TRP AS74000 WATSON & CHALIN AS-0003
578-92-3-309	2B12-313 	ASA-92-8-004 	ASA-92-6-004 	AUTOMANN ABSP2B22R-7405 CONTI 64494 FD 330-22 364 DAYTON 354-7405 FIRESTONE 7405 W013587405 HUTCHENS IND. 10384-01 INT'L/NAVISTAR 1685177C1 LOAD GUARD SC2073 SUSPENSIONS INC. 200981 TAURUS AS214-7405 TRIANGLE 4364 TRP AS74050

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-309	2B12-318 	ASA-92-8-006 	ASA-92-6-002 	FIRESTONE 7185 W013587185
578-92-3-309	2B12-319 	ASA-92-8-005 	ASA-92-6-004 	AUTOMANN ABSP2B22R-7409 CONTI 64497 FD 330-22 367 DAYTON 354-7409 FIRESTONE 7409 W013587409 LINT'L/NAVISTAR 1685178C1 OAD GUARD SC2074 TAURUS AS214-7409 TRIANGLE 4367
578-92-3-309	2B12-320 	ASA-92-8-003 	ASA-92-6-004 	AUTOMANN ABSP2B22R-7401 ABSP2B22R-7437 CONTI 64489 FD 330-22 334 DAYTON 354-7437 FIRESTONE 7401 7437 W013587401 W013587437 GMC 2076095 711954 HDA PMABG-7401B INT'L/NAVISTAR 554789C1 LOAD GUARD SC2025 NEWAY 905-57-015 TC-144-3A RIDEWELL 1003587437C 1006587437C S-3363-C TRIANGLE 4334 4337 VOLVO 2076095 WATSON & CHALIN AS-0014
578-92-3-309	2B12-340 	ASB-92-9-153 	ASB-92-8-153 	FIRESTONE 7124 W013587124 MCI 12C-3-52 PREVOST 63-0185

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-309	2B12-406 	ASA-92-8-005 	ASA-92-6-002 	AUTOMANN ABS2P2B22R-7410 CONTI 64268 FD 330-22 331 DAYTON 354-7410 FIRESTONE 7410 W013587410 FREIGHTLINER 16-11378-000 INT'L/NAVISTAR 554792C1 LOAD GUARD SC2023 TAURUS AS214-7410 TRIANGLE 4331 TRP AS74100
578-92-3-309	2B12-410 	ASA-92-8-017 	ASA-92-6-004 	AUTOMANN ABS2P2B22R-7404 CONTI 64492 FD 330-22 346 DAYTON 354-7404 FIRESTONE 7404 W013587404 HENDRICKSON B-1345 B-5468 INT'L/NAVISTAR 554793C1 LOAD GUARD SC2022 TAURUS AS214-7404 TRIANGLE 4346
578-92-3-309	2B12-411 	ASA-92-8-088 	ASA-92-6-006 	AUTOMANN ABS2P2B22R-7181 CONTI 64500 FD 330-22 472 DAYTON 354-7181 FIRESTONE 7181 W013587181 FRUEHAUF UAB-5620 UCC-3054-1 INT'L/NAVISTAR 554794C1 LOAD GUARD SC2018 TAURUS AS214-7181 TRIANGLE 4472
578-92-3-309	2B12-412 	ASA-92-8-088 	ASA-92-6-038 	AUTOMANN ABS2P2B22R-7183 CONTI 64499 FD 330-22 471 DAYTON 354-7183 FIRESTONE 7183 W013587183 FRUEHAUF UCA-0112 UCA-0112B INT'L/NAVISTAR 554795C1 LOAD GUARD SC2019 TAURUS AS214-7183 TRIANGLE 4471
578-92-3-309	2B12-424 	ASA-92-8-006 	ASA-92-6-002 	TRAILERS DE MONTERREY 73312A

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-309	2B12-425 	ASA-92-8-002 	ASA-92-6-002 	AUTOMANN ABS2P2B22R-7180 CONTI 64493 FD 330-22 363 E-Z RIDE 8030190 FIRESTONE 7180 W013587180 INT'L/NAVISTAR 1685179C1 LOAD GUARD SC2075 NEWAY 570-07-180 PEERLESS 0550-00001 RIDEWELL 1003587180C S-4538-C TAURUS AS214-7180 TRIANGLE 4363 TRP AS71800
578-92-3-309	2B12-426 	ASA-92-8-003 	ASA-92-6-002 	AUTOMANN ABS2P2B22R-7406 CONTI 64495 FD 330-22 365 DAYTON 354-7406 FIRESTONE 7406 W013587406 INT'L/NAVISTAR 1685180C1 LOAD GUARD SC2076 RIDEWELL 1003587406C S-3159-C TAURUS AS214-7406 TRIANGLE 4365
578-92-3-309	2B12-427 	ASA-92-8-004 	ASA-92-6-002 	AUTOMANN ABS2P2B22R-7429 CONTI 64491 FD 330-22 343 DAYTON 354-7429 FIRESTONE 7429 W013587429 INT'L/NAVISTAR 1685181C1 KWIK-LOC/TODCO CP-5223 LOAD GUARD SC2077 TAURUS AS214-7429 TRIANGLE 4343
578-92-3-309	2B12-429 	ASA-92-8-006 	ASA-92-6-002 	AUTOMANN ABS2P2B22R-7184 CONTI 66300 FD 330-22 780 FIRESTONE 7184 W013587184
578-92-3-309	2B12-432 	ASA-92-8-005 	ASA-92-6-001 	AUTOMANN ABS2P2B22R-7423 CONTI 64498 FD 330-22 368 FIRESTONE 7423 W013587423 INT'L/NAVISTAR 1681750C1 LOAD GUARD SC2101 TRIANGLE 4368 4465

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-309	2B12-463 	ASA-92-8-257 	ASA-92-6-002 	AUTOMANN ABSP2B22R-6850 CONTI 64502 FD 330-22 540 FIRESTONE 6850 W013586850 RIDEWELL 1003586850C TRP AS68500
578-92-3-310	2B12-402 	ASA-92-8-005 	ASA-92-6-002 	AUTOMANN ABSP2B22RA-7446 CONTI 64534 FD 330-30 370 DAYTON 354-7446 FIRESTONE 7446 W013587446 HDA PMA86-74468 HENDRICKSON B-3798 INT'L/NAVISTAR 554791C1 LOAD GUARD SC2027 R&S TRUCK & BODY 1082914 SILENT DRIVE AS-7446 TRIANGLE 4370 TRP AS74460 WATSON & CHALIN AS-0005
578-92-3-310	2B12-428 	ASA-92-8-002 	ASA-92-6-002 	AUTOMANN ABSP2B22RA-7473 CONTI 64536 FD 330-30 372 FIRESTONE 7473 W013587473 INT'L/NAVISTAR 1685182C1 LOAD GUARD SC2078 RIDEWELL 1003587473C TRIANGLE 4372
578-92-3-310	2B12-434 	ASA-92-8-017 	ASA-92-6-002 	AUTOMANN ABSP2B22RA-7472 CONTI 64535 FD 330-30 371 FIRESTONE 7472 W013587472 HENDRICKSON 36514-5 B-12514-005 INT'L/NAVISTAR 1681751C1 LOAD GUARD SC2128 SAUR AXLES PB10-784 TRIANGLE 4371 4464
578-92-3-310	2B12-446 	ASA-92-8-002 	ASA-92-6-002 	CONTI 64533 FD 330-30 369 FIRESTONE 7444 W013587444 HENDRICKSON B-9830 TRIANGLE 4369

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-315	2B12-345 	ASA-92-8-005 	ASA-92-6-002 	AUTOMANN ABSP2B22RB-7545 CONTI 64597 FD 331-26 514 FIRESTONE 7545 W013587545 HENDRICKSON 1796 TRIANGLE 4514 WATSON & CHALIN AS-0087-1F
578-92-3-315	2B12-346 	ASA-92-8-005 	ASA-92-6-002 	AUTOMANN ABSP2B22RB-7550 CONTI 64599 FD 331-26-541 FIRESTONE 7550 W013587550 HISTEER 10315 TRIANGLE 4541 TRP AS75500 WATSON & CHALIN AS-0087
578-92-3-315	2B12-416 	ASA-92-8-002 	ASA-92-6-002 	AUTOMANN ABSP2B22RA-7444 CONTI 64533 FD 330-30 369 FIRESTONE 7444 W013587444 HENDRICKSON B-9830 TRIANGLE 4369
578-92-3-315	2B12-440 	ASA-92-8-005 	ASA-92-6-004 	AUTOMANN ABSP2B22RB-7555 CONTI 64284 FD 331-26 480 FIRESTONE 7555 W013587555 HENDRICKSON 20018 REYCO 18813-01 20018-01 TRIANGLE 4480 TRP AS75550
578-92-3-353	2B14-354 	ASA-92-8-028 	ASA-92-6-013 	AUTOMANN ABSP2B34R-7145 CONTI 64548 FD 530-22 374 DAYTON 354-7145 FIRESTONE 7145 W013587145 INT'L/NAVISTAR 554796C1 LOAD GUARD SC2016 MACK TRUCK 57Q1239 RIDEWELL 1003587145C S-4540-C TRIANGLE 4374 TRP AS71450 VOLVO 35203-0005 35203-3204

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-353	2B14-355 	ASA-92-8-028 	ASA-92-6-013 	AMERICAN CARRIER 8003005 AUTOMANN ABSP2B34R-7146 CONTI 64546 FD 530-22 342 DAYTON 354-7146 FIRESTONE 7146 W013587146 INT'L/NAVISTAR 554797C1 LOAD GUARD SC2017 NEWAY 905-57-039 AR-1520 RIDEWELL 1003587146C TRIANGLE 4342
578-92-3-353	2B14-356 	ASA-92-8-028 	ASA-92-6-013 	AUTOMANN ABSP2B34R-7136 CONTI 64545 FD 530-22 321 DAYTON 354-7136 FIRESTONE 7136 W013587136 GRANNING 1626 HDA PMA8G-7136B HENDRICKSON B-1080 INT'L/NAVISTAR 554798C1 LOAD GUARD SC2014 R&S TRUCK & BODY 1027556 RIDEWELL 1003587136C TRIANGLE 4321 WATSON & CHALIN AS-0004
578-92-3-353	2B14-359 	ASA-92-8-031 	ASA-92-6-015 	AUTOMANN ABSP2B34R-7140 CONTI 64544 FD 530-22 316 DAYTON 354-7140 FIRESTONE 7140 W013587140 GRANNING 1015 HDA PMA8G-7140B HENDRICKSON B-3184 INT'L/NAVISTAR 554799C1 LOAD GUARD SC2015 R&S TRUCK & BODY 1090214 RIDEWELL 1003587140C TRIANGLE 4316 TRP AS71400 WATSON & CHALIN AS-0008
578-92-3-353	2B14-360 	ASA-92-8-031 	ASA-92-6-015 	AUTOMANN ABSP2B34R-7135 CONTI 64543 FD 530-22 311 DAYTON 354-7135 FIRESTONE 7135 W013587135 HENDRICKSON B-12514-014 INT'L/NAVISTAR 554800C1 LOAD GUARD SC2013 NEWAY 905-57-001 PEZZANI AR-21-A RIDEWELL 1003587135C S-1326-C TRIANGLE 4311 TRP AS71350 TRUCKSTELL 63641 63644
578-92-3-353	2B14-366 	ASA-92-8-100 	ASA-92-6-015 	AUTOMANN ABSP2B34RB-6803 CONTI 64589 FD 530-30 449 DAYTON 354-6803 FIRESTONE 6803 W013586803 HENDRICKSON B-6412 LOAD GUARD SC2129 TRIANGLE 4449 TRP AS68030

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-353	2B14-367 	ASA-92-8-049 	ASA-92-6-043 	AUTOMANN ABSP2B34R-7123 CONTI 64547 FD 530-22 345 DAYTON 354-7123 FIRESTONE 7123 W013587123 W013587133 INT'L/NAVISTAR 1685184C1 KWIK-LOK/TODCO 53671 LOAD GUARD SC2080 TRIANGLE 4345
578-92-3-353	2B14-473 	ASA-92-8-046 	ASA-92-6-014 	
578-92-3-356	2B14-362 	ASA-92-8-028 	ASA-92-6-013 	FIRESTONE 6800
578-92-3-356	2B14-363 	ASA-92-8-030 	ASA-92-6-013 	
578-92-3-356	2B14-365 	ASA-92-8-046 	ASA-92-6-014 	AUTOMANN ABSP2B34RB-6801 CONTI 64590 FD 530-30 451 DAYTON 354-6801 E-Z RIDE 8030160 FIRESTONE 6801 W013586801 HENDRICKSON B-2734 INT'L/NAVISTAR 1685183C1 LOAD GUARD SC2079 RIDEWELL 1003586801C TRIANGLE 4451 TRP AS68010 WATSON & CHALIN AS-0021

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-92-3-356	2B14-383 	ASA-92-8-174 	ASA-92-6-118 	AUTOMANN ABSP2B34RC-7557 CONTI 64604 FD 530-35 530 FIRESTONE 7557 W013587557 HISTEER 10316 REYCO 19983-01 TRIANGLE 4530 TRP AS75570 WATSON & CHALIN AS-0089
578-92-3-356	2B14-462 	ASA-92-8-030 	ASA-92-6-013 	AUTOMANN ABSP2B34RB-6805 CONTI 64593 FD 530-30 532 FIRESTONE 6805 W013586805 RIDEWELL 1003586805C TRP AS68050
578-92-3-356	2B14-470 	ASA-92-8-031 	ASA-92-6-015 	AUTOMANN ABSP2B34RC-7782 CONTI 64606 FD 530-35 544 FIRESTONE 7782 W013587782 TRIANGLE 4544 TRP AS77820 WATSON & CHALIN AS-0032
578-92-3-356	2B14-476 	ASA-92-8-352 	ASA-92-6-016 	AUTOMANN ABSP2B34RC-6799 CONTI 64605 FD 530-35 543 FIRESTONE 6799 W013586799 NEWAY 905-57-023 TRIANGLE 4543 TRP AS67990 WATSON & CHALIN AS-0034
578-92-3-356	2B14-479 	ASA-92-8-030 	ASA-92-6-013 	

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-93-3-100	3B12-300 	ASA-92-8-017 	ASA-92-6-002 	AUTOMANN ABSP3B22R-8008 ABSP3B22R-8025 CONTI 64562 FT 330-29 431 DAYTON 354-8008 FIRESTONE 8008 8025 W013588008 W013588025 HENDRICKSON 8-11637 LOAD GUARD SC2130 RIDEWELL 1003588008C TRIANGLE 4431 4469 TRP AS80080 WATSON & CHALIN AS-0019
578-93-3-100	3B12-301 	ASA-92-8-002 	ASA-92-6-002 	AUTOMANN ABSP3B22R-8010 ABSP3B22R-8030 CONTI 64563 FT 330-29 432 FIRESTONE 8010 8030 W013588010 W013588030 LOAD GUARD SC2119 RIDEWELL 1003588010C 1003588030C S-5844-C TRIANGLE 4432 TRP AS80100
578-93-3-100	3B12-303 	ASA-92-8-005 	ASA-92-6-002 	AUTOMANN ABSP3B22R-8018 CONTI 64285 FT 330-29 434 FIRESTONE 8018 W013588018 HISTEER 10303 LOAD GUARD SC2131 TRIANGLE 4434 TRP AS80180 WATSON & CHALIN AS-0075
578-93-3-100	3B12-304 	ASA-92-8-002 	ASA-92-6-000 	AUTOMANN ABSP3B22R-8006 CONTI 64568 FT 330-29 503 FIRESTONE 8006 W013588006 LOAD GUARD SC2132 SUSPENSIONS INC. 200620 TRIANGLE 4430 4503 TRP ASP1710
578-93-3-100	3B12-305 	ASA-92-8-006 	ASA-92-6-002 	

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-93-3-100	3B12-310 	ASA-92-8-005 	ASA-92-6-002 	AUTOMANN ABSP3B22R-8027 CONTI 64565 FT 330-29 466 FIRESTONE 8027 W013588027 SILENT DRIVE AS-8025 AS-8027 SUSPENSIONS INC. 200117 TRIANGLE 4466 TRP AS80270
578-93-3-100	3B12-312 	ASA-92-8-005 	ASA-92-6-035 	AUTOMANN ABSP3B22R-8033 CONTI 64571 FT 330-29 525 FIRESTONE 8033 W013588033 HENDRICKSON B-14487 LOAD GUARD SC2784 TRIANGLE 4508 4525 TRP AS80330
578-93-3-100	3B12-315 	ASA-92-8-017 	ASA-92-6-111 	CONTI 64573 FT 330-29 547 AUTOMANN ABSP3B22R-7990 TRIANGLE 4547 TRP AS79960
578-93-3-100	3B12-319 	ASA-92-8-017 	ASA-92-6-002 	AUTOMANN ABSP3B22R-8032 CONTI 64560 FT 330-29 413 FIRESTONE 8032 W013588032 HENDRICKSON B-12405 S-12405 TRIANGLE 4413 TRP AS80320 WATSON & CHALIN AS-0048
578-93-3-100	3B12-324 	ASA-92-8-159 	ASA-92-6-002 	WATSON & CHALIN AS-0048-26

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-93-3-100	3B12-328 	ASA-92-8-017 	ASA-92-6-111 	AUTOMANN ABSP3B22R-7994 CONTI 64572 FT 330-29546 FIRESTONE 7994 W013587994 TRIANGLE 4546 WATSON & CHALIN AS-0019-1F
578-93-3-100	3B12-329 	ASA-92-8-159 	ASA-92-6-111 	AUTOMANN ABSP3B22R-7995 CONTI 64573 FT 330-29 546 FIRESTONE 7990 W013587990 TRIANGLE 4547 WATSON & CHALIN AS-0048-1F
578-93-3-100	3B12-335 	ASA-92-8-005 	ASA-92-6-111 	AUTOMANN ABSP3B22R-7996 CONTI 64570 FT 330-29 520 FIRESTONE 7996 W013587996 GRANNING 8221 TRIANGLE 4520 TRP AS79960
578-93-3-100	3B12-338 	ASA-92-8-331 	ASA-92-6-002 	
578-93-3-100	3B12-342 	ASA-92-8-431 	ASA-92-6-002 	WATSON & CHALIN AS-0048-3G

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-93-3-103	3B12-322 	ASA-92-8-230 	ASA-92-6-110 	AUTOMANN ABSP3B22R-8042 FIRESTONE 8042 W013588042 HENDRICKSON 1015 NEWAY 905-57-236
578-93-3-103	3B12-323 	ASA-92-8-367 	ASA-92-6-110 	AUTOMANN ABSP3B22R-8043 FIRESTONE 8043 W013588043 HENDRICKSON S-14795
578-93-3-103	3B12-325 	ASA-92-8-363 	ASA-92-6-106 	FIRESTONE 8048 W013588048
578-93-3-103	3B12-326 	ASA-92-8-364 	ASA-92-6-106 	FIRESTONE 8047 W013588047
578-93-3-103	3B12-347 	ASA-92-8-367 	ASA-92-6-121 	

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-93-3-104	3B12-337 	ASA-92-8-406 	ASA-92-6-110 	
578-93-3-105	3B12-415 	ASA-92-8-017 	ASA-92-6-002 	AUTOMANN ABSP3B22R-8038 CONTI 66522 FT 330-29 554 FIRESTONE 8038 W013588038 HISTEER 10313
578-93-3-105	3B12-416 	ASA-92-8-005 	ASA-92-6-002 	FIRESTONE 8039 W013588039 HISTEER 10303
578-93-3-350	3B14-351 	ASA-92-8-028 	ASA-92-6-013 	
578-93-3-350	3B14-354 	ASA-92-8-028 	ASA-92-6-013 	AUTOMANN ABSP3B32R-7808 CONTI 64506 FT 530-32 336 E-Z RIDE 8030170 FIRESTONE 7808 W013587808 INT'L/NAVISTAR 554801C1 LOAD GUARD SC2031 PEERLESS 0550-00030 RIDEWELL 1003587808C S-4830-C TRIANGLE 4336 TRP AS78080 TRUCKSTELL 63640

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-93-3-350	3B14-356 	ASA-92-8-028 	ASA-92-6-013 	AUTOMANN ABSP3832R-7798 CONTI 64504 FT 530-32 329 DAYTON 354-7798 FIRESTONE 7798 W013587798 GRANNING 1613 HDA PMABG-7798B INT'L/NAVISTAR 554802C1 LOAD GUARD SC2029 TRIANGLE 4329 4436 WATSON & CHALIN AS-0006
578-93-3-350	3B14-359 	ASA-92-8-031 	ASA-92-6-015 	AUTOMANN ABSP3832R-7818 CONTI 64503 FT 530-32 325 DAYTON 354-7818 E-Z RIDE 8030180 FIRESTONE 7816 7818 W013587816 W013587818 GRANNING 1014 1476 HENDRICKSON B-6861 INT'L/NAVISTAR 554803C1 LOAD GUARD SC2032 RIDEWELL 1003587818C 1003587839C S-2685-C TRIANGLE 4325 4437 WATSON & CHALIN AS-0025 AS-0033
578-93-3-350	3B14-360 	ASA-92-8-031 	ASA-92-6-015 	AUTOMANN ABSP3832R-7800 CONTI 64505 FT 530-32 333 DAYTON 354-7800 FIRESTONE 7800 W013587800 GRANNING 4514 HOLLAND HITCH 4514 INT'L/NAVISTAR 554804C1 LOAD GUARD SC2030 RIDEWELL 1003587800C S-1505-C TRIANGLE 4333 4439
578-93-3-350	3B14-361 	ASA-92-8-030 	ASA-92-6-013 	

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
578-93-3-350	3B14-364 	ASA-92-8-100 	ASA-92-6-015 	CONTI 64581 FT 530-35 455 HENDRICKSON B-7100 TRIANGLE 4455
578-93-3-350	3B14-365 	ASA-92-8-100 	ASA-92-6-015 	
578-93-3-350	3B14-367 	ASA-92-8-100 	ASA-92-6-050 	CONTI 64583 FT 530-35 457 DAYTON 354-7847 FIRESTONE 7847 HENDRICKSON B-8874 TRIANGLE 4457
579-91-3-501	1B5-510 	ASC-92-8-109 	ASB-92-6-045 	
579-91-3-532	1B8-564 	ASC-92-8-171 	ASB-92-6-055 	

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
579-92-3-510	2B6-530 	ASC-92-8-154 	ASB-92-6-051 	
579-92-3-515	2B6-535 	ASC-92-8-175 	ASA-92-6-052 	CONTI 66094 FD110-15766 LOAD AIR P10-754U
579-92-3-525	2B7-540 	ASA-92-8-114 	ASB-92-6-049 	
579-92-3-525	2B7-541 	ASC-92-8-171 	ASB-92-6-049 	
579-92-3-525	2B7-542 	ASC-92-8-171 	ASB-92-6-058 	

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS

BELLOWS NUMBER	SIDE VIEW WITH EXTENDED AND COMPRESSED HEIGHT	UPPER MOUNTING VIEW	LOWER MOUNTING VIEW	MANUFACTURER NUMBERS
579-92-3-526	2B7-548 	ASC-92-8-171 	ASC-92-6-122 	CONTI 67667 FD110-17A775 HENDRICKSON 5079 TRP ASC7750
579-92-3-530	2B8-550 	ASA-92-8-114 	ASB-92-6-049 	AMERICAN CARRIER 8003006 AUTOMANN ABSP2B08RA-7325 CONTI 64601 FD 120-20 509 FIRESTONE 7325 W013587325 MACK TRUCK 227QS32 57QK1113 TRIANGLE 4509 TRP AS73250 WATSON & CHALIN AS-0030

- Bolt or Stud – 1/2-13 or 1/2-20
- ⊗ Air Fitting – 1/4 NPTF
- ⊙ Stud – 3/4-10
- ⊕ Tapped Hole on Top Retainers – 3/8-16, on Pistons – 1/2-13
- ⊗ Air Fitting – 1/2 NPTF or 3/8 NPTF
- ⊙ Combination Stud Air Fitting: Stud – 3/4-16, Air Fitting – 1/4 NPTF

AIR SPRING BELLOWS