

01

CLEARANCE / MARKER LAMPS

FEUX DE GABARIT / POSITION

*LÁMPARAS DE GÁLIBO /
DEMARCADORA*



MICRONOVA® DOT LED CLEARANCE/MARKER LAMP

Available in PC and P2 versions with .180 bullet or Deutsch® connectors • Sleek aerodynamic styling extends less than 3/8" from mounted surface • No fasteners required

P2 RATED:

49322	Red, w/ Grommet	
49322-5	Red, w/ Grommet	RETAIL
49323	Yellow, w/ Grommet	
49323-5	Yellow, w/ Grommet	RETAIL

PC RATED:

49452	Red, w/ Bracket	PC
49453	Yellow, w/ Bracket	PC
49332	Red, w/ Grommet	PC
49333	Yellow, P2/PC w/ Grommet	PC
49412	Red, w/ Adapter Bracket	PC
49413	Yellow, w/ Adapter Bracket	PC

ECE RATED:

49341	White, w/ Grommet	ECE
49342	Red, w/ Grommet	ECE
49343	Yellow, w/ Grommet	ECE
49351	White, w/ Grommet	ECE 24 VOLT
49352	Red, w/ Grommet	ECE 24 VOLT
49353	Yellow, w/ Grommet	ECE 24 VOLT
60831	White, w/ Grommet and Deutsch® Connector	ECE 24 VOLT

MULTI VOLT:

49262	Red, w/ Grommet	PC MULTI
49282	Red, w/ Grommet	PC MULTI ECE
49263	Yellow, w/ Grommet	PC MULTI
49283	Yellow, w/ Grommet	PC MULTI ECE
49281	Clear, w/ Grommet	PC MULTI ECE

Material: Lens - Acrylic; Bracket - Polycarbonate; Grommet - PVC


Regulations / Standards: FMVSS 108, ECE / SAE P2, P3, PC

Finish: Red, Yellow, White

Volts / Amps: 12V / .05A
24V / .05A
9-32V / .03A

Brackets: 42110, 94350, 42063

VMRS Code: 034-004-253



DUAL INTENSITY MICRONOVA® DOT LED CLEARANCE/MARKER LAMP

Dual Intensity allows for better visibility • Hermetic lens-to-housing seal
• Encapsulant potting for total circuit board protection against vibration and corrosion
• Sleek aerodynamic styling, small size fits in narrow applications

49362	Red, w/ Grommet, Standard
49363	Yellow, w/ Grommet, Standard


Material: Lens - Acrylic; Grommet - PVC




Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red / Black ; Yellow / Black

Volts / Amps: High - 12V / .05A; Low - 12V / .02A;

VMRS Code: 034-004-253





MICRONOVA® LED CLEARANCE/MARKER LAMP

Low profile makes lamp less susceptible to damage • Small size fits narrow applications • All PC versions meet requirements when mounted at 45° angle

47982	Red, Clear Lens w/ Chrome Bezel
47952	Red, w/ Chrome Bezel
47952-5	Red, w/ Chrome Bezel RETAIL
47953	Yellow, w/ Chrome Bezel
47953-5	Yellow, w/ Chrome Bezel RETAIL
47983	Yellow, Clear Lens w/ Chrome Bezel
47962	Red, w/ Grommet
47963	Yellow, w/ Grommet

PC RATED:

45282	Red, Surface Mount	PC
45283	Yellow, Surface Mount	PC
47972	Red, w/ Grommet	PC
47973	Yellow, w/ Grommet	PC
45302	Red, w/ Hardshell	PC
45303	Yellow, w/ Hardshell	PC

Material: Lens - Acrylic; Bracket - Polycarbonate; Grommet - PVC

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Red / Yellow / Chrome

Volts / Amps: 12V / .05A

Pigtail: 68580

Accessory: Bezel Chrome 93803; Mounting Gasket: 94220

Bracket: 42110

VMRS Code: 034-004-253

DUAL INTENSITY MICRONOVA® LED CLEARANCE/MARKER LAMP

Dual Intensity enhances signaling visibility and safety • Small size fits in narrow applications • No exposed fasteners

49372	Red, w/ Grommet, Slim-Line .180
49373	Yellow, w/ Grommet, Slim-Line .180
49382	Red, w/ Grommet, Standard .180
49383	Yellow, w/ Grommet, Standard .180

Material: Lens - Acrylic; Grommet - PVC

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red, Yellow

Volts / Amps: 12V / .05A

Brackets: 42110

VMRS Code: 034-004-253

MICRONOVA® RED/GREEN INDICATOR LAMP

Suitable for bright sunlight applications • Dual color circuiting molded into pigtail with bullet connectors • Clear lens with Red / Green LEDs • No exposed fasteners

49460	Red/Green, Clear Lens w/ Grommet
-------	----------------------------------

Material: Lens - Clear; Grommet - Polycarbonate

Ingress Protection: IP69K

Volts / Amps: 12V

VMRS Code: 034-004-253

MICRONOVA® DOT LED INDICATOR LAMP

Durable one-piece LED lamp • No mounting hardware required • Hardwired with .180 standard UBS plug connectors for maximum performance

60824 Green, w/ Grommet


Material: Polycarbonate

Finish: Green

Voltage Amp: 12V / .05A

Brackets: 42110, 94350

VMRS Code: 034-004-253



SUPERNOVA® 2" LED CLEARANCE/MARKER LAMP

Uses same UBS double-seal pigtail as incandescent for quick Plug-and-Go® retrofit • Tin-plated, solid-brass terminals are sealed to housing to resist corrosion and eliminate failure causing leak paths

47112 Red

47113 Yellow

47332 Red

47333 Yellow

46132 Red

46133 Yellow

24 VOLT

24 VOLT

PC

PC

ABS LAMP:

78433 Yellow

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, PC, P3

Finish: Red / Yellow

Volts / Amps: 12V / .06A

Red - 24V / .03A


Yellow - 24V / .04A

Bracket: 43690, 43150, 43152, 43153, 43532, 43760, 42180

Grommet: 92120, 92150, 93760

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-253



HI COUNT® 2" 9-DIODE LED CLEARANCE/MARKER LAMP

Uses the same UBS double-seal pigtail as our incandescent version for a quick Plug-and-Go® retrofit • Twist-on mounting for easy installation

G3002 Red

G3002-5 Red

G3003 Yellow

G3003-5 Yellow

RETAIL

RETAIL

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red / Yellow

Volts / Amps: Red - 12V / .04A,


Yellow - 12V / .07A


Bracket: 43690, 43150, 43152, 43153, 43532, 43760, 42180

Grommet: 92120, 92150, 93760

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-253



**2" CLEARANCE/MARKER LAMP**

Twist-on mounting for easy installation • Fits all popular mountings and grommets • All versions meet PC requirements when mounted at a 45° angle, recommended bracket 43690

45822	Red
45822-5	Red
45823	Yellow
45823-5	Yellow

**KITS:**

45062	Red (45822 + 92120 + 67050)
45063	Yellow (45823 + 92120 + 67050)

**ABS LAMP:**

78333	Yellow
-------	--------



Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, P3, PC, PC2

Finish: Red / Yellow

Volts / Amps: Bulb 2 CP: 12V / .33A

Bracket: 43690, 43150, 43152, 43153, 43532, 43760, 42180

Grommet: 92120, 92150, 93760

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-021

SUPERNOVA® 2" BEEHIVE LED CLEARANCE/MARKER LAMP

Tin-plated, solid-brass terminals are sealed to housing to resist corrosion and eliminate failure causing leak paths • Uses same UBS double-seal pigtail as incandescent for a quick Plug-and-Go® retrofit

47212	Red
47213	Yellow

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red / Yellow

Volts / Amps: 12V / .06A

Bracket: 43690, 43150, 43152, 43153, 43532, 43760, 42180

Grommet: 92120, 92150, 93760

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-253

HI COUNT® 2" 9-DIODE BEEHIVE LED CLEARANCE/MARKER LAMP

Uses the same UBS double-seal pigtail as the incandescent version for a quick Plug-and-Go® retrofit • Twist-on mounting for easy installation • Fits all popular mountings and grommets

G3092	Red
G3093	Yellow



Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Red / Yellow


Volts / Amps: Red - 12V / .04A, Yellow - 12V / .07A

Bracket: 43690, 43150, 43152, 43153, 43532, 43760, 42180

Grommet: 92120, 92150, 93760

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-253



2" BEEHIVE CLEARANCE/MARKER LAMP

Fits popular grommet and bracket mountings • Twist-on mounting for easy installation • Meets PC function only when mounted at a 45° angle, recommended bracket 43690

47102 Red **PC**
47103 Yellow **PC**

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Red / Yellow

Bulb: 2 CP

Volts / Amps: 12V / .33A

Bracket: 43690, 43150, 43152, 43153, 43532, 43760, 42180


Grommet: 92120, 92150, 93760

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-021



47103



SUPERNOVA® 2 1/2" LED CLEARANCE/MARKER LAMP

Uses same UBS double-seal pigtail as incandescent version for a quick Plug-and-Go® retrofit • Tin-plated, solid-brass terminals are sealed to housing, to resist corrosion and eliminate failure causing leak paths

47122 Red
47123 Yellow
47202 Red w/ Black, Theft-Resistant Flange
47322 Red **24 VOLT**
47323 Yellow **24 VOLT**
46142 Red **PC**
46143 Yellow **PC**

KITS:

47472 Red (47122 + 91400 + 67001)
47473 Yellow (47123 + 91400 + 67001)

ABS LAMP:

78423 Yellow

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, PC, P3

Finish: Red / Yellow

Volts / Amps: 12V / .06A
24V / .03A

Bracket: 43690, 43160, 43162, 43163, 43512, 43522, 93750, 42180, 42170


Grommet: 91400, 91410, 92070, 91890, 91880, 92920

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-253




47123



46142

LED



47373

**SUPERNOVA® 2 1/2" PC RATED, LED
CLEARANCE/MARKER LAMP**

Uses same UBS double-seal pigtail as incandescent for a quick Plug-and-Go® retrofit • Tin-plated, solid-brass terminals are sealed to housing, to resist corrosion and eliminate failure-causing leak paths • Available with lamp sealed to flange, for direct mounting in the side of a trailer, eliminating a leak-path into the trailer

47232 Red
47233 Yellow


PC
PC

SEALED FLANGE APPLICATIONS:

47372 Red w/ Gray Theft-Resistant Flange **PC**
47373 Yellow w/ Gray Theft-Resistant Flange **PC**

Material: Polycarbonate**Regulations / Standards:** FMVSS 108 / SAE P2, P3, PC**Finish:** Red / Yellow**Volts / Amps:** 12V / .06A**Bracket:** 43690, 43160, 43162, 43163, 43512, 43522, 93750, 42180, 42170**Grommet:** 91400, 91410, 92070, 91890, 91880, 92920**Pigtail:** 66851, 67001, 66850, 66801, 67050, 66800, 66840**VMRS Code:** 034-004-253

LED



G1032

G1003

**HI COUNT® 2 1/2" 9-DIODE LED
CLEARANCE/MARKER LAMP**

Uses the same UBS double-seal pigtail as the incandescent version for a quick Plug-and-Go® retrofit • Twist-on mounting for easy installation • Fits all popular mountings and grommets

OPTIC LENS:

G1032 Red
G1032-5 Red **RETAIL**
G1033 Yellow
G1033-5 Yellow **RETAIL**
G1042 Red, Clear Lens
G1043 Yellow, Clear Lens

REFLEX LENS:

G1002 Red
G1003 Yellow

Material: Polycarbonate**Regulations / Standards:** FMVSS 108 / Optic - SAE P2, Reflex - SAE A, P2**Finish:** Red / Yellow**Volts / Amps:** Red - 12V / .04A,
Yellow - 12V / .07A**Bracket:** 43690, 43160, 43162, 43163, 43512, 43522, 93750, 42180, 42170**Grommet:** 91400, 91410, 92070, 91890, 91880, 92920**Pigtail:** 66851, 67001, 66850, 66801, 67050, 66800, 66840**VMRS Code:** 034-004-253

HI COUNT® 2½" 9-DIODE LED CLEARANCE/MARKER LAMP

Uses the same UBS double-seal pigtail as our incandescent version for a quick Plug-and-Go® retrofit • Twist-on mounting for easy installation
• Fits all popular mountings and grommets

G1092 Red
G1093 Yellow

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red / Yellow

Volts / Amps: 12V / .09A

Bracket: 43690, 43160, 43162, 43163, 43512, 43522, 93750, 42180, 42170


Grommet: 91400, 91410, 92070, 91890, 91880, 92920

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-253



G1093



2½" CLEARANCE/MARKER LAMP

Hermetic lens-to-housing seal • Twist-on mounting for easy installation
• Fits all popular mountings and grommets • Optic lens versions meet PC function only when mounted at a 45° angle, recommended bracket: 43690; grommets: 91890 or 92920

OPTIC LENS:

45812	Red	PC
45812-5	Red	PC RETAIL
45813	Yellow	PC
45813-5	Yellow	PC RETAIL

OPTIC LENS KITS:

45042	Red (45812 + 91400 + 67050)	PC
45043	Yellow (45813 + 91400 + 67050)	PC

REFLEX LENS:

45832 Red
45833 Yellow

BUILT-IN REFLECTOR KITS:

45072	Red (45832 + 91400 + 67050)
45073	Yellow (45833 + 91400 + 67050)

ABS LAMP:

78343 Yellow, Optic Lens **PC**

Material: Lens - Acrylic; Housing - Polycarbonate

Regulations / Standards: FMVSS 108 / Optic - SAE P2, P3, PC, PC2;
Reflex - SAE A, P2, P3

Finish: Red / Yellow

Volts / Amps: Bulb: 2 CP: 12V / .33A

Bulb: 3 CP; Volts / Amps: 24V / .17A

Bracket: 43690, 43160, 43162, 43163, 43512, 43522, 93750, 42180, 42170


Grommet: 91400, 91410, 92070, 91890, 91880, 92920

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840



VMRS Code: 034-004-021



45812



45833



2 1/2" SURFACE MOUNT SINGLE-BULB CLEARANCE/MARKER LAMP

Snap-on lens for easy bulb replacement • OE replacement on Mack® MR models • Meets PC function only when mounted at a 45° angle

45412	Red	PC
45412-5	Red	PC RETAIL
45413	Yellow	PC
45413-5	Yellow	PC RETAIL

Material: Polypropylene / Acrylic

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Red / Yellow


Bulb: #193, 2 CP

Volts / Amps: 12V / .33A

Lens: Red 90162, Yellow 90163

VMRS Code: 034-004-021

LED



SUPERNova® 2 1/2" BEEHIVE LED CLEARANCE/MARKER LAMP

Tin-plated, solid-brass terminals are sealed to housing to resist corrosion and eliminate failure-causing leak paths • Uses same UBS double-seal pigtail as incandescent for a quick Plug-and-Go® retrofit

47222	Red
47223	Yellow

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red / Yellow

Volts / Amps: 12V / .06A


Bracket: 43690, 43160, 43162, 43163, 43512, 43522, 93750, 42180, 42170

Grommet: 91400, 91410, 92070, 91890, 91880, 92920

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-253

LED



HI COUNT® 2 1/2" 9-DIODE BEEHIVE LED CLEARANCE/MARKER LAMP

Twist-on mounting for easy installation • Fits all popular mountings and grommets

G1082	Red
G1083	Yellow

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red / Yellow

Volts / Amps: Red - 12V / .04A,
Yellow - 12V / .07A

Bracket: 43690, 43160, 43162, 43163, 43512, 43522, 93750, 42180, 42170

Grommet: 91400, 91410, 92070, 91890, 91880, 92920

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-253

2½" BEEHIVE CLEARANCE/MARKER LAMP

Twist-on mounting for easy installation • Fits all popular mountings and grommets • All PC versions meet requirements when mounted at 45° angle

45322 Red **PC**
45323 Yellow **PC**

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Red / Yellow

Bulb: 2 CP

Volts / Amps: 12V / .33A

Bracket: 43690, 43160, 43162, 43163, 43512, 43522, 93750, 42180, 42170


Grommet: 91400, 91410, 92070, 91890, 91880, 92920

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-021



45323



BEEHIVE CLEARANCE/MARKER LAMP WITH FIXED-ANGLE MOUNTING BRACKET

Wide light-diffusion optic design • Fade-resistant, snap-on acrylic lens
• Bracket is permanently attached • Meets PC function only when mounted at a 45° angle

45022 Red **PC**
45023 Yellow **PC**

Material: ABS / Steel / Acrylic

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Red / Yellow

Bulb: #67, 4 CP


Volts / Amps: 12V / .59A

Lens: Yellow 90303

VMRS Code: 034-004-021



45023



2½" OVAL LED CLEARANCE/MARKER LAMP

Surface mount design for easy installation • Self-grounding eyelet grounds lamp when attached to metal plate (47012 and 47013)

45002-5 Red **RETAIL**
45003-5 Yellow **RETAIL**

SELF GROUNDING:

47012 Red
47013 Yellow


Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, P3


Finish: Red / Yellow

Volts / Amps: 12V / .05A

VMRS Code: 034-004-253




47012



LED



47082



SUPERNOVA® LED CLEARANCE/MARKER LAMP

Tin-plated, solid-brass terminals are sealed to housing, to resist corrosion and eliminate failure-causing leak paths • Uses the same UBS double-seal pigtail as incandescent for a quick Plug-and-Go® retrofit


47082	Red
47083	Yellow
47084	Green

Material: Polycarbonate
Regulations / Standards: FMVSS 108 / SAE P2 (N/A Green)
Finish: Red / Yellow / Green
Volts / Amps: 12V / .06A
Bracket: 43970, 43980, 94233, 43380
Grommet: 91380
Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840
VMRS Code: 034-004-253

LED



G1503



HI COUNT® 3-DIODE LED CLEARANCE/MARKER LAMP


Uses the same UBS double-seal pigtail as the incandescent version for a quick Plug-and-Go® retrofit • Fits popular mountings and grommets

G1502	Red
G1503	Yellow

Material: Polycarbonate
Regulations / Standards: FMVSS 108 / SAE P2
Finish: Red / Yellow
Volts / Amps: 12V / .06A
Bracket: 43970, 43980, 94233, 43380
Grommet: 91380
Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840
VMRS Code: 034-004-253



46412



CLEARANCE/MARKER LAMP

Uses double-seal UBS pigtail • Meets PC function only when mounted at a 45° angle, recommend bracket 43380

45162	Red
46412	Red
46412-5	Red, Pair Pack
46413	Yellow
46413-5	Yellow, Pair Pack



KITS:

46422-5	Red (43980 + 67050)
46423-5	Yellow (43980 + 67050)



Material: Polycarbonate
Regulations / Standards: FMVSS 108 / SAE P2, PC
Finish: Red / Yellow
Volts / Amps: Bulb: 2 CP: 12V / .33A; Bulb: 3 CP: 24V / .17A
Bracket: 43970, 43980, 94233, 43380
Grommet: 91380;
Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840
VMRS Code: 034-004-021

SUPERNOVA® LED CLEARANCE/MARKER LAMP

Uses same UBS pigtail as incandescent for a quick Plug-and-Go® retrofit
• Meets PC function only when mounted at a 45° angle

P2 RATED::

47092	Red
47093	Yellow

KITS:

65202	Red (47092 + 43850)
65203	Yellow (47093 + 43850)

PC RATED:

47492	Red	PC
47493	Yellow	PC

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Red / Yellow


Volts / Amps: P2 Rated - 12V / .06A; PC Rated - 12V / .12A

Accessory: Lamp Guard: 43120

Bracket: 43780, 43783, 43850

Pigtail: 66982, 66980, 66981

VMRS Code: 034-004-253



HI COUNT® 3-DIODE LED CLEARANCE/MARKER LAMP

Hermetic lens-to-housing seal • Uses the same UBS double-seal pigtail as the incandescent version for a quick Plug-and-Go® retrofit • Fits all popular mountings and grommets

G1902	Red	
G1902-5	Red	RETAIL
G1903	Yellow	
G1903-5	Yellow	RETAIL

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2



Finish: Red / Yellow

Volts / Amps: 12V / .06A

Accessory: Lamp Guard: 43120; Bracket: 43780, 43783, 43850

Pigtail: 66982, 66980, 66981

VMRS Code: 034-004-253







46743



46740



47502



45233



CLEARANCE/MARKER LAMP

Narrow mounting applications • Hermetic lens-to-housing seal
• Meets PC function only when mounted at a 45° angle

46742	Red	PC
46743	Yellow	PC

KITS:

45092	Red (46742 + 43850)	PC
45093	Yellow (46743 + 43850)	PC

ABS LAMP:

78393	Yellow	PC
-------	--------	----

SPLIT LENS COLOR

46740	Red & Yellow
-------	--------------

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, P3, PC, PC2, (46740) - SAE P2

Finish: Red / Yellow

Volts / Amps: Bulb (2) 2 CP: 12V / .66A
Bulb (2) 3 CP: 24V / .34A

Accessory: Lamp Guard: 43120

Bracket: 43780, 43783, 43850

Pigtail: 66980, 66982, 66981

VMRS Code: 034-004-021

SUPERNOVA® LED CLEARANCE/MARKER LAMP WITH BUILT-IN REFLECTOR

Encapsulant potting for total circuit board protection • Tin-plated, solid-brass terminals are sealed to housing, to resist corrosion and eliminate failure-causing leak paths

47502	Red
47503	Yellow

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE A, P2

Finish: Red / Yellow

Volts / Amps: 12V / .06A

Grommet: 93400, 93402

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-253

CLEARANCE/MARKER LAMP WITH BUILT-IN REFLECTOR

Fits popular grommets, pigtails and harnesses

45232	Red
45233	Yellow

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE A, P2

Finish: Red / Yellow

Volts / Amps: Bulb: 2 CP; 12V / .33A

Grommet: 93400, 93402

Pigtail: 66851, 67001, 66850, 66801, 67050, 66800, 66840

VMRS Code: 034-004-021

SUPERNOVA® 3" THIN-LINE LED CLEARANCE/MARKER LAMP

3" mounting center • Field-replaceable lens • Anti-torque design protects against over tightening and lens cracking • Wire exit holes at ends allow for flow-through harnessing • All PC versions meet requirements when mounted at a 45° angle

47242	Red
47243	Yellow
47362	Red 

KITS:

65512	Red (47242 + 66930)
65513	Yellow (47243 + 66930)

PC RATED:

47462	Red 
47463	Yellow 

ABS LAMP:

78453	Yellow
-------	--------

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Red / Yellow

Volts / Amps: 12V / .06A (47242, 47243, 78453), 12V / .12A (47462, 47463)
Red - 24V / .03A; Yellow - 24V / .04A

Pigtail: 66931, 66930, 66932


VMRS Code: 034-004-253



47243



47462



LED

SUPERNOVA® 3" THIN-LINE DUAL INTENSITY LED CLEARANCE/MARKER LAMP

3" mounting center • Multi-function lamp enhances signaling visibility and safety • Compact size for narrow mounting locations • Lamp functions as a marker, clearance, identification and supplemental high-mount stop or turn lamp

49252	Red
49253	Yellow

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Red / Yellow


Volts / Amps: 14V / .02A, .06A

Pigtail: 66870

VMRS Code: 034-004-253




49252



LED

LED



SUPERNOVA® THIN-LINE LED CLEARANCE/ MARKER LAMP

Sealed marker lamp • Encapsulant potting for total circuit board protection
• Thin-Line design fits narrow rails and channels • Uses UBS double-seal pigtail for maximum protection against corrosion

46933 Yellow Lens, Yellow Body

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2


Finish: Yellow

Volts / Amps: 12V / .07A

Bracket: 43074

Pigtail: 66931, 66930, 66932

VMRS Code: 034-004-253



THIN-LINE SINGLE-BULB CLEARANCE/ MARKER LAMP

Narrow rail and channel mounting • Snap-on lens for easy bulb replacement • Attached pigtail

45252 Red

45252-5 Red **RETAIL**

45253 Yellow

45253-5 Yellow **RETAIL**

Material: Lens - Acrylic; Housing - Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2


Finish: Red / Yellow

Bulb: #193, 2 CP

Volts / Amps: 12V / .33A

Lens: Red 90152, Yellow 90153

VMRS Code: 034-004-021



CLEARANCE/MARKER LAMP WITH PEAK LENS

Shock-resistant bulb mount • Snap-on lens for easy bulb replacement
All PC versions meet requirements when mounted at a 45° angle

BLUNT CUT:

45512 Red **PC**

45513 Yellow **PC**

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Red / Yellow

Bulb: #194, 2 CP

Volts / Amps: 12V / .27A

Lens: Red 93252

VMRS Code: 034-004-021

ECONOMY CLEARANCE/MARKER LAMP

Snap-on lens for easy bulb replacement • Brass, ground eyelet • Compact design

46882	Red	
46882-5	Red	RETAIL
46883	Yellow	
46883-5	Yellow	RETAIL

Material: Lens - Polycarbonate; Housing - Polypropylene

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red / Yellow


Volts / Amps: Bulb #194, 2 CP: 12V / .27A

Lens: Red 92432, Yellow 92433

VMRS Code: 034-004-021



46882



RECTANGULAR SINGLE-BULB CLEARANCE/MARKER LAMP WITH BUILT-IN REFLECTOR

Corrosion-resistant body • Flange mounting • Boat, snowmobile, trailer, and RV applications

46392	Red	
46393	Yellow	
46393-5	Yellow	RETAIL

Material: Lens - Acrylic; Housing - Polypropylene


Regulations / Standards: FMVSS 108 / SAE A, P2, P3

Finish: Red / Yellow


Volts / Amps: 12V / .27A

Lens: Red 91112, Yellow 91113

VMRS Code: 034-004-021



46393



RECTANGULAR SUBMERSIBLE CLEARANCE/MARKER LAMP WITH BUILT-IN REFLECTOR

Used with a large variety of boat, snowmobile and utility trailer lighting kits

46982-5	Red, Clearance/Marker	RETAIL
46983-5	Yellow, Clearance/Marker	RETAIL

Material: Lens - Acrylic; Housing - ABS



Regulations / Standards: FMVSS 108 / SAE P2, A

Finish: Red / Yellow

Volts / Amps: 12V / .27A

Lens: Red 91112, Yellow 91113

VMRS Code: 034-004-021



RECTANGULAR CLEARANCE/MARKER LAMP

Chrome-plated, polycarbonate housing • 2" mounting centers
• 1 1/8" socket hole required

47052	Red	
47053	Yellow	

Material: Lens - Acrylic; Housing - Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2


Finish: Chrome / Red / Yellow


Volts / Amps: Bulb #1895, 2 CP: 12V / .27A

VMRS Code: 034-004-021



47052





SINGLE-BULB OVAL CLEARANCE/MARKER LAMP

Snap-on lens • Corrosion-resistant contact and ground • Reflex version is a combined side marker, clearance lamp, and reflector

OPTIC LENS:

46703 Yellow

BUILT-IN REFLECTOR:

46712 Red

46712-5 Red **RETAIL**

46713 Yellow

46713-5 Yellow **RETAIL**

Material: Lens - Acrylic; Housing - Polypropylene

Regulations / Standards: FMVSS 108 / Optic - SAE P2; Reflex - SAE A, P2

Finish: Red / Yellow

Bulb: #193, 2 CP

Volts / Amps: 12V / .33A

Bracket: 43144, 43673

Lens: Optic - Red 90122, Yellow 90123; Reflex - Red 90202, Yellow 90203

VMRS Code: 034-004-021



TWO-BULB OVAL PIGTAIL-TYPE CLEARANCE/MARKER LAMP

Standard snap-on lens for easy bulb replacement • Two stainless steel grounds • Exclusive internal armor for additional bulb protection • Corrosion-resistant contacts • Reflex version is a combined side marker, clearance lamp, and reflector • Optic lens version meets PC function only when mounted at a 45° angle

OPTIC LENS:

45262 Red **PC**

45263 Yellow **PC**

BUILT-IN CLASS "A" REFLECTOR:

45932 Red

45933 Yellow

Material: Lens - Acrylic; Housing - Polypropylene

Regulations / Standards: FMVSS 108 / Optic - SAE P2, PC; Reflex - SAE A, P2

Finish: Red / Yellow

Bulb: (2) #1893, 2 CP

Volts / Amps: 12V / .66A

Bracket: 43144, 43673

Pigtail: 67120

Lens: Optic - Red 91572, Yellow 91573; Reflex - Red 90202, Yellow 90203


VMRS Code: 034-004-021

TWO-BULB NO-SPLICE CLEARANCE/MARKER LAMP

No-splice wiring system • Internal armor for additional protection
• Standard snap-on lens for easy bulb replacement • Meets PC function only when mounted at a 45° angle

45432 Red **PC**
45433 Yellow **PC**

Material: Lens - Acrylic; Housing - Polypropylene
Regulations / Standards: FMVSS 108 / SAE P2, P3, PC
Finish: Red / Yellow
Volts / Amps: Bulb (2) #1893, 2 CP: 12V / .66A
Bracket: 43144, 43673
Lens: Red 91572, Yellow 91573
VMRS Code: 034-004-021




HI COUNT® SQUARE-CORNER 13-DIODE LED CLEARANCE/MARKER LAMP

Molded snap-ring • Potted for total circuit board protection
• Field-replaceable lens

G4602 Red
G4602-5 Red **RETAIL**
G4603 Yellow
G4603-5 Yellow **RETAIL**

Material: Lens - Acrylic; Housing - Polycarbonate
Regulations / Standards: FMVSS 108 / SAE P2
Finish: Red / Yellow
Volts / Amps: 12V / .15A
Bracket: 43144, 43673
Lens: Red 91962, Yellow 91963, Clear 91961
VMRS Code: 034-004-253



TWO-BULB SQUARE-CORNER CLEARANCE/MARKER LAMP

Corrosion-resistant contacts • Snap-on lens for easy bulb replacement • Attached blunt cut pigtail • Meets PC function only when mounted at a 45° angle


DURAMOLD®

46792 Red **PC**
46792-5 Red **PC** **RETAIL**
46793 Yellow **PC**
46793-5 Yellow **PC** **RETAIL**


DIE CAST

46782 Red **PC**
46783 Yellow **PC**

Materials: Duramold: Lens - Polycarbonate; Housing - Polypropylene
Die-cast: Lens - Acrylic; Housing - Steel
Regulations / Standards: FMVSS 108 / SAE P2, P3, PC
Finish: Red / Yellow
Volts / Amps: Bulb (2) #1893, 2 CP: 12V / .66A
Bracket: 43144, 43673
Pigtail: 67120
Lens: Red 91962, Yellow 91963, Auxiliary - Clear 91961, Green 91964
VMRS Code: 034-004-021



LED

**M1 SERIES LED CLEARANCE/MARKER LAMP**

Sleek, aerodynamic styling • Corrosion-resistant, chrome-plated bezels
 • Molded bullet kits come with two replacement mating connectors

LAMP KITS WITH BEZEL:

45582	Red, .180 Molded Bullet
45583	Yellow, .180 Molded Bullet
47772	Red, Clear Lens, .180 Molded Bullet
47773	Yellow, Clear Lens, .180 Molded Bullet
45603	Yellow, Metri-pack® Plug

LAMP KITS WITHOUT BEZEL:

45623	Yellow, .180 Molded Bullet
45643	Yellow, Metri-pack® Plug

Material: Lens - Polycarbonate; Housing - Polycarbonate; Bezel - ABS

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Chrome / Red / Yellow


Volts / Amps: 12V / .12A

Accessory: Bezel Chrome 93453

Pigtail: 66200

VMRS Code: 034-004-253

LED

**M1 SERIES CLEARANCE/MARKER LAMP**

Sleek, aerodynamic styling • Molded bullet versions are bulb replaceable
 • Corrosion-resistant, chrome-plated bezels • Metri-pack® versions have a hermetic lens-to-housing seal

LAMP KITS WITH BEZEL:

45573	Yellow, .180 Molded Bullet
45593	Yellow, Metri-pack® Plug

LAMP KITS WITHOUT BEZEL:

45633	Yellow, Metri-pack® Plug
--------------	--------------------------

Material: Lens and Housing - Polycarbonate; Bezel - Chrome-plated ABS

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Chrome / Red / Yellow


Volts / Amps: Bulb: #193, 2 CP: 12V / .33A; Bulb: #464, 3 CP: 24V / .17A

Accessory: Bezel Chrome 93453

Pigtail: 66200

VMRS Code: 034-004-253

LED

**M3 SERIES LED CLEARANCE/MARKER LAMP**

Sleek, aerodynamic styling • Corrosion-resistant, chrome-plated bezels
 • Kits contain two replacement mating connectors

LAMP KITS WITH BEZEL:

45773	Yellow, .180 Molded Bullet
--------------	----------------------------

LAMP KITS WITHOUT BEZEL:

45793	Yellow, .180 Molded Bullet
--------------	----------------------------

Material: Lens and Housing - Polycarbonate; Bezel - Chrome-plated ABS

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Yellow

Volts / Amps: 12V / .06A

Pigtail: 66200

VMRS Code: 034-004-253

M3 SERIES CLEARANCE/MARKER LAMP

Sleek, aerodynamic styling • Field replaceable, bulb design • Corrosion-resistant, chrome-plated bezels • No exposed fasteners

45763 Yellow, .180 Molded Bullet

Material: Lens and Housing - Polycarbonate; Bezel - Chrome-plated ABS

Regulations / Standards: FMVSS 108 / SAE P2


Finish: Yellow

Bulb: #193, 2 CP

Volts / Amps: 12V / .33A

Pigtail: 66200

VMRS Code: 034-004-253



M5 SERIES LED CLEARANCE/MARKER LAMP

Sleek, aerodynamic styling • Corrosion-resistant chrome-plated bezels • Kits contain two replacement mating connectors • Small size fits into narrow applications

LAMP KITS WITH BEZEL:

47913 Yellow, .180 Molded Bullet

47922 Red, Clear Lens, .180 Molded Bullet

47923 Yellow, Clear Lens, .180 Molded Bullet


Material: Lens and Housing - Polycarbonate; Bezel - Chrome-plated ABS

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Chrome / Clear / Red / Yellow

Pigtail: 66200

VMRS Code: 034-004-253



SUPERNOVA® LOW-PROFILE LED CLEARANCE/MARKER LAMP

Sealed hardwire terminations with .180 molded, UBS Slim-Line bullets • Field replaceable lens • Requires 1 1/4" hole for mounting • Popular marker lamp on Peterbilt® trucks • Built-in reflector

WITHOUT BEZEL:

47262 Red, w/ .180 Molded Bullets

47263 Yellow, w/ .180 Molded Bullets

WITH BEZEL:

47252 Red, w/ .180 Molded Bullets

47253 Yellow, w/ .180 Molded Bullets

Material: Lens - Acrylic; Housing - Polypropylene; Bezel - Stainless Steel

Regulations / Standards: FMVSS 108 / SAE A, P2


Finish: Stainless Steel / Red / Yellow

Volts / Amps: 12V / .06A

Lens: Red 90072, Yellow 90073

VMRS Code: 034-004-253



**LOW-PROFILE CLEARANCE/MARKER LAMP**

Field-replaceable lens • Requires 1 1/4" socket hole for mounting
 • Twist-in bulb socket for easy bulb replacement • Built-in reflector

WITHOUT BEZEL:

45712 Red
45713 Yellow

WITH BEZEL:

45662 Red
45663 Yellow

Material: Lens - Acrylic; Housing - Polypropylene; Bezel - Stainless Steel

Regulations / Standards: FMVSS 108 / SAE A, P2

Finish: Stainless Steel / Red / Yellow


Bulb: #194, 2 CP

Volts / Amps: 12V / .27A


Pigtail: 68380

Lens: Red 90072, Yellow 90073

VMRS Code: 034-004-021

LED

47733

**SEALED RECTANGULAR LED CLEARANCE/MARKER LAMP**

Fits standard mounting holes, no bracket required • Uses same .180 molded bullet connections as incandescent versions for a quick, easy retrofit • Replaces Truck-Lite® 18050R (red) or 18050Y (yellow)

47732 Red, w/ .180 Molded Bullets
47733 Yellow, w/ .180 Molded Bullets



Material: Acrylic

Regulations / Standards: FMVSS 108 / SAE A, P2

Finish: Red / Yellow

Volts / Amps: 12V / .06A, 24V / .06A

VMRS Code: 034-004-253

SUPERNOVA® SEALED TURTLEBACK® II LED CLEARANCE/MARKER LAMP

Tin-plated, solid-brass terminals are sealed to housing to resist corrosion and eliminate failure causing leak paths • Meets PC function only when mounted at a 45° angle • Not designed for vertical mount

BUILT-IN REFLECTOR:

- 47072** Red, Male Pin
47073 Yellow, Male Pin

PC RATED OPTIC LENS:

- 47162** Red, Male Pin **PC**
47163 Yellow, Male Pin **PC**
49392 Red, Hardwire **PC**
49393 Yellow, Hardwire **PC**

ABS LAMP:

- 78403** Yellow, Reflex Lens, Male Pin

Material: Reflex - Lens: Acrylic; Housing: Polycarbonate
Optic - Lens: Polycarbonate
Duel - Housing: Polycarbonate

Regulations / Standards: FMVSS 108 / Optic - SAE P2, PC; Reflex - SAE A, P2


Finish: Red / Yellow

Volts / Amps: P2 - 12V / .06A
PC Red - 12V / .04A, Yellow - 12V / .06A

Bracket: 43050


Pigtail: 66911, 66910, 67070, 67071

VMRS Code: 034-004-253




LED

47073



47162



HI COUNT® TURTLEBACK® II LED CLEARANCE/MARKER LAMP

Hermetic lens-to-housing seal • Shock-absorbing, heat-resistant lens and lamp base • Red lamp has 8 diodes, yellow lamp has 10 diodes
• Built in reflector

- G2102** Red
G2103 Yellow

Material: Lens: Acrylic; Housing: Polycarbonate


Regulations / Standards: FMVSS 108 / SAE A, P2

Finish: Red / Yellow

Volts / Amps: Red - 12V / .12A
Yellow - 12V / .15A


Bracket: 43050


VMRS Code: 034-004-253



LED

G2103





SUPERNOVA® SEALED TURTLEBACK® II LED DUAL INTENSITY CLEARANCE/MARKER LAMP

Tin-plated, solid-brass terminals are sealed to housing to resist corrosion and eliminate failure-causing leak paths • Meets PC function when mounted at a 45° angle • Not designed for vertical mount

54003 Yellow, Male Pin

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, PC


Color: Yellow

Voltage Amp: 12V / .12A

Bracket: 43050

Pigtail: 66815, 66816, 66841, 66845, 67002, 67005


VMRS Code: 034-004-253



46832



46873



SEALED TURTLEBACK® II CLEARANCE/MARKER LAMP

Shock-absorbing, heat-resistant lens and lamp base • Waterproof male pin connections accept UBS pigtail • Turtleback® lens design for maximum durability • Optic lens version meets PC function only when mounted at a 45° angle

OPTIC LENS:

46832 Red, Male Pin

46833 Yellow, Male Pin

PC

PC

REFLEX LENS:

46872 Red, Male Pin

46873 Yellow, Male Pin

ABS LAMP:

78363 Yellow, Optic Lens, Male Pin PC

Material: Reflex: Lens - Acrylic; Housing - Polycarbonate
Optic: Lens and Housing - Polycarbonate

Regulations / Standards: FMVSS 108 / Optic - SAE P2, P3, PC;
Reflex - SAE A, P2

Finish: Red / Yellow

Bulb: (2) 2 CP

Volts / Amps: 12V / .66A

Bracket: 43050

Pigtail: 66910, 66911, 67070, 67071

VMRS Code: 034-004-021

ECONOMY SEALED CLEARANCE/MARKER LAMP

Self grounding eyelet grounds lamp when attached to a metal plate

- Retrofits to competitor lamps easily with hot wire termination; Truck-Lite® 21201R (red) or 21201Y (yellow) • Reflex built-in

46072 Red
46073 Yellow

KITS:

46082 Red (46072 + 66360)
46083 Yellow (46073 + 66360)

Material: Acrylic

Regulations / Standards: FMVSS 108 / SAE A, P2


Finish: Red / Yellow

Bulb: 2 CP


Volts / Amps: 12V / .33A

Pigtail: 66360

VMRS Code: 034-004-021



46072



TWO-BULB TURTLEBACK® CLEARANCE/ MARKER LAMP

Two stainless steel grounds

OPTIC LENS:

45462 Red
45463 Yellow

BUILT-IN REFLECTOR:

46302 Red
46303 Yellow

Material: Optic: Lens - Polycarbonate; Housing - Polypropylene
Reflex: Lens - Acrylic; Housing - Polypropylene

Regulations / Standards: FMVSS 108 / Optic - SAE P2; Reflex - SAE A, P2

Finish: Red / Yellow


Bulb: (2) #1893, 2 CP

Volts / Amps: 12V / .66A


Pigtail: 67120

Lens: Optic - Red 90172, Yellow 90173; Reflex - Red 91042, Yellow 91043


VMRS Code: 034-004-021



45462



46303



TWO-BULB TURTLEBACK® NO-SPLICE CLEARANCE/MARKER LAMP

No-splice wiring system • Turtleback® lens design for maximum durability
• Corrosion-resistant contacts

45442 Red
45443 Yellow

Material: Lens - Polycarbonate; Housing - Polypropylene

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red / Yellow


Bulb: (2) #1893, 2 CP

Volts / Amps: 12V / .66A

Lens: Red 90172, Yellow 90173

VMRS Code: 034-004-021

LED



RAZORBACK MID-POSITION FLASHING LED MARKER LAMP

Patent-pending electronic design meets all FMVSS 108 marker requirements and also flashes in concert with the turn signal circuitry to act as a mid-position flasher • 50-State-Legal flashing mid-position marker • Easily visible from the cab during operation • Fits current mounting flanges and grommets

54593 Yellow, Hardshell
54663 Yellow, Male Pin

Material: Polycarbonate

Finish: Yellow

Regulations / Standards: FMVSS 108 / SAE P2


Volts / Amps: 13.5V / .18A

Brackets: 43220, 43222, 43223, 43732, 43362, 43952, 43172, 43100, 42152, 42153

Grommet: 92420, 92720

Pigtails: 66861

VMRS Code: 034-003-097



SMALL SQUARE PC-RATED CLEARANCE/MARKER LAMP

Direct replacement for Truck-Lite® 12200R • Includes gasket • Sonic sealed lens

46092 Red **PC**

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Red

Bulb: 2 CP

Volts / Amps: 12V / .33A

VMRS Code: 034-004-021


DIE-CAST ALUMINUM CLEARANCE/MARKER LAMP

Mounts without disassembly • Holes interchange with competitive lamps for easy retrofits • Lens replaces comparable competitor models • Meets PC function only when mounted at a 45° angle

FLAT BACK, NO SOCKET HOLE REQUIRED:

46282 Red **PC**
46283 Yellow **PC**

Material: Lens - Acrylic; Housing - Aluminum
Regulations / Standards: FMVSS 108 / SAE P2, PC
Finish: Red / Yellow
Bulb: #193, 2 CP
Volts / Amps: 12V / .33A
Lens: Red 90922, Yellow 90923
VMRS Code: 034-004-021




NARROW-RAIL CLEARANCE/MARKER LAMP

Steel housing for additional lamp protection • Two- or four-hole mounting for easy retrofits • Flat back; no need for lamp socket hole • Meets PC function only when mounted at a 45° angle

45172 Red **PC**
45173 Yellow **PC**

Material: Lens - Acrylic; Housing - Steel
Regulations / Standards: FMVSS 108 / SAE P2, P3, PC
Finish: Red / Yellow
Bulb: #193, 2 CP
Volts / Amps: 12V / .33A
Lens: Red 90052, Yellow 90053, Auxiliary: Clear 90051
VMRS Code: 034-004-021





ARMORED CLEARANCE/MARKER LAMP

Steel housing for additional lamp protection • Two- or four-hole mounting for easy retrofits • Rear socket hole required • Meets PC function only when mounted at a 45° angle


45012 Red **PC**
45013 Yellow **PC**

Material: Lens - Acrylic; Housing - Steel
Regulations / Standards: FMVSS 108 / SAE P2, P3, PC
Finish: Red / Yellow
Bulb: #67, 4 CP
Volts / Amps: 12V / .59A
Pigtail: 68080
Lens: Red 90052, Yellow 90053; Auxiliary: Clear 90051
VMRS Code: 034-004-021





46893



CHROME-ARMORED CLEARANCE/MARKER LAMP

Direct interchange for competitive models • Flat back; no bulb socket hole required • Meets PC function only when mounted at a 45° angle

46892	Red	PC
46892-5	Red	PC RETAIL
46893	Yellow	PC
46893-5	Yellow	PC RETAIL

Material: Lens - Acrylic; Housing - Chrome-plated ABS

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Red / Yellow


Bulb: #194, 2 CP

Volts / Amps: 12V / .27A

Lens: Red 90922, Yellow 90923

VMRS Code: 034-004-021

LED



SUPERNOVA® LOW-PROFILE LED BAR LAMP

Twist-in, locking feature • Sealed UBS harness • Uses 2 1/2" round LED replacement lamps

49162	Red
-------	-----

Material: Lens - Polycarbonate; Housing - Steel


Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red

Volts / Amps: 12V / .18A

Accessory: Lamp: Red 47122; Harness: 67740

VMRS Code: 034-004-149



LOW-PROFILE BAR LAMP

Uses 2 1/2" round, replaceable lamps • Twist-in, locking feature • Sealed UBS harness

49142	Red
-------	-----

Material: Lens - Polycarbonate; Housing - Steel

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red


Bulb: (3) 2 CP

Volts / Amps: 12V / .99A

Accessory: Harness: 67740, Lamp: Red 45812

VMRS Code: 034-004-149

LED



SUPERNOVA® LED BAR LAMP

Snap-on replacement lamps • Sealed flow-through UBS harness • Rugged reinforced polycarbonate bar • Easy to install

49182	Red
-------	-----

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red

Volts / Amps: 12V / .18A

Accessory: Lamp: Red 47082; Harness: 69710

VMRS Code: 034-004-149

POLYCARBONATE BASE BAR LAMP

Three replaceable snap-on lamps • Sealed flow-through harness
• Rugged reinforced polycarbonate bar • Easy to install

49172 Red

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2


Finish: Red

Bulb: (3) 2 CP

Volts / Amps: 12V / .99A

Accessory: Lamp: Red 46412, Yellow 46413; Harness: 69710

VMRS Code: 034-004-149



ALUMINUM BASE BAR LAMP

Thin-line design fits narrow rails and channels • Three two-bulb replaceable snap-on lamps • Easy installation • UBS wire harness included

49132 Red

Material: Lens - Polycarbonate; Housing - Aluminum

Regulations / Standards: FMVSS 108 / SAE P2


Finish: Red

Bulb: (6) 2 CP

Volts / Amps: 12V / 1.98A

Accessory: Lamp: Red 46742

VMRS Code: 034-004-149



MICRONOVA® LED BAR LAMP

Low-profile design fits narrow rail applications • Easy to install
• Rugged reinforced polycarbonate bar

49202 Red

Material: Polycarbonate



Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red

Volts / Amps: 12V / .16A

Accessory: Lamps: Red 47962

VMRS Code: 034-004-149



SUPERNOVA® THIN-LINE LED BAR LAMP

Thin-Line design fits narrow rails and channels • Easy installation
• Sealed UBS harness included • Replaceable external guard made of formed aluminum

49122 Red

Material: Lens - Polycarbonate; Housing - Aluminum


Regulations / Standards: FMVSS 108 / SAE P2


Finish: Red

Volts / Amps: 12V / .18A

Branch Guard: 43074

VMRS Code: 034-004-149






15" SLIM LED BAR LAMP

Impact-resistant housing is sealed for moisture protection

49192 Red
49223 Yellow
49242-5 Red, 13.5" **RETAIL**

Material: Polycarbonate
Regulations / Standards: FMVSS 108 / SAE P2, P3
Finish: Red / Yellow
Volts / Amps: 12V / .25A
VMRS Code: 034-004-149




2 1/2" OVAL LED BAR LAMP

Impact resistant housing with sonic sealed, shock and vibration-resistant lamps • Uses three dual-diode LED lamps

49212-5 Red **RETAIL**

Material: Lens and Housing - Polycarbonate; Bar - ABS
Regulations / Standards: FMVSS 108 / SAE P2
Finish: Red
Volts / Amps: 12V / .15A
Accessory: Lamp: Red 47012
VMRS Code: 034-004-149




ECONOMY BAR LAMP

Three bulb-replaceable 46882 lamps • Formed steel bar with white enamel

49112 Red
49112-5 Red **RETAIL**

Material: Lens - Acrylic; Housing - Polycarbonate; Bar - Formed Steel
Regulations / Standards: FMVSS 108 / SAE P2
Finish: Red
Bulb: (3) #194, 2 CP
Volts / Amps: 12V / .81A
Lens: Red 92432
VMRS Code: 034-004-149



THIN-LINE BAR LAMP

Three bulb-replaceable 45252 lamps • Black powder-coated, formed steel bar

49062 Red

Material: Lens - Acrylic; Housing - Polycarbonate; Bar - Formed Steel
Regulations / Standards: FMVSS 108 / SAE P2
Finish: Red
Bulb: (3) #193, 2 CP
Volts / Amps: 12V / .99A
Replacement Lens: Red 90152
VMRS Code: 034-004-149

LOW-PROFILE BAR LAMP

Three-bulb, replaceable 45262 or 46792 lamps

49072 Red, Oval Style

49082 Red, Square Corner Style

Material: Lens and Housing - Polycarbonate; Housing and Bar - Polypropylene

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red

Bulb: (6) #1893, 2 CP


Volts / Amps: 12V / 1.98A

Lens: Oval - 90122; Square - 91962

VMRS Code: 034-004-149



49082



OEM-STYLE, LARGE AERODYNAMIC CAB MARKER LAMP

3/8" thick mounting gasket • Mounting holes interchange with most popular torpedo-type cab marker lamps • Chrome-plated body, long-life bulb • Used on Ford®, Navistar®, and Freightliner® trucks • Meets side marker and front clearance requirements simultaneously

46823 Yellow **PC**

Material: Lens - Polycarbonate; Housing - Chrome-Plated ABS

Regulations / Standards: FMVSS 108 / SAE P2, P3, PC


Finish: Chrome / Yellow

Bulb: #904, 4 CP

Volts / Amps: 12V / .69A

Lens: Yellow 92193

VMRS Code: 034-004-021



SUPERNOVA® SMALL AERODYNAMIC LED CAB MARKER LAMP

Meets side marker and front clearance requirements simultaneously

47183 Yellow **PC**

Material: Lens - Polycarbonate; Housing - Valox®

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Yellow

Volts / Amps: 12V / .12A


Accessory: Chrome Bezel: 92583

Lens: Yellow 92183

VMRS Code: 034-004-253



LED



LOW-PROFILE AERODYNAMIC CAB MARKER LAMP

Aerodynamic design • Cab marker replacement for heavy-duty Ford® trucks • Field-replaceable lens • Mounting screws included

46003 Yellow

46003-5 Yellow **RETAIL**

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Yellow


Volts / Amps: Bulb #168, 3 CP: 12V / .27A

Lens: Yellow 93393



VMRS Code: 034-004-021



LED



LED



SUPERNOVA® FLUSH-MOUNT LED CAB MARKER LAMP

Potted for total circuit board protection • Sealed hardwire connections with UBS molded .180 bullet terminals • Freightliner®, Sterling®, and Navistar® replacement

47063 Yellow

Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Yellow

Volts / Amps: 12V / .12A

VMRS Code: 034-004-253



FLUSH-MOUNT CAB MARKER LAMP

Application for visors • Hermetic lens-to-housing seal • Used on Freightliner®

46913 Yellow


Material: Polycarbonate

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Yellow

Pigtail: 68380

VMRS Code: 034-004-021



DELUXE DIE-CAST CAB MARKER LAMP

Easy installation • Neoprene mounting pad • Chrome-plated • Meets side marker and front clearance requirements simultaneously

45333 Yellow

Material: Lens - Acrylic; Housing - Chrome-Plated Zinc Die-cast

Regulations / Standards: FMVSS 108 / SAE P2, P3


Finish: Chrome / Yellow

Bulb: #67, 4 CP

Volts / Amps: 12V / .59A

Pigtail: 68080

VMRS Code: 034-004-021



ECONOMY CAB MARKER LAMP

Fits flat or slight contour surfaces • Replaces original equipment on Ford® trucks • Meets side marker and front clearance requirements simultaneously

46543 Yellow

46543-5 Yellow

PC
PC RETAIL

Material: Lens - Acrylic; Housing - ABS

Regulations / Standards: FMVSS 108 / SAE P2, PC

Finish: Yellow

Bulb: #67, 4 CP

Volts / Amps: 12V / .59A

Pigtail: 68170

Lens: Yellow 91683


VMRS Code: 034-004-021

FORD® LIGHT DUTY CAB MARKER LAMP

Replaces surface mount, cab marker on Ford® F-Series trucks • Replaceable bulb design • Mounting pad and screws included

45503 Yellow **PC**

Material: Lens - Polycarbonate; Housing - ABS
Regulations / Standards: FMVSS 108 / SAE P2, PC
Finish: Yellow
Bulb: #194, 2 CP
Volts / Amps: 12V / .27A
VMRS Code: 034-004-021




SHOCK-RESISTANT TORPEDO-STYLE CAB MARKER LAMP

Replacement for Mack® and Kenworth® • Includes two 1/4" bolts on 9 3/4" centers for mounting

45993 Yellow **PC**

Material: Lens - Acrylic; Housing - Chrome-Plated ABS
Regulations / Standards: FMVSS 108 / SAE P2, PC
Finish: Yellow
Bulb: #67, 4 CP
Volts / Amps: 12V / .59A
Lens: Yellow 92773
VMRS Code: 034-004-021



HI COUNT® SCHOOL BUS WEDGE LED MARKER LAMP

Potted circuit board • Mounting gasket included • Blunt cut, hardwire termination • 15 diodes in both red and yellow lamps • Meets PC when mounted at a 45° only


G5052 Red **PC**
G5053 Yellow **PC**
G5053-5 Yellow **PC RETAIL**

Material: Polycarbonate
Regulations / Standards: FMVSS 108 / SAE P2, PC
Finish: Red / Yellow
Volts / Amps: 12V / .1A
VMRS Code: 034-004-253





46323



SCHOOL BUS WEDGE MARKER LAMP

Adaptable front/side/rear mount • Galvanized steel housing
• Fits most school bus applications

46322 Red
46323 Yellow

Material: Lens - Acrylic; Housing - Galvanized Steel

Regulations / Standards: FMVSS 108 / SAE P2

Finish: Red / Yellow

Bulb: #168, 3 CP


Volts / Amps: 12V / .35A

Lens: Red 99912, Yellow 99913

VMRS Code: 034-004-021



46332



SCHOOL BUS RECTANGULAR MARKER LAMP

OEM-style • Fits most school bus applications • Includes mounting pad

46332 Red
46333 Yellow

Material: Lens - Acrylic; Housing - Zinc

Regulations / Standards: FMVSS 108 / SAE P2

Bulb: #168, 3 CP

Volts / Amps: 12V / .35A

Lens: Red 99802, Yellow 99803

VMRS Code: 034-004-021

FEMALE PIN CLEARANCE MARKER PIGTAILS

For more information on pigtail products see **Pigtails** section: page 254


SEALED MARKER LAMP PIGTAILS

DOUBLE SEAL:

- 67001** 6" Long, Ring Terminal Ground, Blunt Cut Wire
- 66850** 6" Long, Chassis Ground
- 66851** 6" Long, Ground Return

SINGLE SEAL:


- 66801** 6" Long, Ground Return
- 67050** 6" Long, Ring Terminal Ground, Blunt Cut Wire
- 67050-5** 6" Long, Ring Terminal Ground, Blunt Cut Wire RETAIL
- 66840** 6" Long, Chassis Ground, Standard .180 Male
- 66800** 6" Long, Chassis Ground, Slim-Line .180 Male



MALE PIN CLEARANCE MARKER PIGTAILS

CLEARANCE / MARKER PIGTAILS

- 66980** 6" Long, Chassis Ground, Slim-Line .180 Male
- 66981** 6" Long, Universal Replacement, Blunt Cut, Ring Terminal Grommet
- 66982** 8" Long, Ground Return



THIN LINE CLEARANCE MARKER PIGTAILS

THIN-LINE LED PIGTAILS

- 66930** 5" Long, Chassis Ground System
- 66931** 6" Long, Ground Return




HIGH-MOUNT STOP LAMP PIGTAIL

- 66870** 12 1/2" Long, Slim-Line .180 Male



TRIPLE-LAMP ID HARNESSSES

- 66111** 54" Long, Universal Triple-ID Jumper (31"x12"x12")
- 66932** 60" Long, LED Triple-ID Jumper (36"x12"x12")



TURTLEBACK® CLEARANCE MARKER PIGTAILS

For more information on pigtail products see **Pigtails** section: page 254

SEALED, ECONOMY CLEARANCE/ MARKER LAMP PIGTAIL

66360 6 3/4" Long w/ 3/8" Wire Strip




TURTLEBACK® II DOUBLE-SEAL LAMP PIGTAILS

66910 6" Long, Chassis Ground, Slim-Line .180 Male

66911 6" Long, Ground Return, Standard .180 Male

67070 2 1/2" Long, Ground Wire, Standard .180 Male

67071 Two-Wire, Standard .180 Male





SENTRY LAMP PIGTAILS

66900 6" Long, Chassis Ground, Slim-Line .180 Male, 3 1/2" Ground, Star Ring Terminal


66904 6" Long, Ground Return, Slim-Line .180 Male

66905 6" Long, Chassis Ground, Slim-Line .180 Male



SENTRY HIGH-MOUNT STOP PIGTAIL

66902 6" Long, Slim-Line .180 Male, 3" Ground, Star Ring Terminal





STOP / TAIL / TURN THREE-WIRE PLUG-IN PIGTAILS FOR MALE PIN LAMPS

66815 6" Long, Ground Return, Slim-Line .180 Male

66841 8" Long, Chassis Ground, Slim-Line .180 Male

67002 11" Long, Chassis Ground, Blunt Cut Wire





STOP / TAIL / TURN THREE-WIRE 90° PLUG-IN PIGTAILS FOR MALE PIN LAMPS

66816 6" Long, Ground Return System, 90° Plug, Slim-Line .180 Male

66845 8" Long, Chassis Ground, 90° Plug, Slim-Line .180 Male

67005 11" Long, Chassis Ground, 90° Plug, Blunt Cut Wires



MICRONOVA® DOT MOUNTING

For more information on mounting products see **Mounting Options** section: page 264



HOODED MICRONOVA® DOT GROMMET

94360 Black

Material: PVC
Finish: Black



MICRONOVA® SECURITY PLATE

42063 Stainless Steel

Material: Stainless Steel
Finish: Stainless Steel



SURFACE MOUNT BRACKET FOR MICRONOVA® OR MICRONOVA DOT

42110 Gray

42120 Gray, Corner Radius Bracket

Material: Polycarbonate
Finish: Gray



MICRONOVA® DOT ROUND ADAPTER BRACKETS

42302 2" Round Grommet Adapter

42312 2.5" Round Grommet Adapter

42292 3" Round Flange Adapter

42282 3.5" Round Flange Adapter



MICRONOVA® SURFACE MOUNT BRACKET

42070 Gray

Material: Polycarbonate
Finish: Gray



MICRONOVA® DOT ADAPTER BRACKET

94350 Gray

Material: Polycarbonate
Finish: Gray

MICRONOVA® MOUNTING



MICRONOVA® OVAL BEZEL

42343 Stainless Steel Bezel

Material: Stainless Steel
Finish: Stainless Steel



MICRONOVA® LAMP BEZEL

93803 Chrome-Plated

Material: ABS
Finish: Chrome

2" CLEARANCE MARKER MOUNTING

For more information on mounting products see **Mounting Options** section: page 264




RECESSED MOUNTING GROMMET FOR 2" ROUND LAMPS

- 92120** Open Grommet
92150 Closed Back Grommet

KITS:

- 94100** Open Grommet (92120 + 67050)

Material: PVC
Finish: Black



TWIST-IN SURFACE MOUNT BRACKET FOR 2" AND 2½" ROUND LAMPS

- 43690** Gray

Material: Polycarbonate
Finish: Gray



THEFT-RESISTANT MOUNTING FLANGE FOR 2" ROUND LAMPS

- 43150** Gray, Polycarbonate
43152 Black, Polycarbonate
43153 Chrome-Plated, ABS


Material: Polycarbonate/ABS
Finish: Gray/Black/Chrome



TWIST-IN SURFACE MOUNT BRACKET FOR 2" AND 2½" ROUND LAMPS

- 42180** Gray


Material: Polycarbonate
Finish: Gray



SURFACE MOUNT BRACKET WITH GROMMET FOR 2" ROUND LAMPS

- 93760** Gray

Material: Polycarbonate
Finish: Gray
Grommet: 92120



4 5/8" CORNER RADIUS SURFACE MOUNT BRACKET FOR 2" AND 2½" ROUND LAMPS

- 43760** Gray

Material: Polycarbonate
Finish: Gray



LICENSE LAMP MOUNTING BRACKET

- 43040** White

Material: Polycarbonate
Finish: White



90° ANGLE MOUNTING BRACKET FOR 2" AND 2½" ROUND LAMPS

- 43532** Accommodates 94100, 92120, and 92150 Grommets (2 5/16" Hole)

Material: Steel
Finish: Black Enamel

2 1/2" CLEARANCE MARKER MOUNTING

For more information on mounting products see **Mounting Options** section: page 264




RECESSED MOUNTING GROMMET FOR 2 1/2" ROUND LAMPS

- 91400** Open Grommet
92070 Closed Back Grommet

KITS:

- 94010** Open Grommet (91400 + 67050)

Material: PVC
Finish: Black




RECESSED MOUNTING GROMMET FOR 2 1/2" ROUND LAMPS

- 91410** Open Grommet

KITS:

- 94000** Open Grommet (91410 + 67050)


Material: PVC
Finish: Black



45° ANGLED BEVELED-EDGE RECESSED MOUNTING GROMMET FOR 2 1/2" ROUND LAMPS

- 91880** Open Grommet
92920 Closed Back Grommet


Material: PVC
Finish: Black



SURFACE MOUNT GROMMET FOR 2 1/2" ROUND LAMPS

- 91890** Open Grommet

Material: PVC
Finish: Black



THEFT-RESISTANT MOUNTING FLANGE FOR 2 1/2" ROUND LAMPS

MOUNTING FLANGE:

- 43160** Gray, Polycarbonate
43162 Black, Polycarbonate
43163 Chrome-Plated, ABS

PIGTAIL RETENTION CAP:

- 93670** Gray

Material: Polycarbonate/ABS
Finish: Gray/Black/Chrome



SNAP-IN MOUNTING FLANGE FOR 2 1/2" ROUND LAMPS


MOUNTING FLANGE:

- 42170** Gray

SECURITY RING:

- 43823** Stainless Steel


Material: Polycarbonate/Stainless Steel
Finish: Gray/Chrome



SURFACE MOUNTING BRACKET WITH GROMMET FOR 2 1/2" ROUND LAMPS

- 93750** Gray

Material: Polycarbonate/PVC
Finish: Gray/Black



TWIST-IN SURFACE MOUNT BRACKET FOR 2" AND 2 1/2" ROUND LAMPS

- 43690** Gray


Material: Polycarbonate
Finish: Gray



TWIST-IN SURFACE MOUNT BRACKET FOR 2" AND 2 1/2" ROUND LAMPS

- 42180** Gray

Material: Polycarbonate
Finish: Gray



4 5/8" CORNER RADIUS SURFACE MOUNT BRACKET FOR 2" AND 2 1/2" ROUND LAMPS

- 43760** Gray

Material: Polycarbonate
Finish: Gray



90° ANGLE MOUNTING BRACKET FOR 2" AND 2 1/2" ROUND LAMPS

FOR 2 1/2" LAMPS:

- 43512** Accommodates 94010, 91400, 92070 Grommets (2 25/32" Hole)
43522 Accommodates 94000, 91410 Grommets (3" Hole)

FOR 2" LAMPS:

- 43532** Accommodates 94100, 92120, and 92150 Grommets (2 5/16" Hole)

Material: Steel
Finish: Black Enamel

3" CLEARANCE MARKER MOUNTING

For more information on mounting products see **Mounting Options** section: page 264



GROMMET FOR SMALL RECTANGULAR LAMPS

91380 Black

Material: PVC
Finish: Black



LICENSE LAMP BRACKET FOR SMALL RECTANGULAR LAMPS

42162 Black

Material: Polycarbonate
Finish: Black



BRACKET FOR SMALL RECTANGULAR LAMPS

94233 Chrome-Plated

KITS:

43970 Gray (+ 67050 pigtail)

43980 Chrome-Plated (+ 67050 pigtail)

Material: Polycarbonate/ABS
Finish: Chrome/Gray



LICENSE LAMP MOUNTING BRACKET

43960 Gray

43962 Black

Material: Polycarbonate
Finish: Gray/Black



HEADER-MOUNT BRACKET FOR SMALL RECTANGULAR LAMPS

KITS:

43380 White (42141 + 67050)

Material: Polycarbonate
Finish: White




LAMP GUARD FOR SMALL RECTANGULAR LAMPS

43120 Aluminum

Material: Aluminum
Finish: Aluminum

3" – 5" CLEARANCE MARKER MOUNTING



MOUNTING BRACKET FOR LARGE RECTANGULAR LAMPS

43780 Gray Bracket

43783 Chrome-Plated Bracket, ABS

KITS:

43390 Gray (43780 + 66981)

43790 Gray (43780 + 66980)

Material: Polycarbonate/ABS
Finish: Gray/Chrome



LOW PROFILE MOUNTING BRACKET

43850 Gray

Material: Polycarbonate
Finish: Gray

THIN LINE CLEARANCE MARKER MOUNTING



THIN-LINE LED LAMP GUARD

43074 Aluminum

Material: Aluminum
Finish: Aluminum

REPLACEMENT LENSES

LENS MODEL NUMBER	FITS LAMP	LENS MODEL NUMBER	FITS LAMP
90072	45662	91042	46302
	45712	91043	46303
	47262	91572	45262
	47252		45432
90073	45663		49072
	45713	91573	45263
	47263		45433
	47253	91683	46543
90122	49072	91962	46782
	46072		46792
90123	46703		G4602
90152	45252		G4602-5
	49062	91963	46783
90153	45253		46793
90162	45412		G4603
	49042	91964	46792
90163	45413		46792-5
90172	45462		46793
	45442		46793-5
90173	45463		46782
	45443		46783
90202	45932	92183	47183
	46712	92193	46823
90203	45933	92433	46883
	46713	92773	45993
90303	45023	99802	46332
90922	46282	99803	46333
	46892	99912	46322
90923	46283	99913	46323
	46293		
	46893		



90062, 90063



90072, 90073



90122, 90123



90152, 90153



90162, 90163




90172, 90173



90202, 90203



90303



90922, 90923



91042, 91043



91572, 91573



91683



91962, 91963, 91964



92183



92193



92432, 92433



92773



99802, 99803



99912, 99913

Ford® is a registered trademark of Ford Motor Company CORPORATION DELAWARE; Kenworth® is a registered trademark of PACCAR, Inc.; Freightliner® is a registered trademark of Daimler Trucks North America, LLC; Navistar® is a registered trademark of Navistar International Corporation; Deutsch® is a registered trademark of TE Connectivity Corporation; Truck-Lite® is a registered trademark of TRUCK-LITE CO., LLC; Metri-Pack®

is a registered trademark of Aptiv Technologies Limited COMPANY BARBADOS; Valox® is a registered trademark of SABIC INNOVATIVE PLASTICS IP B.V.; Mack®; Sterling®.

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.