

14

MOUNTING OPTIONS

OPTIONS DE FIXATION

OPCIONES DE MONTAJE


SPACER WIRE GUIDE

For use with LED Radius Light 64M11-5 or LED Fairing Light 64M21-5

- Designed for extended installation and wire routing
- Install with two #8 fasteners (not included)

49501-3 Spacer and Wire Guide - Bulk Pack

VMRS Code: 034-006-034




GASKET

To be used when surface mounting the LED Radius Light 64M11-5 or LED Fairing Light 64M21-5

49511-3 Gasket - Bulk Pack

VMRS Code: 034-001-122



SNAP-IN COVER PLATES

Cover plate is held in place by snap tabs instead of screws for fast and easy installation • For use in retrofit of Grote S/T/T w/ integrated back-up lamps

94380-4 4" Round Gray, Pair Pack

94382-4 4" Round Black, Pair Pack

94390-4 6" Oval Gray, Pair Pack

94392-4 6" Oval Black, Pair Pack

Material: Polycarbonate

VMRS Code: 034-022-006



HOODED MICRONOVA® DOT GROMMET


Fits MicroNova® Dot lamps • For plate thickness to 1/4"

94360 Black

Material: PVC

Finish: Black

VMRS Code: 034-004-058



MICRONOVA® SECURITY PLATE


Installs over grommet-mounted MicroNova® Dot without impeding light output performance • Use stainless steel rivets (.119 rivet) or screws (not included) to mount directly to the vehicle • Not for use with 94360


42063 Stainless Steel

Material: Stainless Steel

Finish: Stainless Steel

VMRS Code: 034-004-036



**MICRONOVA® OVAL BEZEL**


- Plate mounts directly to vehicle with stainless steel rivets or screws
- Provides an additional layer of theft deterrence
- Prevents lamp rotation when installed

42343 Stainless Steel Bezel**Material:** Stainless Steel**Finish:** Stainless Steel**VMRS Code:** 034-004-043**RECESSED MOUNTING GROMMET FOR 2" ROUND LAMPS**


Requires 2 5/16" mounting hole • Fits panel thickness up to 1/4"

92120 Open Grommet**92150** Closed Back Grommet**KITS:****94100** Open Grommet (92120 + 67050)**Material:** PVC**Finish:** Black**VMRS Code:** 034-004-058 - 92120


034-004-027 - 92150

**THEFT-RESISTANT MOUNTING FLANGE FOR 2" ROUND LAMPS**

Patented twist-in locking system keeps lamp from backing out • Ideal for LED lighting • For use with 2" LED and incandescent lamps • Requires 2 1/4" mounting hole

43150 Gray, Polycarbonate**43152** Black, Polycarbonate**43153** Chrome-Plated, ABS**Material:** Polycarbonate/ABS**Finish:** Gray/Black/Chrome**VMRS Code:** 034-004-036**SURFACE MOUNT BRACKET WITH GROMMET FOR 2" ROUND LAMPS**

4 1/4" mounting screw hole spacing

93760 Gray**Material:** Polycarbonate**Finish:** Gray**Grommet:** 92120**VMRS Code:** 034-004-036

2" AND 2½" LICENSE LAMP MOUNTING BRACKET


Anti-glare shield eliminates stray light from distracting following motorists

43040 White

Material: Polycarbonate

Finish: White

VMRS Code: 034-004-036



RECESSED MOUNTING GROMMET FOR 2½" ROUND LAMPS

- Requires 2 25/32" hole
- Fits panel thickness up to 1/8"

91400 Open Grommet

92070 Closed-Back Grommet

KITS:

94010 Open Grommet (91400 + 67050)

Material: PVC

Finish: Black

VMRS Code: 034-004-058



RECESSED MOUNTING GROMMET FOR 2½" ROUND LAMPS

- Requires 3" hole
- Fits panel thickness up to 1/4"

91410 Open Grommet

KITS:

94000 Open Grommet (91410 + 67050)

Material: PVC

Finish: Black

VMRS Code: 034-004-058



45° ANGLED BEVELED-EDGE RECESSED MOUNTING GROMMET FOR 2½" ROUND LAMPS

Fits 2 3/4" hole • Open back fits panel thickness up to 3/16", closed back fits up to 3/8"


91880 Open Grommet

92920 Closed-Back Grommet

Material: PVC

Finish: Black

VMRS Code: 034-004-058





SURFACE MOUNT GROMMET FOR 2 1/2" ROUND LAMPS


Protective brass eyelets for mounting screw

91890 Open Grommet

Material: PVC

Finish: Black

VMRS Code: 034-004-058



THEFT-RESISTANT MOUNTING FLANGE FOR 2 1/2" ROUND LAMPS

Patented twist-in locking system keeps lamp from backing out • Ideal for LED lighting • Fits 2 1/2" LED and incandescent lamps • Requires 2 5/8" mounting hole

MOUNTING FLANGE:

43160 Gray, Polycarbonate
43162 Black, Polycarbonate
43163 Chrome-Plated, ABS


PIGTAIL RETENTION CAP:

93670 Gray

Material: Polycarbonate/ABS

Finish: Gray/Black/Chrome

VMRS Code: 034-004-036



SNAP-IN MOUNTING FLANGE FOR 2 1/2" ROUND LAMPS

Flange is held into place by snap tabs for a quicker, easier installation

• Snap tabs on the flange lock the flange into place, keeping it from backing out of the hole • Foam gasket allows for mounting in materials from 1/8" to 1/4" thick • Requires 2 25/32" mounting hole

MOUNTING FLANGE:

42170 Gray


SECURITY RING:

43823 Stainless Steel

Material: Polycarbonate/Stainless Steel

Finish: Gray/Chrome

VMRS Code: 034-004-036



SURFACE MOUNTING BRACKET WITH GROMMET FOR 2 1/2" ROUND LAMPS

• Includes grommet 91400 • 4 3/4" mounting screw hole spacing

93750 Gray

Material: Polycarbonate/PVC

Finish: Gray/Black

VMRS Code: 034-004-036

TWIST-IN SURFACE MOUNT BRACKET FOR 2" AND 2½" ROUND LAMPS

4" mounting screw hole spacing

43690 Gray

Material: Polycarbonate
Finish: Gray
VMRS Code: 034-004-036




TWIST-IN SURFACE MOUNT BRACKET FOR 2" AND 2½" ROUND LAMPS

3" mounting screw hole spacing • Supports the use of PC-rated lamps for greater visibility

42180 Gray

Material: Polycarbonate
Finish: Gray
VMRS Code: 034-004-036




4 5/8" CORNER RADIUS SURFACE MOUNT BRACKET FOR 2" AND 2½" ROUND LAMPS

Fits 4 5/8" corner radius • Use with PC-rated lights

43760 Gray

Material: Polycarbonate
Finish: Gray
VMRS Code: 034-004-036



90° ANGLE MOUNTING BRACKET FOR 2" AND 2½" ROUND LAMPS

Baked black enamel finish • Grommet required for mounting • 2 1/4" mounting screw hole spacing


FOR 2 1/2" LAMPS:

- 43512** Accommodates 94010, 91400, 92070 Grommets (2 25/32" Hole)
- 43522** Accommodates 94000, 91410 Grommets (3" Hole)

FOR 2" LAMPS:

- 43532** Accommodates 94100, 92120, and 92150 Grommets (2 5/16" Hole)

Material: Steel
Finish: Black Enamel
VMRS Code: 034-004-036



**GROMMET FOR SMALL RECTANGULAR LAMPS**


Requires 1 1/2" x 2 7/8" hole (with 3/8" radius corners) • Fits panel thickness up to .2"

91380 Black

Material: PVC

Finish: Black

VMRS Code: 034-002-002

**BRACKET FOR SMALL RECTANGULAR LAMPS**

2" mounting screw hole spacing • Kits include pigtail and mounting pad

94233 Chrome-Plated

KITS:


43970 Gray (+ 67050 pigtail)

43980 Chrome-Plated (+ 67050 pigtail)

Material: Polycarbonate/ABS

Finish: Chrome/Gray

VMRS Code: 034-002-002 - 94233
034-004-036 - 43970, 43980

**SURFACE MOUNT BRACKET FOR MICRONOVA® OR MICRONOVA DOT**

Armored design to protect the lamp from damage • 3" mounting screw hole spacing (2 3/4" spacing for radius bracket)


42110 Gray

42120 Gray, Corner Radius Bracket

Material: Polycarbonate

Finish: Gray

VMRS Code: 034-004-036 - 42110

**4 3/4" CORNER RADIUS BRACKET**

For use with PC-rated lights • 4 13/16" mounting screw hole spacing • works with Turtleback® II style lamps

43050 Gray

Material: Polycarbonate

Finish: Gray

VMRS Code: 034-004-036

HEADER-MOUNT BRACKET FOR SMALL RECTANGULAR LAMPS

Mountable at 45° angle for PC applications • Narrow rail applications
• 3 39/64" mounting screw hole spacing • Kit includes single-seal pigtail


KITS:

43380 White (42141 + 67050)

Material: Polycarbonate

Finish: White

VMRS Code: 034-004-036



GROMMET FOR SMALL RECTANGULAR LAMPS

Requires 2 1/2" x 3 1/2" hole (with 17/32" corners) • Fits panel thickness up to 3/16"

93400 White

93402 Black


Material: PVC

Finish: Black/White

VMRS Code: 034-004-058



93402



MICRONOVA® LAMP BEZEL


Corrosion resistant, chrome-plated • Snap-fit mounting

93803 Chrome-plated

Material: ABS

Finish: Chrome

VMRS Code: 034-004-036



LICENSE LAMP BRACKET FOR SMALL RECTANGULAR LAMPS


Anti-glare shield eliminates stray light from distracting following motorists
• 3" mounting screw hole spacing • Snap-in lamp installation

42162 Black

Material: Polycarbonate

Finish: Black

VMRS Code: 034-004-036



LICENSE LAMP MOUNTING BRACKET

Features snap-in lamp installation • Fits license lamp 60671, 60261, 60601
Anti-glare shield eliminates stray light from distracting following motorists
• 2" mounting screw hole spacing

43960 Gray

43962 Black


Material: Polycarbonate


Finish: Gray/Black

VMRS Code: 034-004-036



43960





LICENSE LAMP MOUNTING BRACKET

Fits license lamp 60261 • 2" mounting screw hole spacing • Thin design reduces mounting space requirements


43830 Gray

Material: Polycarbonate


Finish: Gray

Grommet: 92520


VMRS Code: 034-004-036



42302



42312



42292

42282

MICRONOVA® DOT ROUND ADAPTER BRACKETS

Assembles directly into 2" and 2.5" PVC grommets • Replaces any incandescent or LED 2" or 2.5" round clearance/marker • Flanges torque to a maximum of 25 in-lbs and mount with three #10 pan or round head screws into existing hole patterns of 2" and 2.5" flanges


42302 2" Round Grommet Adapter

42312 2.5" Round Grommet Adapter

42292 3" Round Flange Adapter

42282 3.5" Round Flange Adapter

VMRS Code: 034-004-036



MICRONOVA® SURFACE MOUNT BRACKET

4 13/16" mounting hole separation provides easy retrofit

• Great for narrow surface mounting applications

42070 Gray

Material: Polycarbonate

Finish: Gray

VMRS Code: 034-004-037

MICRONOVA® DOT ADAPTER BRACKET

Allows the MicroNova® DOT to mount directly to the vehicle using this bracket or snap-fit into compatible 4378-series mounting brackets


- 2 1/2" - 3" mounting screw hole spacing

94350 Gray

Material: Polycarbonate

Finish: Gray

VMRS Code: 034-004-036



MOUNTING BRACKET FOR LARGE RECTANGULAR LAMPS

- 3" mounting screw hole spacing
- Kits include unique connector design with plug-in pigtail

43780 Gray Bracket

43783 Chrome-Plated Bracket, ABS

KITS:


43390 Gray (43780 + 66981)

43790 Gray (43780 + 66980)

Material: Polycarbonate/ABS

Finish: Gray/Chrome

VMRS Code: 034-004-036



LOW-PROFILE MOUNTING BRACKET


Integrated plug connection • Legal mount for combination clearance/ marker lamp when mounted on a 45° angle (PC) • 3" mounting screw hole spacing

43850 Gray

Material: Polycarbonate

Finish: Gray

VMRS Code: 034-004-036



M1 SERIES LAMP BEZEL


For use with M1 style cab markers

93453 Chrome

Material: ABS

Finish: Chrome

VMRS Code: 034-004-036



SMALL CAB MARKER BEZEL


Can be installed while lamps are mounted


92583 Bezel

Material: ABS

Finish: Chrome

VMRS Code: 034-004-036



**THIN-LINE LED LAMP GUARD**


Cutaway to accept plug-in pigtail • For use with 4690, 4692, and 4693 series lamps

43074 Aluminum

Material: Aluminum

Finish: Aluminum

VMRS Code: 034-004-130

**LAMP GUARD FOR SMALL RECTANGULAR LAMPS**


Cutaway to accept plug-in pigtail

43120 Aluminum

Material: Aluminum

Finish: Aluminum

VMRS Code: 034-004-036

**STEEL LAMP GUARD**


For use with 2" x 4" oval and square corner surface mount clearance/marker lamps • 3" mounting screw hole spacing

43144 Steel

Material: Steel

Finish: Silver

VMRS Code: 034-004-130

**CHROME BUTTRESS-STYLE LAMP GUARD**

For use with 2" x 4" oval and square corner surface mounted lamps • 4 3/4" mounting screw hole spacing

43673 Chrome-Plated

Material: ABS

Finish: Chrome

VMRS Code: 034-004-130

**RECESSED MOUNTING GROMMET FOR 4" ROUND LAMPS**

Requires 4 1/2" mounting hole • Fits panel thickness up to 1/4"

91740 Grommet

Material: PVC

Finish: Black

VMRS Code: 034-002-002 - 91740

CLOSED BACK RECESSED MOUNTING GROMMET FOR 4" ROUND LAMPS


For open installations where splash plate is not used • Requires a 4 1/2" mounting hole • Fits panel thickness up to 1/4"

91950 Grommet

Material: PVC

Finish: Black

VMRS Code: 034-002-002



STAINLESS STEEL SNAP-IN THEFT-RESISTANT MOUNTING FLANGE FOR 4" ROUND LED LAMPS


Foam gasket allows for mounting in materials from 1/8" to 1/4" thick • Requires 4 1/2" mounting hole • No drilling necessary to install

93683 Stainless Steel

Material: Stainless Steel

Finish: Stainless Steel

VMRS Code: 034-002-006



SNAP-IN THEFT-RESISTANT MOUNTING FLANGE FOR 4" ROUND LED LAMPS

Fits panel thickness 1/8" to 1/4" • Requires 4 1/2" mounting hole


93552 Black

93553 Chrome-Plated

Material: ABS

Finish: Black/Chrome

VMRS Code: 034-002-006



THEFT-RESISTANT MOUNTING FLANGE FOR 4" ROUND LAMPS

For use with 4" round LED and incandescent lamps • Mounting hole size 4 1/2" diameter

92510 White, Polycarbonate

92512 Black, Polycarbonate

92513 Chrome-Plated, ABS

92511 Gray, Polycarbonate

43253 Stainless Steel


SECURITY RING

43343 Stainless Steel Security Ring (must be used with flange)


Material: Polycarbonate; Stainless Steel; ABS


Finish: White; Gray; Black; Chrome; Stainless Steel

VMRS Code: 034-002-006



(3) mounting holes for #10 screw on 4.91" B.C. (125mm)





THEFT-RESISTANT BETTS LIGHTING MOUNTING ADAPTER


Allows users to retrofit their Betts brand lighting to Grote® mounting dimensions • Retrofits to Grote® 4" round sealed lamps and LEDs
 • Requires 4 1/2" diameter mounting hole

93190 Gray

Material: Polycarbonate

Finish: Gray

VMRS Code: 034-002-006



ANGLED MOUNTING BRACKET FOR 4" ROUND LAMPS

Accepts lamp equipped with a grommet or flange • 4" mounting screw hole spacing


43572 Black, 90° angle bracket

Material: Steel

Finish: Black Powder-Coated

Grommet: 91740

VMRS Code: 034-002-006



MOUNTING MODULE FOR 4" ROUND LAMPS

Closed back, rear lamp module for lamps requiring 4 1/2" mounting hole opening • Accepts lamps equipped with a grommet or flange


43655 Yellow Zinc

51090 Gray

Material: Steel

Finish: Yellow Zinc/Gray Powder-Coated

VMRS Code: 034-002-006 - 43655
 078-002-004 - 51090



2-LAMP MOUNTING MODULE FOR 4" ROUND LAMPS

Two 4 1/2" mounting holes to hold standard recessed lamps or grommet-mounted 4" round lamps • Accepts lamps equipped with a grommet or flange • #10 mounting screw hole in center accepts 2 1/2" round reflector

43642 Black, Powder-Coated

Material: Steel

Finish: Black

VMRS Code: 034-002-006

MOUNTING MODULE FOR 4" ROUND LAMPS



Black enamel-coated steel construction • Use with 4" LED strobes or any 4" round lamp • Accepts lamp equipped with a grommet or flange • Weld to your chassis or apparatus

43732 Black

Material: Steel

Finish: Black


VMRS Code: 034-001-051



O-RING

94110 O-Ring for use with 46782 and 46783 lamps

VMRS Code: 031-004-124



SNAP RING


99593 Use with 50222 and 50352

99595 Use with 50232

Material: Stainless Steel

Finish: Stainless Steel

VMRS Code: 034-002-005



RECESSED MOUNTING GROMMET FOR 6" OVAL LAMPS

Fits 2 1/2" x 6 3/4" oval mounting hole • Fits panel thickness up to 1/4"

92420 Open Grommet

92720 Closed Back Grommet


Material: PVC

Finish: Black

VMRS Code: 034-002-002



92420



SURFACE MOUNT SNAP-IN BRACKET FOR 6" OVAL LAMPS

Allows for quick and easy surface mount application • Designed to work with 5413-, 5414-, 5416-, 5417-product lines only. • 6" mounting screw hole spacing

42152 Black, Polycarbonate

42153 Chrome, ABS


Material: Polycarbonate/ABS


Finish: Black/Chrome

VMRS Code: 034-004-036



42153





SURFACE MOUNT BRACKET FOR 6" OVAL LAMPS

Can be used with any Grote® 6" oval LED or incandescent lamp

- Ideal for adding LED strobe lamps to a vehicle
- 7 5/16" mounting screw hole spacing

43172 Black

Material: Polycarbonate

Finish: Black

VMRS Code: 034-002-006



THEFT-RESISTANT MOUNTING FLANGE FOR 6" OVAL LAMPS

For use with most LED and incandescent lamps • Security ring fits over oval theft-resistant mounting flanges • 7 1/4" x 3" mounting screw hole spacing

42103 Stainless Steel, Security Ring

43220 Gray, Polycarbonate

43222 Black, Polycarbonate


43223 Chrome-Plated, ABS

43723 Stainless Steel

Material: Polycarbonate/Stainless Steel/ABS

Finish: Gray/Black/Stainless Steel/Chrome

VMRS Code: 034-002-006



ANGLED MOUNTING BRACKET FOR 6" OVAL LAMPS

Accepts lamp equipped with a grommet or flange • 6 1/4" mounting screw hole spacing


43362 Black, 90° angle bracket

Material: Steel

Finish: Black

Grommet: 92420

VMRS Code: 034-002-006



"Z" MOUNTING BRACKET FOR 6" OVAL LAMPS

Heavy-gauge steel, baked black enamel finish • Accepts lamp equipped with a grommet or flange • 6 1/4" mounting screw hole spacing

43952 Black

Material: Steel

Finish: Black

Grommet: 92420


VMRS Code: 034-002-006

MOUNTING BRACKET FOR 6" OVAL LAMPS AND STROBES

Accepts lamp equipped with a grommet or flange • 8 1/4" mounting screw hole spacing • Weld to your chassis or apparatus

43100 Black

Material: Steel
Finish: Black
Grommet: 92420
VMRS Code: 034-001-051




MOUNTING BRACKET FOR 7" ROUND LAMPS

Heavy-gauge steel • For use with 7800, 7830 and 7831 series lamps

43282 Black, Powder-Coated

Material: Steel
Finish: Black
VMRS Code: 034-003-080




MOUNTING BRACKET FOR UTILITY LAMPS

Detachable angle mounting bracket for utility work lamps with standard 3/8" mounting

43292 Black, Powder-Coated

Material: Steel
Finish: Black
VMRS Code: 034-003-080




RECESSED MOUNTING GROMMET FOR RECTANGULAR LAMPS

Requires 5 7/16" x 3 9/16" mounting hole with 1" radius corners • Fits panel thicknesses up to 5/16"

94180 Mounting Grommet

Material: PVC
Finish: Black
VMRS Code: 034-002-002






90° ANGLE BRACKET FOR 7" ROUND LAMPS

Provides multiple mounting options for flush mount 7" round lamps

93982 Black, Powder-Coated

Material: Steel
Finish: Black
VMRS Code: 034-001-022





RECESSED FLUORESCENT LAMP PAN


Provides a rigid mounting surface for fluorescent lamps • Fits Grote's fluorescent lamp 61511 • Keeps insulation away from lamp

43540 Recessed Pan

Material: Aluminum

Finish: Polished

VMRS Code: 034-004-036



43325

SLOW-MOVING VEHICLE EMBLEM BRACKETRY

Easy installation • Use with slow-moving vehicle emblem 71152 (emblem not included)


EMBLEM BRACKET:

43325 Steel

Material: Steel

Finish: Galvanized

VMRS Code: 034-001-051



STROBE AND BEACON MOUNTING ADAPTER FOR MIRROR BRACKET ASSEMBLY

Allows for mounting of strobe and beacon warning lamps to mirror bracket assembly


PIPE MOUNT:

93600 Aluminum/Steel Bracket w/ 1" Built-in Mount

Material: Aluminum/Steel

Finish: Gray

VMRS Code: 034-001-051



UNIVERSAL OFFSET LICENSE PLATE BRACKET


For use with most standard two-stud box-style lamps and license plates

43262-5 Black **RETAIL**

Material: Polypropylene

Finish: Black

VMRS Code: 034-004-036



UNIVERSAL STEEL OFFSET LICENSE PLATE BRACKET

For use with most standard two-stud box-style lamps and license plates

43022 Black, Powder-Coated

43022-5 Black, Powder-Coated **RETAIL**

Material: Steel

Finish: Black


VMRS Code: 034-004-036

UNIVERSAL STEEL LICENSE PLATE BRACKET

For use with most standard two-stud box-style lamps and license plates

43272 Black, Powder-Coated
43272-5 Black, Powder-Coated **RETAIL**

Material: Steel
Finish: Black
VMRS Code: 034-004-036




UNIVERSAL STEEL LICENSE PLATE BRACKET

For use with most standard two- or three-stud box-style lamps and license plates

43842 Black, Powder-Coated

Material: Steel
Finish: Black
VMRS Code: 034-004-036




ADJUSTABLE BRACKET FOR TRILLIANT® LAMPS

Adjustable and lockable bracket for the Trilliant® LED Whitelight lamps

- Provides more aiming control and more reliability than the standard bracket
- Cantilever locking mechanism stays in place in even the harshest environments

43652 Bracket, Black

Material: Zinc
Finish: Black
VMRS Code: 034-006-034




WORK LIGHT MOUNTING BRACKET

- Designed to work with most Trilliant® and Brite Zone® work lights
- Allows work lamps to pivot without damage to vehicle
- Robust construction to withstand multiple hours of vibration
- Mount direct to vehicle with M6 fasteners

94450 Steel Mounting Bracket

Material: 16 GA Steel
VMRS Code: 034-006-034




REPLACEMENT MAGNETIC MOUNT

Can be used as a magnetic mount on Par 36 rubber tractor and utility lamps


- Has adhesive magnet pad to prevent scratching of vehicle
- 80 lb. pull magnet

43300 Magnetic Mount

Material: Steel
Finish: Chrome
VMRS Code: 034-001-051



(2) slots for
#8 screws
19" x 25"
(5mm x 6mm)



FLUSH-MOUNT WORK LAMP BRACKET


Add-on bracket to convert the Trilliant® Mini LED Work Lamp into a flush-mount lamp

94690 Stainless Steel

Material: Stainless Steel

Finish: Stainless Steel

VMRS Code: 034-002-002



PAR 36 RUBBER TRACTOR HOUSING

Shock-absorbing, weather-proof body • Swivel mount

64930 Black

Material: Rubber

Finish: Black

VMRS Code: 034-001-015




AGRICULTURE LIGHT ADAPTER BRACKET KIT

Fits Surface-mount LED amber warning & red stop/tail/turn lamps

• Surface-mount lamps can be connected as a dual-lamp with use of the adapter bracket

98130 Agriculture Light Adapter Bracket Kit

VMRS Code: 034-004-044




WARNING & HAZARD 6" BRANCH GUARD

Fits Products: 78051, 78053, 78055, 78061, 78063, 78065, 78081, 78085, 78050, 78052, 78054, 78080

98460 6" Branch Guard

Material: Steel w/ Black Powder Coat

VMRS Code: 034-004-153



WARNING & HAZARD 4" BRANCH GUARD

Fits Products: 78031, 78033, 78035, 78071, 78075, 78851, 78070, 78030, 78034, 78851, 78853, 78855

98470 4" Branch Guard

VMRS Code: 034-004-153

WARNING & HAZARD 6" OVAL BEZEL


Fits Products: 78190, 78191, 78193, 78194, 78195

98410 6" Oval Black Bezel

98480 6" Oval Chrome Bezel

Material: ABS

VMRS Code: 034-001-051



WARNING & HAZARD DIRECTIONAL WARNING BRACKETS AND BEZELS

Fits Products: 78140, 78141, 78142, 78143, 78144, 78145, 78146, 78460, 79080, 79100, 79110, 79120

BRACKET

98350 License Bracket, Aluminum

98360 L Bracket, Steel

BEZEL

98390 Directional Chrome Bezel

98400 Directional White Bezel

Material: 98390 - ABS, 98400 - Polycarbonate

VMRS Code: 034-001-051

